

BMJ Open

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email editorial.bmjopen@bmj.com

BMJ Open

Crowd medical services in the English Football league-remodelling the team for the 21st century.

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2017-018619
Article Type:	Research
Date Submitted by the Author:	10-Jul-2017
Complete List of Authors:	leary, Alison; London South Bank University Kemp, Anthony; University of Bedfordshire; Britsih Association for Immediate Care Greenwood, Peter; St. John Ambulance Service Hart, Nick; Association of Millwall Supporters Agnew, James; London Ambulance Service NHS Trust Barrett, John; London Ambulance Service NHS Trust Punshon, Geoffrey; London South Bank University,
Primary Subject Heading:	Emergency medicine
Secondary Subject Heading:	Medical management, Patient-centred medicine, Medical education and training, Evidence based practice
Keywords:	ACCIDENT & EMERGENCY MEDICINE, AUDIT, Organisational development < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Risk management < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, PRIMARY CARE

SCHOLARONE™
Manuscripts

only

1
2
3 **Title:** Crowd medical services in the English Football league-remodelling the team for the
4 21st century.
5
6

7
8 **Authors:**

9 Alison Leary¹, Anthony Kemp^{2,3}, Peter Greenwood⁴, Nick Hart⁵, James Agnew⁶, John Barrett
10 ⁶, Geoffrey Punshon¹
11

12 Corresponding Author: Geoffrey Punshon, London South Bank University, School of Health
13 and Social Care, 103 Borough Road, London UK SE1 0AA. Email:

14 punshongeoff@yahoo.co.uk. Telephone/Fax: 0207 450 6064
15

16 ¹ London South Bank University, London, UK. ² University of Bedford, Luton, UK. ³ British
17 Association for Immediate Care, Ipswich, UK. ⁴ St. John Ambulance Service, London, UK. ⁵
18 Association of Millwall Supporters, London, UK. ⁶ London Ambulance Service NHS Trust,
19 London, UK.
20
21

22
23 **Keywords**

24 Accident and Emergency Medicine, Audit, Organisational Development, Risk Management,
25 Primary Care
26
27

28
29 **Word Count**

30 3848
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

Objectives

To evaluate the new model of providing care based on demand. This included reconfiguration of the workforce to manage workforce supply challenges and meet demand without compromising the quality of care.

Design

Currently the Guide to Safety at Sports Grounds recommends the provision of crowd medical cover at English football league stadia. The guidance on provision of services has focussed on extreme circumstances such as the Hillsborough incident in 1989 while the majority of demand on present day services is from patients with minor injuries, exacerbations of injuries and pre-existing conditions. A new model of care was introduced in 2009/10 season to better meet demand.

A realist approach was taken. Data on each episode of care was collected over 14 consecutive football league seasons at Millwall FC divided into two periods, pre-implementation of changes and post implementation of changes. Data on workforce retention and volunteer satisfaction was also collected.

Setting

The data were obtained from one professional Football League team (Millwall F.C.) located in London, UK.

Primary and Secondary Outcomes

The primary outcome was to examine the demand for crowd medical services. The secondary outcome was to remodel the service to meet these demands.

Results

In total 981 episodes of care were recorded over the evaluation. The groups presenting, demographic and type of presentation did not change over the evaluation. First aiders were involved in 87.7% of episodes of care, nurses in 44.4% and doctors 17.8%. There was a downward trend in referrals to hospital. Workforce feedback was positive.

Conclusions

The new workforce model has met increased service demands while reducing the number of referrals to acute care. It involves the first aid workforce in more complex care and key decision making and provides a flexible registered healthcare professional team to optimise the skill mix of the team.

Strengths and limitations of this study

- The study monitored crowd medical services over a 14-year period.
- The study demonstrates that the demand for crowd medical services is more varied than the requirements of the 'Green Guide' and that remodeling of the service was necessary.
- The workforce responded positively to the changes made to the service.
- The study was limited by incomplete data collection in the early years of the study and as it was carried out at a single Football League team.

INTRODUCTION

Crowd medical services in the English football league were formalised by the recommendations of Lord Justice Taylor¹ following an incident at Hillsborough Stadium, in which 96 spectators died in 1989 and the subsequent findings of the enquiries which have been on going. In 2012 the inquest into the deaths at Hillsborough were reopened.

After the recommendations of the Taylor Report¹ and previous legislation²⁻⁴ the current Guide to Safety at Sports Grounds⁵ was published. Often referred to as the “Green Guide” it is not statute but incorporates many of the Acts that relate to crowd safety within sports stadia. The Guide recommends the provision of medical cover at English football league stadia.

The provision in the guide is for one first aider per thousand spectators and where a crowd is expected to exceed 2000 a crowd doctor who is trained in immediate care, should be provided. The Green Guide also makes recommendations for the provision of first-aid facilities such as an appropriate room or rooms and equipment including a defibrillator. Ambulance provision is included in the guidelines with crowds between 5000 and up to 25,000 requiring one Accident and Emergency ambulance with paramedic crew. Statutory ambulance provision increases with crowds between 25,000 and 40,000 and again over 40,000⁶. Despite a thorough search of the literature no evidence for these ratios or educational standards has been found and it appears they were arrived at by consensus at the time.

The Hillsborough stadium disaster influenced much of the framework for the guidance of provision of crowd medical services in league football over the next twenty-five years and for good reason. Lack of triage and immediate scene management by the ambulance service caused or contributed to the loss of lives by failing to recognise or actuate a major incident⁷. Subsequently, the guidance on provision of services has focussed on extreme circumstances such as mass casualty situations and physical environments such as all standing crowds, which largely no longer exist in the football league. This has meant that guidance for the design of medical service provision is led by a “black swan”, a rare event with extreme impact and retrospective predictability⁸ whilst the majority of demand is given a lesser priority and resource but is a far more likely to have an greater impact on the service⁹⁻¹¹.

The demand on services in present day spectator care is rarely from major mass casualty situations. Although mass casualty situations are still a very real possibility, much of the common demand is from patients with minor injuries, exacerbations of illness, pre-existing conditions and occasionally emergent patients⁹⁻¹². Designing a service model that can accommodate both immediate disaster management but also the higher volume of minor injuries, medical emergencies and primary care work presents a different challenge to that designed into national guidance such as the Green guide. In recent years austerity measures in England have also placed resource constraints on healthcare service providers such as the statutory ambulance service and the acute sector¹³. Managing demand at source has become a fundamental necessity.

Millwall’s ground, The Den, was built in 1993 as part of the post Taylor initiative¹⁴. The club is currently located between two inner London boroughs, Lewisham and Southwark. These boroughs rank below the national average in England on health in a number of areas. Residents are more likely to die an early death through cancer, heart disease or smoking related illnesses and in Lewisham have a life expectancy 6.8 years lower than the England

1
2
3 average¹⁵. The design of the ground reflects this post Taylor construction date as an “all
4 seater” stadium with a capacity of 20,146.

5
6 Planning the medical services for mass gatherings is difficult. The number of variables is
7 complex and their interactions dynamic^{16,17} thus making accurate planning a challenge. In
8 order to manage demand in an effective and sustainable way the service at Millwall was
9 reviewed based on the previous set of demand and outcome data⁹. Concurrently supply of
10 workforce was examined and a number of local issues were revealed.

11 **Problem description and rationale for change**

12
13 A retrospective study had already been carried out⁹ and this identified that the majority of
14 local demand is from non-mass casualty situations such as exacerbations of chronic
15 disease, minor injuries and much less commonly, emergent patients. The statutory
16 requirement to have ambulance vehicles on site was becoming more challenging due to
17 issues with availability of crews and on occasions it was not possible to meet this
18 requirement. This also applied to recruiting individuals to fill the “crowd doctor” role as
19 changes in training in England has impacted on the availability of supply. Times of high
20 demand and the working environment demonstrated that skills and attributes beyond
21 technical competency were required and that this particularly applied to the “crowd doctor”
22 role. The only requirement to become a “crowd doctor” was to have General Medical Council
23 registration and completion of a 2.5-day Football Association course but extreme situations
24 at Millwall demonstrated that this was not sufficient preparation for the role. Staff turnover
25 was high and inconsistent due to the sessional nature of the work. This led to little team
26 cohesiveness.

27
28 Since the publication of the Taylor Report a number of other professional groups such as
29 nurses, paramedics and physiotherapists practice at a much more complex level
30 incorporating advanced practice skills¹⁸ which were not utilised in the service to any great
31 degree. A re-examination of local data indicated that the default of the first line treatment by
32 First aiders had a low referral threshold to acute emergency care when it might not be
33 clinically necessary if a healthcare professional was available for advice or review. These
34 findings echo those of Kemp¹². Despite the presence of the statutory ambulance service at
35 games the Green Guide stipulated this was for major incident use only. In addition to
36 statutory ambulance provision, a vehicle was also provided by a voluntary service agency, St
37 John Ambulance (SJA). SJA increasingly had difficulty providing ambulance cover for games
38 due to a limited supply of volunteers qualified to do this work.

39
40 These challenges required a pragmatic response in terms of service redesign and workforce
41 supply in order to manage risk and use the limited resources more effectively. There is
42 evidence to show that high performing teams and high reliability organisations¹⁹ have certain
43 attributes and alongside remodelling the service and workforce a supply an approach to
44 examining team makeup was also undertaken.

45
46 Examining the teams' effectiveness using the work of Michael West^{20,21} revealed a level of
47 high task reflexivity. The team were technically focused but the unstable and temporary
48 working patterns characteristic of these services meant a lower level social reflexivity. The
49 professionally qualified members of the team such as doctors and paramedics were
50 engaged on a per game basis meaning very high levels of turnover and unfamiliarity with
51 working practices and the environment. This has on occasions caused serious issues, for
52 example a major incident in 2002 in which the clinical leadership, who were transient, were
53 unsure of their roles despite being qualified to the standard of the then Football Licensing
54 Authority Green Guide⁵.

1
2
3 The transient workforce also meant limited professional support was given to the more
4 stable volunteer workforce of First Aiders, for example supporting them to use evidence
5 based practice in areas such as wound care, medicines management, assessment of
6 traumatic injury and infection control.
7

8 **Specific aims**

9
10 To reconfigure the workforce to manage workforce supply challenges and yet meet demand
11 without compromising the quality of care.

12
13 To provide capacity and increase activity in other areas such as health promotion.
14

15 **METHODS**

16
17 A medical advisory group of stakeholders (including supporters) was convened to consider
18 all challenges and possible solutions. This group then reported to the overarching Safety
19 Advisory Group which is led by the local authority who grants the safety licence without
20 which the stadium cannot open to the public.
21

22
23 A quality improvement approach was taken. A defining characteristic of quality improvement
24 projects is that they are established primarily as improvement activities rather than research.
25 The principal aim of a quality improvement project is to secure positive change in an
26 identified service²². The format taken was an iterative one utilising the Plan, Do, Study, Act
27 cycle over seven seasons.
28

29
30 After the assessment of the challenges the response was to undertake a planned
31 implementation of several interventions providing they were approved by the Safety Advisory
32 Group.

33
34 The overall approach to change was adoption of Safety II principles²³ focussing on what
35 works well within the stakeholder group. The evaluation used a realist evaluation
36 framework^{24,25} utilising primarily longitudinal observational data to look at context and
37 outcomes but within the mechanism of social change. Realist evaluation is helpful in this
38 kind of project as it is inductive rather than reductive and method agnostic allowing for the
39 narrative synthesis of the different types of data generated and suited to a local study within
40 a specific context.
41

42 **Interventions**

43
44 After historical data was examined to assess demand and the assessment of team reflexivity
45 had been undertaken, several interventions were implemented and are shown in Figure 1a).

46
47 The workforce changes included formalising a medical co-ordinator role (a consistent
48 leadership position accountable to the safety officer) discontinuation of the “crowd doctor”
49 role and subsequent employment of a multidisciplinary team of physicians and nurse
50 practitioners with pre-hospital qualifications and the skills and attributes to meet the demand.

51
52 The medical co-ordinator is the accountable officer reporting directly to the safety officer.
53 The responsibilities include ensuring staffing & equipment requirements are met, overseeing
54 the medical plan, liaising with the stakeholders, clinical audit and leadership on match days.

55
56 A non-hierarchical structure utilising the formation of a self-organised teams that decides
57 their own workflow was agreed alongside “red rules” to maintain safety²⁶. Red rules are
58 safety rules which must never be broken and are commonly used in other safety critical
59

workforces. This resulted in devolved frontline decision making that could be supported with further technical skill or clinical acumen if required. A fundamental aspect of these changes was inclusion of the voluntary first aid workforce in strategic decision making which they had not been involved in before despite being the main provider of care.

Support from a more consistent healthcare professional workforce enabled evidence based practice to be introduced across the service including within the first aid volunteer workforce (for example would care and infection control) as they provide most of the care. There was also an added benefit of senior clinical advice being readily available if required.

The ambulance vehicles which were proving hard to resource and were of very restricted use were discontinued. Attendance of a London Ambulance Service officer at each match who have a primary role to manage a major incident was continued and is fulfilled by a small number of local officers to increase team cohesion.

The Green Guide minimum staffing shown in Figure 1b) was replaced by two registered healthcare professionals and a medical co-ordinator (also a healthcare professional) per game, an ambulance service officer and one first aider per thousand spectators as illustrated in Figure 1c). According to previous data a crowd of over 12,000 is more likely to require an emergency response⁹ thus for games where the expected spectators exceed 12,000 additional resources are present, for example extra paramedics.

The stakeholder group overseeing change consisted of healthcare professionals, first aid volunteers, London Ambulance Service, representatives from the supporter's club and other stakeholders such as club staff. All decisions/changes were reviewed by the statutory local Safety Advisory Group which is the group given responsibility for safety including issuing of the safety licence.

The service applied for and was granted membership of the British Association of Immediate care (BASICS) which provided a framework for standards of education and guidance on evidence based care as well as equipment usage.

Insert Figure 1 here

Measures and Analysis

Observational longitudinal data was used. The period assessed consisted of fourteen consecutive football league seasons at Millwall FC (pre-implementation of changes, seasons 2002/3 to 2008/9 where care was delivered according to the Green Guide guidance and post implementation seasons 2009/10 to 2015/16 where care was delivered within the new framework). A prospective observational study was carried out which employed consecutive sampling to collect data. In the 2009-2010 season the new workforce model was introduced and so there is a focus in the presentation of data of two phases using descriptive statistics.

The primary outcome measures were usage, skill mix and clinical outcomes. In order to collect the data an instrument was designed which was used to record each episode of care, consultation or advice given in the regular football league season (i.e. not including playoff or exhibition games). This instrument has been previously described⁹ and, briefly, collected data on the following: age, sex, postcode (or area of residence), reason for attendance, category (staff or spectator), presenting signs and symptoms, diagnosis, treatment given and

1
2
3 outcome. in addition, the skill mix involved in each episode was also recorded. All users of
4 the service were eligible for inclusion in the evaluation.

5
6 The data was recorded by the health care provider and collated at the end of each match by
7 the medical co-ordinator.

8
9 Data on workforce retention and volunteer workforce satisfaction was also examined.

10
11 All data was analysed for activity using an Excel worksheet. As the study design is one of
12 activity/needs analysis, statistical manipulation offers limited benefit and so is limited to
13 descriptive statistics.

14 **Ethical considerations**

15
16 The local regional ethics committee deemed that ethical approval was not required for the
17 study. This was confirmed using the HRA decision tool²⁷. In addition, changes to the service
18 model were reviewed and approved by the local Safety Advisory Group. Permission for
19 publication was obtained from Millwall FC and the stakeholder group.

20 **RESULTS**

21
22 A total of 981 episodes of care were recorded over the duration of the evaluation (392 for the
23 period 2002/3 to 2008/9 and 589 for the period 2009/10 to 2015/16). Overall the usage of
24 the service increased in the phase post implementation. This was 0.174-0.33 per 1000
25 attendances in the pre-implementation phase and 0.284-0.452 in the post implementation
26 phase. This can be seen in Figure 2.

27
28
29
30
31
32 *Insert Figure 2 Here*

33 **Consultation Type**

34
35 Over the entire time period 977 episodes of care were characterised as either pre-existing or
36 new conditions. 55.5% of the episodes of care were classified as pre-existing with the
37 remaining 44.5% being new conditions. Across the 14 seasons the proportion of
38 presentations for pre-existing conditions ranged from 32% to 72%. This is shown in Figure
39 3a).

40 **Age of users**

41
42 The age of the user (either the actual age or a general category of adult or child (16 and
43 under)) presenting was recorded in 753 episodes of care. In the remaining 228 presentations
44 age was either not recorded or the user did not wish to give an age. Of the 711 users who
45 gave an exact age the youngest was aged one and the oldest 92 with a mean age 32.

46 **Gender of users**

47
48 The gender of the service users was recorded for 813 episodes of care. On 168 occasions
49 the gender was not recorded. The percentage of users by gender was 35% female & 64%
50 male

51 **User Profile**

1
2
3 Users were categorised as 'Public' (i.e. supporters), 'MFC Steward', 'MFC Staff' (including
4 catering staff, office staff etc.), 'Police' or 'Player'. The user profile was recorded for 954
5 episodes of care with 27 episodes where the user profile was either not recorded or
6 unknown. Figure 3b) shows the % users for each category in total and for the 2002 to 2008
7 and 2009 to 2015 seasons.
8

9 **Reason for presentation**

10
11 981 episodes of care were categorised as either 'Medical' or 'Trauma'. Over the entire study
12 57.2% of the episodes were categorised as Medical with 42.3% categorised as Trauma.
13 Figure 3c). shows the % episodes of care for Medical and Trauma presentations in total and
14 broken down by the 2002 to 2008 seasons and the 2009 to 2015 seasons.
15

16
17
18 *Insert Figure 3 here*
19

20 **Skill mix utilisation**

21
22 The skill mix of the medical team was logged for each episode of care. For the 2002/03
23 season the categories 'First Aider' and 'Health Professional' (i.e. nurse, paramedic or doctor)
24 were used. Following this season more detailed categories were used with 'First Aider',
25 'Nurse', 'Doctor', 'Paramedic' and 'Carer' being utilized. If more than one group was involved
26 in care this was recorded as such (e.g. 'First Aider plus Nurse'). Results are presented as a
27 percentage of the total number of episodes for each period.
28

29
30 Over the entire study 855 episodes of care were recorded (267 for the period 2002 to 2008
31 and 588 for the period 2009 to 2015). On 126 occasions the skill mix was not recorded.
32

33 First Aiders alone accounted for 45% of the total recorded episodes of care (45.3% for the
34 period 2002 to 2008 and 44.9% for the period 2009 to 2015). First Aider plus Nurse
35 accounted for 21.4% of the total episodes of care (19.9% for the period 2002 to 2008 and
36 26.9% for the period 2009 to 2015). 9% of episodes of care were provided by a Nurse alone
37 (10.1% for the period 2002 to 2008 and 8.5% for the period 2009 to 2015). First Aider, Nurse
38 and Doctor dealt with 7.8% of the episodes of care (9.4% for the period 2002 to 2008 and
39 7.1% for the period 2009 to 2015). First Aider and Doctor accounted for 6.4% of episodes
40 (3% for the period 2002 to 2008 and 8% for the period 2009 to 2015). All other combinations
41 accounted for less than 2% each of the episodes of care. Figure 4 shows the skill utilization
42 for the total study, the 2002 to 2008 seasons and the 2009 to 2015 seasons.
43
44

45
46
47 *Insert Figure 4 here*
48

49
50 Looking at overall involvement in care First Aiders were involved either alone or with other
51 health professionals in 87.7% of the episodes of care (85.2% for the period 2002 to 2008
52 and 89% for the period 2009 to 2015). Nurses were involved in 44.4% of episodes (44.2%
53 for the period 2002 to 2008 and 45.4% for the period 2009 to 2015) while Doctors were
54 involved in 17.8% (18.3% for the period 2002 to 2008 and 17.6% for the period 2009 to
55 2015).
56

57 **Outcome of episode**

58
59
60 8

The outcome of each episode of care was divided into a number of categories:

- Stay: Patient stayed in the ground (i.e. returned to the game)
- Stay + 30: Patient stayed in the ground after being in the First Aid room for 30 minutes or longer
- Stay + GP: Patient stayed in the ground but was advised to visit a GP later
- Home +GP: Patient went home immediately after the consultation and was advised to visit a GP later if appropriate
- MIU: Patient was sent to a local Minor Injuries Unit
- Hospital: Patient was sent to a local A&E Department via an ambulance
- Custody: Patient was taken into custody by the Metropolitan Police due to safeguarding issues

Overall a downward trend in referral to hospital was seen in the post implementation phase (Figure 5b).

Insert Figure 5 here

There were no deaths in the study.

Health promotion activities

The change in workforce and closer relationship with colleagues and supporters enabled several health promotion activities to take place working in partnership with local services and charities. This included prostate cancer awareness, “fit club”; a programme of activity and healthy eating, awareness of local bowel cancer screening services (as part of the national screening programme), Men’s health MOTs and offers from local smoking cessation services²⁸.

Workforce

Informal feedback is positive and volunteer experience surveys have improved with biannual satisfaction scores improving. However, these are administered and reported centrally through the charitable body that supplies volunteers and the raw data was not available for analysis.

Although there was no formal evaluation of this (for example satisfaction surveys) retention of the local volunteer and healthcare professional workforce is high-97% in the post implementation phase compared to 54% in the pre-implementation phase with very low turnover of staff and no attrition of the healthcare professional staff at all.

DISCUSSION

Overall the new workforce model has met increased service demands whilst reducing the number of referrals to acute care. Significantly the new model involves the first aid workforce in more complex care and key decision making, whilst also engaging in health promotion activities and forging a closer working relationship with the services stakeholders.

There have been a number of incidents where the resilience of the new model has been tested, for example with multiple concurrent casualties or serious and life threatening incidents²⁹. The response to such incidents has been swift (less than three minutes) with

1
2
3 good outcomes at scene, the patients all being transferred to hospital alive. Such incidents
4 are unusual and infrequent requiring a combination of basic and advanced skills that bring
5 together the full strength of the whole medical team.
6

7 The majority of the patients seen are of low acuity, the greater majority of presentations arise
8 from pre-existent conditions. A significantly lesser workload arises from emergent illness or
9 trauma, which replicates previous findings⁹⁻¹².

10 The increased workload since the introduction of the new workforce arrangements may be
11 directly related to the new arrangements. Williams³⁰ posits that increased presentation rates
12 reflect the visibility and accessibility of the medical services themselves. At Millwall the
13 involvement of stakeholder groups and onward engagement with the them, combined with
14 joint participation in health promotion ventures at the Stadium may be influential in the
15 increased presentation rate through increased visibility. There is evidence that crowd size in
16 itself is not a predictor of workload^{10,11,31}.

17 Although this was a local evaluation there is transferable learning to other similar
18 environments outside of football. A flexible cohesive workforce defined by skill and driven by
19 demand offers many advantages for all stakeholders including members of the workforce.
20 Cohesive teams have familiarity with each other's strengths and weaknesses and can feel
21 less coercive where "expert power" is shared and the voices of stakeholders are heard³².

22 A flexible workforce open to other registered healthcare professionals such as nurses
23 doctors and paramedics with skills and attributes allowed the team to optimise professional
24 can perform at this level optimise workforce & skill mix other prof have skills and attributes
25 that are more suited to environment It is an important facet of the workforce model within this
26 discussion that the registered healthcare professionals used are wider in scope than those
27 within The Guide To Safety At Sports Grounds⁵. By including those with expertise in minor
28 injuries and primary care the resilience of the medical team has been optimised. This is
29 reflected in the overall and enduring reduced referrals to external sources of care. The fact
30 that at least one of the registered healthcare professionals at each match has experience of
31 high acuity prehospital care and is minimally qualified to the level of the Pre-Hospital
32 Emergency Care Course³³ provides clinical expertise in the (rare) event of high acuity
33 incidents.
34
35
36
37
38
39

40 CONCLUSION

41 The new workforce model has met increased service demands while reducing the number of
42 referrals to acute care. It involves the first aid workforce in more complex care and key
43 decision making and provides a flexible registered healthcare professional team to optimise
44 the skill mix of the team.
45
46
47
48
49

50 Contributor Statement

51 AL contributed to the study design, interpretation, analysis and writing. AK contributed to
52 analysis, interpretation and writing. PG, JA and JB contributed to data collection and writing.
53 NH contributed to writing. GP contributed to study design, analysis, interpretation and
54 writing.
55

56 Competing Interests

57
58
59
60 10

This work was carried out by an independent research team. There is no competing interest.

Funding

There was no funding for this study.

Data Sharing Statement

This work is secondary analysis of data. Analysis of secondary data and all results from the authors.

Acknowledgements

The CEO Directors and Staff of Millwall FC in particular Colin Sayer (Stadium Manager) and Jessica Newman (Club Secretary), Anthony Weston, Andrew Steeden and Ken Spearpoint (Millwall FC Medical Team), David Edwards and Siobhan Mangan (London Borough of Lewisham), the Millwall FC Safety Advisory Group and Geoff Galilee and Nikki Rutherford, (Sports Ground Safety Authority).

Disclaimer.

The views expressed in the submitted article are those of the authors and not an official position of the employing institutions.

References

1. Final Report of Inquiry by Lord Justice Taylor into the Hillsborough Stadium Disaster. 1990. Website: <http://hillsborough.independent.gov.uk/repository/docs/HOM000028060001.pdf> accessed April 2017.
2. Safety of Sports Grounds Act. 1975. Website: <http://www.legislation.gov.uk/ukpga/1975/52/body/enacted> accessed April 2017.
3. The Health and Safety (First-Aid) Regulations (Third Edition). 1981. Website: <http://www.hse.gov.uk/pubns/priced/l74.pdf> accessed April 2017.
4. Football Spectators Act. 1989. Website: <http://www.legislation.gov.uk/ukpga/1989/37> accessed April 2017.
5. The Guide to Safety at Sports Grounds. Sports Ground Safety Authority 2008. Website: <http://www.safetyatsportsgrounds.org.uk/sites/default/files/publications/green-guide.pdf> accessed April 2017.
6. Football Licensing Authority. Guide to Safety at Sports Grounds 4th Edition. 1997. HMSO, London.
7. Hillsborough: the Report of the Hillsborough Independent Panel. 2012. Website: http://hillsborough.independent.gov.uk/repository/report/HIP_report.pdf accessed April 2017.
8. Taleb NM (2010) The Black Swan: The Impact of the Highly Improbable, Penguin, London, U.K.
9. Leary A, Greenwood P, Hedley B *et al*. An analysis of crowd medical services at an English football league club. *Int Emerg Nurs*. 2008 Jul;16(3):193-9.
10. Bhangu A, Agar C, Pickard L *et al*. The Villa Park experience: crowd consultations at an English Premiership football stadium, season 2007-8. *Emerg Med J*. 2010 Jun;27(6):424-9.

11. Crawford M, Donnelly J, Gordon J *et al.* An analysis of consultations with the crowd doctors at Glasgow Celtic football club, season 1999-2000. *Br J Sports Med.* 2001 Aug;35(4):245-9.
12. Kemp AE. Mass-gathering Events: The Role of Advanced Nurse Practitioners in Reducing Referrals to Local Health Care Agencies. *Prehosp Disaster Med.* 2016 Feb;31(1):58-63.
13. AACE. Association of Ambulance Chief Executives Annual report 2014/15. 2015. Website: <http://aace.org.uk/wp-content/uploads/2015/10/AACE-ANNUAL-REPORT-2014-2015-FINAL-W.pdf> accessed May 2017.
14. Sir Norman Chester Centre Report. 2002. Website: <http://furd.org/resources/fs1.pdf> accessed April 2017.
15. Public Health England. Health Profiles. Website: <https://fingertips.phe.org.uk/profile/health-profiles> accessed April 2017.
16. Wetterhall SF1, Coulombier DM, Herndon JM *et al.* Medical care delivery at the 1996 Olympic Games. Centers for Disease Control and Prevention Olympics Surveillance Unit. *JAMA.* 1998 May 13;279(18):1463-8.
17. Milsten AM, Maguire BJ, Bissell RA *et al.* Mass-gathering medical care: a review of the literature. *Prehosp Disaster Med.* 2002 Jul-Sep;17(3):151-62.
18. NHS Scotland. The Advanced Practice Toolkit. 2008. Website: <http://www.advancedpractice.scot.nhs.uk/definitions/defining-advanced-practice.aspx> accessed April 2017
19. Weick KE and Sutcliffe KM. *Managing the Unexpected* (Third Edition). 2015. John Wiley & Sons, Hoboken, New Jersey.
20. West, M.A. *Effective Teamwork: Practical lessons from organizational research.* 2004. Blackwell/British Psychological Society. Oxford.
21. West M.A. *Effective Teamwork: Practical Lessons from Organizational Research (Psychology of Work and Organizations).* 2012. Blackwell/British Psychological Society. Oxford.
22. Portela M.C., Pronovost P.J., Woodcock T. *et al.* How to study improvement interventions: a brief overview of possible study types. *BMJ Qual Saf.* 2015 May;24(5):325-36.
23. Hollnagel E., Wears, R.L. and Braithwaite J. From Safety-I to Safety-II: A White Paper. 2015. Website: <https://www.england.nhs.uk/signuptosafety/wp-content/uploads/sites/16/2015/10/safety-1-safety-2-white-papr.pdf> accessed April 2017.
24. Pawson R. and Tilly N. *Realistic Evaluation.* 1997. Sage. London.
25. Baillie L. and Maxwell E. *Improving Healthcare: A Handbook for Practitioners.* 2017. CRC Press. Boca Raton, Florida.
26. Vogus T., Sutcliffe K. and Weick K. Doing No Harm: Enabling, Enacting, and Elaborating a Culture of Safety in Health Care. 2010. *Academy of Management Perspectives* November 2010 24:4 60-77;
27. HRA. Health Research Authority Decision Tool. Website: <http://www.hra-decisiontools.org.uk/research/result7.html> accessed in 2012 and 2014.
28. Hart N. and Leary A. Millwall Fc Medical Service: 'No One Likes Us, We Do Care' – Working Together for Better Health in South London. In *Sports-Based Health Interventions: Case Studies from Around the World* by Conrad D. and White A. pp231-241. Springer, New York.
29. BBC Wales. Millwall New Den: Cardiff City fan injured in fall. 2012. Website: <http://www.bbc.co.uk/news/uk-wales-12797244> accessed May 2017.

- 1
2
3 30. Zeitz K., Haghighi P.D., Burstein F. *et al.* Understanding the drivers on medical
4 workloads: an analysis of spectators at the Australian Football League. *Aust Health*
5 *Rev.* 2013 Jun;37(3):402-6.
6
7 31. Heinink T.P., Fogarty A.W. and Wiles M.D. Trends in Demand for Acute Medical
8 Care at Two Football Clubs over an Eighteen-Year Period. *Advances in Emergency*
9 *Medicine.* Volume 2014:1-6.
10
11 32. Longest B.B. Health Program Management: From Development Through Evaluation
12 (2nd Ed). 2012. Jossey Bass, Wiley, San Francisco USA.
13
14 33. BASICS. Pre Hospital Emergency Care Course. Website: [https://secure-](https://secure-uk.net/basics-education.co.uk/)
15 [uk.net/basics-education.co.uk/](https://secure-uk.net/basics-education.co.uk/) accessed June 2017.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only




Figure 1a): The medical service prior to the 2008/9 season and post the 2009/10 season showing the changes implemented.




Figure 1b): Organisation of the Green Guide service

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 1c): Organisation of the BASICS service (*Accountable officer for service and ^Accountable officer in event of major incident)




Figure 2: Total episodes of care delivered per 1000 attendances in the pre-implementation and post-implementation phase.

Peer review only

BMJ Open: first published as 10.1136/bmjopen-2017-018619 on 21 December 2017. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 3a): Presentations of new and pre-existing conditions-every season saw a significant proportion of presentations from patients with pre-existing conditions.




Figure 3b): % Profile of service users for the total study, 2002 to 2008 and 2009 to 2015.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 3c): Medical and Trauma presentations (% episodes of care).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 4: Skill mix utilization recorded for each episode of care for the total period (855 episodes), 2002 to 2008 seasons (267 episodes) and 2009 to 2015 seasons (588 episodes). Key: FA: First Aider; N: Nurse; DR: Crowd Doctor; P: Paramedic; HP Health Professional. Figures are the total % over the period for each category.




Figure 5a): Outcome of episodes of care.




Figure 5b) Trend in hospital referrals by year.

BMJ Open

Crowd medical services in the English Football league-remodelling the team for the 21st century using a realist approach

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2017-018619.R1
Article Type:	Research
Date Submitted by the Author:	20-Sep-2017
Complete List of Authors:	leary, Alison; London South Bank University Kemp, Anthony; University of Bedfordshire; Britsih Association for Immediate Care Greenwood, Peter; St. John Ambulance Service Hart, Nick; Association of Millwall Supporters Agnew, James; London Ambulance Service NHS Trust Barrett, John; London Ambulance Service NHS Trust Punshon, Geoffrey; London South Bank University,
Primary Subject Heading:	Emergency medicine
Secondary Subject Heading:	Medical management, Patient-centred medicine, Medical education and training, Evidence based practice
Keywords:	ACCIDENT & EMERGENCY MEDICINE, AUDIT, Organisational development < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Risk management < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, PRIMARY CARE

SCHOLARONE™
Manuscripts

1
2
3 **Title:** Crowd medical services in the English Football league-remodelling the team for the
4 21st century using a realist approach
5
6

7
8 **Authors:**

9 Alison Leary^{1,3}, Anthony Kemp^{2,3}, Peter Greenwood⁴, Nick Hart⁵, James Agnew⁶, John
10 Barrett⁶, Geoffrey Punshon¹
11

12 Corresponding Author: Geoffrey Punshon, London South Bank University, School of Health
13 and Social Care, 103 Borough Road, London UK SE1 0AA. Email:

14 punshongeoff@yahoo.co.uk. Telephone/Fax: 0207 450 6064
15

16 ¹ London South Bank University, London, UK. ² University of Bedfordfordshire, Luton, UK. ³
17 British Association for Immediate Care, Ipswich, UK. ⁴ St. John Ambulance, London, UK. ⁵
18 Association of Millwall Supporters, London, UK. ⁶ London Ambulance Service NHS Trust,
19 London, UK.
20
21

22
23 **Keywords**

24 Accident and Emergency Medicine, Audit, Organisational Development, Risk Management,
25 Primary Care
26
27

28
29 **Word Count**

30 4136
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

Objectives

To evaluate the new model of providing care based on demand. This included reconfiguration of the workforce to manage workforce supply challenges and meet demand without compromising the quality of care.

Design

Currently the Guide to Safety at Sports Grounds recommends the provision of crowd medical cover at English football league stadia. The guidance on provision of services has focussed on extreme circumstances such as the Hillsborough incident in 1989 while the majority of demand on present day services is from patients with minor injuries, exacerbations of injuries and pre-existing conditions. A new model of care was introduced in 2009/10 season to better meet demand.

A realist approach was taken. Data on each episode of care was collected over 14 consecutive football league seasons at Millwall FC divided into two periods, pre-implementation of changes and post implementation of changes. Data on workforce retention and volunteer satisfaction was also collected.

Setting

The data were obtained from one professional Football League team (Millwall F.C.) located in London, UK.

Primary and Secondary Outcomes

The primary outcome was to examine the demand for crowd medical services. The secondary outcome was to remodel the service to meet these demands.

Results

In total 981 episodes of care were recorded over the evaluation. The groups presenting, demographic and type of presentation did not change over the evaluation. First aiders were involved in 87.7% of episodes of care, nurses in 44.4% and doctors 17.8%. There was a downward trend in referrals to hospital. Workforce feedback was positive.

Conclusions

The new workforce model has met increased service demands while reducing the number of referrals to acute care. It involves the first aid workforce in more complex care and key decision making and provides a flexible registered healthcare professional team to optimise the skill mix of the team.

Strengths and limitations of this study

- The study monitored crowd medical services over a 14-year period.
- The study demonstrates that the demand for crowd medical services is more varied than the requirements of the 'Green Guide' and that remodeling of the service was necessary.
- The workforce responded positively to the changes made to the service.
- The study was limited by incomplete data collection in the early years of the study and as it was carried out at a single Football League team.

INTRODUCTION

Crowd medical services in the English football league were formalised by the recommendations of Lord Justice Taylor¹ following an incident at Hillsborough Stadium, in which 96 spectators died in 1989 and the subsequent findings of the enquiries which have been on going. In 2012 the inquest into the deaths at Hillsborough were reopened.

After the recommendations of the Taylor Report¹ and previous legislation²⁻⁴ the current Guide to Safety at Sports Grounds⁵ was published. This guidance is often referred to as the “Green Guide”. It is not statute but incorporates many of the Acts that relate to crowd safety within sports stadia in England

The provision in the guide is for one first aider per thousand spectators and where a crowd is expected to exceed 2000 a crowd doctor who is trained in immediate care, should be provided. A first aider is defined as an individual holding a first aid certificate, in England they are not usually a healthcare professional, but a lay person with skills such as immediate treatment of bleeding, minor injuries and basic life support. Ambulance provision is included in the guidelines with crowds between 5000 and up to 25,000 requiring one Accident and Emergency ambulance with paramedic crew. Statutory ambulance provision increases with crowds between 25,000 and 40,000 and again over 40,000⁶. Despite a thorough search of the literature no evidence for these ratios or educational standards has been found and it appears they were arrived at by consensus at the time.

The Hillsborough stadium disaster influenced much of the framework for the guidance of provision of crowd medical services in league football over the next twenty-five years and for good reason. Lack of triage and immediate scene management by the ambulance service caused or contributed to the loss of lives by failing to recognise or actuate a major incident⁷. Subsequently, the guidance on provision of services has focussed on extreme circumstances such as mass casualty situations and physical environments such as all standing crowds, which largely no longer exist in the football league. This has meant that guidance for the design of medical service provision is led by a “black swan”, a rare event with extreme impact and retrospective predictability⁸ whilst the majority of demand is given a lesser priority and resource but is a far more likely to have an greater impact on the service⁹⁻¹¹.

The demand on services in present day spectator care is rarely from major mass casualty situations. Although mass casualty situations are still a very real possibility, much of the common demand is from patients with minor injuries, exacerbations of illness, pre-existing conditions and occasionally emergent patients⁹⁻¹². Designing a service model that can accommodate both immediate disaster management but also the higher volume of minor injuries, medical emergencies and primary care work presents a different challenge to that designed into national guidance such as the Green guide. In recent years austerity measures in England have also placed resource constraints on healthcare service providers such as the statutory ambulance service and the acute sector¹³. Managing demand at source has become a fundamental necessity.

Millwall’s ground, The Den, was built in 1993 as part of the post Taylor initiative¹⁴. The club is currently located between two inner London boroughs, Lewisham and Southwark. These boroughs rank below the national average in England on health in a number of areas. Residents are more likely to die an early death through cancer, heart disease or smoking related illnesses and in Lewisham have a life expectancy 6.8 years lower than the England average¹⁵. The design of the ground reflects this post Taylor construction date as an “all seater” stadium with a capacity of 20,146.

1
2
3 Planning the medical services for mass gatherings is difficult. The number of variables is
4 complex and their interactions dynamic^{16,17} thus making accurate planning a challenge. In
5 order to manage demand in an effective and sustainable way the service at Millwall was
6 reviewed based on the previous set of demand and outcome data⁹. Concurrently supply of
7 workforce was examined and a number of local issues were revealed.
8

9 **Problem description and rationale for change**

10 A retrospective study had already been carried out⁹ and this identified that the majority of
11 local demand is from non-mass casualty situations such as exacerbations of chronic
12 disease, minor injuries and much less commonly, emergent patients. The statutory
13 requirement to have ambulance vehicles on site was becoming more challenging due to
14 issues with availability of crews and on occasions it was not possible to meet this
15 requirement. This also applied to recruiting individuals to fill the “crowd doctor” role as
16 changes in training in England has impacted on the availability of supply. Doctors with
17 appropriate training in immediate care and also able to commit to regular rotas proved
18 difficult. Some authors recommend this level of care becomes a pre-hospital speciality¹⁸.
19 Times of high demand and the working environment demonstrated that skills and attributes
20 beyond technical competency were required and that this particularly applied to the “crowd
21 doctor” role. The only requirement to become a “crowd doctor” was to have General Medical
22 Council registration and completion of a 2.5-day Football Association Faculty of Pre-hospital
23 Care Crowd Doctor course but extreme situations at Millwall demonstrated that this was not
24 sufficient preparation for the role. Staff turnover was high and inconsistent due to the
25 employment model of ad hoc sessional work. This led to little team cohesiveness as
26 members worked together infrequently and were not familiar with local working conditions.
27

28 Since the publication of the Taylor Report a number of other professional groups such as
29 nurses, paramedics and physiotherapists practice at a much more complex level
30 incorporating advanced practice skills¹⁹ which were not utilised in the service to any great
31 degree. A re-examination of local data indicated that the default of the first line treatment by
32 First aiders had a low referral threshold to acute emergency care when it might not be
33 clinically necessary if a healthcare professional was available for advice or review. These
34 findings echo those of Kemp¹². Despite the presence of the statutory ambulance service at
35 games the Green Guide stipulated this was for major incident use only. In addition to
36 statutory ambulance provision, a vehicle was also provided by a voluntary service agency, St
37 John Ambulance (SJA). SJA increasingly had difficulty providing ambulance cover for games
38 due to a limited supply of volunteers qualified to do this work.
39

40 These challenges required a pragmatic response in terms of service redesign and workforce
41 supply in order to manage risk and use the limited resources more effectively. There is
42 evidence to show that high performing teams and high reliability organisations²⁰ have certain
43 attributes and alongside remodelling the service and workforce a supply an approach to
44 examining team makeup was also undertaken.
45

46 Examining the teams' effectiveness using the work of Michael West^{21,22} revealed a level of
47 high task reflexivity. The team were technically focused but the unstable and temporary
48 working patterns characteristic of these services meant a lower level social reflexivity. This
49 meant a focus on the technical task and less awareness of the situation or of team member's
50 needs. The professionally qualified members of the team such as doctors and paramedics
51 were engaged on a per game basis meaning very high levels of turnover and unfamiliarity
52 with working practices and the environment. This has on occasions caused serious issues,
53 for example a major incident in 2002²³ in which the clinical leadership, who were transient,
54
55
56
57
58
59
60

1
2
3 were unsure of their roles despite being qualified to the standard of the then Football
4 Licencing Authority Green Guide⁵

5
6 The transient workforce also meant limited professional support was given to the more
7 stable volunteer workforce of First Aiders, for example supporting them to use evidence
8 based practice in areas such as wound care, medicines management, assessment of
9 traumatic injury and infection control.

10 11 **Specific aims**

12 To reconfigure the workforce to manage workforce supply challenges and yet meet demand
13 without compromising the quality of care.

14 To provide capacity and increase activity in other areas such as health promotion.

15 16 17 18 19 **METHODS**

20 A medical advisory group of stakeholders (including supporters) was convened to consider
21 all challenges and possible solutions. This group then reported to the overarching Safety
22 Advisory Group which is led by the local authority who grants the safety licence without
23 which the stadium cannot open to the public.

24
25 A quality improvement approach was taken. A defining characteristic of quality improvement
26 projects is that they are established primarily as improvement activities rather than research.
27 The principal aim of a quality improvement project is to secure positive change in an
28 identified service²⁴. The format taken was an iterative one utilising the Plan, Do, Study, Act
29 cycle over seven seasons.

30
31 After the assessment of the challenges the response was to undertake a planned
32 implementation of several interventions providing they were approved by the Safety Advisory
33 Group.

34
35 The overall approach to change was adoption of Safety II principles²⁵ focussing on what
36 works well within the stakeholder group. The evaluation used a realist evaluation
37 framework^{26,27} utilising primarily longitudinal observational data to look at context and
38 outcomes but within the mechanism of social change. Realist evaluation is helpful in this
39 kind of project as it is inductive rather than reductive and method agnostic allowing for the
40 narrative synthesis of the different types of data generated and suited to a local study within
41 a specific context.

42 43 44 **Interventions**

45 After historical data was examined to assess demand and the assessment of team reflexivity
46 had been undertaken, several interventions were implemented and are shown in Figure 1a).

47
48 The workforce changes included formalising a medical co-ordinator role (a consistent
49 leadership position accountable to the safety officer) discontinuation of the “crowd doctor”
50 role and subsequent employment of a multidisciplinary team of physicians and nurse
51 practitioners with pre-hospital qualifications and the skills and attributes to meet the demand.

52
53 The medical co-ordinator is the accountable officer reporting directly to the safety officer.
54 The responsibilities include ensuring staffing & equipment requirements are met, overseeing
55 the medical plan, liaising with the stakeholders, clinical audit and leadership on match days.

1
2
3 A non-hierarchical structure utilising the formation of a self-organised teams that decides
4 their own workflow was agreed alongside “red rules” to maintain safety²⁸. Red rules are
5 safety rules which must never be broken and are commonly used in other safety critical
6 workforces. This resulted in devolved frontline decision making that could be supported with
7 further technical skill or clinical acumen if required. A fundamental aspect of these changes
8 was inclusion of the voluntary first aid workforce in strategic decision making which they had
9 not been involved in before despite being the main provider of care.
10

11 Support from a more consistent healthcare professional workforce enabled evidence based
12 practice to be introduced across the service including within the first aid volunteer workforce
13 (for example wound care and infection control) as they provide most of the care. There was
14 also an added benefit of senior clinical advice being readily available if required.
15

16 The ambulance vehicles which were proving hard to resource and were of very restricted
17 use were discontinued. Attendance of a London Ambulance Service officer at each match
18 who have a primary role to manage a major incident was continued and is fulfilled by a small
19 number of local officers to increase team cohesion.
20

21 The Green Guide minimum staffing shown in Figure 1b) was replaced by two registered
22 healthcare professionals and a medical co-ordinator (also a healthcare professional) per
23 game, an ambulance service officer and one first aider per thousand spectators as illustrated
24 in Figure 1c). According to previous data a crowd of over 12,000 is more likely to require an
25 emergency response⁹ thus for games where the expected spectators exceed 12,000
26 additional resources are present, for example extra paramedics.
27

28 The stakeholder group overseeing change consisted of healthcare professionals, first aid
29 volunteers, London Ambulance Service, representatives from the supporter’s club and other
30 stakeholders such as club staff. All decisions/changes were reviewed by the statutory local
31 Safety Advisory Group which is the group given responsibility for safety including issuing of
32 the safety licence.
33

34 The service applied for and was granted membership of the British Association of Immediate
35 care (BASICS) which provided a framework for standards of education and guidance on
36 evidence based care as well as equipment usage.
37
38
39

40
41 *Insert Figure 1 here*
42
43

44 **Measures and Analysis**

45 Observational longitudinal data was used. The period assessed consisted of fourteen
46 consecutive football league seasons at Millwall FC (pre-implementation of changes, seasons
47 2002/3 to 2008/9 where care was delivered according to the Green Guide guidance and post
48 implementation seasons 2009/10 to 2015/16 where care was delivered within the new
49 framework). A prospective observational study was carried out which employed consecutive
50 sampling to collect data. In the 2009-2010 season the new workforce model was introduced
51 and so there is a focus in the presentation of data of two phases using descriptive statistics.
52
53

54 The primary outcome measures were usage, skill mix and clinical outcomes. In order to
55 collect the data an instrument was designed which was used to record each episode of care,
56 consultation or advice given in the regular football league season (i.e. not including playoff or
57 exhibition games). This instrument has been previously described⁹ and, briefly, collected
58
59

1
2
3 data on the following: age, sex, postcode (or area of residence), reason for attendance,
4 category (staff or spectator), presenting signs and symptoms, diagnosis, treatment given and
5 outcome. In addition, the skill mix involved in each episode was also recorded. All users of
6 the service were eligible for inclusion in the evaluation.
7

8 The data was recorded by the health care provider and collated at the end of each match by
9 the medical co-ordinator.
10

11 Data on workforce retention and volunteer workforce satisfaction was also examined.

12 All data was analysed for activity using an Excel worksheet. As the study design is one of
13 activity/needs analysis, statistical manipulation offers limited benefit and so is limited to
14 descriptive statistics.
15

16 **Ethical considerations**

17 The local regional ethics committee deemed that ethical approval was not required for the
18 study. This was confirmed using the HRA decision tool²⁹. In addition, changes to the service
19 model were reviewed and approved by the local Safety Advisory Group. Permission for
20 publication was obtained from Millwall FC and the stakeholder group.
21
22
23

24 **RESULTS**

25 A total of 981 episodes of care were recorded over the duration of the evaluation (392 for the
26 period 2002/3 to 2008/9 and 589 for the period 2009/10 to 2015/16). Overall the usage of
27 the service increased in the phase post implementation. This was 0.174-0.33 per 1000
28 attendances in the pre-implementation phase and 0.284-0.452 in the post implementation
29 phase. This can be seen in Figure 2.
30
31
32
33

34 *Insert Figure 2 Here*
35
36
37

38 **Consultation Type**

39 Over the entire time period 977 episodes of care were characterised as either pre-existing or
40 new conditions. 55.5% of the episodes of care were classified as pre-existing with the
41 remaining 44.5% being new conditions. Across the 14 seasons the proportion of
42 presentations for pre-existing conditions ranged from 32% to 72%. This is shown in Figure
43 3a).
44
45

46 **Age of users**

47 The age of the user (either the actual age or a general category of adult or child (16 and
48 under)) presenting was recorded in 753 episodes of care. In the remaining 228 presentations
49 age was either not recorded or the user did not wish to give an age. Of the 711 users who
50 gave an exact age the youngest was aged one and the oldest 92 with a mean age 32.
51
52

53 **Gender of users**

54 The gender of the service users was recorded for 813 episodes of care. On 168 occasions
55 the gender was not recorded. The percentage of users by gender was 35% female & 64%
56 male
57
58
59
60

User Profile

Users were categorised as 'Public' (i.e. supporters), 'MFC Steward', 'MFC Staff' (including catering staff, office staff etc.), 'Police' or 'Player'. The user profile was recorded for 954 episodes of care with 27 episodes where the user profile was either not recorded or unknown. Figure 3b) shows the % users for each category in total and for the 2002 to 2008 and 2009 to 2015 seasons.

Reason for presentation

981 episodes of care were categorised as either 'Medical' or 'Trauma'. Over the entire study 57.2% of the episodes were categorised as Medical with 42.3% categorised as Trauma. Figure 3c). shows the % episodes of care for Medical and Trauma presentations in total and broken down by the 2002 to 2008 seasons and the 2009 to 2015 seasons.

Insert Figure 3 here

Skill mix utilisation

The skill mix of the medical team was logged for each episode of care. For the 2002/03 season the categories 'First Aider' and 'Health Professional' (i.e. nurse, paramedic or doctor) were used. Following this season more detailed categories were used with 'First Aider', 'Nurse', 'Doctor', 'Paramedic' and 'Carer' being utilized. If more than one group was involved in care this was recorded as such (e.g. 'First Aider plus Nurse'). Results are presented as a percentage of the total number of episodes for each period.

Over the entire study 855 episodes of care were recorded (267 for the period 2002 to 2008 and 588 for the period 2009 to 2015). On 126 occasions the skill mix was not recorded.

First Aiders alone accounted for 45% of the total recorded episodes of care (45.3% for the period 2002 to 2008 and 44.9% for the period 2009 to 2015). First Aider plus Nurse accounted for 21.4% of the total episodes of care (19.9% for the period 2002 to 2008 and 26.9% for the period 2009 to 2015). 9% of episodes of care were provided by a Nurse alone (10.1% for the period 2002 to 2008 and 8.5% for the period 2009 to 2015). First Aider, Nurse and Doctor dealt with 7.8% of the episodes of care (9.4% for the period 2002 to 2008 and 7.1% for the period 2009 to 2015). First Aider and Doctor accounted for 6.4% of episodes (3% for the period 2002 to 2008 and 8% for the period 2009 to 2015). All other combinations accounted for less than 2% each of the episodes of care. Figure 4 shows the skill utilization for the total study, the 2002 to 2008 seasons and the 2009 to 2015 seasons.

Insert Figure 4 here

Looking at overall involvement in care First Aiders were involved either alone or with other health professionals in 87.7% of the episodes of care (85.2% for the period 2002 to 2008 and 89% for the period 2009 to 2015). Nurses were involved in 44.4% of episodes (44.2% for the period 2002 to 2008 and 45.4% for the period 2009 to 2015) while Doctors were involved in 17.8% (18.3% for the period 2002 to 2008 and 17.6% for the period 2009 to 2015).

Outcome of episode

The outcome of each episode of care was divided into a number of categories:

- Stay: Patient stayed in the ground (i.e. returned to the game)
- Stay + 30: Patient stayed in the ground after being in the First Aid room for 30 minutes or longer
- Stay + GP: Patient stayed in the ground but was advised to visit a GP later
- Home +GP: Patient went home immediately after the consultation and was advised to visit a GP later if appropriate
- MIU: Patient was sent to a local Minor Injuries Unit (an urgent care/walk in facility)
- Hospital: Patient was sent to a local A&E Department via an ambulance
- Custody: Patient was taken into custody by the Metropolitan Police due to safeguarding issues

Overall a downward trend in referral to hospital was seen in the post implementation phase (Figure 5b).

Insert Figure 5 here

There were no deaths in the study.

Health promotion activities

The change in workforce and closer relationship with colleagues and supporters enabled several health promotion activities to take place working in partnership with local services and charities. This included prostate cancer awareness, “fit club”; a programme of activity and healthy eating, awareness of local bowel cancer screening services (as part of the national screening programme), Men’s health MOTs and offers from local smoking cessation services³⁰.

Workforce

Informal feedback is positive and volunteer experience surveys have improved with biannual satisfaction scores improving. However, these are administered and reported centrally through the charitable body that supplies volunteers and the raw data was not available for analysis.

Although there was no formal evaluation of this (for example satisfaction surveys) retention of the local volunteer and healthcare professional workforce is high-97% in the post implementation phase compared to 54% in the pre-implementation phase with very low turnover of staff and no attrition of the healthcare professional staff at all.

DISCUSSION

Overall the new workforce model has met increased service demands whilst reducing the number of referrals to acute care. Significantly the new model involves the first aid workforce in more complex care and key decision making, whilst also engaging in health promotion activities and forging a closer working relationship with the services stakeholders.

1
2
3 There have been a number of incidents where the resilience of the new model has been
4 tested, for example with multiple concurrent casualties or serious and life threatening
5 incidents³¹. The response to such incidents has been swift (less than three minutes) with
6 good outcomes at scene, the patients all being transferred to hospital alive. Such incidents
7 are unusual and infrequent requiring a combination of basic and advanced skills that bring
8 together the full strength of the whole medical team.
9

10 The majority of the patients seen are of low acuity, the greater majority of presentations arise
11 from pre-existent conditions. A significantly lesser workload arises from emergent illness or
12 trauma, which replicates previous findings⁹⁻¹².
13

14 In terms of leadership the assumption that leadership comes from only one professional
15 group¹⁸ was never questioned. This study demonstrates that wider groups of professionals
16 other than just physicians can led effectively and safely in these services, the service at
17 Millwall and leadership of the medical advisory group is an example of this. It is necessary to
18 consider the need for consistency and the attributes required in these services over and
19 above the technical, and move to an employment model in which technical skills,
20 experience, knowledge and leadership qualities become paramount requirements.
21

22 Only autonomous registered, regulated professionals are employed (ie nurse practitioners
23 who prescribe and often hold the Diploma in Immediate Care), no associate professionals
24 are employed at the time of writing. Thus, decision making is not an issue within the service
25 as each group has its own code of conduct and adherence to best practice is a condition
26 both of employment and within the “red rules”. All professional members of the team have
27 appraisals and those registered with the NMC or GMC are additionally subject to those
28 regulatory bodies revalidation requirements.
29

30 The increased workload since the introduction of the new workforce arrangements may be
31 directly related to the new arrangements. Williams³² posits that increased presentation rates
32 reflect the visibility and accessibility of the medical services themselves. At Millwall the
33 involvement of stakeholder groups and onward engagement with the them, combined with
34 joint participation in health promotion ventures at the Stadium may be influential in the
35 increased presentation rate through increased visibility. There is evidence that crowd size in
36 itself is not a predictor of workload^{10,11,33}. Other studies show phenomenon such as an
37 association between pitch-side performance and risk of cardiovascular events in the local
38 population³⁴.
39

40 Although this was a local evaluation there is transferable learning to other similar
41 environments outside of football. A flexible cohesive workforce defined by skill and driven by
42 demand offers many advantages for all stakeholders including members of the workforce.
43 Cohesive teams have familiarity with each other’s strengths and weaknesses and can feel
44 less coercive where “expert power” is shared and the voices of stakeholders are heard³⁵.
45

46 A flexible workforce open to other registered healthcare professionals such as nurses
47 doctors and paramedics with skills and attributes allowed the team to optimise professional
48 can perform at this level optimise workforce & skill mix other prof have skills and attributes
49 that are more suited to environment It is an important facet of the workforce model within this
50 discussion that the registered healthcare professionals used are wider in scope than those
51 within The Guide To Safety At Sports Grounds⁵. By including those with expertise in minor
52 injuries and primary care the resilience of the medical team has been optimised. This is
53 reflected in the overall and enduring reduced referrals to external sources of care. The fact
54 that at least one of the registered healthcare professionals at each match has experience of
55 high acuity prehospital care and is minimally qualified to the level of the Pre-Hospital
56
57
58
59
60

1
2
3 Emergency Care Course³⁶ provides clinical expertise in the (rare) event of high acuity
4 incidents.
5
6

7 8 **CONCLUSION**

9 The new workforce model has met increased service demands while reducing the number of
10 referrals to acute care. It involves the first aid workforce in more complex care and key
11 decision making and provides a flexible registered healthcare professional team to optimise
12 the skill mix of the team.
13
14

15 16 17 **Contributor Statement**

18 AL contributed to the study design, interpretation, analysis and writing. AK contributed to
19 analysis, interpretation and writing. PG, JA and JB contributed to data collection and writing.
20 NH contributed to writing. GP contributed to study design, analysis, interpretation and
21 writing.
22
23

24 25 **Competing Interests**

26 This work was carried out by an independent research team. There is no competing interest.
27
28

29 30 **Funding**

31 There was no funding for this study.
32

33 34 **Data Sharing Statement**

35 This work is secondary analysis of data. Analysis of secondary data and all results from the
36 authors. No additional data available.
37

38 39 **Acknowledgements**

40 The CEO Directors and Staff of Millwall FC in particular Colin Sayer (Stadium Manager) and
41 Jessica Newman (Club Secretary), Anthony Weston, Andrew Steeden and Ken Spearpoint
42 (Millwall FC Medical Team), David Edwards and Siobhan Mangan (London Borough of
43 Lewisham), the Millwall FC Safety Advisory Group and Geoff Galilee and Nikki Rutherford,
44 (Sports Ground Safety Authority).
45

46 47 **Disclaimer.**

48 The views expressed in the submitted article are those of the authors and not an official
49 position of the employing institutions.
50

51 52 **References**

- 53 1. Final Report of Inquiry by Lord Justice Taylor into the Hillsborough Stadium Disaster.
54 1990. Website:
55 <http://hillsborough.independent.gov.uk/repository/docs/HOM000028060001.pdf>
56 accessed April 2017.
57
58
59
60

2. Safety of Sports Grounds Act. 1975. Website: <http://www.legislation.gov.uk/ukpga/1975/52/body/enacted> accessed April 2017.
3. The Health and Safety (First-Aid) Regulations (Third Edition). 1981. Website: <http://www.hse.gov.uk/pubns/priced/l74.pdf> accessed April 2017.
4. Football Spectators Act. 1989. Website: <http://www.legislation.gov.uk/ukpga/1989/37> accessed April 2017.
5. The Guide to Safety at Sports Grounds. Sports Ground Safety Authority 2008. Website: <http://www.safetyatsportsgrounds.org.uk/sites/default/files/publications/green-guide.pdf> accessed April 2017.
6. Football Licensing Authority. Guide to Safety at Sports Grounds 4th Edition. 1997. HMSO, London.
7. Hillsborough: the Report of the Hillsborough Independent Panel. 2012. Website: http://hillsborough.independent.gov.uk/repository/report/HIP_report.pdf accessed April 2017.
8. Taleb NM (2010) The Black Swan: The Impact of the Highly Improbable, Penguin, London, U.K.
9. Leary A, Greenwood P, Hedley B *et al*. An analysis of crowd medical services at an English football league club. *Int Emerg Nurs*. 2008 Jul;16(3):193-9.
10. Bhangu A, Agar C, Pickard L *et al*. The Villa Park experience: crowd consultations at an English Premiership football stadium, season 2007-8. *Emerg Med J*. 2010 Jun;27(6):424-9.
11. Crawford M, Donnelly J, Gordon J *et al*. An analysis of consultations with the crowd doctors at Glasgow Celtic football club, season 1999-2000. *Br J Sports Med*. 2001 Aug;35(4):245-9.
12. Kemp AE. Mass-gathering Events: The Role of Advanced Nurse Practitioners in Reducing Referrals to Local Health Care Agencies. *Prehosp Disaster Med*. 2016 Feb;31(1):58-63.
13. AACE. Association of Ambulance Chief Executives Annual report 20014/15. 2015. Website: <http://aace.org.uk/wp-content/uploads/2015/10/AACE-ANNUAL-REPORT-2014-2015-FINAL-W.pdf> accessed May 2017.
14. Sir Norman Chester Centre Report. 2002. Website: <http://furd.org/resources/fs1.pdf> accessed April 2017.
15. Public Health England. Health Profiles. Website: <https://fingertips.phe.org.uk/profile/health-profiles> accessed April 2017.
16. Wetterhall SF, Coulombier DM, Herndon JM *et al*. Medical care delivery at the 1996 Olympic Games. Centers for Disease Control and Prevention Olympics Surveillance Unit. *JAMA*. 1998 May 13;279(18):1463-8.
17. Milsten AM, Maguire BJ, Bissell RA *et al*. Mass-gathering medical care: a review of the literature. *Prehosp Disaster Med*. 2002 Jul-Sep;17(3):151-62.
18. Smith SP, Cosgrove JF, Driscoll PJ *et al*. A practical approach to Events Medicine provision. *Emerg Med J*. 2017 Aug;34(8):538-542
19. NHS Scotland. The Advanced Practice Toolkit. 2008. Website: <http://www.advancedpractice.scot.nhs.uk/definitions/defining-advanced-practice.aspx> accessed April 2017
20. Weick KE and Sutcliffe KM. Managing the Unexpected (Third Edition). 2015. John Wiley & Sons, Hoboken, New Jersey.
21. West, M.A. Effective Teamwork: Practical lessons from organizational research. 2004. Blackwell/British Psychological Society. Oxford.

22. West M.A. Effective Teamwork: Practical Lessons from Organizational Research (Psychology of Work and Organizations). 2012. Blackwell/British Psychological Society. Oxford.
23. BBC (2002) <http://news.bbc.co.uk/1/hi/england/1967510.stm>
24. Portela M.C., Pronovost P.J., Woodcock T. *et al.* How to study improvement interventions: a brief overview of possible study types. *BMJ Qual Saf.* 2015 May;24(5):325-36.
25. Hollnagel E., Wears, R.L. and Braithwaite J. From Safety-I to Safety-II: A White Paper. 2015. Website: <https://www.england.nhs.uk/signuptosafety/wp-content/uploads/sites/16/2015/10/safety-1-safety-2-white-papr.pdf> accessed April 2017.
26. Pawson R. and Tilly N. Realistic Evaluation. 1997. Sage. London.
27. Baillie L. and Maxwell E. Improving Healthcare: A Handbook for Practitioners. 2017. CRC Press. Boca Raton, Florida.
28. Vogus T., Sutcliffe K. and Weick K. Doing No Harm: Enabling, Enacting, and Elaborating a Culture of Safety in Health Care. 2010. *Academy of Management Perspectives* November 2010 24:4 60-77;
29. HRA. Health Research Authority Decision Tool. Website: <http://www.hra-decisiontools.org.uk/research/result7.html> accessed in 2012 and 2014.
30. Hart N. and Leary A. Millwall Fc Medical Service: 'No One Likes Us, We Do Care' – Working Together for Better Health in South London. In Sports-Based Health Interventions: Case Studies from Around the World by Conrad D. and White A. pp231-241. Springer, New York.
31. BBC Wales. Millwall New Den: Cardiff City fan injured in fall. 2012. Website: <http://www.bbc.co.uk/news/uk-wales-12797244> accessed May 2017.
32. Zeitz K., Haghighi P.D., Burstein F. *et al.* Understanding the drivers on medical workloads: an analysis of spectators at the Australian Football League. *Aust Health Rev.* 2013 Jun;37(3):402-6.
33. Heinink T.P., Fogarty A.W. and Wiles M.D. Trends in Demand for Acute Medical Care at Two Football Clubs over an Eighteen-Year Period. *Advances in Emergency Medicine.* Volume 2014:1-6.
34. Kirkup W, Merrick DW. A matter of life and death: population mortality and football results. *J Epidemiol Community Health.* 2003 Jun;57(6):429-32.
35. Longest B.B. Health Program Management: From Development Through Evaluation (2nd Ed). 2012. Jossey Bass, Wiley, San Francisco USA.
36. BASICS. Pre Hospital Emergency Care Course. Website: <https://secure-uk.net/basics-education.co.uk/> accessed June 2017.

FIGURE LEGENDS

Figure 1a): The medical service prior to the 2008/9 season and post the 2009/10 season showing the changes implemented.

Figure 1b): Organisation of the Green Guide service

Figure 1c): Organisation of the BASICS service (*Accountable officer for service and ^Accountable officer in event of major incident)

Figure 2: Total episodes of care delivered per 1000 attendances in the pre-implementation and post-implementation phase.

Figure 3a): Presentations of new and pre-existing conditions-every season saw a significant proportion of presentations from patients with pre-existing conditions.

1
2
3 Figure 3b): % Profile of service users for the total study, 2002 to 2008 and 2009 to 2015.

4 Figure 4: Skill mix utilization recorded for each episode of care for the total period (855
5 episodes), 2002 to 2008 seasons (267 episodes) and 2009 to 2015 seasons (588 episodes).

6 Key: FA: First Aider; N: Nurse; DR: Crowd Doctor; P: Paramedic; HP Health Professional.

7 Figures are the total % over the period for each category.


8
9
10 Figure 5a): Outcome of episodes of care.

11 Figure 5b) Trend in hospital referrals by year.

12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



a)



b)



c)

Figure 1

77x143mm (300 x 300 DPI)




Figure 2


77x38mm (300 x 300 DPI)

Review only


BMJ Open: first published as 10.1136/bmjopen-2017-018619 on 21 December 2017. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



a)



b)

Figure 3

79x88mm (300 x 300 DPI)




Figure 4


63x38mm (300 x 300 DPI)

Review only


BMJ Open: first published as 10.1136/bmjopen-2017-018619 on 21 December 2017. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



a)



b)

Figure 5
79x90mm (300 x 300 DPI)

BMJ Open

Crowd medical services in the English Football league-remodelling the team for the 21st century using a realist approach

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2017-018619.R2
Article Type:	Research
Date Submitted by the Author:	06-Nov-2017
Complete List of Authors:	leary, Alison; London South Bank University Kemp, Anthony; University of Bedfordshire; Britsih Association for Immediate Care Greenwood, Peter; St. John Ambulance Service Hart, Nick; Association of Millwall Supporters Agnew, James; London Ambulance Service NHS Trust Barrett, John; London Ambulance Service NHS Trust Punshon, Geoffrey; London South Bank University,
Primary Subject Heading:	Emergency medicine
Secondary Subject Heading:	Medical management, Patient-centred medicine, Medical education and training, Evidence based practice
Keywords:	ACCIDENT & EMERGENCY MEDICINE, AUDIT, Organisational development < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, Risk management < HEALTH SERVICES ADMINISTRATION & MANAGEMENT, PRIMARY CARE, Quality Improvement

SCHOLARONE™
Manuscripts

1
2
3 **Title:** Crowd medical services in the English Football league-remodelling the team for the
4 21st century using a realist approach
5
6

7
8 **Authors:**

9 Alison Leary^{1,3}, Anthony Kemp^{2,3}, Peter Greenwood⁴, Nick Hart⁵, James Agnew⁶, John
10 Barrett⁶, Geoffrey Punshon¹
11

12 Corresponding Author: Geoffrey Punshon, London South Bank University, School of Health
13 and Social Care, 103 Borough Road, London UK SE1 0AA. Email:
14 punshongeoff@yahoo.co.uk. Telephone/Fax: 0207 450 6064
15

16 ¹ London South Bank University, London, UK. ² University of Bedfordshire, Luton, UK. ³
17 British Association for Immediate Care, Ipswich, UK. ⁴ St. John Ambulance, London, UK. ⁵
18 Association of Millwall Supporters, London, UK. ⁶ London Ambulance Service NHS Trust,
19 London, UK.
20
21

22
23 **Keywords**

24 Accident and Emergency Medicine, Audit, Organisational Development, Risk Management,
25 Primary Care, Quality improvement
26
27

28
29 **Word Count**

30 4136
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

Objectives

To evaluate the new model of providing care based on demand. This included reconfiguration of the workforce to manage workforce supply challenges and meet demand without compromising the quality of care.

Design

Currently the Sportsground Safety Authority recommends the provision of crowd medical cover at English football league stadia. The guidance on provision of services has focussed on extreme circumstances such as the Hillsborough disaster in 1989, while the majority of demand on present day services is from patients with minor injuries, exacerbations of injuries and pre-existing conditions. A new model of care was introduced in 2009/10 season to better meet demand.

A realist approach was taken. Data on each episode of care was collected over 14 consecutive football league seasons at Millwall FC divided into two periods, pre-implementation of changes and post implementation of changes. Data on workforce retention and volunteer satisfaction was also collected.

Setting

The data were obtained from one professional Football League team (Millwall F.C.) located in London, UK.

Primary and Secondary Outcomes

The primary outcome was to examine the demand for crowd medical services. The secondary outcome was to remodel the service to meet these demands.

Results

In total 981 episodes of care were recorded over the evaluation period of 14 years. The groups presenting, demographic and type of presentation did not change over the evaluation. First aiders were involved in 87.7% of episodes of care, nurses in 44.4% and doctors 17.8%. There was a downward trend in referrals to hospital. Workforce feedback was positive.

Conclusions

The new workforce model has met increased service demands while reducing the number of referrals to acute care. It involves the first aid workforce in more complex care and key decision making and provides a flexible registered healthcare professional team to optimise the skill mix of the team.

Strengths and limitations of this study

- The study monitored crowd medical services over a 14-year period.
- The study demonstrates that the demand for crowd medical services is more varied than the requirements of the 'Green Guide' and that remodeling of the service was necessary.
- The workforce responded positively to the changes made to the service.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

- The study was limited by incomplete data collection in the early years of the study and as it was carried out at a single Football League team.

For peer review only

INTRODUCTION

Crowd medical services in the English football league were formalised by the recommendations of Lord Justice Taylor¹ following an incident at Hillsborough Stadium, in which 96 spectators died in 1989 and the subsequent findings of the enquiries which have been on going. In 2012 the inquest into the deaths at Hillsborough were reopened.

After the recommendations of the Taylor Report¹ and previous legislation²⁻⁴ the current Guide to Safety at Sports Grounds⁵ was published. This guidance is often referred to as the “*Green Guide*”. It is not statute but incorporates many of the Acts that relate to crowd safety within sports stadia in England

The workforce provision in the guide is for one first aider per thousand spectators and where a crowd is expected to exceed 2000 a crowd doctor who is trained in immediate care, should be provided. A first aider is defined as an individual holding a first aid certificate, in England they are not usually a healthcare professional, but a lay person with skills such as immediate treatment of bleeding, minor injuries and basic life support. Ambulance provision is included in the guidelines with crowds between 5000 and up to 25,000 requiring ambulance with paramedic crew. Statutory ambulance provision increases with crowds between 25,000 and 40,000 and again over 40,000⁶. Despite a thorough search of the literature no evidence for these ratios or educational standards has been found and it appears they were arrived at by consensus at the time.

The Hillsborough disaster influenced much of the framework for the guidance of provision of crowd medical services in league football over the next twenty-five years and for good reason. Lack of triage and immediate scene management by the ambulance service caused or contributed to the loss of lives by failing to recognise or actuate a major incident⁷. Subsequently, the guidance on provision of services has focussed on extreme circumstances such as mass casualty situations and physical environments such as all standing crowds, which largely no longer exist in the football league. This has meant that guidance for the design of medical service provision is led by a “black swan”, a rare event with extreme impact and retrospective predictability⁸ whilst the majority of demand is given a lesser priority and resource but is a far more likely to have an greater impact on the service⁹⁻¹¹.

The demand on services in present day spectator care is rarely from major mass casualty situations. Commonly, demand is from patients with minor injuries, exacerbations of illness, pre-existing conditions and occasionally emergent patients⁹⁻¹². Designing a service model that can accommodate both immediate disaster management but also the higher volume of minor injuries, medical emergencies and primary care work presents a different challenge to that designed into national guidance such as the ‘*Green Guide*’. In recent years austerity measures in England have also placed resource constraints on healthcare service providers such as the statutory ambulance service and the acute sector¹³. Managing demand at source has become a fundamental necessity.

Millwall’s ground, The Den, was built in 1993 as part of the post Taylor initiative¹⁴ with a capacity of 20,146. The club is currently located between two inner London boroughs, Lewisham and Southwark. Residents are more likely to die an early death through cancer, heart disease or smoking related illnesses and in Lewisham have a life expectancy 6.8 years lower than the England average¹⁵.

Planning the medical services for mass gatherings is difficult. The number of variables is complex and their interactions dynamic^{16,17}. In order to manage demand in an effective and sustainable way the service at Millwall was reviewed based on the previous set of demand

1
2
3 and outcome data⁹. Concurrently supply of workforce was examined and a number of local
4 issues were revealed.

5 6 **Problem description and rationale for change**

7
8 A retrospective study had already been carried out⁹ and this identified that the majority of
9 local demand is from non-mass casualty situations such as exacerbations of chronic
10 disease, minor injuries and much less commonly, emergent patients. The statutory
11 requirement to have ambulance vehicles on site was becoming more challenging due to
12 issues with availability of crews and on occasions it was not possible to meet this
13 requirement. This also applied to recruiting individuals to fill the “crowd doctor” role as
14 changes in training in England has impacted on the availability of supply. Doctors with
15 appropriate training in immediate care and also able to commit to regular rotas proved
16 difficult. Some authors recommend this level of care becomes a pre-hospital speciality¹⁸
17 which would present even more challenges in terms of supply. Times of high demand and
18 the working environment demonstrated that skills and attributes beyond technical
19 competency were required and that this particularly applied to the “crowd doctor” role. The
20 only requirement to become a “crowd doctor” was to have General Medical Council
21 registration and completion of a 2.5-day Football Association Faculty of Pre-hospital Care
22 Crowd Doctor course but extreme situations at Millwall demonstrated that this was not
23 sufficient preparation for the role.

24
25
26 Staff turnover was high and inconsistent due to the employment model of ad hoc sessional
27 work. This led to little team cohesiveness as members worked together infrequently and
28 were not familiar with local working conditions.

29
30 Since the publication of the Taylor Report almost thirty years ago, a number of other
31 professional groups such as nurses, paramedics and physiotherapists practice at a much
32 more complex level incorporating advanced practice skills¹⁹ which were not utilised in the
33 service to any great degree. A re-examination of local data indicated that the default of the
34 first line treatment by First aiders had a low referral threshold to acute emergency care when
35 it might not be clinically necessary if a healthcare professional was available for advice or
36 review. These findings echo those of Kemp in other event medical services¹². Despite the
37 presence of the statutory ambulance service at games the ‘Green Guide’ stipulated this was
38 for major incident use only. In addition to statutory ambulance provision, a vehicle was also
39 provided by a voluntary service agency, St John Ambulance (SJA). SJA increasingly had
40 difficulty providing ambulance cover for games due to a limited supply of volunteers qualified
41 to do this work.

42
43
44 These challenges required a pragmatic response in terms of service redesign and workforce
45 supply in order to manage risk and use the limited resources more effectively. There is
46 evidence to show that high performing teams and high reliability organisations²⁰ have certain
47 attributes and alongside remodelling the service and workforce a supply an approach to
48 examining team makeup was also undertaken.

49
50 Examining the teams’ effectiveness using the work of Michael West^{21,22} revealed a level of
51 high task reflexivity. The team were technically focused but the unstable and temporary
52 working patterns characteristic of these services meant a lower level social reflexivity. This
53 meant a focus on the technical task and less awareness of the situation or of team member’s
54 needs. The professionally qualified members of the team such as doctors and paramedics
55 were engaged on a per game basis meaning very high levels of turnover and unfamiliarity
56 with working practices and the environment. This has on occasions caused serious issues,
57 for example a major incident in 2002²³ in which the clinical leadership, who were transient,
58
59
60

1
2
3 were unsure of their roles despite being qualified to the standard of the then Football
4 Licencing Authority 'Green Guide'⁵

5
6 The transient workforce also meant limited professional support was given to the more
7 stable volunteer workforce of First Aiders, for example supporting them to use evidence
8 based practice in areas such as wound care, medicines management, assessment of
9 traumatic injury and infection control.

10 11 **Specific aims**

12 To reconfigure the workforce to manage workforce supply challenges and yet meet demand
13 without compromising the quality of care.

14 To provide capacity and increase activity in other areas such as health promotion.

15 16 17 18 19 **METHODS**

20 A medical advisory group of stakeholders (including supporters) was convened to consider
21 all challenges and possible solutions. This group then reported to the overarching Safety
22 Advisory Group which is led by the local authority who grants the safety licence without
23 which the stadium cannot open to the public.

24
25 A quality improvement approach was taken. A defining characteristic of quality improvement
26 projects is that they are established primarily as improvement activities rather than research.
27 The principal aim of a quality improvement project is to secure positive change in an
28 identified service²⁴. The format taken was an iterative one utilising the Plan, Do, Study, Act
29 cycle over seven seasons.

30
31 After the assessment of the challenges the response was to undertake a planned
32 implementation of several interventions providing they were approved by the Safety Advisory
33 Group.

34
35 The overall approach to change was adoption of Safety II principles²⁵ focussing on what
36 works well within the stakeholder group. The evaluation used a realist evaluation
37 framework^{26,27} utilising primarily longitudinal observational data to look at context and
38 outcomes but within the mechanism of social change. Realist evaluation is helpful in this
39 kind of project as it is inductive rather than reductive and method agnostic allowing for the
40 narrative synthesis of the different types of data generated and suited to a local study within
41 a specific context.

42 43 44 **Interventions**

45 After historical data was examined to assess demand and the assessment of team reflexivity
46 had been undertaken, several interventions were implemented and are shown in Figure 1a).

47
48 The workforce changes included formalising a medical co-ordinator role (a consistent
49 leadership position accountable to the safety officer) discontinuation of the "crowd doctor"
50 role and subsequent employment of a multidisciplinary team of physicians and nurse
51 practitioners with pre-hospital qualifications and the skills and attributes to meet the demand.

52
53 The medical co-ordinator is the accountable officer reporting directly to the safety officer.
54 The responsibilities include ensuring staffing & equipment requirements are met, overseeing
55 the medical plan, liaising with the stakeholders, clinical audit and leadership on match days.

1
2
3 A non-hierarchical structure utilising the formation of a self-organised teams that decides
4 their own workflow was agreed alongside “red rules” to maintain safety²⁸. Red rules are
5 safety rules which must never be broken and are commonly used in other safety critical
6 workforces. This resulted in devolved frontline decision making that could be supported with
7 further technical skill or clinical acumen if required. A fundamental aspect of these changes
8 was inclusion of the voluntary first aid workforce in strategic decision making which they had
9 not been involved in before despite being the main provider of care.
10

11 Support from a more consistent healthcare professional workforce enabled evidence based
12 practice to be introduced across the service including within the first aid volunteer workforce
13 (for example would care and infection control) as they provide most of the care. There was
14 also an added benefit of senior clinical advice being readily available if required.
15

16 The ambulance vehicles which were proving hard to resource and were of very restricted
17 use were discontinued. Attendance of a London Ambulance Service officer at each match
18 who have a primary role to manage a major incident was continued and is fulfilled by a small
19 number of local officers to increase team cohesion.
20

21 The ‘*Green Guide*’ minimum staffing shown in Figure 1b) was replaced by two registered
22 healthcare professionals and a medical co-ordinator (also a healthcare professional) per
23 game, an ambulance service officer and one first aider per thousand spectators as illustrated
24 in Figure 1c). According to previous data a crowd of over 12,000 is more likely to require an
25 emergency response⁹ thus for games where the expected spectators exceed 12,000
26 additional resources are present, for example extra paramedics.
27

28 The stakeholder group overseeing change consisted of healthcare professionals, first aid
29 volunteers, London Ambulance Service, representatives from the supporter’s club and other
30 stakeholders such as club staff. All decisions/changes were reviewed by the statutory local
31 Safety Advisory Group which is the group given responsibility for safety including issuing of
32 the safety licence.
33

34 The service applied for and was granted membership of the British Association of Immediate
35 care (BASICS) which provided a framework for standards of education and guidance on
36 evidence based care as well as equipment usage.
37
38
39

40 *Insert Figure 1 here*
41
42
43

44 **Measures and Analysis**

45 Observational longitudinal data was used. The period assessed consisted of fourteen
46 consecutive football league seasons at Millwall FC (pre-implementation of changes, seasons
47 2002/3 to 2008/9 where care was delivered according to the ‘*Green Guide*’ guidance and
48 post implementation seasons 2009/10 to 2015/16 where care was delivered within the new
49 framework). A prospective observational study was carried out which employed consecutive
50 sampling to collect data. In the 2009-2010 season the new workforce model was introduced
51 and so there is a focus in the presentation of data of two phases using descriptive statistics.
52
53

54 The primary outcome measures were usage, skill mix and clinical outcomes. In order to
55 collect the data an instrument was designed which was used to record each episode of care,
56 consultation or advice given in the regular football league season (i.e. not including playoff or
57 exhibition games). This instrument has been previously described⁹ and, briefly, collected
58
59

1
2
3 data on the following: age, sex, postcode (or area of residence), reason for attendance,
4 category (staff or spectator), presenting signs and symptoms, diagnosis, treatment given and
5 outcome. In addition, the skill mix involved in each episode was also recorded. All users of
6 the service were eligible for inclusion in the evaluation.
7

8 The data was recorded by the health care provider and collated at the end of each match by
9 the medical co-ordinator.

10 Data on workforce retention and volunteer workforce satisfaction was also examined.

11 All data was analysed for activity using an Excel worksheet. As the study design is one of
12 activity/needs analysis, statistical manipulation offers limited benefit and so is limited to
13 descriptive statistics.
14

15 **Ethical considerations**

16 The local regional ethics committee deemed that ethical approval was not required for the
17 study. This was confirmed using the HRA decision tool²⁹. In addition, changes to the service
18 model were reviewed and approved by the local Safety Advisory Group. Permission for
19 publication was obtained from Millwall FC and the stakeholder group.
20
21
22
23

24 **RESULTS**

25 A total of 981 episodes of care were recorded over the duration of the evaluation (392 for the
26 period 2002/3 to 2008/9 and 589 for the period 2009/10 to 2015/16). Overall the usage of
27 the service increased in the phase post implementation. This was 0.174-0.33 per 1000
28 attendances in the pre-implementation phase and 0.284-0.452 in the post implementation
29 phase. This can be seen in Figure 2.
30
31
32
33

34 *Insert Figure 2 Here*
35
36
37

38 **Consultation Type**

39 Over the entire time period 977 episodes of care were characterised as either pre-existing or
40 new conditions. 55.5% of the episodes of care were classified as pre-existing with the
41 remaining 44.5% being new conditions. Across the 14 seasons the proportion of
42 presentations for pre-existing conditions ranged from 32% to 72%. This is shown in Figure
43 3a).
44
45

46 **Age of users**

47 The age of the user (either the actual age or a general category of adult or child (16 and
48 under)) presenting was recorded in 753 episodes of care. In the remaining 228 presentations
49 age was either not recorded or the user did not wish to give an age. Of the 711 users who
50 gave an exact age the youngest was aged one and the oldest 92 with a mean age 32.
51
52

53 **Gender of users**

54 The gender of the service users was recorded for 813 episodes of care. On 168 occasions
55 the gender was not recorded. The percentage of users by gender was 35% female & 64%
56 male
57
58
59
60

User Profile

Users were categorised as 'Public' (i.e. supporters), 'MFC Steward', 'MFC Staff' (including catering staff, office staff etc.), 'Police' or 'Player'. The user profile was recorded for 954 episodes of care with 27 episodes where the user profile was either not recorded or unknown. Figure 3b) shows the % users for each category in total and for the 2002 to 2008 and 2009 to 2015 seasons.

Reason for presentation

981 episodes of care were categorised as either 'Medical' or 'Trauma'. Over the entire study 57.2% of the episodes were categorised as Medical with 42.3% categorised as Trauma. Between 2002 and 2008 62.6% of episodes of care were characterised as 'Medical', with the remaining 37.4% being 'Trauma'. From 2009 to 2015 52.7% of episodes of care were categorised as 'Medical' with 47.3% being 'Trauma'.

Insert Figure 3 here

Skill mix utilisation

The skill mix of the medical team was logged for each episode of care. For the 2002/03 season the categories 'First Aider' and 'Health Professional' (i.e. nurse, paramedic or doctor) were used. Following this season more detailed categories were used with 'First Aider', 'Nurse', 'Doctor', 'Paramedic' and 'Carer' being utilized. If more than one group was involved in care this was recorded as such (e.g. 'First Aider plus Nurse'). Results are presented as a percentage of the total number of episodes for each period.

Over the entire study 855 episodes of care were recorded (267 for the period 2002 to 2008 and 588 for the period 2009 to 2015). On 126 occasions the skill mix was not recorded.

First Aiders alone accounted for 45% of the total recorded episodes of care (45.3% for the period 2002 to 2008 and 44.9% for the period 2009 to 2015). First Aider plus Nurse accounted for 21.4% of the total episodes of care (19.9% for the period 2002 to 2008 and 26.9% for the period 2009 to 2015). 9% of episodes of care were provided by a Nurse alone (10.1% for the period 2002 to 2008 and 8.5% for the period 2009 to 2015). First Aider, Nurse and Doctor dealt with 7.8% of the episodes of care (9.4% for the period 2002 to 2008 and 7.1% for the period 2009 to 2015). First Aider and Doctor accounted for 6.4% of episodes (3% for the period 2002 to 2008 and 8% for the period 2009 to 2015). All other combinations accounted for less than 2% each of the episodes of care. Figure 4 shows the skill utilization for the total study, the 2002 to 2008 seasons and the 2009 to 2015 seasons.

Insert Figure 4 here

Looking at overall involvement in care First Aiders were involved either alone or with other health professionals in 87.7% of the episodes of care (85.2% for the period 2002 to 2008 and 89% for the period 2009 to 2015). Nurses were involved in 44.4% of episodes (44.2% for the period 2002 to 2008 and 45.4% for the period 2009 to 2015) while Doctors were

involved in 17.8% (18.3% for the period 2002 to 2008 and 17.6% for the period 2009 to 2015).

Outcome of episode

The outcome of each episode of care was divided into a number of categories:

- Stay: Patient stayed in the ground (i.e. returned to the game)
- Stay + 30: Patient stayed in the ground after being in the First Aid room for 30 minutes or longer
- Stay + GP: Patient stayed in the ground but was advised to visit a GP later
- Home +GP: Patient went home immediately after the consultation and was advised to visit a GP later if appropriate
- MIU: Patient was sent to a local Minor Injuries Unit (an urgent care/walk in facility)
- Hospital: Patient was sent to a local A&E Department via an ambulance
- Custody: Patient was taken into custody by the Metropolitan Police due to safeguarding issues

Figure 5a) shows the outcome of each episode of care. The most common outcome for both time periods examined was 'Stay' with over 70% of episodes coming into this category. Overall a downward trend in referral to hospital was seen in the post implementation phase (Figure 5b).

Insert Figure 5 here

There were no deaths in the study.

Health promotion activities

The change in workforce and closer relationship with colleagues and supporters enabled several health promotion activities to take place working in partnership with local services and charities. This included prostate cancer awareness, "fit club"; a programme of activity and healthy eating, awareness of local bowel cancer screening services (as part of the national screening programme), Men's health MOTs and offers from local smoking cessation services³⁰.

Workforce

Informal feedback is positive and volunteer experience surveys have improved with biannual satisfaction scores improving. However, these are administered and reported centrally through the charitable body that supplies volunteers and the raw data was not available for analysis.

Although there was no formal evaluation of this (for example satisfaction surveys) retention of the local volunteer and healthcare professional workforce is high-97% in the post implementation phase compared to 54% in the pre-implementation phase with very low turnover of staff and no attrition of the healthcare professional staff at all.

DISCUSSION

1
2
3 Overall the new workforce model has met increased service demands whilst reducing the
4 number of referrals to acute care. Significantly the new model utilises expertise of different
5 professional groups and involves the first aid workforce in more complex care and key
6 decision making, It also engaged in health promotion activities and forging a closer working
7 relationship with the services stakeholders.
8

9 There have been a number of incidents where the resilience of the new model has been
10 tested, for example with multiple concurrent casualties or serious and life threatening
11 incidents³¹. The response to such incidents has been swift (less than three minutes) with
12 good outcomes at scene, the patients all being transferred to hospital alive. Such incidents
13 are unusual and infrequent requiring a combination of fundamental and advanced skills that
14 bring together the full strength of the whole medical team.
15

16 The majority of the patients seen are of low acuity, the greater majority of presentations arise
17 from pre-existent conditions. A significantly lesser workload arises from emergent illness or
18 trauma, which replicates previous findings⁹⁻¹².
19

20 In terms of leadership the assumption that leadership comes from only one professional
21 group¹⁸ was never questioned. This evaluation demonstrates that wider groups of
22 professionals other than just physicians can lead effectively and safely in these services, the
23 service at Millwall and leadership of the medical advisory group is an example of this. It is
24 necessary to consider the need for consistency and the attributes required in these services
25 over and above the technical, and move to an employment model in which technical skills,
26 experience, knowledge and leadership qualities become paramount requirements.
27

28 Only autonomous registered, regulated professionals are employed (i.e. nurse practitioners
29 who prescribe and often hold the Diploma in Immediate Care), no associate professionals
30 are employed at the time of writing. Thus, decision making is not an issue within the service
31 as each group has its own code of conduct and adherence to best practice is a condition
32 both of employment and within the "red rules". All professional members of the team have
33 appraisals and those registered with the NMC or GMC are additionally subject to those
34 regulatory bodies revalidation requirements.
35

36 The increased workload since the introduction of the new workforce arrangements may be
37 directly related to the new arrangements. Williams³² posits that increased presentation rates
38 reflect the visibility and accessibility of the medical services themselves. At Millwall the
39 involvement of stakeholder groups and onward engagement with the them, combined with
40 joint participation in health promotion ventures at the Stadium may be influential in the
41 increased presentation rate through increased visibility. There is evidence that crowd size in
42 itself is not a predictor of workload^{10,11,33}. Other studies show phenomenon such as an
43 association between pitch-side performance and risk of cardiovascular events in the local
44 population³⁴.
45

46 Although this was a local evaluation there is transferable learning to other similar
47 environments outside of football. A flexible cohesive workforce defined by skill and driven by
48 demand offers many advantages for all stakeholders including members of the workforce.
49 Cohesive teams have familiarity with each other's strengths and weaknesses and can feel
50 less coercive where "expert power" is shared³⁵ and the voices of stakeholders are heard³⁵.
51

52 A flexible workforce open to other registered healthcare professionals such as nurses
53 doctors and paramedics with skills and attributes allowed the team to optimise professional
54 can perform at this level optimise workforce & skill mix other prof have skills and attributes
55 that are more suited to environment It is an important facet of the workforce model within this
56 discussion that the registered healthcare professionals used are wider in scope than those
57
58
59
60

1
2
3 within The Guide To Safety At Sports Grounds⁵. By including those with expertise in minor
4 injuries and primary care the resilience of the medical team has been optimised. This is
5 reflected in the overall and enduring reduced referrals to external sources of care. The fact
6 that at least one of the registered healthcare professionals at each match has experience of
7 high acuity prehospital care and is minimally qualified to the level of the Pre-Hospital
8 Emergency Care Course³⁶ provides clinical expertise in the (rare) event of high acuity
9 incidents.
10

11 12 13 **CONCLUSION**

14
15 The new workforce model has met increased service demands while reducing the number of
16 referrals to acute care. It involves the first aid workforce in more complex care and key
17 decision making and provides a flexible registered healthcare professional team to optimise
18 the skill mix of the team.
19

20 21 22 **Contributor Statement**

23
24 AL contributed to the study design, interpretation, analysis and writing. AK contributed to
25 analysis, interpretation and writing. PG, JA and JB contributed to data collection and writing.
26 NH contributed to writing. GP contributed to study design, analysis, interpretation and
27 writing.
28

29 30 **Competing Interests**

31 This work was carried out by an independent research team. There is no competing interest.
32
33

34 35 **Funding**

36 There was no funding for this study.
37

38 39 **Data Sharing Statement**

40 This work is secondary analysis of data. Analysis of secondary data and all results from the
41 authors. No additional data available.
42

43 44 **Acknowledgements**

45 The CEO Directors and Staff of Millwall FC in particular Colin Sayer (Stadium Manager) and
46 Jessica Newman (Club Secretary), Anthony Weston, Andrew Steeden and Ken Spearpoint
47 (Millwall FC Medical Team), David Edwards and Siobhan Mangan (London Borough of
48 Lewisham), the Millwall FC Safety Advisory Group and Geoff Galilee and Nikki Rutherford,
49 (Sports Ground Safety Authority).
50

51 52 **Disclaimer.**

53 The views expressed in the submitted article are those of the authors and not an official
54 position of the employing institutions.
55

56 57 **References**

- 1
- 2
- 3 1. Final Report of Inquiry by Lord Justice Taylor into the Hillsborough Stadium Disaster. 1990. Website:
4 <http://hillsborough.independent.gov.uk/repository/docs/HOM000028060001.pdf>
5 accessed April 2017.
- 6
- 7 2. Safety of Sports Grounds Act. 1975. Website:
8 <http://www.legislation.gov.uk/ukpga/1975/52/body/enacted> accessed April 2017.
- 9
- 10 3. The Health and Safety (First-Aid) Regulations (Third Edition). 1981. Website:
11 <http://www.hse.gov.uk/pubns/priced/l74.pdf> accessed April 2017.
- 12
- 13 4. Football Spectators Act. 1989. Website: <http://www.legislation.gov.uk/ukpga/1989/37>
14 accessed April 2017.
- 15 5. The Guide to Safety at Sports Grounds. Sports Ground Safety Authority 2008.
16 Website:
17 [http://www.safetyatsportsgrounds.org.uk/sites/default/files/publications/green-](http://www.safetyatsportsgrounds.org.uk/sites/default/files/publications/green-guide.pdf)
18 [guide.pdf](http://www.safetyatsportsgrounds.org.uk/sites/default/files/publications/green-guide.pdf) accessed April 2017.
- 19 6. Football Licensing Authority. Guide to Safety at Sports Grounds 4th Edition. 1997.
20 HMSO, London.
- 21 7. Hillsborough: the Report of the Hillsborough Independent Panel. 2012. Website:
22 http://hillsborough.independent.gov.uk/repository/report/HIP_report.pdf accessed
23 April 2017.
- 24 8. Taleb NM (2010) The Black Swan: The Impact of the Highly Improbable, Penguin,
25 London, U.K.
- 26 9. Leary A, Greenwood P, Hedley B *et al*. An analysis of crowd medical services at an
27 English football league club. *Int Emerg Nurs*. 2008 Jul;16(3):193-9.
- 28 10. Bhangu A, Agar C, Pickard L *et al*. The Villa Park experience: crowd consultations at
29 an English Premiership football stadium, season 2007-8. *Emerg Med J*. 2010
30 Jun;27(6):424-9.
- 31 11. Crawford M, Donnelly J, Gordon J *et al*. An analysis of consultations with the crowd
32 doctors at Glasgow Celtic football club, season 1999-2000. *Br J Sports Med*. 2001
33 Aug;35(4):245-9.
- 34 12. Kemp AE. Mass-gathering Events: The Role of Advanced Nurse Practitioners in
35 Reducing Referrals to Local Health Care Agencies. *Prehosp Disaster Med*. 2016
36 Feb;31(1):58-63.
- 37 13. AACE. Association of Ambulance Chief Executives Annual report 20014/15. 2015.
38 Website: [http://aace.org.uk/wp-content/uploads/2015/10/AACE-ANNUAL-REPORT-](http://aace.org.uk/wp-content/uploads/2015/10/AACE-ANNUAL-REPORT-2014-2015-FINAL-W.pdf)
39 [2014-2015-FINAL-W.pdf](http://aace.org.uk/wp-content/uploads/2015/10/AACE-ANNUAL-REPORT-2014-2015-FINAL-W.pdf) accessed May 2017.
- 40 14. Sir Norman Chester Centre Report. 2002. Website: <http://furd.org/resources/fs1.pdf>
41 accessed April 2017.
- 42 15. Public Health England. Health Profiles. Website:
43 <https://fingertips.phe.org.uk/profile/health-profiles> accessed April 2017.
- 44 16. Wetterhall SF, Coulombier DM, Herndon JM *et al*. Medical care delivery at the 1996
45 Olympic Games. Centers for Disease Control and Prevention Olympics Surveillance
46 Unit. *JAMA*. 1998 May 13;279(18):1463-8.
- 47 17. Milsten AM, Maguire BJ, Bissell RA *et al*. Mass-gathering medical care: a review of
48 the literature. *Prehosp Disaster Med*. 2002 Jul-Sep;17(3):151-62.
- 49 18. Smith SP, Cosgrove JF, Driscoll PJ *et al*. A practical approach to Events Medicine
50 provision. *Emerg Med J*. 2017 Aug;34(8):538-542
- 51 19. NHS Scotland. The Advanced Practice Toolkit. 2008. Website:
52 <http://www.advancedpractice.scot.nhs.uk/definitions/defining-advanced-practice.aspx>
53 accessed April 2017
- 54 20. Weick KE and Sutcliffe KM. Managing the Unexpected (Third Edition). 2015. John
55 Wiley & Sons, Hoboken, New Jersey.
- 56
- 57
- 58
- 59
- 60

21. West, M.A. *Effective Teamwork: Practical lessons from organizational research*. 2004. Blackwell/British Psychological Society. Oxford.
22. West M.A. *Effective Teamwork: Practical Lessons from Organizational Research (Psychology of Work and Organizations)*. 2012. Blackwell/British Psychological Society. Oxford.
23. BBC (2002) <http://news.bbc.co.uk/1/hi/england/1967510.stm>
24. Portela M.C., Pronovost P.J., Woodcock T. *et al*. How to study improvement interventions: a brief overview of possible study types. *BMJ Qual Saf*. 2015 May;24(5):325-36.
25. Hollnagel E., Wears, R.L. and Braithwaite J. *From Safety-I to Safety-II: A White Paper*. 2015. Website: <https://www.england.nhs.uk/signuptosafety/wp-content/uploads/sites/16/2015/10/safety-1-safety-2-white-papr.pdf> accessed April 2017.
26. Pawson R. and Tilly N. *Realistic Evaluation*. 1997. Sage. London.
27. Baillie L. and Maxwell E. *Improving Healthcare: A Handbook for Practitioners*. 2017. CRC Press. Boca Raton, Florida.
28. Vogus T., Sutcliffe K. and Weick K. *Doing No Harm: Enabling, Enacting, and Elaborating a Culture of Safety in Health Care*. 2010. *Academy of Management Perspectives* November 2010 24:4 60-77;
29. HRA. *Health Research Authority Decision Tool*. Website: <http://www.hra-decisiontools.org.uk/research/result7.html> accessed in 2012 and 2014.
30. Hart N. and Leary A. *Millwall Fc Medical Service: 'No One Likes Us, We Do Care' – Working Together for Better Health in South London*. In *Sports-Based Health Interventions: Case Studies from Around the World* by Conrad D. and White A. pp231-241. Springer, New York.
31. BBC Wales. *Millwall New Den: Cardiff City fan injured in fall*. 2012. Website: <http://www.bbc.co.uk/news/uk-wales-12797244> accessed May 2017.
32. Zeitz K., Haghghi P.D., Burstein F. *et al*. *Understanding the drivers on medical workloads: an analysis of spectators at the Australian Football League*. *Aust Health Rev*. 2013 Jun;37(3):402-6.
33. Heinink T.P., Fogarty A.W. and Wiles M.D. *Trends in Demand for Acute Medical Care at Two Football Clubs over an Eighteen-Year Period*. *Advances in Emergency Medicine*. Volume 2014:1-6.
34. Kirkup W, Merrick DW. *A matter of life and death: population mortality and football results*. *J Epidemiol Community Health*. 2003 Jun;57(6):429-32.
35. Longest B.B. *Health Program Management: From Development Through Evaluation (2nd Ed)*. 2012. Jossey Bass, Wiley, San Francisco USA.
36. BASICS. *Pre Hospital Emergency Care Course*. Website: <https://secure-uk.net/basics-education.co.uk/> accessed June 2017.

FIGURE LEGENDS

Figure 1a): The medical service prior to the 2008/9 season and post the 2009/10 season showing the changes implemented.

Figure 1b): Organisation of the 'Green Guide' service

Figure 1c): Organisation of the BASICS service (*Accountable officer for service and ^Accountable officer in event of major incident)

Figure 2: Total episodes of care delivered per 1000 attendances in the pre-implementation and post-implementation phase.

1
2
3 Figure 3a): Presentations of new and pre-existing conditions-every season saw a significant
4 proportion of presentations from patients with pre-existing conditions.
5


6 Figure 3b): % Profile of service users for the total study, 2002 to 2008 and 2009 to 2015.

7
8 Figure 4: Skill mix utilization recorded for each episode of care for the total period (855
9 episodes), 2002 to 2008 seasons (267 episodes) and 2009 to 2015 seasons (588 episodes).


10 Key: FA: First Aider; N: Nurse; DR: Crowd Doctor; P: Paramedic; HP Health Professional.
11 Figures are the total % over the period for each category.

12
13 Figure 5a): Outcome of episodes of care.


14
15 Figure 5b) Trend in hospital referrals by year.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



a)



b)



c)

Figure 1

77x143mm (300 x 300 DPI)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60






Figure 2

77x38mm (300 x 300 DPI)



a)



b)

Figure 3

79x88mm (300 x 300 DPI)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60






Figure 4

63x38mm (300 x 300 DPI)

Review only



a)



b)

Figure 5

79x90mm (300 x 300 DPI)