

BMJ Open

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-046863
Article Type:	Original research
Date Submitted by the Author:	15-Nov-2020
Complete List of Authors:	<p>Osterrieder, Anne; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p> <p>Cuman, Giulia; University Hospital of Padova, Paediatric Ethics Committee; Research Ethics Committee</p> <p>Pan-Ngum, Wirichada; Mahidol University Rajvithi Campus, Department of Tropical Hygiene Faculty of Tropical Medicine; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Cheah, Phaik Kin; Universiti Tunku Abdul Rahman, Faculty of Arts and Social Science</p> <p>Cheah, Phee-Kheng; Ministry of Health, Malaysia, Emergency & Trauma Department, Sabah Women & Children's Hospital</p> <p>Peerawaranun, Pimnara; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Silan, Margherita; University of Padua, Department of Statistical Sciences</p> <p>Orazem, Miha; University of Ljubljana, Faculty of Medicine; Institute of Oncology Ljubljana, Department of Radiation Oncology</p> <p>Perkovic, Ksenija; Science and Research Centre Koper, Institute for Social Studies</p> <p>Groselj, Urh; University of Ljubljana, Faculty of Medicine; University Children's Hospital, University 26 Medical Center – University Children's Hospital Ljubljana,, Department of Endocrinology, Diabetes and Metabolic Diseases</p> <p>Schneiders, Mira Leonie; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Poomchaichote, Tassawan; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Waithira, Naomi; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p> <p>Asarath, Supa-at; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Naemiratch, Bhensri; Mahidol University Rajvithi Campus, Mahidol</p>

	<p>Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Ruangajorn, Supanat; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Skof, Lenart; Science and Research Centre Koper, Institute for Philosophical Studies</p> <p>Kulpijit, Natinee; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Mackworth-Young, Constance; London School of Hygiene & Tropical Medicine, Department of Global Health & Development</p> <p>Ongkili, Darlene; Ministry of Health, Malaysia, Emergency & Trauma Department, Queen Elizabeth Hospital</p> <p>Chanviriyavuth, Rita; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Mukaka, Mavuto; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p> <p>Cheah, Phaikyeong; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p>
Keywords:	Public health < INFECTIOUS DISEASES, Epidemiology < TROPICAL MEDICINE, PUBLIC HEALTH

SCHOLARONE™
Manuscripts

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

1
2
3
4 1 Economic and social impacts of COVID-19 and public health measures:
5
6 2 results from an anonymous online survey in Thailand, Malaysia, the
7
8 3 United Kingdom, Italy and Slovenia
9
10 4

11
12 5 Anne Osterrieder^{1,2}, Giulia Cuman³, Wirichada Pan-ngum^{1,4}, Phaik Kin Cheah⁵, Phee-Kheng Cheah⁶,
13 6 Pimnara Peerawaranun¹, Margherita Silan⁷, Miha Orazem^{8,9}, Ksenija Perkovic¹⁰, Urh Groselj^{8,11}, Mira
14 7 Leonie Schneiders^{1,2,12}, Tassawan Poomchaichote^{1,13}, Naomi Waithira^{1,2}, Supa-at Asarath¹, Bhensri
15 8 Naemiratch¹, Supanat Ruangajorn¹, Lenart Skof¹⁴, Natinee Kulpijit¹, Constance R.S. Mackworth-
16 9 Young¹⁵, Darlene Ongkili¹⁶, Rita Chanviriyavuth¹, Mavuto Mukaka^{1,2}, Phaik Yeong Cheah^{1,2,12,13}

17
18
19
20
21 10 ¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok,
22 11 10400, Thailand

23 12 ²Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford,
24 13 Oxford, UK

25
26 14 ³Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

27 15 ⁴Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400,
28 16 Thailand

29
30 17 ⁵Faculty of Arts and Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

31 18 ⁶Emergency and Trauma Department, Sabah Women and Children's Hospital, Ministry of Health Malaysia,
32 19 Kota Kinabalu, Malaysia

33
34 20 ⁷Department of Statistical Sciences, University of Padua, Padua, Italy

35
36 21 ⁸Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

37 22 ⁹Department of Radiation Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia

38
39 23 ¹⁰Institute for Social Studies, Science and Research Centre Koper, Koper, Slovenia

40 24 ¹¹Department of Endocrinology, Diabetes and Metabolic Diseases, University Children's Hospital, University
41 25 Medical Center – University Children's Hospital Ljubljana, Ljubljana, Slovenia

42
43 26 ¹²Ethox Centre, Nuffield Department of Population Health, University of Oxford, Oxford, UK

44
45 27 ¹³The SoNAR-Global Network

46 28 ¹⁴Institute for Philosophical Studies, Science and Research Centre Koper, Koper, Slovenia

47
48 29 ¹⁵Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London,
49 30 UK

50
51 31 ¹⁶Emergency and Trauma Department, Queen Elizabeth Hospital, Ministry of Health Malaysia, Kota Kinabalu,
52 32 Malaysia

53 33
54 34 **Corresponding author:** Phaik Yeong Cheah, 420/6 Mahidol-Oxford Tropical Medicine 24 Research Unit,
55 35 Faculty of Tropical Medicine, Rajvithi Road, Bangkok, Thailand, 10400. Email: phaikyeong@tropmedres.ac

56
57 36
58
59 37 **Word count:** abstract 299 words, main text 5335 words
60

38 **Keywords:** COVID-19, SARS-CoV-2, non-pharmaceutical interventions, restrictions, social distancing,
39 quarantine, isolation, compliance, information, fake news, social, ethical, behavioural, survey

40 **Abstract**

41 Objectives

42 In the absence of a vaccine and widely available treatments for COVID-19, governments have relied
43 primarily on non-pharmaceutical interventions to curb the pandemic. To aid understanding of the
44 impact of these public health measures on different social groups we conducted a mixed-methods
45 study in five countries ('SEBCOV - Social, ethical and behavioural aspects of COVID-19'). Here we
46 report the results of the SEBCOV online survey.

47 Design

48 Overall, 5,058 respondents from Thailand, Malaysia, the United Kingdom, Italy and Slovenia
49 completed the self-administered survey between May and June 2020. Post-stratification weighting
50 was applied, and associations between categorical variables assessed.

51 Results

52 Among the five countries, Thai respondents appeared to have been most, and Slovenian respondents
53 least, affected economically. Overall, lower education levels, larger households, having children
54 under 18 in the household, being 65 years or older and having flexible/no income were associated
55 with worse economic impact. Regarding social impact, respondents expressed most concern about
56 their social life, physical health, and mental health and wellbeing.

57 There were large differences between countries in terms of voluntary behavioural change, and in
58 compliance and agreement with COVID-19 restrictions. Overall, self-reported compliance was higher
59 among respondents reporting a high understanding of COVID-19. UK respondents felt able to cope
60 the longest and Thai respondents the shortest with only going out for essential needs or work, with
61 60% and 26% respectively able to cope with 29 days or longer. Many respondents reported seeing
62 news that seemed fake to them, the proportion varying between countries, and with education level
63 and self-reported levels of understanding of COVID-19.

64 Conclusions

65 Our data showed that COVID-19 public health measures have uneven economic and social impacts on
66 people from different countries and social groups. Understanding the factors associated with these
67 impacts can help to inform future public health interventions and mitigate their negative
68 consequences.

69 Registration: TCTR20200401002

70 Summary

71

72 Strengths

- 73 • Our research findings help to address an evidence gap as identified by the global research
74 community in a recent study on COVID-19 research priorities, which identified public health
75 messaging, compliance and trust in public health interventions, and evaluation of these
76 interventions in varied settings as areas of high priority (BMJ Global Health Vol 5, Issue 7
77 <https://gh.bmj.com/content/5/7/e003306>).
- 78 • Because we recruited a reasonably large sample size in each country (between 700-1400), we
79 were able to compare population segments (e.g. men versus women, younger versus older people,
80 those with lower versus higher levels of education) in the whole cohort, and between countries.
- 81 • Our online survey enabled us to capture people's experiences and concerns in multiple domains,
82 in five countries, all of which had restrictions in place, during the relatively early stage of the
83 COVID-19 pandemic.
- 84 • Our study and survey questions were discussed with the Bangkok Health Research Ethics Interest
85 Group, a public involvement group set in a dedicated virtual meeting.

86 Limitations

- 87 • We did not aim to obtain nationally representative samples and acknowledge that although we
88 used weighting strategies in our analysis, our results may not be fully representative of the
89 populations in the respective countries.

90 Introduction

91 COVID-19 is a respiratory disease caused by the novel coronavirus 'severe acute respiratory
92 syndrome coronavirus 2' (SARS-CoV2), which is transmitted through droplets, close contact, and
93 aerosols^{1,2}. The SARS-CoV2 outbreak was first reported in December 2019 in Wuhan, China³, with
94 the World Health Organization declaring it Public Health Emergency of International Concern on 30th
95 January 2020 and a global pandemic on 11th March 2020¹.

96 In the absence of a vaccine or widely available and effective pharmaceutical treatments, the impact of
97 COVID-19 is being mitigated using non-pharmaceutical interventions (NPIs)^{4,5}. Examples of NPIs
98 include: social distancing (or 'physical distancing') measures, such as isolation of sick individuals,
99 quarantine of exposed individuals, contact tracing, voluntary shielding, travel-related restrictions; and
100 personal protective measures, such as hand hygiene and wearing face masks^{4,6,7}. Scientific evidence
101 indicates that NPIs are effective measures to contain a pandemic and ease pressures on health care
102 systems⁶⁻¹². However, authorities and policy makers need to consider the societal, economic and

1
2
3 103 ethical impacts of these public health measures, in particular on vulnerable groups^{13,14}. Such groups
4 104 might be disproportionately affected by NPIs and/or might be unable to comply with them¹⁵, e.g. due to
5 105 loss of income when having to isolate at home, crowded living conditions¹⁴, or not being able to
6 106 afford masks¹⁶.

9
10 107 As the COVID-19 pandemic continues, evidence is urgently needed to understand how people
11 108 perceive and experience NPIs, which groups are disproportionately negatively affected by NPIs, and
12 109 how communication is perceived by various social groups¹⁷. This understanding is important so that
13 110 the policies can be improved to minimize the negative impact of COVID-19 on people's lives, and to
14 111 improve communications.

15 112 Here we report the highlights of an online survey conducted in Southeast Asia (Thailand and
16 113 Malaysia, both upper middle-income countries), and Europe (the United Kingdom, Italy and Slovenia,
17 114 all high-income countries) between May 1 to June 30, 2020 as part of the mixed-methods study
18 115 'Social, ethical and behavioural aspects of COVID-19' (SEBCOV)¹⁸. These findings help to address
19 116 an evidence gap as identified by the global research community in a recent study on COVID-19
20 117 research priorities¹⁹, which identified public health messaging, compliance and trust in public health
21 118 interventions, and evaluation of these interventions in varied settings as areas of high priority¹⁹.

31 119 **Methods**

32 120 **Survey development**

33
34 121 The survey contained five sections with 36 questions (single-answer multiple choice and five-point
35 122 Likert scales) on (1) socio-demographic information; (2) income, occupation status and economic
36 123 impacts of COVID-19 restrictions; (3) sources of, preferences and perceptions regarding COVID-19
37 124 related communication, and the occurrence of 'fake news' (untrue information presented as news);
38 125 and (4) perceived levels of understanding of COVID-19 and NPIs, agreement with NPIs, voluntary
39 126 behavioural changes, and concerns and coping strategies relating to restrictions²⁰. The Malaysia and
40 127 UK surveys were administered in English, with the other surveys translated into the respective
41 128 country languages. The self-administered online survey was set up using the 'JISC Online surveys'
42 129 platform²¹.

51 130 **Patient and public involvement**

52 131 The survey questions were pilot-tested with 25 people from participating countries, and revised
53 132 accordingly based on feedback. In addition, the Bangkok Health Research Ethics Interest Group, a
54 133 public involvement group set up by the Mahidol Oxford Tropical Medicine Research Unit (MORU)²²,
55 134 discussed the study and the survey questions in a dedicated virtual meeting. Selected questions were

1
2
3 135 tested using an adapted cognitive testing technique using the “thinking out loud” approach²³, and the
4 136 collaborative virtual sticky notes board ‘Padlet’²⁴.

8 137 Participant selection and recruitment

9
10 138 Adults of any age residing in Thailand, Italy, Malaysia, United Kingdom (UK) or Slovenia at the time
11 139 of the study were eligible to take part. Participants needed to be able to use a computer or smart phone
12 140 to access the survey and provide online consent to participate.

13
14
15 141 The survey was open from 1st May to 30th June 2020 (1st-30th June for Slovenia due to late start).
16 142 Participants were recruited using a combination of approaches: snowball sampling through personal
17 143 and professional networks (via email, social media and messenger apps, mailing lists, and
18 144 organisations such as the Medical Chamber²⁵ in Slovenia); a polling company²⁶ in Thailand; and
19 145 through promoted posts on Facebook. Facebook allows users to ‘boost’ posts to selected demographic
20 146 audiences for a small fee, so that the post appears on their Facebook newsfeed²⁷. To achieve more
21 147 balanced responses in the categories of gender, education level and geographic distribution, promoted
22 148 Facebook posts were targeted at people with primary or lower/secondary education in UK and
23 149 Malaysia; potential participants in Wales, Scotland and Northern Ireland in the UK; and at men in the
24 150 UK and Italy.

31 151 Sample size

32
33
34 152 Each country aimed to recruit a minimum sample of 600 respondents, exceeding the 40-200
35 153 respondents recommended for a mixed-methods study²⁸. A minimum sample size of 600 respondents
36 154 is adequate to estimate the prevalence of a response assuming a 50% prevalence rate, with 95%
37 155 confidence and with a precision of 4%. The 50% prevalence is the standard assumption for precision
38 156 sample size calculations when the true prevalence is not available, as this gives the highest sample
39 157 size for a binomial distribution for a desired level of precision.

45 158 Statistical analysis

46
47
48 159 To simplify analysis, answers in the following categories were combined as follows: “slightly
49 160 agree/highly agree” were combined into one “agree”, category, and “slightly/strongly disagree”
50 161 responses into one “disagree” category (Suppl. Tables 23-27). To understand the distribution of the
51 162 basic demographic variables in the respondent sample, the observed frequencies and sample
52 163 characteristics are reported using unweighted percentages (Suppl. Table 1). The characteristics for the
53 164 rest of the variables are presented using the observed survey frequency counts followed by weighted
54 165 percentages (Suppl. Tables 2-37). Post-stratification weighting was used to align the composition of
55 166 the respondents’ sample with the known distribution of the whole population’s characteristics,

1
2
3 167 reducing sampling error. Weights were computed considering three stratifying variables that were
4 168 available from population census data from each country²⁹, namely, gender, age and education level.
5
6 169 Weights were obtained as the ratio between the proportion of each possible combination of the three
7
8 170 variables in the whole country population and the correspondent proportion in the respondent sample.
9
10 171 Survey data was analysed using Stata 15.0 software³⁰. Frequency counts and percentages were used to
11
12 172 summarise categorical data. Associations between categorical variables were assessed using Pearson's
13
14 173 Chi-squared test. P-values have been provided in the tables and considered statistically significant
15
16 174 below the two-sided alpha=0.05 level. All p-values presented in the tables are for global tests of
17
18 175 significance. Practical significance was taken into account when interpreting differences in the results.

176 **Results**

177 At the time of the inception of this study, governments in Thailand, Malaysia, Italy, the UK and
178 Slovenia had initiated public health measures, using varying degrees of "lockdowns" to curb the
179 pandemic. Figure 1 shows a visualization of the 'Stringency Index' (SI) of the public health responses
180 of the five government over the study period, drawing upon data provided by the Oxford COVID-19
181 Government Response Tracker (OxCGRT)³¹. The OxCGRT tool tracks government policies and
182 interventions from more than 180 countries on standardized indicators, and aggregates the data into a
183 'Stringency Index' for each country on a scale from 0-100, with 100 indicating the strictest
184 response³¹. For example, Italy had the strictest public health measures in early May (SI = 93) and then
185 gradually lifted and reintroduced restrictions, whereas restrictions in the UK remained at around the
186 same level (SI = 69-76) throughout the study period. Restrictions in Slovenia were substantially eased
187 from June onwards (SI = 33).

188 **Characteristics of survey respondents**

189 A total of 5,058 participants took part in the survey: 1,476 respondents from Thailand, 827 from
190 Malaysia, 1,009 from the UK, 712 from Italy, and 1,034 from Slovenia (Suppl. Table 1, unweighted
191 data). Overall, around 40% identified as male, around 60% as female, and around 1% as 'other/prefer
192 not to say'. Of all respondents, 26% were aged 18-34 years old, 65% were 35-64 years old, and 10%
193 fell into the 65+ age group. Thirty three percent had primary or lower (from here on referred to as
194 'primary') or secondary education, whereas 67% had tertiary education. Overall, 10% of respondents
195 lived in large households with six or more people. Fifty nine percent of respondents received a fixed
196 income (salary/benefits/pension), 31% had flexible income (contract and freelance), and 10%
197 received no or 'other income'. Thirty six percent lived with children under 18 years in their
198 household, and 29% reported that they or a household member belonged to a "vulnerable group"
199 (persons aged 70 or older, pregnant women, or people with serious health conditions). Nineteen

1
2
3 200 percent of respondents were healthcare provider/workers. Supplementary Table 1 provides the
4
5 201 breakdown by country. All results in the following subsections are presented as weighted percentages.
6
7

8 202 Economic impacts of COVID-19 and public health measures

9
10 203 In order to understand the economic impacts of COVID-19, respondents who had been working
11 204 before the pandemic (paid or unpaid work) were asked whether COVID-19 had created any work-
12 205 related inconvenience for them. Overall, 56% of respondents said that they experienced loss of
13 206 earnings, 44% reduction of working hours, 36% closure of workplace and 14% job loss (Fig. 2, Suppl.
14 207 Table 2). Seventy five percent reported that they continued to work during COVID-19. Of all
15 208 respondents, 53% expressed financial concerns, and 32% worried about professional/career
16 209 progression. Our results indicated that the most affected country was Thailand, with 85% of
17 210 respondents reporting loss of earnings, 23% loss of job, and 86% expressing financial concerns
18 211 (Suppl. Table 2). Slovenian respondents reported the least severe economic impacts e.g. 30% reported
19 212 loss of earnings, 3% reported loss of job, and 28% had financial concerns.
20
21
22
23
24
25

26 213 To investigate the impact of public health measures on different social groups, we analyzed responses
27 214 based on gender, level of education, age group, household size, whether respondents lived with
28 215 children under 18 years old, and income type.
29
30

31 216 Overall, there were no significant differences between male, female and respondents who identified as
32 217 'other/prefer not to say', and who had been working before COVID-19, in terms of loss of earnings,
33 218 loss of job, reduction of working hours and closure of workplace (Fig. 2, Suppl. Table 3). Overall,
34 219 fewer women continued to work during COVID-19 (71% women vs 78% men; $p=0.010$). The trend
35 220 was similar at country level, except for Malaysia (73% women versus 67% men; Suppl. Table 3).
36
37
38
39

40 221 Overall, 65% of respondents with primary and secondary education who had been working before
41 222 COVID-19 reported a loss of earnings, compared to 38% of respondents with tertiary education
42 223 ($p<0.001$; Fig. 2, Suppl. Table 4). More respondents with primary/secondary education lost their job
43 224 (17% versus 8%; $p<0.001$), and had their working hours reduced (47% versus 37%; $p<0.001$). Fewer
44 225 respondents with primary/secondary education continued to work (71%, versus 83%, $p<0.001$), and
45 226 59% reported financial concerns (versus 41%; $p<0.001$). This trend was mirrored at country level.
46
47
48
49

50 227 Respondents with primary/secondary education were most affected in Thailand, where 90% reported
51 228 loss of earnings, 24% reported loss of job, and 89% reported financial concerns (Suppl. Table 4).
52 229 Only 65% of respondents with primary/secondary education in Malaysia (versus 90% with tertiary
53 230 education) and 59% in Italy (versus 79%) continued to work during COVID-19.
54
55
56

57 231 In order to assess whether age was a factor associated with economic impact, respondents were
58 232 divided into three age groups in the analysis: 18-34 year olds, 35-64 year olds, and over 65 year olds
59 233 (Fig. 2, Suppl. Table 5). There were no significant differences between age groups regarding loss of
60

1
2
3 234 earnings ($p=0.102$) or loss of job ($p=0.054$). However, the 18-34 year olds appeared to be most
4
5 235 affected through reduction of working hours ($p=0.005$) and closure of workplace ($p=0.003$). Only
6
7 236 71% of 18-34 year olds and 68% of 65+ year olds continued to work during COVID-19, compared to
8
9 237 78% of 35-64 year olds ($p=0.025$). Analysing by country, the 65+ year olds reported highest loss of
10
11 238 earnings in Malaysia (57%) and Slovenia (39%). This age group was particularly affected in Italy,
12
13 239 where 87% of 65+ year olds reported loss of earnings and 42% reported loss of job. In all countries
14
15 240 except for Thailand, fewer 65+ year olds continued to work during COVID-19.

16
17 241 Overall, larger households and having children under 18 in the household appeared to be associated
18
19 242 with worse economic impacts (Fig. 2, Suppl. Tables 6 and 7). Overall, 67% of respondents whose
20
21 243 household included 6 people or more reported loss of earnings (compared to 54% of households with
22
23 244 1-5 people; $p=0.013$), and 23% reported loss of job (compared to 13%; $p=0.009$; Suppl. Table 6).
24
25 245 Respondents with children reported a higher loss of earnings compared to respondents without
26
27 246 children (62% versus 53%; $p=0.005$), and higher job loss (18% versus 12%; $p=0.008$; Suppl. Table 7).
28
29 247 Analysing by country, respondents living with children appeared to be particularly affected in
30
31 248 Thailand and Malaysia.

32
33 249 We also analysed responses according to three types of income: fixed income (e.g. fixed salary,
34
35 250 benefits or pension), flexible income (e.g. contract, freelance), and other/no income (Fig. 2; Suppl.
36
37 251 Table 8). We did not ask for amount of income. Overall, respondents with fixed income were less
38
39 252 affected economically than those with flexible or other/no income. Of the latter only 38% reported
40
41 253 loss of earnings, compared to 81% of respondents with flexible income and 69% of respondents with
42
43 254 other/no income ($p<0.001$). Only 8% of people with fixed income had lost their job, compared to 22%
44
45 255 with flexible income and 27% with other/no income ($p<0.001$). At country level, the trends were
46
47 256 similar (Suppl. Table 8). Fewer people with flexible or other/no income continued to work in
48
49 257 Malaysia (42% with flexible/25% with no/other income, compared to 83% with fixed income;
50
51 258 $p<0.001$), UK (57%/62%, compared to 79%; $p<0.001$), Italy (51%/15%, compared to 81%; $p<0.001$)
52
53 259 and Slovenia (57%/59%, compared to 84%; $p<0.001$).

260 Social impacts of COVID-19 and public health measures

261
262 We asked respondents if they were concerned about the following areas of life if advised no physical
263
264 contact/not allowed to go out/allowed to go out only for essential needs: caring responsibilities,
265
266 physical health, recreational pursuits, sports, mental health and wellbeing, living arrangements,
267
268 infrastructure (e.g. access to transport, internet), social, and religious and spiritual needs/aspects
269
270 (Suppl. Table 9). Overall, respondents expressed most concern about their social life (64%), their
271
272 physical health (59%), and their mental health and wellbeing (58%). This trend was largely similar in
273
274 individual countries, except for Thailand, where caring responsibilities attracted the most concern

268 (62%); Malaysia, where 58% were concerned about religion and spirituality; and Slovenia, where
269 65% of people worried about recreational aspects. In general, there were no major differences
270 between gender, age groups, education level, household size, living with children or income type
271 (Suppl. Tables 10-15). Overall, those who were most worried about caring responsibilities were
272 women (52%, versus 42% men, $p<0.001$; Suppl. Table 10), 35-64 year olds (53%, versus 46% of 18-
273 34 year olds and 32% of 65+ year olds, $p<0.001$; Suppl. Table 11), people with primary/secondary
274 education (49%, versus 43% with tertiary education, $p=0.002$; Suppl. Table 12), and people with
275 children (64%, versus 38% of those without children, $p<0.001$; Suppl. Table 14).

276 We asked respondents how many days they could cope with not going out except for essential
277 needs/work, with answer options ranging from one to 59 days or more. In total, 44% of respondents
278 said that they could cope for 29 days or longer (Suppl. Table 16). However, coping time varied
279 significantly between countries ($p<0.001$): in the UK, 60% of people felt they would be able to cope
280 for 29 days or longer, whereas in Thailand, only 26% of respondents said that they could cope this
281 long. Overall, gender, age, and household size did not appear to be associated with coping time
282 (Suppl. Tables 17-19). Factors that appeared to be associated with lower coping times were living
283 with children under 18 years ($p=0.004$, Suppl. Table 20), having primary/secondary education
284 ($p<0.001$, Suppl. Table 21), and receiving flexible income ($p<0.001$; Suppl. Table 22). Indicators
285 varied at country level.

286 Compliance and acceptance of public health measures

287 Next, we explored which factors were associated with compliance and agreement with public health
288 measures. Of all respondents, 67% reported that they had changed their social behaviour *before*
289 government restrictions were implemented (Fig. 3; Suppl. Table 23). There were significant
290 differences at country level ($p<0.001$): 93% of Thai respondents reported voluntary pre-restriction
291 behaviour change, followed by the UK (68%) and Malaysia (64%). Slovenian (47%) and Italian
292 respondents (47%) reported the lowest levels of voluntary pre-restriction behaviour change. Overall,
293 92% of respondents had used sanitizer products and alcohol, 82% avoided physical contact with
294 anyone, and 79% avoided physical contact with only vulnerable groups. In Thailand and Malaysia,
295 96% and 95% of respondents indicated that they had been using personal protective equipment (PPE;
296 e.g. face masks and gloves), compared to only 33% in UK, 55% in Italy, and 67% in Slovenia
297 ($p<0.001$). We also asked respondents how much they agreed with quarantine/isolation/social
298 distancing measures and the statement that these are a necessary strategy to help control COVID-19
299 (Suppl. Table 23). There was a significant difference between countries ($p<0.001$): agreement with
300 public health measures was highest amongst respondents from Thailand (94%) and lowest amongst
301 those from Slovenia (around 75%).

Overall, fewer male than female respondents changed their social behaviour before the government implemented official restrictions (65% and 70%, respectively, $p=0.039$; Fig. 3, Suppl. Table 24). At country level, fewer men than women reported changing their social behaviour voluntarily, except in Thailand, where reported changes among men and women were similar (94%/92%, $p=0.426$).

Overall, there were no significant differences between men and women when asked about how much they agreed with public health measures and the statement that these are a necessary strategy to help control COVID-19 ($p=0.191$; Suppl. Table 24).

When it came to education level, there were no significant differences between respondents with primary/secondary and those with tertiary education regarding voluntary behaviour change before government-imposed restrictions ($p=0.369$), and agreement with public health measures and the statement that these are a necessary strategy to help control COVID-19 ($p=0.304$; Fig. 3, Suppl. Table 25). Indicators varied at country level.

Overall, 70% of 18-34 year olds and 70% of 35-64 year olds indicated that they had voluntarily changed their behaviour before government restrictions, compared to only 57% of 65+ year olds ($p=0.004$; Fig. 3, Suppl. Table 26). This trend was similar at country level, except in Italy where 57% of 65+ year olds were most likely to change their behaviour, compared with 44% of 18-34 and 44% of 35-64 year olds. Overall, agreement with voluntary restrictions was similar across age groups ($p=0.271$; Suppl. Table 26), but fewer 65+ year expressed agreement with restrictions that were government-enforced ($p=0.003$). Respondents over 65 years old in Slovenia reported the lowest agreement with the statement that quarantine/isolation/social distancing are a necessary strategy to help control COVID-19 (67%), compared to 96% in Thailand and 100% in Malaysia.

Lastly, self-reported levels of understanding of COVID-19 did not significantly affect voluntary change of behaviour ($p=0.091$), or agreement with public health measures ($p=0.688$; Suppl. Table 27).

Level of understanding of COVID-19

We asked respondents to indicate their perceived level of understanding of COVID-19. Overall, 59% of respondents indicated a 'high/very high' level of understanding, 36% reported 'some' understanding, and only 5% reported 'very little/none' (Fig. 4, Suppl. Table 28). There were significant differences at country level ($p<0.001$): perceived levels of understanding were highest in Slovenia (66% reported 'high/very high', and 30% 'some' understanding) and Thailand (63% 'high/very high' and 33% 'some'), and lowest in Italy, with 47% reporting 'high/very high', and 50% reporting 'some' level of understanding.

To probe for factors associated with perceived level of understanding of COVID-19, we broke down responses by gender, age, education and healthcare worker status (Fig. 4, Suppl. Table 29). Overall, there was no significant difference between men, women and people who identified as other or

1
2
3 336 preferred not to say ($p=0.058$; Fig. 4, Suppl. Table 29). Age appeared to be a factor, as only 52% of
4 337 18-34 year old respondents self-reported 'high/very high' understanding compared to 62% of 35-64
5 338 year olds and 60% of 65+ year olds ($p=0.033$). Overall, fewer respondents with primary and
6 339 secondary education self-reported 'high/very high' understanding (56% indicated 'high/very high'
7 340 compared to 66% with tertiary education, $p<0.001$). Lastly, healthcare worker status was associated
8 341 with perceived higher understanding ($p=0.001$). This trend was similar at country level, except for
9 342 Malaysia, where 49% of healthcare workers reported 'high/very high' understanding compared to
10 343 52% of non-healthcare workers ($p=0.805$) (Suppl. Table 29).

11 344 Overall, higher levels of perceived understanding of COVID-19 were associated with higher levels of
12 345 perceived understanding of public health measures ($p<0.001$; Suppl. Table 30). For example, 88% of
13 346 respondents who self-reported 'high/very high' understanding of COVID-19 and 50% who reported
14 347 'some' understanding felt that they had a 'high/very high' level of understanding of public health
15 348 measures. In contrast, only 27% of respondents who reported 'very little/no' understanding of
16 349 COVID-19 indicated a high understanding of public health measures.

27 350 Information about COVID-19, unclear information and fake news

28 351 When respondents were asked how they receive/received information about COVID-19 (Suppl. Table
29 352 31), most reported traditional mass media (TV, radio, newspapers; 93%), followed by online methods
30 353 (websites, email; 83%) and social media and messenger apps (79%). When asked about their
31 354 preferences for receiving information, the top three responses were traditional mass media (78%),
32 355 government or institution's website (77%), and online (76%). There were no significant differences
33 356 based on gender (Suppl. Table 32). Fewer respondents over 65 years said that they had used online
34 357 channels or social media and messenger apps, and they expressed significantly lower preference for
35 358 these channels too. For example, only 66% of over 65 year olds wanted to receive information online,
36 359 compared to 78%/79% of the other age groups ($p<0.001$), and only 52% of over 65 year olds
37 360 expressed preference for social media and messenger apps, compared to 64%/64% ($p=0.005$; Suppl.
38 361 Table 33). Overall, most respondents with primary/secondary education and those with tertiary
39 362 education had received information through traditional mass media, and social media/messenger apps
40 363 (Suppl. Table 34). Fewer respondents with primary/secondary education had used online channels in
41 364 the form of websites and emails (79% versus 92%, $p<0.001$), and more had received face-to-face
42 365 information compared to those with tertiary education (43% versus 35%, $p<0.001$; Suppl. Table 34).
43 366 However, both education level groups indicated that their preferred methods of communication were
44 367 mass media channels, online methods and government/institutions' websites.

45 368 We asked respondents if they had seen unclear or conflicting information about COVID-19 in nine
46 369 categories relating to infection, symptoms and various public health measures. Overall, between 36-

1
2
3 370 54% of respondents indicated that they had seen such information. Ways to avoid the infection (54%),
4 371 government support schemes (52%) and testing (51%) were identified as the most unclear areas
5
6 372 (Suppl. Table 35). Thailand reported the lowest levels of seeing unclear or conflicting information in
7
8 373 most categories (around 35-40%), while respondents in the UK reported the highest levels in most
9
10 374 categories (around 55-70%). Overall, those with tertiary education reported significantly higher levels
11
12 375 of seeing unclear information than those with primary/secondary education in almost all categories
13
14 376 ($p<0.001$) except government support schemes (Suppl. Table 36).

15 377 When asked “Have you come across news about the following COVID-19 topics that seemed fake to
16
17 378 you?”, overall 63% of respondents had encountered news on “Coronavirus as an engineered modified
18
19 379 virus”, 60% reported seeing “general spread of fear”, and 51% had come across seemingly fake news
20
21 380 about “numbers of infected/deceased people”, “home-made recipes to make sanitizer products” and
22
23 381 “alternative drugs/cure” (Fig. 5, Suppl. Table 35). Thailand reported the lowest percentages in all
24
25 382 ‘fake news’ categories, with a range of 27-42% (Suppl. Table 35). Overall, respondents with tertiary
26
27 383 education reported significantly higher levels of seeing ‘fake news’ in all categories compared to
28
29 384 those with primary/secondary education ($p<0.001$; Fig. 5, Suppl. Table 36). For example, only 56% of
30
31 385 people with primary/secondary education reported coming across fake news about “coronavirus as an
32
33 386 engineered modified virus” versus 79% of those with tertiary education ($p<0.001$). There did not
34
35 387 appear to be an association between self-reported levels of understanding of COVID-19 and seeing
36
37 388 unclear/conflicting information or ‘fake news’ (Suppl. Table 37).

389 **Discussion**

390 Our results indicate how public health measures that were in place between 1st May and 30th June
391 2020 affected a cohort of over 5,000 respondents across five countries, and thus contribute new data
392 and insights to these research areas.

393 **Who was most affected by COVID-19 public health measures?**

394 Overall, lower education levels, larger households, having children under 18 in the household, being
395 65 years or older, and having flexible/no income were associated with worse economic impact. This
396 confirms that COVID-19 public health measures have greater negative impacts on already
397 disadvantaged groups. Overall, it appeared that the 35-64 year old age group was less affected than
398 18-34 year olds and people older than 65 years. Possible explanations for this could be the types of
399 sectors that younger and older people work in (e.g low paid or service industries)^{32,33}, or for older
400 workers, shielding guidance issued by governments, lower levels of digital skills for remote
401 working³⁴, or discrimination in the form of ageism^{32,35}. There were no significant differences between
402 gender groups in our overall analysis. However, other studies have shown that COVID-19 has had a
403 greater impact on women (e.g. women are more likely to have temporary contracts^{36,37} and

1
2
3 404 disproportionately carry the burden of unpaid care^{38,39}). A more detailed gender analysis to further
4
5 405 break down our survey results is currently underway.

6
7 406 Our results showed that among the countries surveyed, respondents from Thailand were most
8
9 407 affected. Thailand is a middle-income country with a large informal economy, and relies heavily on
10
11 408 the tourism industry (15% GDP)⁴⁰. Thailand also had a high government stringency index during the
12
13 409 period of the study (Fig. 1), which included closure of borders, businesses and nighttime curfews⁴¹.
14
15 410 This meant that many informal street vendors and those working in the tourism industry (e.g. tour
16
17 411 operators) had no income or lost their jobs.

18
19 412 Overall, about two thirds of respondents were most concerned about the effects of public health
20
21 413 measures on their social life, their physical health, and their mental health and wellbeing. These
22
23 414 findings resonate with other studies showing the substantial negative impact of COVID-19 restrictions
24
25 415 on mental health, wellbeing and social life⁴²⁻⁴⁴.

26 27 416 Self-reported compliance and behavioural changes

28
29 417 A number of quantitative online surveys have examined experiences, knowledge, attitude and
30
31 418 perceptions towards COVID-19 and public health measures, at country level^{36,45-54}, and among
32
33 419 different social groups⁵⁵⁻⁵⁸. Our findings show that self-reported compliance and behavioural change
34
35 420 seemed to differ between countries. For example, respondents in Thailand indicated significantly
36
37 421 higher levels of compliance, acceptance of public health measures and voluntary behavioural change
38
39 422 compared to other countries. Although our survey was unable to implicate causality, it may contribute
40
41 423 to better understanding of why Thailand has the lowest number of COVID cases relative to its
42
43 424 population among the countries who took part in the survey⁵⁹. Some of our results with regards to
44
45 425 gender and age were similar to trends reported in other studies. For example, results from a Hong
46
47 426 Kong study showed that female respondents, and those who reported higher levels of understanding
48
49 427 of COVID-19, were more likely to adopt social distancing measures⁶⁰. Similarly, a Chinese study
50
51 428 found that men and those with a lower COVID-19 knowledge score were less likely to avoid crowded
52
53 429 places or wear a mask outside. Using survey data from 27 countries, Daoust⁵⁵ observed that
54
55 430 compliance was not higher in older people even though they might be expected to comply more due
56
57 431 to being a risk group. Similarly, our data showed that overall and in Malaysia, UK and Slovenia, far
58
59 432 fewer respondents over 65 years reported changing their behaviour voluntarily before official
60
433 restrictions came into place. However, overall, over 80% of respondents in all three age groups
434 expressed agreement when asked if they would comply voluntarily or with government-mandated
435 restrictions (Suppl. Table 26).

436 Improving COVID-19 communication

437 Our findings indicated that younger age and lower education levels appeared to be associated with
438 lower self-perceived/subjective levels of understanding of COVID-19. Also, higher self-reported
439 levels of understanding of COVID-19 seemed to be associated with higher levels of understanding of
440 public health measures. A recent modelling study suggests that self-imposed public health measures
441 combined with fast spreading of disease awareness in the population can help reduce transmission of
442 the virus¹¹. Our findings suggest that specific groups of people, such as those with primary/secondary
443 education levels and those 18-34 year old, may benefit most from targeted COVID-19 communication
444 initiatives.

445 In terms of channels of communications, the three most popular channels across countries were
446 traditional mass media, government or institutional websites, and online media. Similar results
447 emerged from a recent survey carried out in the Netherlands, Germany and Italy⁵². However,
448 respondents in Thailand reported that they preferred to receive information face-to-face, especially
449 those with primary/secondary education. This suggests that in order for communication strategies to
450 be effective, they need to be sensitive to population preferences and tailored to local contextual
451 factors (e.g. levels of connectivity, literacy⁶¹).

452 Our survey showed that a significant proportion of the population received conflicting information
453 and news that seemed fake to them, in particular about coronavirus being an engineered modified
454 virus. These findings confirm other reports that misinformation and what has been termed the
455 COVID-19 ‘infodemic’ is widespread^{56,62,63}. More efforts should be made to curb misinformation and
456 disinformation, taking into account the needs of different groups⁴⁴.

457 Strengths and limitations

458 Our online survey enabled us to capture people’s experiences and concerns in multiple domains, in
459 five countries, all of which had restrictions in place, during the relatively early stage of the COVID-19
460 pandemic. To our knowledge, the SEBCOV study was one of the largest international mixed-methods
461 studies conducted on the impact of COVID-19. To maximise the number of respondents and the
462 likelihood of getting honest answers, the survey was completely anonymous. Due to the relatively
463 large sample of respondents in each country, we were able to compare population segments (e.g. men
464 versus women or younger versus older people) in our overall cohort and at country level. We did not
465 aim to obtain nationally representative samples and acknowledge that although we used weighting
466 strategies in our analysis, our results may not be fully representative of the populations in the
467 respective countries. Overall, there was a high proportion of respondents who were healthcare
468 workers (19%), and some variation in this proportion between countries. This may have influenced

1
2
3 469 the country level analysis, in particular in the areas of perceived understanding,
4
5 470 compliance/agreement and communication preferences.

6
7 471 Because the survey was online, only people who were literate, had internet access, and had access to
8
9 472 computers or smartphones could take part. Due to COVID-19 related restrictions, it was not possible
10
11 473 to conduct face-to-face data collection to reach groups who were illiterate in the language of the
12
13 474 survey, or who did not have access to online technology. This is likely to have biased our data
14
15 475 towards more educated and economically advantaged populations. Our study was also subject to
16
17 476 response bias and other biases arising from self-reporting and recall. Lastly, as a cross-sectional
18
19 477 survey, our data only sheds light on the prevalence of certain phenomena and opinions of respondents
20
21 478 but does not imply causality.

22
23 479 The results of the survey reported here form part of a mixed-methods study, which also includes an
24
25 480 in-depth qualitative study, the findings of which are currently being analysed and will be published
26
27 481 separately. Combined, our results may help explain some of the trends reported in this survey, as well
28
29 482 as the differences between countries and social groups. We have also conducted a preliminary
30
31 483 analysis of unweighted Thai survey responses during May 2020, which includes more detailed
32
33 484 breakdowns by regions within Thailand⁶⁴.

34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

485 **Conclusion**
486 NPIs such as lockdowns and social distancing measures to mitigate transmission of COVID-19 exert
487 substantial negative economic and social impacts⁴⁴. Our data confirmed that NPIs have unequal
488 effects on different countries and different social groups within countries, and contributes to an
489 important body of research showing that lockdowns most negatively affect those who are socio-
490 economically disadvantaged^{50,53}. As such, this study helps to expose some of the social and economic
491 inequalities resulting from COVID-19 and public health measures. Our findings provide an indication
492 of the social groups who may be most in need of support during pandemics, so that existing social
493 inequalities are not perpetuated and worsened. Lastly, in order to mitigate the impacts of COVID-19,
494 we need effective communication¹⁹, and our data can help to inform future strategies.

495 **Ethics approval**

496 Ethics approval was granted by Oxford Tropical Research Ethics Committee (OxTREC, reference
497 no.520-20), covering all countries; the Faculty of Tropical Medicine Ethics Committee, Thailand
498 (FTMEC, ref: MUTM 2020-031-01); the Medical Research and Ethics Committee (MREC), Ministry
499 of Health Malaysia (MOH), Malaysia, ref: NMRR-20-595-54437 (IIR), and the Universiti Tunku
500 Abdul Rahman (Utar) Scientific and Ethical Review Committee (SERC, ref: (U/SERC/63/2020),
501 Malaysia; and the National Medical Ethics Committee of the Republic of Slovenia (0120-

1
2
3 502 237/2020/7). Additional ethics committee approval from Italy was not required for the study to be
4
5 503 conducted there.

8 504 **Acknowledgements**

9
10 505 We would like to thank all participants who took part in our study. We also thank the people who
11
12 506 helped to test and promote the survey, and the members of the Bangkok Health Research and Ethics
13
14 507 Group for their input into the study. We would like to thank the SoNAR-Global Network for the
15
16 508 social science expertise in the development of this project and the ODK core team for their input in
17
18 509 design of the quantitative survey. Lastly, we would like to thank Prof. Nicholas PJ Day, Prof Richard
19
20 510 Maude and Dr Tamara Giles-Vernick for critical reading of the manuscript.

21 511 **Data availability statement**

22
23 512 The Mahidol Oxford Tropical Medicine Research Unit recognizes the value of sharing individual
24
25 513 level data. We aim to ensure that data generated from all our research are collected, curated, managed
26
27 514 and shared in a way that maximizes their benefit. Data underlying this publication are available upon
28
29 515 request to the Mahidol Oxford Tropical Medicine Research Uni Data Access Committee at
30
31 516 <https://www.tropmedres.ac/units/moru-bangkok/bioethics-engagement/data-sharing>.

32 33 517 **Funding**

34
35 518 This research was funded by a Wellcome Trust Institutional Translational Partnership Award (iTPA),
36
37 519 Thailand [210559], and a Wellcome Trust Strategic Award [096527]. The Mahidol Oxford Tropical
38
39 520 Medicine Research Unit is funded by the Wellcome Trust [106698]. This study was also supported
40
41 521 by the Sonar-Global project which has received funding from the European Union Horizon 2020
42
43 522 Research and Innovation Program [825671]. The research programme in Slovenia is funded by the
44
45 523 Slovenian Research Agency (Javna agencija za raziskovalno dejavnost RS) [P6-0279]

46 524 **Conflicts of Interest**

47
48 525 The authors declare no conflict of interest. The funders had no role in the design of the study; in the
49
50 526 collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to
51
52 527 publish the results.

53 54 528 **Contributorship statement**

55
56 529 AO and PYC oversaw the whole project and wrote the initial draft of the manuscript. AO, GC, WP,
57
58 530 PKC, PC, MS, MLS, TS, NW, SA, BN, SR, NK, DO, RC and PYC developed the survey and
59
60 531 translations. AO, GC, WP, PC, LS led the project in the UK, Italy, Thailand, Malaysia and Slovenia,

1
2
3 532 respectively. MM and PP conducted the statistical analysis, figures and tables, with critical input from
4 533 MS, AO and PYC. MLS critically reviewed the manuscript, figures and tables. All authors
5 534 implemented the survey, contributed to the draft paper, and approved the final version of the paper.
6 535 PYC conceived the project and is the guarantor of the paper.
7
8
9

11 536 **Transparency declaration**

12 537 The corresponding author (manuscript guarantor) affirms that this manuscript is an honest, accurate,
13 538 and transparent account of the study being reported; that no important aspects of the study have been
14 539 omitted; and that any discrepancies from the study as planned (and, if relevant, registered) have been
15 540 explained.
16
17
18
19
20

21 541 **Figure legends**

22 542

23 543 **Figure 1:** Government stringency indices in Thailand, Malaysia, UK, Italy and Slovenia between 1st
24 544 May – 30th June 2020. A higher score indicates a stricter government response, i.e. 100 = strictest³¹.
25
26
27
28
29 545

30
31 546 **Figure 2:** Bar chart showing how respondents from the following demographic groups were affected
32 547 economically by COVID-19: at country level (TH = Thailand, MY = Malaysia, UK = United
33 548 Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = Other/prefer not to say);
34 549 education level (P/S = primary or lower/secondary, T = tertiary); age (18-34 years old, 35-64 years
35 550 old, 65+ years old); household size (1-5 people, ≥6 people); living with children under 18 years (Y =
36 551 yes, N = no); and type of income (FBP = fixed/benefits/pension, CF = contract/freelance, O =
37 552 other/no income).
38
39
40
41
42

43 553

44
45 554 **Figure 3:** Breakdown of responses to the question “Did you change your social behaviour before the
46 555 implementation of government restrictions?” by country (TH = Thailand, MY = Malaysia, UK =
47 556 United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female,
48 557 O = other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-
49 558 34 years old, 35-64 years old, 65+ years old); self-reported/perceived level of understanding of
50 559 COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).
51
52
53
54

55 560

56
57 561 **Figure 4:** Breakdown of responses to the question “How would you rate your level understanding of
58 562 the current quarantine/isolation/social distancing requirements for COVID-19?” Self-
59
60

1
2
3 563 reported/perceived level of understanding of COVID-19 ((H = high/very high/expert level, S = some,
4 564 N = a little/none at all) shown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom,
5 565 IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer
6 566 not to say); age (18-34 years old, 35-64 years old, 65+ years old); education level (P/S =
7 567 primary/secondary, T = tertiary); healthcare worker status (HCW = healthcare worker, Non-HCW =
8 568 non-healthcare worker).

569

15 570 **Figure 5:** Diagram showing how many survey respondents had come across five ‘fake news’
16 571 categories, in response to the question “Have you come across news about the following COVID-19
17 572 topics that seemed fake to you?”. Breakdown by country (TH = Thailand, MY = Malaysia, UK =
18 573 United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = other/prefer not to
19 574 say), age (18-34 years old, 35-64 years old, 65+ years old), education level (P/S = primary or
20 575 lower/secondary, T = tertiary), and perceived level of understanding of COVID-19 (H = high/very
21 576 high/expert level, S = some, N = a little/none at all).

577

578 References

579

- 33 580 1. Guo G., Ye L., Pan K., *et al.* New insights of emerging SARS-CoV-2: epidemiology,
34 581 etiology, clinical features, clinical treatment, and prevention. *Front Cell Dev Biol*
35 582 2020;8(410) doi: <https://doi.org/10.3389/fcell.2020.00410>
- 37 583 2. Wang L., Wang Y., Ye D., *et al.* Review of the 2019 novel coronavirus (SARS-CoV-2) based
38 584 on current evidence. *Int J Antimicrob Agents* 2020;55(6):105948. doi:
39 585 <https://doi.org/10.1016/j.ijantimicag.2020.105948>
- 41 586 3. Yan Y., Shin W. I., Pang Y. X., *et al.* The first 75 days of novel coronavirus (SARS-CoV-2)
42 587 outbreak: recent advances, prevention, and treatment. *Int J Environ Res Public Health*
43 588 2020;17(7) doi: <https://doi.org/10.3390/ijerph17072323>
- 45 589 4. World Health Organization. Non-pharmaceutical public health measures for mitigating the
46 590 risk and impact of epidemic and pandemic influenza. 2019. [Available from:
47 591 https://www.who.int/influenza/publications/public_health_measures/publication/en/ accessed
48 592 9 October 2020].
- 50 593 5. Centers for Disease Control and Prevention. Non-pharmaceutical interventions (NPIs). 2020.
51 594 [Available from: <https://www.cdc.gov/nonpharmaceutical-interventions/index.html> accessed
52 595 17th July 2020].
- 54 596 6. Aledort J. E., Lurie N., Wasserman J., *et al.* Non-pharmaceutical public health interventions
55 597 for pandemic influenza: an evaluation of the evidence base. *BMC Public Health*
56 598 2007;7(1):208. doi: <https://doi.org/10.1186/1471-2458-7-208>

- 1
2
3 599 7. Martinez D. L., Das T. K. Design of non-pharmaceutical intervention strategies for pandemic
4 600 influenza outbreaks. *BMC Public Health* 2014;14(1):1328. doi: [https://doi.org/10.1186/1471-](https://doi.org/10.1186/1471-2458-14-1328)
5 601 2458-14-1328
6
7 602 8. Ferguson N., Laydon D., Nedjati Gilani G., *et al.* Report 9: Impact of non-pharmaceutical
8 603 interventions (NPIs) to reduce COVID19 mortality and healthcare demand. 2020. doi:
9 604 10.25561/77482 [Available from: <http://hdl.handle.net/10044/1/77482> accessed 9 October
10 605 2020].
11
12 606 9. Koo J. R., Cook A. R., Park M., *et al.* Interventions to mitigate early spread of SARS-CoV-2
13 607 in Singapore: a modelling study. *Lancet Infect Dis* 2020;20(6):678-88. doi:
14 608 [https://doi.org/10.1016/S1473-3099\(20\)30162-6](https://doi.org/10.1016/S1473-3099(20)30162-6)
15
16 609 10. Flaxman S., Mishra S., Gandy A., *et al.* Estimating the effects of non-pharmaceutical
17 610 interventions on COVID-19 in Europe. *Nature* 2020;584(7820):257-61. doi:
18 611 <https://doi.org/10.1038/s41586-020-2405-7>
19
20 612 11. Teslya A., Pham T. M., Godijk N. G., *et al.* Impact of self-imposed prevention measures and
21 613 short-term government-imposed social distancing on mitigating and delaying a COVID-19
22 614 epidemic: a modelling study. *PLoS Med* 2020;17(7):e1003166. doi:
23 615 <https://doi.org/10.1371/journal.pmed.1003166>
24
25 616 12. Doung-Ngern P., Suphanchaimat R., Panjangampatthana A., *et al.* Case-control study of use
26 617 of personal protective measures and risk for severe acute respiratory syndrome coronavirus 2
27 618 Infection, Thailand. *Emerging Infect Dis* 2020;26(11) doi:
28 619 <https://doi.org/10.3201/eid2611.203003>
29
30 620 13. Lewnard J. A., Lo N. C. Scientific and ethical basis for social-distancing interventions against
31 621 COVID-19. *Lancet Infect Dis* 2020;20(6):631-33. doi: [https://doi.org/10.1016/S1473-](https://doi.org/10.1016/S1473-3099(20)30190-0)
32 622 3099(20)30190-0
33
34 623 14. Xafis V. 'What is Inconvenient for You is Life-saving for Me': How Health Inequities are
35 624 playing out during the COVID-19 Pandemic. *Asian Bioeth Rev* 2020;12(2):223-34. doi:
36 625 <https://doi.org/10.1007/s41649-020-00119-1>
37
38 626 15. Bavel J. J. V., Baicker K., Boggio P. S., *et al.* Using social and behavioural science to support
39 627 COVID-19 pandemic response. *Nat Hum Behav* 2020;4(5):460-71. doi:
40 628 <https://doi.org/10.1038/s41562-020-0884-z>
41
42 629 16. Seale H., Dyer C. E. F., Abdi I., *et al.* Improving the impact of non-pharmaceutical
43 630 interventions during COVID-19: examining the factors that influence engagement and the
44 631 impact on individuals. *BMC Infect Dis* 2020;20(1):607. doi: [https://doi.org/10.1186/s12879-](https://doi.org/10.1186/s12879-020-05340-9)
45 632 020-05340-9
46
47 633 17. World Health Organisation. A coordinated global research roadmap: 2019 novel coronavirus.
48 634 2020. [Available from: [https://www.who.int/blueprint/priority-diseases/key-](https://www.who.int/blueprint/priority-diseases/key-action/Coronavirus_Roadmap_V9.pdf)
49 635 action/Coronavirus_Roadmap_V9.pdf accessed 9 October 2020].
50
51 636 18. Pan-Ngum W., Poomchaichote T., Cuman G., *et al.* Social, ethical and behavioural aspects of
52 637 COVID-19 [version 2; peer review: 2 approved]. *Wellcome Open Res* 2020;5(90) doi:
53 638 <https://doi.org/10.12688/wellcomeopenres.15813.2>
54
55 639 19. Norton A., De La Horra Gozalo A., Feune De Colombi N., *et al.* The remaining unknowns: a
56 640 mixed methods study of the current and global health research priorities for COVID-19. *BMJ*
57 641 *Glob Health* 2020;5(7):e003306. doi: <http://dx.doi.org/10.1136/bmjgh-2020-003306>

- 1
2
3 642 20. Osterrieder A., Poomchaichote T., Cuman G., *et al.* Online survey questions: Social, ethical
4 643 and behavioural aspects of COVID-19 (Version Version 2.0 7 July 2020). 2020. [Available
5 644 from: <http://doi.org/10.5281/zenodo.4049821> accessed 25 September 2020].
- 6
7 645 21. JISC. Online surveys (formerly BOS). 2020. [Available from:
8 646 <https://www.onlinesurveys.ac.uk/> accessed 13 July 2020].
- 9
10 647 22. Cheah P. Y. Thailand “Asia and Africa Programme” Stakeholder Engagement Strategy 2020 -
11 648 2025 (Version Version 1, 19 Oct 2019). 2019. doi: <http://doi.org/10.5281/zenodo.3510158>
- 12
13 649 23. National Research Council. Cognitive aspects of survey methodology: building a bridge
14 650 between disciplines. Washington, DC: The National Academies Press 1984.
- 15
16 651 24. Padlet. 2020. [Available from: <http://padlet.com/> accessed 2 October 2020].
- 17
18 652 25. The Medical Chamber of Slovenia. 2020. [Available from:
19 653 <https://www.zdravniskazbornica.si/en/medical-chamber-of-slovenia> accessed 2 October
20 654 2020].
- 21
22 655 26. Super Poll Thailand. Super Poll Thailand. 2020. [Available from:
23 656 <https://www.superpollthailand.net/> accessed 16 September 2020].
- 24
25 657 27. Facebook. About boosted posts. 2020. [Available from:
26 658 <https://www.facebook.com/business/help/240208966080581?id=352109282177656> accessed
27 659 25 September 2020].
- 28
29 660 28. Castro F. G., Kellison J. G., Boyd S. J., *et al.* A Methodology for Conducting Integrative
30 661 Mixed Methods Research and Data Analyses. *J Mix Methods Res* 2010;4(4):342-60. doi:
31 662 10.1177/1558689810382916
- 32
33 663 29. Lutz W., Goujon A., Kc S., *et al.* Demographic and human capital scenarios for the 21st
34 664 century: 2018 assessment for 201 countries. 2018. [Available from:
35 665 [https://ec.europa.eu/jrc/en/publication/demographic-and-human-capital-scenarios-21st-](https://ec.europa.eu/jrc/en/publication/demographic-and-human-capital-scenarios-21st-century-2018-assessment-201-countries)
36 666 [century-2018-assessment-201-countries](https://ec.europa.eu/jrc/en/publication/demographic-and-human-capital-scenarios-21st-century-2018-assessment-201-countries) accessed 9 October 2020].
- 37
38 667 30. Statacorp. Stata Statistical Software: Release 15. College Station, TX: StataCorp LLC, 2017.
- 39
40 668 31. Hale T., Webster S., Petherick A., *et al.* Oxford COVID-19 Government Response Tracker,
41 669 Blavatnik School of Government. 2020. [Available from: <https://covidtracker.bsg.ox.ac.uk/>].
- 42
43 670 32. Alwin R. L., Schramm J. Coronavirus' devastating economic impact on workers age 50-plus.
44 671 2020. [Available from: [https://www.aarp.org/politics-society/advocacy/info-](https://www.aarp.org/politics-society/advocacy/info-2020/coronavirus-economic-impact-older-workers.html)
45 672 [2020/coronavirus-economic-impact-older-workers.html](https://www.aarp.org/politics-society/advocacy/info-2020/coronavirus-economic-impact-older-workers.html) accessed 16 September 2020].
- 46
47 673 33. Business in the Community. COVID-19: economic impact on age in the workplace. 2020.
48 674 [Available from: [https://www.bitc.org.uk/fact-sheet/covid-19-economic-impact-on-age-in-](https://www.bitc.org.uk/fact-sheet/covid-19-economic-impact-on-age-in-the-workplace/)
49 675 [the-workplace/](https://www.bitc.org.uk/fact-sheet/covid-19-economic-impact-on-age-in-the-workplace/) accessed 16 September 2020].
- 50
51 676 34. McIvor C. The risk older workers face in the wake of COVID-19. Nesta Blogs. 2020.
52 677 [Available from: <https://www.nesta.org.uk/blog/risk-older-workers-face-wake-covid-19/>
53 678 accessed 13 October 2020].
- 54
55 679 35. Officer A., Schneiders M. L., Wu D., *et al.* Valuing older people: time for a global campaign
56 680 to combat ageism. *Bull World Health Organ* 2016;94(10):710-10a. doi:
57 681 <https://doi.org/10.2471/blt.16.184960>
- 58
59
60

- 1
2
3 682 36. Eurofound. Living, working and COVID-19: First findings – April 2020. 2020. [Available
4 683 from: [https://www.eurofound.europa.eu/publications/report/2020/living-working-and-covid-](https://www.eurofound.europa.eu/publications/report/2020/living-working-and-covid-19-first-findings-april-2020)
5 684 [19-first-findings-april-2020](https://www.eurofound.europa.eu/publications/report/2020/living-working-and-covid-19-first-findings-april-2020) accessed 13 October 2020].
- 7 685 37. Burki T. The indirect impact of COVID-19 on women. *Lancet Infect Dis* 2020;20(8):904-05.
8 686 doi: [https://doi.org/10.1016/S1473-3099\(20\)30568-5](https://doi.org/10.1016/S1473-3099(20)30568-5)
- 10 687 38. Anu M., Olivia W., Mekala K., *et al.* COVID-19 and gender equality: Countering the
11 688 regressive effects. 2020. [Available from: [https://www.mckinsey.com/featured-](https://www.mckinsey.com/featured-insights/future-of-work/covid-19-and-gender-equality-countering-the-regressive-effects)
12 689 [insights/future-of-work/covid-19-and-gender-equality-countering-the-regressive-effects](https://www.mckinsey.com/featured-insights/future-of-work/covid-19-and-gender-equality-countering-the-regressive-effects)
13 690 accessed 16 October 2020].
- 15 691 39. Power K. The COVID-19 pandemic has increased the care burden of women and families.
16 692 *Sustainability: Science, Practice and Policy* 2020;16(1):67-73. doi:
17 693 <https://doi.org/10.1080/15487733.2020.1776561>
- 20 694 40. World Bank Group. Thailand Economic Monitor: Thailand in the Time of COVID-19
21 695 (English). 2020. [Available from:
22 696 [http://documents.worldbank.org/curated/en/456171593190431246/Thailand-Economic-](http://documents.worldbank.org/curated/en/456171593190431246/Thailand-Economic-Monitor-Thailand-in-the-Time-of-COVID-19)
23 697 [Monitor-Thailand-in-the-Time-of-COVID-19](http://documents.worldbank.org/curated/en/456171593190431246/Thailand-Economic-Monitor-Thailand-in-the-Time-of-COVID-19) accessed 13 October 2020].
- 25 698 41. Ministry of Public Health. Thailand's experience in the COVID-19 response. 2020.
26 699 [Available from: https://ddc.moph.go.th/viralpneumonia/eng/file/pub_doc/LDoc9.pdf
27 700 accessed 13 October 2020].
- 29 701 42. Brooks S. K., Webster R. K., Smith L. E., *et al.* The psychological impact of quarantine and
30 702 how to reduce it: rapid review of the evidence. *The Lancet* 2020;395(10227):912-20. doi:
31 703 [https://doi.org/10.1016/S0140-6736\(20\)30460-8](https://doi.org/10.1016/S0140-6736(20)30460-8)
- 33 704 43. Pierce M., Hope H., Ford T., *et al.* Mental health before and during the COVID-19 pandemic:
34 705 a longitudinal probability sample survey of the UK population. *Lancet Psychiatry*
35 706 2020;7(10):883-92. doi: [https://doi.org/10.1016/S2215-0366\(20\)30308-4](https://doi.org/10.1016/S2215-0366(20)30308-4)
- 37 707 44. Social Science in Humanitarian Action Platform. Quarantine in the context of COVID-19.
38 708 [Available from: [https://www.socialscienceinaction.org/resources/february-2020-social-](https://www.socialscienceinaction.org/resources/february-2020-social-science-humanitarian-action-platform/)
39 709 [science-humanitarian-action-platform/](https://www.socialscienceinaction.org/resources/february-2020-social-science-humanitarian-action-platform/) accessed 16 September 2020].
- 41 710 45. Azlan A. A., Hamzah M. R., Sern T. J., *et al.* Public knowledge, attitudes and practices
42 711 towards COVID-19: A cross-sectional study in Malaysia. *PLoS One* 2020;15(5):e0233668.
43 712 doi: <https://doi.org/10.1371/journal.pone.0233668>
- 45 713 46. Lin Y., Hu Z., Alias H., *et al.* Knowledge, attitudes, impact, and anxiety regarding COVID-19
46 714 infection among the public in China. *Front Public Health* 2020;8:236. doi:
47 715 <https://doi.org/10.3389/fpubh.2020.00236>
- 49 716 47. Roy D., Tripathy S., Kar S. K., *et al.* Study of knowledge, attitude, anxiety & perceived
50 717 mental healthcare need in Indian population during COVID-19 pandemic. *Asian J Psychiatr*
51 718 2020;51:102083. doi: <https://doi.org/10.1016/j.ajp.2020.102083>
- 53 719 48. Geldsetzer P. Use of rapid online surveys to assess people's perceptions during infectious
54 720 disease outbreaks: A cross-sectional survey on COVID-19. *J Med Internet Res*
55 721 2020;22(4):e18790. doi: <https://doi.org/10.2196/18790>

- 1
2
3 722 49. Zhong B. L., Luo W., Li H. M., *et al.* Knowledge, attitudes, and practices towards COVID-19
4 723 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick
5 724 online cross-sectional survey. *Int J Biol Sci* 2020;16(10):1745-52. doi: 10.7150/ijbs.45221
6
- 7 725 50. Bonaccorsi G., Pierri F., Cinelli M., *et al.* Economic and social consequences of human
8 726 mobility restrictions under COVID-19. *Proc Natl Acad Sci U S A* 2020;117(27):15530-35.
9 727 doi: <https://doi.org/10.1073/pnas.2007658117>
10
- 11 728 51. Murphy K., Williamson H., Sargeant E., *et al.* Why people comply with COVID-19 social
12 729 distancing restrictions: Self-interest or duty? *Aust N Z J Criminol*
13 730 2020;0(0):0004865820954484. doi: <https://doi.org/10.1177/0004865820954484>
14
- 15 731 52. Meier K., Glatz T., Guijt M. C., *et al.* Public perspectives on protective measures during the
16 732 COVID-19 pandemic in the Netherlands, Germany and Italy: A survey study. *PLoS One*
17 733 2020;15(8):e0236917. doi: <https://doi.org/10.1371/journal.pone.0236917>
18
- 19 734 53. Bezerra A. C. V., Silva C., Soares F. R. G., *et al.* Factors associated with people's behavior in
20 735 social isolation during the COVID-19 pandemic. *Cien Saude Colet* 2020;25(suppl 1):2411-21.
21 736 doi: <https://doi.org/10.1590/1413-81232020256.1.10792020>
22
- 23 737 54. Daly M., Ebbinghaus B., Lehner L., *et al.* Oxford Supertracker: The Global Directory for
24 738 COVID Policy Trackers and Surveys, Department of Social Policy and Intervention. 2020.
25 739 [Available from: <https://supertracker.spi.ox.ac.uk/> accessed 9 October 2020].
26
- 27 740 55. Daoust J. F. Elderly people and responses to COVID-19 in 27 Countries. *PLoS One*
28 741 2020;15(7):e0235590. doi: <https://doi.org/10.1371/journal.pone.0235590>
29
- 30 742 56. Cuan-Baltazar J. Y., Muñoz-Perez M. J., Robledo-Vega C., *et al.* Misinformation of COVID-
31 743 19 on the internet: infodemiology study. *JMIR Public Health Surveill* 2020;6(2):e18444-e44.
32 744 doi: <https://doi.org/10.2196/18444>
33
- 34 745 57. Biroli P., Bosworth S. J., Della Giusta M., *et al.* Family Life in Lockdown. 2020. [Available
35 746 from: <https://www.iza.org/publications/dp/13398/family-life-in-lockdown> accessed 13
36 747 October 2020].
37
- 38 748 58. Hamadani J. D., Hasan M. I., Baldi A. J., *et al.* Immediate impact of stay-at-home orders to
39 749 control COVID-19 transmission on socioeconomic conditions, food insecurity, mental health,
40 750 and intimate partner violence in Bangladeshi women and their families: an interrupted time
41 751 series. *Lancet Glob Health* 2020 doi: [https://doi.org/10.1016/S2214-109X\(20\)30366-1](https://doi.org/10.1016/S2214-109X(20)30366-1)
42
- 43 752 59. World Health Organisation. WHO Coronavirus Disease (COVID-19) Dashboard. 2020.
44 753 [Available from: <https://covid19.who.int/table> accessed 16 September 2020].
45
- 46 754 60. Kwok K. O., Li K. K., Chan H. H. H., *et al.* Community responses during early phase of
47 755 COVID-19 epidemic, Hong Kong. *Emerg Infect Dis* 2020;26(7):1575-79. doi:
48 756 <https://dx.doi.org/10.3201/eid2607.200500>
49
- 50 757 61. Vaughan E., Tinker T. Effective health risk communication about pandemic influenza for
51 758 vulnerable populations. *Am J Public Health* 2009;99 Suppl 2(Suppl 2):S324-S32. doi:
52 759 <https://dx.doi.org/10.2105%2FAJPH.2009.162537>
53
- 54 760 62. The Lancet Infectious Diseases. The COVID-19 infodemic. *Lancet Infect Dis*
55 761 2020;20(8):875. doi: 10.1016/S1473-3099(20)30565-X
56
57
58
59
60

- 1
2
3 762 63. Yusof A. N. M., Muuti M. Z., Ariffin L. A., *et al.* Sharing Information on COVID-19: the
4 763 ethical challenges in the Malaysian setting. *Asian Bioeth Rev* 2020;12(3):349-61. doi:
5 764 <https://doi.org/10.1007/s41649-020-00132-4>
6
7 765 64. Pan-Ngum W., Poomchaichote T., Peerawaranun P., *et al.* Perspectives on public health
8 766 interventions in the management of the COVID-19 pandemic in Thailand [version 1; peer
9 767 review: 1 approved with reservations]. *Wellcome Open Res* 2020;5(245) doi:
10 768 <https://doi.org/10.12688/wellcomeopenres.16293.1>
11
12 769
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only




Figure 1: Government stringency indices in Thailand, Malaysia, UK, Italy and Slovenia between 1st May – 30th June 2020. A higher score indicates a stricter government response, i.e. 100 = strictest




Figure 2: Bar chart showing how respondents from the following demographic groups were affected economically by COVID-19: at country level (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = Other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-34 years old, 35-64 years old, 65+ years old); household size (1-5 people, ≥6 people); living with children under 18 years (Y = yes, N = no); and type of income (FBP = fixed/benefits/pension, CF = contract/freelance, O = other/no income).




Figure 3: Breakdown of responses to the question “Did you change your social behaviour before the implementation of government restrictions?” by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-34 years old, 35-64 years old, 65+ years old); self-reported/perceived level of understanding of COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).




Figure 4: Breakdown of responses to the question "How would you rate your level understanding of the current quarantine/isolation/social distancing requirements for COVID-19?" Self-reported/perceived level of understanding of COVID-19 ((H = high/very high/expert level, S = some, N = a little/none at all) shown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer not to say); age (18-34 years old, 35-64 years old, 65+ years old); education level (P/S = primary/secondary, T = tertiary); healthcare worker status (HCW = healthcare worker, Non-HCW = non-healthcare worker).




Figure 5: Diagram showing how many survey respondents had come across five 'fake news' categories, in response to the question "Have you come across news about the following COVID-19 topics that seemed fake to you?". Breakdown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = other/prefer not to say), age (18-34 years old, 35-64 years old, 65+ years old), education level (P/S = primary or lower/secondary, T = tertiary), and perceived level of understanding of COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).

Supplementary tables for “Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia”

Anne Osterrieder^{1,2}, Giulia Cuman³, Wirichada Pan-ngum^{1,4}, Phaik Kin Cheah⁵, Phee-Kheng Cheah⁶, Pimnara Peerawaranun¹, Margherita Silan⁷, Miha Orazem^{8,9}, Ksenija Perkovic¹⁰, Urh Groselj^{8,11}, Mira Leonie Schneiders^{1,2,12}, Tassawan Poomchaichote^{1,13}, Naomi Waithira^{1,2}, Supa-at Asarath¹, Bheesri Naemiratch¹, Supanat Ruangajorn¹, Lenart Skof¹⁴, Natinee Kulpijit¹, Constance R.S. Mackworth-Young¹⁵, Darlene Ongkili¹⁶, Rita Chanviriyavuth¹, Mavuto Mukaka¹, Phaik Yeong Cheah^{1,2,12,13}

¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

²Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford, Oxford, UK

³Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

⁴Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

⁵Faculty of Arts and Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

⁶Emergency and Trauma Department, Sabah Women and Children’s Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

⁷Department of Statistical Sciences, University of Padua, Padua, Italy

⁸Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

⁹Department of Radiation Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia

¹⁰Institute for Social Studies, Science and Research Centre Koper, Koper, Slovenia

¹¹Department of Endocrinology, Diabetes and Metabolic Diseases, University Children’s Hospital, University Medical Center, University Children’s Hospital Ljubljana, Ljubljana, Slovenia

¹²Ethox Centre, Nuffield Department of Population Health, University of Oxford, Oxford, UK

¹³The SoNAR-Global Network

¹⁴Institute for Philosophical Studies, Science and Research Centre Koper, Koper, Slovenia

¹⁵Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London, UK

¹⁶Emergency and Trauma Department, Queen Elizabeth Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

Corresponding author: Phaik Yeong Cheah, 420/6 Mahidol-Oxford Tropical Medicine 24 Research Unit, Faculty of Tropical Medicine, Rajvithi Road, Bangkok, Thailand, 10400. Email: phaikyeong@tropmedres.ac

Notes

- There are a total of 37 tables in this document. Suppl. Table 1 reports the distribution of the basic demographic variables in the respondent sample (N= number of respondents), followed by unweighted percentages (unweighted %) in brackets. The values displayed in the cells in Suppl. Tables 2-37 show the number of respondents (N) who replied ‘yes’ to the respective survey categories, followed by weighted percentages (weighted %) in brackets.
- Because of rounding to the nearest integer, percentages do not always add up to 100% exactly.
- For gender, due to small number in the “other/prefer not to say” category, p-values are presented for comparison between the male and female groups only.

Contents

Supplementary tables for “Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia” 1

Suppl. Table 1 Distribution of respondents by demographic characteristics and country (unweighted data) 4

Suppl. Table 2 Breakdown of economic impacts of COVID-19 and concerns by country..... 5

Suppl. Table 3 Breakdown of economic impacts of COVID-19 and concerns by country and gender 6

Suppl. Table 4 Breakdown of economic impacts of COVID-19 and concerns by country and education level 7

Suppl. Table 5 Breakdown of economic impacts of COVID-19 and concerns by country and age group..... 8

Suppl. Table 6 Breakdown of economic impacts of COVID-19 and concerns by country and household size 9

Suppl. Table 7 Breakdown of economic impacts of COVID-19 and concerns by country and whether or not living with children under 18..... 10

Suppl. Table 8 Breakdown of economic impacts of COVID-19 and concerns by country and type of income..... 11

Suppl. Table 9 Breakdown of concerns if advised/not allowed physical contact by country 12

Suppl. Table 10 Breakdown of concerns if advised/not allowed physical contact by country and gender..... 13

Suppl. Table 11 Breakdown of concerns if advised/not allowed physical contact by country and age group..... 14

Suppl. Table 12 Breakdown of concerns if advised/not allowed physical contact by country and education level 15

Suppl. Table 13 Breakdown of concerns if advised/not allowed physical contact by country and household size 16

Suppl. Table 14 Breakdown of concerns if advised/not allowed physical contact by country and whether or not living with children under 18..... 17

Suppl. Table 15 Breakdown of concerns if advised/not allowed physical contact by country and income type 18

Suppl. Table 16 Breakdown of maximum number of days that people thought they could cope by country 19

Suppl. Table 17 Breakdown of maximum number of days that people thought they could cope by country and gender..... 20

Suppl. Table 18 Breakdown of maximum number of days that people thought they could cope by country and age group 21

Suppl. Table 19 Breakdown of maximum number of days that people thought they could cope by country and household size 22

Suppl. Table 20 Breakdown of maximum number of days that people thought they could cope by country and whether or not living with children under 18..... 23

Suppl. Table 21 Breakdown of maximum number of days that people thought they could cope by country and education level..... 24

Suppl. Table 22 Breakdown of maximum number of days that people thought they could cope by country and type of income 25

Suppl. Table 23 Breakdown of behavioural changes and acceptance of government public health measures by country..... 26

Suppl. Table 24 Breakdown of behavioural changes and acceptance of government public health measures by country and gender 27

Suppl. Table 25 Breakdown of behavioural changes and acceptance of government public health measures by country and education level 29

Suppl. Table 26 Breakdown of behavioural changes and acceptance of government public health measures by age group 30

6/bmjopen-2020-016863 on 20 July 2021. Downloaded from: <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

1 Suppl. Table 27 Breakdown of behavioural changes and acceptance of government public health measures by self-reported level of understanding of COVID-19 32

2 Suppl. Table 28 Breakdown of self-reported level of understanding of COVID-19 by country 34

3 Suppl. Table 29 Breakdown of self-reported level of understanding of COVID-19 by demographic characteristics 35

4 Suppl. Table 30 Breakdown of self-reported understanding of public health measures by self-reported level of understanding of COVID-19 36

5

6 Suppl. Table 31 What were the three most common ways people received communication on COVID-19, and what are the three most preferred ways to receive COVID-19

7 communications? Breakdown by country 37

8

9 Suppl. Table 32 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

10 communications? Breakdown by country and gender 38

11

12 Suppl. Table 33 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

13 communications? Breakdown by country and age group 39

14

15 Suppl. Table 34 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

16 communications? Breakdown by country and education level 40

17

18 Suppl. Table 35 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country 41

19

20 Suppl. Table 36 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country and education level 42

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

6/bmjopen.2020-046869 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 1 Distribution of respondents by demographic characteristics and country (unweighted data)

Variable and categories	Thailand (N=1,476)	Malaysia (N=827)	UK (N=1,009)	Italy (N=1,112)	Slovenia (N=1,034)	Total (N=5,058)
Gender						
Male	704 (48)	298 (36)	426 (42)	222 (31)	366 (35)	2,016 (40)
Female	766 (52)	525 (63)	572 (57)	490 (69)	662 (64)	3,015 (60)
Other/prefer not to say	6 (0)	4 (0)	11 (1)	0 (0)	6 (1)	27 (1)
Age (years)						
18-34	223 (15)	350 (42)	140 (14)	272 (38)	308 (30)	1,293 (26)
35-64	1,152 (78)	442 (53)	616 (61)	383 (54)	676 (65)	3,269 (65)
65+	101 (7)	35 (4)	253 (25)	57 (8)	50 (5)	496 (10)
Education level						
Primary or lower/ secondary	909 (62)	82 (10)	247 (24)	211 (30)	202 (20)	1,657 (33)
Tertiary	567 (38)	745 (90)	762 (76)	499 (70)	832 (80)	3,401 (67)
Household structure						
Living alone	134 (9)	74 (9)	206 (20)	106 (15)	97 (9)	617 (12)
Living only with partner/spouse	173 (12)	95 (11)	391 (39)	192 (27)	210 (20)	1,061 (21)
Living with partner/spouse and children; living as single parent with children	847 (57)	312 (38)	260 (26)	188 (26)	518 (50)	2,125 (42)
Living with other relatives/non-relatives/other	322 (22)	346 (42)	152 (15)	222 (32)	209 (20)	1,255 (25)
Household size						
1	107 (7)	68 (8)	222 (22)	106 (15)	128 (12)	631 (12)
2	171 (12)	121 (15)	439 (44)	230 (32)	220 (21)	1,181 (23)
3-5	995 (67)	457 (55)	333 (33)	360 (51)	605 (59)	2,750 (54)
≥6	203 (14)	181 (22)	15 (1)	16 (2)	81 (8)	496 (10)
Type of income						
Fixed salary/benefits/pension	546 (37)	524 (63)	705 (70)	347 (49)	847 (82)	2,969 (59)
Contract and freelance	849 (58)	158 (19)	227 (22)	244 (34)	103 (10)	1,581 (31)
Other/no income	81 (5)	145 (18)	77 (8)	121 (17)	84 (8)	508 (10)
Living with children under 18	664 (45)	346 (42)	186 (18)	144 (20)	497 (48)	1,837 (36)
Living with vulnerable group*	457 (31)	230 (28)	367 (36)	151 (21)	280 (27)	1,485 (29)
Healthcare provider/worker**	239 (16)	213 (26)	118 (12)	64 (9)	341 (33)	975 (19)

Values in cells are n (%)

* Persons aged 70 or older; pregnant woman; people with serious health conditions

** Included respondents who were not working before COVID-19

Suppl. Table 2 Breakdown of economic impacts of COVID-19 and concerns by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=1,255	N=613	N=630	N=526	N=929	N=3,953	
Loss of earnings	(N=1,248) 1,012 (85)	(N=556) 155 (40)	(N=584) 226 (44)	(N=496) 260 (55)	(N=867) 219 (30)	(N=3,751) 1,872 (56)	<0.001
Loss of job	(N=1,191) 233 (23)	(N=532) 44 (16)	(N=551) 51 (10)	(N=471) 59 (13)	(N=832) 15 (3)	(N=3,577) 402 (14)	<0.001
Reduction of working hours	(N=1,210) 492 (42)	(N=546) 228 (52)	(N=570) 201 (39)	(N=484) 233 (48)	(N=862) 319 (41)	(N=3,672) 1,473 (44)	0.107
Closure of workplace	(N=1,207) 425 (36)	(N=562) 289 (53)	(N=591) 296 (51)	(N=484) 167 (39)	(N=833) 63 (8)	(N=3,677) 1,240 (36)	<0.001
Did you continue to work during COVID-19?	(N=1,255) 1,019 (79)	(N=613) 532 (70)	(N=630) 460 (70)	(N=526) 388 (67)	(N=929) 768 (79)	(N=3,953) 3,167 (75)	0.011
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Financial (e.g. loss of income, loss of job)	(N=1,466) 1,215 (86)	(N=775) 419 (60)	(N=950) 271 (32)	(N=678) 315 (41)	(N=1,015) 302 (28)	(N=4,884) 2,522 (53)	<0.001
Professional/career progression	(N=1,414) 607 (42)	(N=759) 418 (52)	(N=942) 198 (24)	(N=670) 224 (22)	(N=1,001) 219 (17)	(N=4,786) 1,666 (32)	<0.001

Suppl. Table 3 Breakdown of economic impacts of COVID-19 and concerns by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=606	N=645	N=4	N=230	N=380	N=3	N=261	N=363	N=6	N=184	N=342	N=0	N=332	N=91	N=6	N=1,613	N=2,321	N=19	
Loss of earnings	(N=604) 508 (83)	(N=640) 502 (86)	(N=4) 2 (50)	(N=210) 75 (42)	(N=343) 80 (37)	(N=3) 0 (0)	(N=245) 97 (45)	(N=333) 128 (43)	(N=6) 1 (17)	(N=177) 99 (54)	(N=319) 161 (57)		(N=314) 82 (29)	(N=48) 13 (31)	(N=5) 2 (40)	(N=1,550) 861 (55)	(N=2,183) 1,006 (57)	(N=18) 5 (28)	0.531
Loss of job	(N=576) 104 (20)	(N=611) 129 (25)	(N=4) 0 (0)	(N=202) 17 (18)	(N=327) 27 (15)	(N=3) 0 (0)	(N=233) 21 (19)	(N=313) 30 (11)	(N=5) 0 (0)	(N=168) 19 (10)	(N=303) 40 (17)		(N=301) 3 (1)	(N=26) 1 (4)	(N=5) 0 (0)	(N=1,480) 164 (13)	(N=2,080) 238 (16)	(N=17) 0 (0)	0.157
Reduction of working hours	(N=586) 225 (41)	(N=620) 265 (43)	(N=4) 2 (50)	(N=205) 85 (57)	(N=338) 141 (46)	(N=3) 2 (67)	(N=240) 90 (41)	(N=324) 107 (37)	(N=6) 4 (67)	(N=174) 94 (52)	(N=310) 139 (43)		(N=315) 128 (44)	(N=41) 18 (39)	(N=6) 3 (50)	(N=1,520) 622 (45)	(N=2,133) 840 (42)	(N=19) 11 (58)	0.179
Closure of workplace	(N=581) 194 (35)	(N=622) 231 (37)	(N=4) 0 (0)	(N=208) 109 (48)	(N=351) 178 (60)	(N=3) 2 (67)	(N=251) 124 (50)	(N=334) 169 (51)	(N=6) 3 (50)	(N=172) 65 (38)	(N=312) 102 (41)		(N=302) 19 (7)	(N=26) 4 (9)	(N=5) 1 (20)	(N=1,514) 511 (35)	(N=2,145) 723 (37)	(N=18) 6 (33)	0.365
Did you continue to work during COVID-19?	(N=606) 508 (84)	(N=645) 507 (75)	(N=4) 4 (100)	(N=230) 198 (67)	(N=380) 332 (73)	(N=3) 2 (67)	(N=261) 198 (72)	(N=363) 258 (67)	(N=6) 4 (67)	(N=184) 144 (74)	(N=342) 244 (60)		(N=332) 295 (85)	(N=91) 46 (74)	(N=6) 4 (67)	(N=1,613) 1,343 (78)	(N=2,321) 1,810 (71)	(N=19) 14 (74)	0.010
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=704	N=766	N=6	N=298	N=525	N=4	N=261	N=363	N=6	N=222	N=490	N=0	N=366	N=62	N=6	N=2,016	N=3,015	N=27	
Financial	(N=700) 592 (85)	(N=760) 619 (86)	(N=6) 4 (67)	(N=279) 155 (62)	(N=492) 261 (59)	(N=4) 3 (75)	(N=411) 113 (34)	(N=529) 154 (31)	(N=10) 4 (40)	(N=214) 113 (44)	(N=464) 202 (38)		(N=361) 110 (27)	(N=48) 18 (29)	(N=6) 4 (67)	(N=1,965) 1,083 (54)	(N=2,893) 1,424 (53)	(N=26) 15 (58)	0.806
Professional/career progression	(N=675) 278 (41)	(N=733) 326 (42)	(N=6) 3 (50)	(N=270) 137 (53)	(N=485) 279 (51)	(N=4) 2 (50)	(N=409) 84 (26)	(N=523) 108 (22)	(N=10) 6 (60)	(N=211) 92 (26)	(N=459) 132 (18)		(N=354) 77 (14)	(N=41) 14 (19)	(N=6) 1 (17)	(N=1,919) 668 (32)	(N=2,841) 986 (31)	(N=26) 12 (46)	0.597

Suppl. Table 4 Breakdown of economic impacts of COVID-19 and concerns by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=785	N=470	N=53	N=560	N=122	N=508	N=136	N=390	N=160	N=769	N=1,256	N=2,697	
Loss of earnings	(N=780) 725 (90)	(N=468) 287 (62)	(N=50) 21 (42)	(N=506) 134 (28)	(N=116) 55 (58)	(N=468) 171 (34)	(N=126) 75 (58)	(N=370) 185 (52)	(N=150) 56 (36)	(N=717) 163 (24)	(N=1,222) 932 (65)	(N=2,529) 940 (38)	<0.001
Loss of job	(N=744) 164 (24)	(N=447) 69 (16)	(N=50) 9 (19)	(N=482) 35 (7)	(N=108) 12 (13)	(N=443) 39 (9)	(N=123) 18 (14)	(N=348) 41 (12)	(N=144) 7 (4)	(N=692) 8 (1)	(N=1,165) 210 (17)	(N=2,412) 192 (8)	<0.001
Reduction of working hours	(N=762) 332 (43)	(N=448) 160 (37)	(N=48) 25 (55)	(N=498) 203 (40)	(N=110) 42 (49)	(N=460) 159 (32)	(N=125) 63 (47)	(N=359) 170 (49)	(N=144) 72 (46)	(N=718) 247 (35)	(N=1,189) 534 (47)	(N=2,483) 939 (37)	<0.001
Closure of workplace	(N=753) 262 (36)	(N=454) 163 (37)	(N=48) 28 (55)	(N=514) 261 (49)	(N=116) 51 (48)	(N=475) 245 (52)	(N=130) 59 (44)	(N=354) 108 (31)	(N=133) 14 (8)	(N=696) 49 (7)	(N=1,184) 414 (37)	(N=2,493) 826 (34)	0.180
Did you continue to work during COVID-19?	(N=785) 613 (78)	(N=470) 406 (86)	(N=53) 34 (65)	(N=560) 498 (90)	(N=122) 73 (59)	(N=508) 387 (77)	(N=136) 75 (59)	(N=390) 313 (79)	(N=160) 115 (72)	(N=769) 653 (85)	(N=1,256) 910 (71)	(N=2,697) 2,257 (83)	<0.001
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Financial	(N=904) 828 (89)	(N=562) 387 (68)	(N=75) 46 (62)	(N=700) 373 (55)	(N=232) 64 (34)	(N=718) 207 (31)	(N=205) 96 (39)	(N=473) 219 (46)	(N=191) 71 (29)	(N=822) 231 (27)	(N=1,609) 1,105 (59)	(N=3,275) 1,417 (41)	<0.001
Professional/career progression	(N=865) 326 (39)	(N=549) 281 (54)	(N=72) 36 (50)	(N=687) 382 (59)	(N=228) 21 (16)	(N=714) 177 (31)	(N=198) 42 (15)	(N=472) 182 (37)	(N=192) 37 (13)	(N=809) 182 (22)	(N=1,555) 462 (30)	(N=3,231) 1,204 (36)	0.004

Suppl. Table 5 Breakdown of economic impacts of COVID-19 and concerns by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=155	N=1,027	N=73	N=219	N=378	N=16	N=104	N=466	N=60	N=190	N=324	N=12	N=259	N=546	N=24	N=927	N=2,841	N=185	
Loss of earnings	(N=154) 103 (78)	(N=1,021) 851 (89)	(N=73) 58 (80)	(N=207) 48 (43)	(N=334) 98 (34)	(N=15) 9 (57)	(N=100) 32 (49)	(N=427) 168 (41)	(N=57) 26 (46)	(N=185) 97 (51)	(N=299) 155 (54)	(N=12) 8 (87)	(N=253) 67 (31)	(N=595) 144 (29)	(N=19) 8 (39)	(N=899) 347 (53)	(N=2,676) 1,416 (56)	(N=176) 109 (67)	0.102
Loss of job	(N=148) 36 (28)	(N=972) 183 (20)	(N=71) 14 (22)	(N=204) 22 (26)	(N=314) 20 (10)	(N=14) 2 (13)	(N=98) 10 (13)	(N=401) 35 (9)	(N=52) 6 (8)	(N=181) 22 (12)	(N=282) 35 (12)	(N=8) 2 (42)	(N=248) 6 (3)	(N=567) 11 (3)	(N=17) 0 (0)	(N=879) 96 (18)	(N=2,536) 282 (12)	(N=162) 24 (17)	0.054
Reduction of working hours	(N=147) 73 (53)	(N=991) 401 (42)	(N=72) 18 (23)	(N=206) 85 (57)	(N=325) 136 (49)	(N=15) 7 (50)	(N=100) 31 (43)	(N=416) 145 (36)	(N=54) 25 (45)	(N=182) 87 (50)	(N=292) 143 (50)	(N=10) 3 (16)	(N=249) 99 (47)	(N=593) 222 (39)	(N=20) 8 (38)	(N=884) 375 (50)	(N=2,617) 1,037 (43)	(N=171) 61 (31)	0.005
Closure of workplace	(N=151) 66 (46)	(N=984) 340 (35)	(N=72) 19 (24)	(N=207) 93 (55)	(N=340) 184 (48)	(N=15) 12 (83)	(N=100) 57 (56)	(N=434) 215 (49)	(N=57) 24 (44)	(N=185) 76 (49)	(N=289) 85 (32)	(N=10) 6 (86)	(N=246) 27 (14)	(N=570) 15 (6)	(N=17) 1 (3)	(N=889) 319 (44)	(N=2,617) 859 (32)	(N=171) 62 (35)	0.003
Did you continue to work during COVID-19?	(N=155) 120 (77)	(N=1,027) 838 (80)	(N=73) 61 (81)	(N=219) 195 (57)	(N=378) 330 (82)	(N=16) 7 (43)	(N=104) 79 (69)	(N=466) 346 (72)	(N=60) 35 (56)	(N=190) 134 (69)	(N=324) 250 (70)	(N=12) 4 (13)	(N=259) 209 (77)	(N=646) 500 (81)	(N=24) 19 (72)	(N=927) 737 (71)	(N=2,841) 2,304 (78)	(N=185) 126 (68)	0.025
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
Financial	(N=220) 161 (83)	(N=1,145) 985 (89)	(N=101) 69 (78)	(N=338) 198 (60)	(N=408) 211 (64)	(N=29) 10 (42)	(N=134) 59 (48)	(N=581) 195 (35)	(N=235) 17 (6)	(N=270) 138 (50)	(N=356) 168 (48)	(N=52) 9 (20)	(N=305) 92 (31)	(N=664) 205 (36)	(N=46) 5 (4)	(N=1,267) 648 (59)	(N=3,154) 1,764 (58)	(N=463) 110 (30)	<0.001
Professional/career progression	(N=215) 126 (52)	(N=1,106) 452 (39)	(N=93) 29 (31)	(N=336) 238 (65)	(N=395) 173 (43)	(N=28) 7 (26)	(N=134) 76 (52)	(N=572) 118 (17)	(N=236) 4 (2)	(N=269) 122 (43)	(N=350) 99 (23)	(N=51) 3 (1)	(N=303) 108 (34)	(N=654) 109 (15)	(N=44) 2 (1)	(N=1,257) 670 (51)	(N=3,077) 951 (28)	(N=452) 45 (11)	<0.001

6/bmjopen-2020-046868 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

Suppl. Table 6 Breakdown of economic impacts of COVID-19 and concerns by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	
Household size (number of persons in the household)													
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=1,079	N=176	N=483	N=130	N=618	N=12	N=518	N=8	N=808	N=71	N=3,556	N=397	
Loss of earnings	(N=1,073) 864 (85)	(N=175) 148 (85)	(N=441) 120 (35)	(N=115) 35 (53)	(N=573) 221 (43)	(N=11) 5 (66)	(N=489) 256 (55)	(N=7) 4 (66)	(N=800) 201 (29)	(N=67) 18 (39)	(N=3,376) 1,662 (54)	(N=375) 210 (67)	0.013
Loss of job	(N=1,026) 190 (21)	(N=165) 43 (29)	(N=423) 29 (13)	(N=109) 15 (25)	(N=540) 51 (11)	(N=11) 0 (0)	(N=465) 59 (13)	(N=6) 0 (0)	(N=658) 14 (2)	(N=64) 1 (5)	(N=3,222) 343 (13)	(N=355) 59 (23)	0.009
Reduction of working hours	(N=1,043) 423 (42)	(N=167) 69 (59)	(N=434) 181 (44)	(N=112) 47 (72)	(N=558) 195 (38)	(N=12) 6 (57)	(N=477) 231 (52)	(N=7) 2 (50)	(N=892) 285 (39)	(N=70) 34 (61)	(N=3,304) 1,315 (42)	(N=368) 158 (55)	0.009
Closure of workplace	(N=1,039) 364 (36)	(N=168) 61 (34)	(N=443) 223 (47)	(N=119) 66 (72)	(N=579) 292 (51)	(N=12) 4 (25)	(N=476) 162 (39)	(N=8) 5 (72)	(N=768) 58 (8)	(N=65) 5 (7)	(N=3,305) 1,099 (35)	(N=372) 141 (42)	0.155
Did you continue to work during COVID-19?	(N=1,079) 884 (80)	(N=176) 135 (78)	(N=483) 424 (73)	(N=130) 108 (63)	(N=618) 450 (70)	(N=12) 10 (83)	(N=518) 384 (67)	(N=8) 4 (56)	(N=808) 712 (80)	(N=71) 56 (74)	(N=3,556) 2,854 (75)	(N=397) 313 (72)	0.564
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,273	N=203	N=646	N=181	N=994	N=15	N=696	N=16	N=903	N=81	N=4,562	N=496	
Financial	(N=1,264) 1,050 (87)	(N=202) 165 (80)	(N=602) 317 (60)	(N=173) 102 (63)	(N=935) 266 (33)	(N=15) 5 (24)	(N=662) 306 (41)	(N=16) 9 (49)	(N=905) 282 (27)	(N=80) 20 (37)	(N=4,398) 2,221 (52)	(N=486) 301 (66)	0.003
Professional/career progression	(N=1,220) 503 (40)	(N=194) 104 (49)	(N=593) 317 (51)	(N=166) 101 (56)	(N=928) 196 (24)	(N=14) 2 (9)	(N=654) 218 (22)	(N=16) 6 (28)	(N=920) 202 (26)	(N=81) 17 (21)	(N=4,315) 1,436 (30)	(N=471) 230 (46)	<0.001

Suppl. Table 7 Breakdown of economic impacts of COVID-19 and concerns by country and whether or not living with children under 18

Y = living with children under 18; N = not living with children under 18. Values in cells are n (weighted %) of respondents who replied 'yes'

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	
Living with children under 18													
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=546	N=709	N=276	N=337	N=158	N=472	N=112	N=414	N=412	N=467	N=1,554	N=2,399	
Loss of earnings	(N=545) 483 (91)	(N=703) 529 (79)	(N=239) 66 (44)	(N=317) 89 (37)	(N=144) 52 (46)	(N=440) 174 (43)	(N=98) 58 (61)	(N=398) 202 (54)	(N=428) 100 (30)	(N=439) 119 (31)	(N=1,454) 759 (62)	(N=2,297) 1,113 (53)	0.005
Loss of job	(N=525) 121 (27)	(N=666) 112 (19)	(N=227) 20 (26)	(N=305) 24 (10)	(N=139) 10 (13)	(N=412) 41 (9)	(N=92) 12 (9)	(N=379) 47 (14)	(N=399) 6 (3)	(N=423) 9 (3)	(N=1,392) 169 (18)	(N=2,185) 233 (12)	0.008
Reduction of working hours	(N=531) 240 (47)	(N=679) 252 (38)	(N=230) 102 (55)	(N=316) 126 (50)	(N=145) 48 (38)	(N=425) 153 (39)	(N=99) 48 (52)	(N=385) 185 (49)	(N=427) 165 (45)	(N=435) 154 (38)	(N=1,432) 603 (47)	(N=2,240) 870 (41)	0.047
Closure of workplace	(N=528) 216 (43)	(N=679) 209 (30)	(N=247) 141 (66)	(N=315) 148 (44)	(N=151) 73 (46)	(N=440) 223 (52)	(N=96) 39 (44)	(N=388) 128 (38)	(N=413) 27 (3)	(N=420) 36 (9)	(N=1,435) 496 (38)	(N=2,242) 744 (35)	0.268
Did you continue to work during COVID-19?	(N=546) 412 (74)	(N=709) 607 (84)	(N=276) 242 (65)	(N=337) 290 (74)	(N=158) 124 (71)	(N=472) 336 (69)	(N=112) 85 (73)	(N=414) 303 (65)	(N=412) 386 (81)	(N=467) 382 (78)	(N=1,554) 1,249 (74)	(N=2,399) 1,918 (75)	0.655
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=417	N=537	N=1,837	N=3,221	
Financial	(N=660) 594 (92)	(N=806) 621 (80)	(N=323) 194 (59)	(N=452) 225 (62)	(N=174) 59 (35)	(N=776) 212 (32)	(N=135) 76 (61)	(N=543) 239 (37)	(N=486) 139 (33)	(N=529) 163 (24)	(N=1,778) 1,062 (64)	(N=3,106) 1,460 (47)	<0.001
Professional/career progression	(N=637) 230 (37)	(N=777) 377 (45)	(N=315) 182 (53)	(N=444) 236 (51)	(N=171) 58 (35)	(N=771) 140 (21)	(N=134) 46 (35)	(N=536) 178 (19)	(N=433) 98 (19)	(N=518) 121 (15)	(N=1,740) 614 (35)	(N=3,046) 1,052 (30)	0.033

Suppl. Table 8 Breakdown of economic impacts of COVID-19 and concerns by country and type of income

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other/no income. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=495	N=738	N=22	N=475	N=125	N=13	N=397	N=210	N=23	N=278	N=228	N=20	N=788	N=101	N=40	N=2,433	N=1,402	N=118	
Loss of earnings	(N=493) 320 (74)	(N=733) 674 (91)	(N=22) 18 (89)	(N=428) 69 (26)	(N=117) 79 (65)	(N=11) 7 (92)	(N=361) 91 (28)	(N=200) 125 (67)	(N=23) 10 (50)	(N=253) 87 (39)	(N=224) 157 (75)	(N=19) 16 (95)	(N=731) 128 (21)	(N=96) 70 (77)	(N=40) 21 (53)	(N=2,266) 695 (38)	(N=1,370) 1,105 (81)	(N=115) 72 (69)	<0.001
Loss of job	(N=478) 78 (21)	(N=692) 148 (23)	(N=21) 7 (47)	(N=420) 18 (8)	(N=101) 24 (31)	(N=11) 2 (78)	(N=350) 20 (6)	(N=179) 30 (17)	(N=22) 1 (6)	(N=247) 6 (3)	(N=206) 45 (27)	(N=18) 8 (36)	(N=709) 6 (2)	(N=83) 6 (6)	(N=40) 4 (10)	(N=2,204) 128 (8)	(N=1,261) 252 (22)	(N=112) 22 (27)	<0.001
Reduction of working hours	(N=479) 226 (52)	(N=710) 259 (36)	(N=21) 7 (45)	(N=429) 163 (51)	(N=106) 60 (56)	(N=11) 5 (12)	(N=358) 89 (24)	(N=189) 102 (60)	(N=23) 10 (48)	(N=256) 111 (45)	(N=210) 113 (56)	(N=18) 9 (26)	(N=735) 227 (33)	(N=89) 6 (81)	(N=38) 25 (70)	(N=2,257) 816 (41)	(N=1,304) 601 (47)	(N=111) 56 (49)	0.042
Closure of workplace	(N=480) 195 (44)	(N=706) 224 (30)	(N=21) 6 (43)	(N=438) 214 (52)	(N=113) 67 (54)	(N=11) 8 (89)	(N=376) 188 (47)	(N=192) 98 (56)	(N=23) 10 (51)	(N=252) 63 (27)	(N=213) 94 (54)	(N=19) 10 (68)	(N=710) 33 (5)	(N=85) 2 (20)	(N=38) 10 (23)	(N=2,256) 693 (33)	(N=1,309) 503 (40)	(N=112) 44 (46)	0.015
Did you continue to work during COVID-19?	(N=495) 418 (83)	(N=738) 584 (77)	(N=22) 17 (78)	(N=475) 437 (83)	(N=125) 86 (42)	(N=13) 9 (25)	(N=397) 319 (79)	(N=210) 126 (57)	(N=23) 15 (62)	(N=278) 234 (81)	(N=228) 146 (51)	(N=20) 8 (15)	(N=788) 682 (84)	(N=101) 6 (57)	(N=40) 23 (59)	(N=2,433) 2,090 (82)	(N=1,402) 1,005 (65)	(N=118) 72 (53)	<0.001
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=847	N=103	N=84	N=2,969	N=1,581	N=508	
Financial	(N=543) 402 (81)	(N=843) 753 (89)	(N=80) 60 (76)	(N=488) 231 (58)	(N=149) 110 (83)	(N=138) 78 (39)	(N=658) 131 (22)	(N=219) 116 (56)	(N=73) 24 (34)	(N=324) 102 (30)	(N=238) 165 (66)	(N=116) 48 (43)	(N=830) 190 (23)	(N=102) 7 (61)	(N=83) 38 (40)	(N=2,843) 1,056 (40)	(N=1,551) 1,218 (79)	(N=490) 248 (46)	<0.001
Professional/career progression	(N=530) 221 (43)	(N=804) 348 (41)	(N=80) 38 (37)	(N=481) 247 (41)	(N=142) 81 (71)	(N=136) 90 (56)	(N=657) 104 (17)	(N=212) 66 (36)	(N=73) 28 (40)	(N=319) 71 (15)	(N=235) 112 (38)	(N=116) 41 (22)	(N=821) 156 (14)	(N=97) 3 (23)	(N=83) 28 (33)	(N=2,808) 799 (24)	(N=1,490) 642 (43)	(N=488) 225 (40)	<0.001

Suppl. Table 9 Breakdown of concerns if advised/not allowed physical contact by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value (for total)
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Caring responsibilities (e.g. childcare, caring for elderly parents, not having access to care)	(N=1,454) 890 (62)	(N=772) 456 (57)	(N=946) 325 (31)	(N=681) 312 (46)	(N=1,006) 423 (35)	(N=4,859) 2,406 (47)	<0.001
Physical health (e.g. not being able to attend doctor appointments, medication supply for illnesses, lack of exercise)	(N=1,457) 910 (61)	(N=782) 501 (66)	(N=961) 587 (61)	(N=687) 393 (63)	(N=1,007) 437 (45)	(N=4,894) 2,828 (59)	<0.001
Recreational (e.g. not being able to access recreational facilities like cinemas or restaurants, cancelled sports or cultural events)	(N=1,425) 580 (38)	(N=763) 407 (49)	(N=963) 571 (58)	(N=683) 352 (47)	(N=1,011) 636 (65)	(N=4,845) 2,546 (51)	<0.001
Sports (e.g. participating in competitive or professional sports activities)	(N=1,400) 546 (38)	(N=755) 302 (39)	(N=943) 214 (22)	(N=675) 174 (24)	(N=997) 331 (36)	(N=4,770) 1,567 (32)	<0.001
Mental health and wellbeing (e.g. boredom, loneliness, anxiety, depression)	(N=1,427) 798 (55)	(N=769) 476 (61)	(N=970) 699 (75)	(N=691) 448 (60)	(N=1,008) 436 (43)	(N=4,865) 2,857 (58)	<0.001
Living arrangements (e.g. not enough living space, passing on illness to family members, domestic abuse)	(N=1,419) 646 (45)	(N=753) 289 (46)	(N=943) 215 (24)	(N=674) 114 (16)	(N=999) 177 (15)	(N=4,788) 1,441 (31)	<0.001
Infrastructure (e.g. access to transport, network services, internet access)	(N=1,409) 651 (46)	(N=750) 308 (45)	(N=935) 212 (24)	(N=672) 163 (28)	(N=996) 195 (19)	(N=4,762) 1,529 (33)	<0.001
Social (e.g. not being able to see friends or attend social or family events)	(N=1,440) 768 (52)	(N=773) 474 (56)	(N=974) 768 (79)	(N=686) 525 (70)	(N=1,015) 725 (69)	(N=4,888) 3,260 (64)	<0.001
Religious and spiritual (e.g. not being able to go to church, mosque, temple etc.)	(N=1,433) 591 (42)	(N=769) 393 (58)	(N=942) 162 (17)	(N=670) 95 (18)	(N=998) 201 (19)	(N=4,812) 1,442 (31)	<0.001

Suppl. Table 10 Breakdown of concerns if advised/not allowed physical contact by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
Caring responsibilities	(N=697) 430 (61)	(N=751) 456 (62)	(N=6) 4 (67)	(N=282) 170 (53)	(N=486) 284 (62)	(N=4) 2 (50)	(N=407) 124 (27)	(N=529) 197 (35)	(N=10) 4 (40)	(N=213) 82 (36)	(N=468) 230 (56)		(N=356) 124 (25)	(N=644) 277 (44)	(N=6) 2 (33)	(N=1,955) 930 (42)	(N=2,878) 1,464 (52)	(N=26) 12 (46)	<0.001
Physical health	(N=698) 443 (60)	(N=753) 463 (61)	(N=6) 4 (67)	(N=282) 184 (59)	(N=496) 314 (74)	(N=4) 3 (75)	(N=414) 255 (62)	(N=537) 323 (61)	(N=10) 9 (90)	(N=213) 106 (56)	(N=474) 287 (70)		(N=356) 148 (44)	(N=645) 277 (46)	(N=6) 2 (33)	(N=1,963) 1,136 (56)	(N=2,905) 1,674 (61)	(N=26) 18 (69)	0.058
Recreational	(N=681) 267 (39)	(N=738) 310 (38)	(N=6) 3 (50)	(N=275) 160 (54)	(N=484) 246 (44)	(N=4) 1 (25)	(N=411) 253 (61)	(N=542) 309 (56)	(N=10) 9 (90)	(N=215) 126 (54)	(N=468) 226 (41)		(N=359) 239 (71)	(N=646) 395 (59)	(N=6) 2 (33)	(N=1,941) 1,045 (54)	(N=2,878) 1,486 (47)	(N=26) 15 (58)	0.007
Sports	(N=670) 276 (40)	(N=724) 268 (35)	(N=6) 2 (33)	(N=275) 131 (47)	(N=476) 170 (29)	(N=4) 1 (25)	(N=410) 104 (23)	(N=524) 105 (21)	(N=9) 5 (56)	(N=212) 76 (32)	(N=463) 98 (17)		(N=353) 150 (44)	(N=638) 179 (28)	(N=6) 2 (33)	(N=1,920) 737 (38)	(N=2,825) 820 (27)	(N=25) 10 (40)	<0.001
Mental health and wellbeing	(N=684) 377 (55)	(N=737) 418 (55)	(N=6) 3 (50)	(N=279) 167 (62)	(N=486) 307 (61)	(N=4) 2 (50)	(N=414) 287 (73)	(N=545) 402 (77)	(N=11) 10 (91)	(N=216) 122 (56)	(N=475) 326 (63)		(N=357) 128 (40)	(N=645) 375 (46)	(N=6) 3 (50)	(N=1,950) 1,081 (57)	(N=2,888) 1,758 (60)	(N=27) 18 (67)	0.326
Living arrangements	(N=679) 323 (46)	(N=734) 320 (44)	(N=6) 3 (50)	(N=275) 106 (48)	(N=474) 182 (42)	(N=4) 1 (25)	(N=409) 79 (21)	(N=525) 131 (27)	(N=9) 5 (56)	(N=211) 40 (19)	(N=463) 74 (14)		(N=354) 53 (12)	(N=639) 191 (18)	(N=6) 3 (50)	(N=1,928) 601 (31)	(N=2,835) 828 (31)	(N=25) 12 (48)	0.948
Infrastructure	(N=672) 316 (46)	(N=731) 332 (47)	(N=6) 3 (50)	(N=276) 129 (42)	(N=470) 177 (48)	(N=4) 2 (50)	(N=407) 102 (27)	(N=520) 106 (21)	(N=8) 4 (50)	(N=209) 51 (29)	(N=463) 112 (27)		(N=353) 60 (14)	(N=637) 133 (24)	(N=6) 2 (33)	(N=1,917) 658 (32)	(N=2,821) 860 (34)	(N=24) 11 (46)	0.536
Social	(N=689) 369 (53)	(N=745) 395 (51)	(N=6) 4 (67)	(N=280) 179 (62)	(N=489) 294 (48)	(N=4) 1 (25)	(N=412) 321 (79)	(N=551) 438 (79)	(N=11) 9 (82)	(N=215) 163 (66)	(N=471) 362 (74)		(N=360) 245 (70)	(N=649) 485 (69)	(N=6) 5 (83)	(N=1,956) 1,277 (65)	(N=2,905) 1,964 (63)	(N=27) 19 (70)	0.503
Religious and spiritual	(N=689) 290 (41)	(N=738) 298 (44)	(N=6) 3 (50)	(N=279) 140 (55)	(N=486) 251 (61)	(N=4) 2 (50)	(N=408) 73 (19)	(N=524) 86 (14)	(N=10) 3 (30)	(N=208) 33 (21)	(N=462) 62 (15)		(N=355) 77 (24)	(N=637) 174 (14)	(N=6) 0 (0)	(N=1,939) 613 (33)	(N=2,847) 821 (30)	(N=26) 8 (31)	0.367

Suppl. Table 11 Breakdown of concerns if advised/not allowed physical contact by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
Caring responsibilities	(N=217) 137 (71)	(N=1,138) 717 (64)	(N=99) 36 (37)	(N=333) 189 (56)	(N=407) 249 (57)	(N=32) 18 (66)	(N=131) 27 (20)	(N=581) 242 (41)	(N=234) 56 (23)	(N=270) 83 (30)	(N=361) 208 (55)	(N=50) 21 (43)	(N=304) 98 (30)	(N=656) 317 (44)	(N=46) 8 (16)	(N=1,255) 534 (46)	(N=3,143) 1,733 (53)	(N=461) 139 (32)	<0.001
Physical health	(N=218) 150 (63)	(N=1,139) 712 (63)	(N=100) 48 (47)	(N=336) 205 (60)	(N=413) 269 (65)	(N=33) 27 (98)	(N=134) 76 (61)	(N=586) 354 (60)	(N=241) 157 (64)	(N=270) 137 (45)	(N=365) 217 (57)	(N=52) 39 (90)	(N=305) 131 (40)	(N=655) 284 (42)	(N=47) 22 (59)	(N=1,263) 699 (56)	(N=3,158) 1,836 (57)	(N=473) 293 (66)	0.044
Recreational	(N=212) 121 (47)	(N=1,118) 425 (35)	(N=95) 34 (34)	(N=331) 183 (55)	(N=403) 209 (44)	(N=29) 15 (40)	(N=136) 96 (66)	(N=589) 339 (57)	(N=238) 136 (53)	(N=270) 169 (66)	(N=362) 166 (44)	(N=51) 17 (38)	(N=302) 213 (71)	(N=663) 395 (60)	(N=46) 28 (70)	(N=1,251) 782 (59)	(N=3,135) 1,534 (47)	(N=459) 230 (48)	0.003
Sports	(N=212) 99 (47)	(N=1,096) 428 (38)	(N=92) 19 (18)	(N=329) 140 (47)	(N=397) 154 (31)	(N=29) 8 (29)	(N=133) 40 (28)	(N=575) 133 (22)	(N=235) 41 (14)	(N=269) 93 (40)	(N=356) 74 (19)	(N=50) 7 (20)	(N=301) 114 (41)	(N=653) 206 (36)	(N=43) 11 (31)	(N=1,244) 486 (42)	(N=3,077) 995 (31)	(N=449) 86 (21)	<0.001
Mental health and wellbeing	(N=212) 146 (63)	(N=1,118) 613 (55)	(N=97) 39 (42)	(N=335) 230 (69)	(N=402) 227 (52)	(N=32) 19 (69)	(N=136) 118 (86)	(N=591) 439 (74)	(N=243) 142 (62)	(N=270) 191 (65)	(N=366) 227 (59)	(N=55) 30 (57)	(N=304) 169 (52)	(N=657) 253 (40)	(N=47) 14 (40)	(N=1,257) 854 (67)	(N=3,134) 1,759 (56)	(N=474) 244 (51)	<0.001
Living arrangements	(N=213) 105 (50)	(N=1,111) 518 (48)	(N=95) 23 (26)	(N=330) 142 (47)	(N=394) 137 (45)	(N=29) 10 (40)	(N=134) 47 (35)	(N=576) 144 (24)	(N=233) 24 (10)	(N=270) 60 (21)	(N=353) 52 (16)	(N=51) 2 (14)	(N=304) 76 (22)	(N=651) 100 (17)	(N=44) 1 (1)	(N=1,251) 430 (38)	(N=3,085) 951 (32)	(N=452) 60 (15)	<0.001
Infrastructure	(N=214) 117 (54)	(N=1,101) 502 (46)	(N=94) 32 (34)	(N=331) 149 (42)	(N=390) 152 (46)	(N=29) 7 (47)	(N=134) 37 (31)	(N=569) 133 (23)	(N=232) 42 (16)	(N=269) 59 (22)	(N=353) 91 (28)	(N=50) 13 (35)	(N=302) 63 (18)	(N=649) 121 (19)	(N=45) 11 (19)	(N=1,250) 425 (37)	(N=3,062) 999 (33)	(N=450) 105 (28)	0.112
Social	(N=216) 147 (59)	(N=1,126) 573 (50)	(N=98) 48 (46)	(N=334) 212 (55)	(N=408) 240 (55)	(N=31) 22 (60)	(N=136) 115 (83)	(N=592) 459 (77)	(N=246) 194 (79)	(N=268) 220 (84)	(N=366) 266 (69)	(N=52) 39 (63)	(N=304) 239 (79)	(N=662) 453 (65)	(N=49) 33 (69)	(N=1,258) 933 (69)	(N=3,154) 1,991 (62)	(N=476) 336 (64)	0.156
Religious and spiritual	(N=213) 86 (45)	(N=1,120) 468 (43)	(N=100) 37 (37)	(N=334) 180 (65)	(N=406) 198 (51)	(N=29) 15 (61)	(N=133) 14 (15)	(N=574) 111 (19)	(N=235) 37 (13)	(N=268) 27 (12)	(N=352) 64 (17)	(N=50) 4 (25)	(N=304) 51 (15)	(N=650) 142 (19)	(N=44) 8 (24)	(N=1,252) 358 (35)	(N=3,102) 983 (31)	(N=458) 101 (28)	0.198

Suppl. Table 12 Breakdown of concerns if advised/not allowed physical contact by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
Education level	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Caring responsibilities	(N=894) 571 (63)	(N=560) 319 (57)	(N=74) 42 (57)	(N=698) 414 (60)	(N=231) 78 (30)	(N=715) 247 (32)	(N=204) 98 (47)	(N=477) 214 (45)	(N=190) 67 (31)	(N=816) 356 (40)	(N=1,593) 856 (49)	(N=3,266) 1,550 (43)	0.002
Physical health	(N=894) 565 (60)	(N=563) 345 (63)	(N=75) 53 (66)	(N=707) 448 (63)	(N=238) 146 (63)	(N=723) 441 (59)	(N=208) 123 (66)	(N=479) 270 (56)	(N=191) 78 (47)	(N=816) 359 (43)	(N=1,606) 965 (60)	(N=3,288) 1,863 (56)	0.045
Recreational	(N=870) 281 (34)	(N=555) 299 (57)	(N=72) 33 (47)	(N=691) 374 (55)	(N=236) 120 (52)	(N=727) 451 (64)	(N=204) 95 (45)	(N=479) 257 (52)	(N=192) 12 (66)	(N=819) 513 (62)	(N=1,574) 652 (46)	(N=3,271) 1,894 (60)	<0.001
Sports	(N=855) 317 (36)	(N=545) 229 (43)	(N=71) 25 (38)	(N=684) 277 (43)	(N=230) 34 (17)	(N=713) 180 (26)	(N=203) 44 (23)	(N=472) 130 (27)	(N=190) 75 (39)	(N=807) 256 (32)	(N=1,549) 495 (32)	(N=3,221) 1,072 (32)	0.953
Mental health and wellbeing	(N=877) 486 (54)	(N=550) 312 (59)	(N=74) 46 (61)	(N=695) 430 (62)	(N=238) 174 (76)	(N=732) 525 (74)	(N=209) 137 (58)	(N=482) 311 (63)	(N=190) 90 (45)	(N=818) 346 (40)	(N=1,588) 933 (58)	(N=3,277) 1,924 (60)	0.256
Living arrangements	(N=866) 422 (46)	(N=553) 224 (42)	(N=71) 32 (47)	(N=682) 257 (39)	(N=232) 46 (23)	(N=711) 169 (25)	(N=204) 37 (17)	(N=470) 77 (15)	(N=189) 36 (14)	(N=810) 141 (16)	(N=1,562) 573 (33)	(N=3,226) 868 (26)	<0.001
Infrastructure	(N=858) 396 (46)	(N=551) 255 (48)	(N=70) 32 (45)	(N=680) 276 (44)	(N=229) 44 (23)	(N=706) 168 (24)	(N=203) 55 (30)	(N=469) 108 (23)	(N=189) 35 (18)	(N=807) 160 (21)	(N=1,549) 562 (35)	(N=3,213) 967 (29)	0.004
Social	(N=887) 440 (49)	(N=553) 328 (62)	(N=72) 38 (54)	(N=701) 436 (63)	(N=242) 183 (77)	(N=732) 585 (80)	(N=207) 157 (67)	(N=479) 368 (77)	(N=194) 13 (69)	(N=821) 588 (70)	(N=1,602) 955 (60)	(N=3,286) 2,305 (73)	<0.001
Religious and spiritual	(N=882) 391 (44)	(N=551) 200 (36)	(N=71) 42 (60)	(N=698) 351 (51)	(N=232) 36 (17)	(N=710) 126 (17)	(N=202) 36 (20)	(N=468) 59 (13)	(N=190) 28 (18)	(N=808) 173 (21)	(N=1,577) 533 (35)	(N=3,235) 909 (24)	<0.001

Suppl. Table 13 Breakdown of concerns if advised/not allowed physical contact by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-5	>=6	1-5	>=6	1-5	>=6	1-5	>=6	1-5	>=6	1-5	>=6	
Household size (number of persons in household)													
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,273	N=203	N=646	N=181	N=994	N=15	N=696	N=16	N=913	N=81	N=4,562	N=496	
Caring responsibilities	(N=1,251) 766 (62)	(N=203) 124 (59)	(N=603) 347 (61)	(N=169) 109 (46)	(N=931) 312 (30)	(N=15) 13 (80)	(N=665) 305 (46)	(N=16) 7 (43)	(N=825) 388 (47)	(N=81) 35 (42)	(N=4,375) 2,118 (47)	(N=484) 288 (53)	0.213
Physical health	(N=1,256) 792 (62)	(N=201) 118 (54)	(N=609) 390 (71)	(N=173) 111 (49)	(N=947) 579 (61)	(N=14) 8 (65)	(N=671) 383 (63)	(N=16) 10 (69)	(N=826) 408 (46)	(N=81) 29 (42)	(N=4,409) 2,552 (60)	(N=485) 276 (51)	0.060
Recreational	(N=1,229) 493 (38)	(N=196) 87 (39)	(N=596) 321 (49)	(N=167) 86 (49)	(N=949) 565 (58)	(N=14) 6 (53)	(N=667) 344 (47)	(N=16) 8 (42)	(N=830) 594 (65)	(N=81) 42 (55)	(N=4,371) 2,317 (51)	(N=474) 229 (46)	0.226
Sports	(N=1,207) 479 (39)	(N=193) 67 (31)	(N=587) 238 (36)	(N=168) 64 (46)	(N=929) 211 (22)	(N=14) 3 (10)	(N=659) 168 (24)	(N=16) 6 (34)	(N=817) 305 (36)	(N=80) 26 (34)	(N=4,299) 1,401 (32)	(N=471) 166 (36)	0.383
Mental health and wellbeing	(N=1,236) 697 (57)	(N=191) 101 (46)	(N=600) 369 (62)	(N=169) 107 (61)	(N=956) 690 (75)	(N=14) 9 (71)	(N=675) 436 (59)	(N=16) 12 (80)	(N=827) 409 (44)	(N=81) 27 (36)	(N=4,394) 2,601 (59)	(N=471) 256 (51)	0.096
Living arrangements	(N=1,224) 574 (48)	(N=195) 72 (34)	(N=585) 219 (44)	(N=168) 70 (50)	(N=928) 206 (23)	(N=15) 9 (60)	(N=658) 112 (16)	(N=16) 2 (20)	(N=818) 163 (15)	(N=81) 14 (17)	(N=4,313) 1,274 (30)	(N=475) 167 (38)	0.072
Infrastructure	(N=1,218) 564 (47)	(N=191) 87 (42)	(N=582) 233 (43)	(N=168) 75 (48)	(N=921) 209 (24)	(N=14) 3 (38)	(N=656) 160 (28)	(N=16) 3 (26)	(N=815) 184 (19)	(N=81) 11 (15)	(N=4,292) 1,350 (32)	(N=470) 179 (40)	0.113
Social	(N=1,243) 667 (52)	(N=197) 101 (49)	(N=602) 369 (51)	(N=171) 105 (68)	(N=959) 757 (79)	(N=15) 11 (76)	(N=670) 511 (70)	(N=16) 14 (78)	(N=834) 667 (70)	(N=81) 58 (68)	(N=4,408) 2,971 (65)	(N=480) 289 (60)	0.270
Religious and spiritual	(N=1,236) 511 (43)	(N=197) 80 (40)	(N=599) 296 (58)	(N=170) 97 (57)	(N=928) 159 (17)	(N=14) 3 (11)	(N=655) 92 (18)	(N=15) 3 (36)	(N=817) 169 (18)	(N=81) 32 (26)	(N=4,335) 1,227 (30)	(N=477) 215 (43)	0.005

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

Suppl. Table 14 Breakdown of concerns if advised/not allowed physical contact by country and whether or not living with children under 18

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	
Living with children under 18													
What are/were your concerns if advised not to go out/allowed to go out only for essential needs?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=497	N=537	N=1,837	N=3,221	
Caring responsibilities	(N=657) 487 (73)	(N=797) 403 (51)	(N=318) 217 (65)	(N=454) 239 (52)	(N=177) 109 (49)	(N=769) 216 (27)	(N=138) 88 (63)	(N=543) 224 (43)	(N=484) 278 (53)	(N=522) 145 (22)	(N=1,774) 1,179 (64)	(N=3,085) 1,227 (38)	<0.001
Physical health	(N=659) 458 (67)	(N=798) 452 (55)	(N=321) 199 (60)	(N=461) 302 (70)	(N=179) 103 (61)	(N=782) 484 (61)	(N=138) 77 (56)	(N=549) 316 (64)	(N=484) 217 (44)	(N=523) 220 (46)	(N=1,781) 1,054 (59)	(N=3,113) 1,774 (59)	0.984
Recreational	(N=644) 220 (36)	(N=781) 360 (41)	(N=316) 169 (48)	(N=447) 238 (49)	(N=179) 102 (55)	(N=784) 469 (59)	(N=139) 66 (40)	(N=544) 286 (49)	(N=486) 284 (60)	(N=525) 152 (68)	(N=1,764) 841 (46)	(N=3,081) 1,705 (53)	0.013
Sports	(N=633) 267 (41)	(N=767) 279 (35)	(N=318) 137 (45)	(N=437) 165 (34)	(N=173) 52 (24)	(N=770) 162 (21)	(N=135) 38 (29)	(N=540) 136 (23)	(N=478) 175 (41)	(N=519) 156 (33)	(N=1,737) 669 (39)	(N=3,033) 898 (29)	<0.001
Mental health and wellbeing	(N=641) 415 (63)	(N=786) 383 (48)	(N=318) 190 (56)	(N=451) 286 (65)	(N=180) 139 (80)	(N=790) 560 (74)	(N=139) 91 (60)	(N=552) 357 (60)	(N=481) 197 (44)	(N=527) 139 (43)	(N=1,759) 1,032 (59)	(N=3,106) 1,825 (58)	0.841
Living arrangements	(N=641) 366 (54)	(N=778) 280 (37)	(N=311) 118 (55)	(N=442) 171 (39)	(N=174) 56 (36)	(N=769) 159 (21)	(N=134) 24 (19)	(N=540) 90 (16)	(N=479) 93 (21)	(N=520) 14 (11)	(N=1,739) 657 (42)	(N=3,049) 784 (24)	<0.001
Infrastructure	(N=632) 322 (50)	(N=777) 329 (43)	(N=310) 131 (48)	(N=440) 177 (42)	(N=172) 37 (29)	(N=763) 175 (23)	(N=135) 30 (18)	(N=537) 133 (30)	(N=477) 81 (17)	(N=519) 14 (20)	(N=1,726) 601 (37)	(N=3,036) 928 (31)	0.018
Social	(N=651) 347 (52)	(N=789) 421 (52)	(N=322) 194 (53)	(N=451) 280 (57)	(N=179) 141 (82)	(N=795) 627 (78)	(N=140) 109 (77)	(N=546) 416 (69)	(N=488) 341 (69)	(N=527) 184 (70)	(N=1,780) 1,132 (61)	(N=3,108) 2,128 (66)	0.098
Religious and spiritual	(N=641) 307 (49)	(N=792) 284 (36)	(N=319) 174 (58)	(N=450) 219 (58)	(N=171) 30 (19)	(N=771) 132 (16)	(N=133) 23 (20)	(N=537) 72 (18)	(N=479) 118 (20)	(N=519) 103 (18)	(N=1,743) 652 (39)	(N=3,069) 790 (28)	<0.001

Suppl. Table 15 Breakdown of concerns if advised/not allowed physical contact by country and income type

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other/no income. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia		Total			P-value (for total)	
Type of income	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	FBP	CF	O		
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=847	N=103	N=84	N=2,969	N=1,581	N=508	
Caring responsibilities	(N=540) 372 (72)	(N=836) 481 (57)	(N=78) 37 (39)	(N=490) 307 (58)	(N=145) 78 (64)	(N=137) 71 (47)	(N=661) 223 (32)	(N=213) 83 (32)	(N=72) 19 (26)	(N=328) 167 (49)	(N=236) 101 (41)	(N=117) 44 (44)	(N=826) 362 (36)	(N=97) 42 (31)	(N=83) 29 (23)	(N=2,845) 1,431 (47)	(N=1,527) 785 (51)	(N=487) 190 (38)	0.028
Physical health	(N=543) 381 (70)	(N=835) 482 (56)	(N=79) 47 (49)	(N=497) 324 (63)	(N=146) 89 (71)	(N=139) 88 (66)	(N=672) 415 (62)	(N=216) 124 (60)	(N=73) 48 (63)	(N=333) 204 (68)	(N=236) 122 (51)	(N=118) 67 (59)	(N=826) 345 (44)	(N=98) 56 (58)	(N=83) 46 (42)	(N=2,871) 1,669 (59)	(N=1,531) 873 (58)	(N=492) 286 (57)	0.826
Recreational	(N=535) 243 (43)	(N=812) 296 (35)	(N=78) 41 (42)	(N=483) 253 (46)	(N=143) 78 (48)	(N=137) 76 (56)	(N=671) 386 (54)	(N=218) 134 (65)	(N=74) 51 (71)	(N=331) 153 (46)	(N=236) 136 (50)	(N=116) 63 (47)	(N=828) 511 (62)	(N=101) 63 (75)	(N=82) 42 (75)	(N=2,848) 1,546 (52)	(N=1,510) 707 (46)	(N=487) 293 (58)	0.024
Sports	(N=531) 264 (53)	(N=791) 249 (29)	(N=78) 33 (32)	(N=474) 190 (35)	(N=145) 63 (47)	(N=136) 49 (39)	(N=660) 133 (18)	(N=213) 57 (28)	(N=70) 24 (30)	(N=325) 72 (22)	(N=234) 70 (26)	(N=116) 32 (28)	(N=818) 265 (34)	(N=96) 34 (46)	(N=83) 22 (45)	(N=2,808) 924 (32)	(N=1,479) 473 (32)	(N=483) 170 (36)	0.582
Mental health and wellbeing	(N=533) 339 (65)	(N=816) 410 (50)	(N=78) 49 (50)	(N=485) 297 (61)	(N=146) 86 (58)	(N=138) 93 (66)	(N=676) 485 (75)	(N=221) 157 (74)	(N=73) 57 (80)	(N=335) 213 (60)	(N=238) 147 (55)	(N=118) 88 (68)	(N=826) 346 (43)	(N=99) 42 (38)	(N=83) 48 (53)	(N=2,855) 1,680 (59)	(N=1,520) 842 (55)	(N=490) 335 (63)	0.125
Living arrangements	(N=533) 268 (51)	(N=808) 352 (43)	(N=78) 26 (27)	(N=474) 181 (48)	(N=142) 54 (55)	(N=137) 54 (27)	(N=655) 128 (19)	(N=216) 65 (34)	(N=72) 22 (30)	(N=325) 57 (17)	(N=233) 38 (16)	(N=116) 19 (14)	(N=821) 138 (14)	(N=95) 15 (13)	(N=83) 24 (29)	(N=2,808) 772 (27)	(N=1,494) 524 (38)	(N=486) 145 (26)	<0.001
Infrastructure	(N=530) 279 (56)	(N=800) 335 (42)	(N=79) 37 (35)	(N=473) 179 (46)	(N=141) 55 (39)	(N=136) 74 (48)	(N=654) 134 (21)	(N=210) 56 (30)	(N=71) 22 (29)	(N=325) 74 (30)	(N=230) 56 (23)	(N=117) 33 (26)	(N=819) 157 (19)	(N=94) 15 (13)	(N=83) 23 (25)	(N=2,801) 823 (32)	(N=1,475) 517 (36)	(N=486) 189 (35)	0.370
Social	(N=537) 322 (58)	(N=824) 398 (48)	(N=79) 48 (51)	(N=491) 303 (55)	(N=146) 81 (59)	(N=136) 90 (52)	(N=681) 531 (78)	(N=219) 177 (79)	(N=74) 60 (81)	(N=335) 256 (72)	(N=233) 173 (63)	(N=118) 96 (78)	(N=834) 589 (68)	(N=98) 66 (67)	(N=83) 40 (86)	(N=2,878) 2,001 (67)	(N=1,520) 895 (58)	(N=490) 364 (67)	0.004
Religious and spiritual	(N=532) 235 (49)	(N=823) 326 (39)	(N=78) 30 (35)	(N=486) 254 (57)	(N=145) 68 (57)	(N=138) 71 (62)	(N=659) 121 (17)	(N=210) 31 (16)	(N=73) 10 (12)	(N=322) 43 (20)	(N=231) 36 (14)	(N=117) 16 (17)	(N=821) 168 (18)	(N=94) 22 (31)	(N=83) 11 (14)	(N=2,820) 821 (29)	(N=1,503) 483 (34)	(N=489) 138 (33)	0.195

Suppl. Table 16 Breakdown of maximum number of days that people thought they could cope by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	957 (66)	201 (31)	192 (21)	127 (23)	261 (34)	1,738 (39)	
>14 to 28 days	223 (13)	110 (16)	98 (11)	95 (14)	169 (16)	695 (14)	
29 days+	296 (21)	516 (52)	719 (68)	490 (63)	604 (50)	2,625 (47)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	805 (54)	270 (41)	393 (40)	304 (45)	601 (61)	2,373 (49)	
>14 to 28 days	249 (17)	114 (16)	124 (14)	161 (21)	151 (13)	799 (16)	
29 days+	422 (29)	443 (43)	492 (46)	247 (34)	282 (26)	1,886 (35)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	808 (56)	268 (40)	272 (29)	205 (33)	310 (37)	1,863 (41)	
>14 to 28 days	258 (17)	98 (14)	100 (10)	110 (17)	182 (18)	748 (15)	
29 days+	410 (26)	461 (46)	637 (60)	397 (51)	542 (45)	2,447 (44)	

Suppl. Table 17 Breakdown of maximum number of days that people thought they could cope by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.381	
1 to 14 days	479 (66)	476 (66)	2 (33)	68 (29)	132 (34)	1 (25)	87 (23)	102 (19)	3 (27)	46 (28)	81 (18)	113 (38)	147 (31)	1 (17)	793 (40)	938 (37)	7 (26)		
>14 to 28 days	99 (12)	123 (15)	1 (17)	40 (14)	69 (18)	1 (25)	43 (13)	54 (9)	1 (9)	28 (11)	67 (17)	49 (14)	120 (18)	0 (0)	259 (13)	433 (15)	3 (11)		
29 days+	126 (23)	167 (19)	3 (50)	190 (57)	324 (48)	2 (50)	296 (64)	416 (72)	7 (64)	148 (61)	342 (65)	204 (48)	395 (51)	5 (83)	964 (47)	1,644 (47)	17 (63)		
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.890	
1 to 14 days	398 (53)	405 (55)	2 (33)	96 (41)	173 (40)	1 (25)	170 (42)	219 (38)	4 (36)	100 (48)	204 (42)	217 (57)	382 (65)	2 (33)	981 (49)	1,383 (50)	9 (33)		
>14 to 28 days	116 (18)	132 (16)	1 (17)	47 (18)	66 (14)	1 (25)	53 (14)	71 (13)	0 (0)	46 (18)	115 (24)	40 (14)	111 (12)	0 (0)	302 (16)	495 (16)	2 (7)		
29 days+	190 (30)	229 (29)	3 (50)	155 (41)	286 (46)	2 (50)	203 (43)	282 (49)	7 (64)	76 (34)	171 (34)	109 (29)	169 (23)	4 (67)	733 (35)	1,137 (35)	16 (59)		
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.680	
1 to 14 days	418 (57)	388 (55)	2 (33)	94 (41)	173 (38)	1 (25)	127 (32)	141 (27)	4 (36)	72 (35)	133 (31)	125 (35)	183 (40)	2 (33)	836 (42)	1,018 (40)	9 (33)		
>14 to 28 days	114 (17)	142 (17)	2 (33)	35 (11)	62 (17)	1 (25)	40 (10)	60 (10)	0 (0)	31 (17)	79 (17)	73 (23)	109 (13)	0 (0)	293 (16)	452 (15)	3 (11)		
29 days+	172 (25)	236 (27)	2 (33)	169 (47)	290 (45)	2 (50)	259 (58)	371 (62)	7 (64)	119 (49)	278 (52)	168 (43)	370 (47)	4 (67)	887 (42)	1,545 (45)	15 (56)		

6/bmjopen-2020-046863 on 20 June 2021. Downloaded from http://bmjopen.bmj.com/ on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 18 Breakdown of maximum number of days that people thought they could cope by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.409
1 to 14 days	115 (57)	774 (70)	68 (67)	96 (32)	96 (25)	9 (55)	22 (22)	112 (18)	58 (24)	37 (19)	81 (26)	9 (19)	112 (36)	167 (31)	16 (49)	348 (36)	1,230 (39)	160 (42)	
>14 to 28 days	29 (10)	179 (15)	15 (15)	51 (19)	53 (13)	6 (22)	16 (13)	55 (10)	27 (12)	42 (20)	42 (11)	11 (17)	112 (36)	112 (15)	8 (18)	187 (10)	441 (13)	67 (16)	
29 days+	79 (33)	199 (15)	18 (18)	203 (49)	293 (62)	20 (23)	102 (65)	449 (72)	168 (64)	193 (62)	260 (63)	37 (64)	111 (34)	397 (54)	26 (34)	758 (50)	1,598 (48)	269 (42)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.335
1 to 14 days	113 (48)	643 (58)	49 (50)	116 (42)	141 (36)	13 (56)	62 (42)	222 (37)	109 (47)	111 (45)	170 (44)	23 (47)	112 (36)	382 (59)	27 (67)	594 (47)	1,558 (49)	221 (53)	
>14 to 28 days	33 (17)	192 (16)	24 (20)	43 (13)	65 (17)	6 (28)	19 (17)	85 (14)	20 (9)	65 (19)	82 (19)	14 (27)	33 (11)	107 (14)	8 (15)	196 (15)	531 (16)	72 (18)	
29 days+	77 (35)	317 (26)	28 (30)	191 (45)	236 (47)	16 (16)	59 (40)	309 (50)	124 (45)	96 (36)	131 (37)	20 (26)	89 (28)	187 (28)	15 (19)	503 (37)	1,180 (36)	203 (29)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.255
1 to 14 days	107 (52)	648 (59)	53 (56)	91 (32)	163 (43)	14 (62)	33 (28)	161 (27)	78 (36)	62 (27)	126 (36)	17 (32)	98 (31)	189 (33)	23 (51)	391 (37)	1,287 (42)	185 (46)	
>14 to 28 days	43 (18)	195 (17)	20 (17)	40 (13)	54 (14)	4 (15)	17 (12)	58 (10)	25 (8)	48 (20)	52 (14)	10 (20)	51 (17)	121 (17)	8 (19)	201 (16)	480 (15)	67 (16)	
29 days+	73 (30)	309 (24)	28 (27)	219 (55)	225 (43)	17 (22)	90 (60)	397 (63)	150 (56)	162 (53)	205 (51)	30 (48)	117 (37)	366 (50)	19 (29)	701 (48)	1,502 (43)	244 (38)	

Suppl. Table 19 Breakdown of maximum number of days that people thought they could cope by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	1-5	≥6	
Household size (number of persons in household)													
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=1,273	N=203	N=646	N=181	N=994	N=15	N=696	N=16	N=953	N=81	N=4,562	N=496	0.499
1 to 14 days	835 (68)	122 (56)	152 (30)	49 (36)	191 (21)	1 (4)	122 (23)	5 (44)	247 (35)	14 (24)	1,547 (38)	191 (43)	
>14 to 28 days	189 (13)	34 (15)	85 (16)	25 (17)	98 (11)	0 (0)	94 (15)	1 (3)	156 (16)	13 (15)	622 (14)	73 (15)	
29 days+	249 (19)	47 (29)	409 (54)	107 (47)	705 (68)	14 (96)	480 (63)	10 (53)	550 (49)	54 (61)	2,393 (48)	232 (42)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=1,273	N=203	N=646	N=181	N=994	N=15	N=696	N=16	N=953	N=81	N=4,562	N=496	0.298
1 to 14 days	712 (56)	93 (43)	209 (34)	61 (59)	389 (40)	4 (40)	296 (45)	8 (58)	558 (62)	43 (55)	2,164 (49)	209 (51)	
>14 to 28 days	211 (16)	38 (23)	86 (15)	28 (19)	121 (13)	3 (23)	159 (21)	2 (8)	139 (13)	12 (12)	716 (16)	83 (20)	
29 days+	350 (28)	72 (34)	351 (50)	92 (22)	484 (46)	8 (37)	241 (34)	6 (34)	256 (25)	26 (32)	1,682 (35)	204 (30)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=1,273	N=203	N=646	N=181	N=994	N=15	N=696	N=16	N=953	N=81	N=4,562	N=496	0.134
1 to 14 days	703 (57)	105 (55)	215 (37)	53 (51)	269 (29)	3 (37)	202 (33)	3 (29)	292 (38)	18 (24)	1,681 (40)	182 (49)	
>14 to 28 days	222 (18)	36 (16)	80 (15)	18 (9)	100 (11)	0 (0)	106 (17)	4 (20)	170 (18)	12 (11)	678 (16)	70 (12)	
29 days+	348 (26)	62 (29)	351 (48)	110 (40)	625 (60)	12 (63)	388 (51)	9 (51)	491 (44)	51 (64)	2,203 (44)	244 (39)	

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on 17 July 2024 by guest. Protected by copyright.

Suppl. Table 20 Breakdown of maximum number of days that people thought they could cope by country and whether or not living with children under 18

Y = living with children under 18; N = not living with children under 18. Values in cells are n (weighted %) of respondents who replied 'yes'

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia			Total		P-value (for total)
Living with children under 18	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N		
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	<0.001	
1 to 14 days	490 (72)	467 (60)	97 (40)	104 (25)	24 (14)	168 (22)	24 (18)	103 (24)	115 (30)	146 (38)	750 (46)	988 (35)		
>14 to 28 days	80 (10)	143 (17)	37 (12)	73 (19)	18 (12)	80 (11)	13 (9)	82 (16)	79 (24)	90 (18)	227 (12)	468 (16)		
29 days+	94 (18)	202 (23)	212 (47)	304 (56)	144 (74)	575 (67)	107 (73)	383 (61)	303 (57)	301 (45)	860 (42)	1,765 (50)		
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	<0.001	
1 to 14 days	412 (59)	393 (49)	120 (57)	150 (29)	60 (36)	333 (41)	62 (44)	242 (45)	290 (62)	311 (60)	944 (56)	1,429 (46)		
>14 to 28 days	100 (16)	149 (18)	45 (11)	69 (20)	34 (19)	90 (12)	33 (26)	128 (20)	73 (33)	78 (14)	285 (15)	514 (17)		
29 days+	152 (25)	270 (33)	181 (33)	262 (51)	92 (46)	400 (46)	49 (31)	198 (34)	134 (25)	148 (26)	608 (29)	1,278 (38)		
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	0.004	
1 to 14 days	407 (63)	401 (51)	117 (47)	151 (35)	33 (21)	239 (31)	42 (35)	163 (32)	139 (35)	171 (39)	738 (47)	1,125 (38)		
>14 to 28 days	112 (16)	146 (18)	37 (8)	61 (18)	17 (8)	83 (11)	20 (11)	90 (18)	90 (26)	92 (18)	276 (14)	472 (16)		
29 days+	145 (21)	265 (31)	192 (45)	269 (47)	136 (71)	501 (58)	82 (53)	315 (50)	268 (49)	274 (42)	823 (40)	1,624 (46)		

Suppl. Table 21 Breakdown of maximum number of days that people thought they could cope by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value
Education level	P/S	T	(for total)										
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	<0.001
1 to 14 days	659 (69)	298 (51)	27 (33)	174 (23)	55 (24)	137 (18)	53 (26)	74 (16)	69 (41)	192 (24)	863 (45)	875 (25)	
>14 to 28 days	122 (12)	101 (17)	15 (17)	95 (13)	30 (13)	68 (9)	31 (15)	64 (13)	33 (16)	136 (16)	231 (15)	464 (13)	
29 days+	128 (18)	168 (32)	40 (50)	476 (64)	162 (63)	557 (73)	133 (59)	357 (72)	100 (43)	504 (60)	563 (41)	2,062 (62)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.004
1 to 14 days	541 (56)	264 (47)	34 (43)	236 (32)	101 (41)	292 (40)	95 (46)	209 (43)	111 (63)	482 (58)	890 (51)	1,483 (45)	
>14 to 28 days	144 (17)	105 (18)	15 (17)	99 (13)	31 (15)	93 (13)	41 (20)	120 (24)	23 (12)	128 (15)	254 (16)	545 (16)	
29 days+	224 (28)	198 (35)	33 (40)	410 (55)	115 (44)	377 (48)	81 (34)	166 (33)	60 (25)	222 (27)	513 (33)	1,373 (39)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	<0.001
1 to 14 days	564 (59)	244 (43)	35 (43)	233 (29)	87 (35)	185 (24)	70 (35)	135 (29)	75 (42)	235 (31)	831 (46)	1,032 (30)	
>14 to 28 days	156 (17)	102 (19)	12 (14)	86 (11)	26 (10)	74 (10)	39 (18)	71 (14)	33 (17)	149 (18)	266 (16)	482 (14)	
29 days+	189 (24)	221 (38)	35 (43)	426 (59)	134 (54)	503 (66)	108 (48)	289 (57)	94 (41)	448 (51)	560 (38)	1,887 (56)	

6/mjopen/2020-046863/2020-046863 from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 22 Breakdown of maximum number of days that people thought they could cope by country and type of income

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	<0.001
1 to 14 days	344 (64)	577 (69)	36 (43)	135 (23)	35 (37)	31 (48)	134 (22)	36 (17)	22 (24)	58 (22)	47 (27)	22 (18)	208 (34)	35 (44)	18 (26)	879 (33)	730 (50)	129 (34)	
>14 to 28 days	74 (11)	134 (14)	15 (17)	57 (15)	24 (16)	29 (19)	69 (11)	25 (14)	4 (7)	46 (15)	30 (12)	19 (15)	141 (17)	19 (16)	9 (9)	387 (14)	232 (14)	76 (14)	
29 days+	128 (25)	138 (16)	30 (41)	332 (62)	99 (47)	85 (33)	502 (68)	166 (69)	51 (69)	243 (63)	167 (60)	80 (66)	498 (49)	49 (40)	57 (65)	1,703 (53)	619 (35)	303 (51)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	0.471
1 to 14 days	313 (55)	461 (55)	31 (39)	183 (38)	46 (39)	41 (49)	273 (40)	87 (41)	33 (42)	147 (45)	108 (47)	49 (40)	485 (56)	66 (75)	50 (59)	1,401 (49)	768 (51)	204 (46)	
>14 to 28 days	85 (16)	148 (17)	16 (20)	70 (18)	22 (17)	22 (10)	90 (13)	28 (17)	6 (9)	84 (24)	55 (17)	22 (14)	129 (14)	12 (7)	10 (14)	458 (16)	265 (16)	76 (13)	
29 days+	148 (29)	240 (28)	34 (40)	271 (44)	90 (44)	82 (41)	342 (47)	112 (43)	38 (49)	116 (30)	81 (36)	50 (46)	233 (27)	25 (18)	24 (27)	1,110 (35)	548 (33)	228 (41)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	<0.001
1 to 14 days	297 (59)	478 (56)	33 (43)	181 (38)	56 (53)	31 (29)	186 (29)	64 (31)	22 (22)	99 (33)	78 (34)	28 (27)	250 (38)	41 (45)	19 (27)	1,013 (39)	717 (49)	133 (30)	
>14 to 28 days	81 (16)	159 (18)	18 (23)	54 (14)	23 (4)	21 (25)	68 (10)	20 (10)	12 (16)	55 (18)	30 (12)	25 (19)	150 (17)	17 (21)	15 (17)	408 (15)	249 (14)	91 (21)	
29 days+	168 (25)	212 (26)	30 (34)	289 (48)	79 (43)	93 (46)	451 (61)	143 (58)	43 (62)	193 (49)	136 (53)	68 (54)	447 (45)	45 (34)	50 (57)	1,548 (46)	615 (37)	284 (50)	

Suppl. Table 23 Breakdown of behavioural changes and acceptance of government public health measures by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Did you change your social behaviour before the implementation of government restrictions?	1,374 (93)	538 (64)	712 (68)	356 (47)	584 (47)	3,564 (67)	<0.001
If you answered 'yes' to the previous question: how did you change your social behaviour?							
No physical contact with anyone	(N=1,374) 1,302 (94)	(N=506) 362 (82)	(N=657) 325 (51)	(N=342) 243 (74)	(N=576) 518 (93)	(N=3,455) 2,748 (82)	<0.001
No physical contact only with elderly and those with serious underlying medical conditions	(N=1,374) 1,200 (88)	(N=494) 292 (63)	(N=644) 393 (60)	(N=332) 272 (79)	(N=566) 518 (91)	(N=3,410) 2,673 (79)	<0.001
Going out only for essential needs	(N=1,374) 1,291 (94)	(N=525) 489 (95)	(N=681) 571 (83)	(N=346) 263 (82)	(N=562) 381 (71)	(N=3,488) 2,995 (87)	<0.001
Moving home to stay with parents/relatives	(N=1,374) 677 (54)	(N=489) 99 (26)	(N=627) 30 (8)	(N=326) 27 (6)	(N=552) 33 (5)	(N=3,368) 866 (30)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=1,374) 1,334 (96)	(N=527) 488 (95)	(N=651) 225 (33)	(N=339) 165 (55)	(N=564) 361 (67)	(N=3,455) 2,578 (76)	<0.001
Use of sanitizer products and alcohol	(N=1,374) 1,321 (95)	(N=529) 504 (96)	(N=685) 559 (83)	(N=350) 307 (91)	(N=569) 521 (94)	(N=3,507) 3,212 (92)	<0.001
"I would comply with government enforced quarantine/ isolation/social distancing."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,344 (92)	708 (86)	822 (80)	606 (78)	871 (75)	4,351 (83)	
Neither agree nor disagree	92 (5)	18 (0)	48 (4)	36 (7)	68 (14)	262 (6)	
Disagree	40 (3)	101 (14)	139 (15)	70 (15)	95 (11)	445 (10)	
"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,354 (92)	674 (81)	815 (78)	566 (76)	838 (76)	4,247 (82)	
Neither agree nor disagree	100 (7)	48 (4)	50 (5)	59 (10)	91 (13)	348 (8)	
Disagree	22 (1)	105 (15)	144 (17)	87 (14)	105 (11)	463 (10)	
How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,383 (94)	739 (88)	853 (83)	608 (80)	841 (74)	4,429 (85)	
Neither agree nor disagree	65 (4)	12 (0)	27 (3)	28 (5)	76 (11)	208 (5)	
Disagree	28 (2)	76 (12)	129 (14)	76 (15)	117 (15)	421 (10)	

Suppl. Table 24 Breakdown of behavioural changes and acceptance of government public health measures by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
Gender	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
Did you change your social behaviour before the implementation of government restrictions?	660 (94)	709 (92)	5 (83) (60)	184 (60)	351 (68)	3 (75) (64)	288 (64)	415 (71)	9 (82)	99 (43)	257 (52)		179 (42)	402 (51)	3 (50)	1,410 (65)	2,134 (70)	20 (74)	0.039
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=660) 626 (93)	(N=709) 671 (95)	(N=5) 5 (100)	(N=173) 122 (75)	(N=330) 237 (87)	(N=3) 3 (100)	(N=271) 141 (51)	(N=379) 181 (50)	(N=7) 3 (43)	(N=94) 63 (68)	(N=248) 180 (78)		(N=175) 162 (94)	(N=398) 351 (89)	(N=3) 3 (100)	(N=1,373) 1,114 (80)	(N=2,064) 1,620 (83)	(N=18) 14 (78)	0.227
No physical contact only with elderly and those with serious underlying medical conditions	(N=660) 584 (88)	(N=709) 611 (89)	(N=5) 5 (100)	(N=170) 104 (59)	(N=321) 186 (67)	(N=3) 2 (67)	(N=268) 148 (58)	(N=370) 243 (62)	(N=6) 2 (33)	(N=90) 75 (75)	(N=242) 197 (81)		(N=171) 152 (88)	(N=392) 361 (94)	(N=3) 3 (100)	(N=1,359) 1,063 (77)	(N=2,034) 1,598 (81)	(N=17) 12 (71)	0.124
Going out only for essential needs	(N=660) 612 (93)	(N=709) 674 (94)	(N=5) 5 (100)	(N=177) 164 (91)	(N=345) 322 (99)	(N=3) 3 (100)	(N=277) 234 (84)	(N=396) 330 (82)	(N=8) 7 (88)	(N=95) 71 (84)	(N=251) 192 (81)		(N=172) 113 (65)	(N=387) 265 (76)	(N=3) 3 (100)	(N=1,381) 1,194 (87)	(N=2,088) 1,783 (88)	(N=19) 18 (95)	0.327
Moving home to stay with parents/relatives	(N=660) 359 (59)	(N=709) 316 (49)	(N=5) 2 (40)	(N=167) 39 (27)	(N=319) 59 (24)	(N=3) 1 (33)	(N=267) 8 (3)	(N=354) 22 (11)	(N=6) 0 (0)	(N=91) 7 (3)	(N=235) 20 (9)		(N=167) 11 (3)	(N=382) 21 (6)	(N=3) 1 (33)	(N=1,352) 424 (32)	(N=1,999) 438 (28)	(N=17) 4 (24)	0.207
Use of personal protection equipment (e.g. masks and gloves)	(N=660) 639 (97)	(N=709) 690 (95)	(N=5) 5 (100)	(N=178) 160 (96)	(N=346) 325 (95)	(N=3) 3 (100)	(N=272) 101 (33)	(N=371) 121 (33)	(N=8) 3 (38)	(N=93) 38 (59)	(N=246) 127 (52)		(N=173) 122 (73)	(N=388) 241 (63)	(N=3) 3 (100)	(N=1,376) 1,060 (78)	(N=2,060) 1,504 (74)	(N=19) 14 (74)	0.079
Use of sanitizer products and alcohol	(N=660) 628 (95)	(N=709) 688 (95)	(N=5) 5 (100)	(N=178) 167 (96)	(N=348) 334 (96)	(N=3) 3 (100)	(N=278) 223 (80)	(N=398) 329 (85)	(N=9) 7 (78)	(N=96) 80 (92)	(N=254) 227 (91)		(N=173) 164 (94)	(N=393) 354 (94)	(N=3) 3 (100)	(N=1,385) 1,262 (92)	(N=2,102) 1,932 (93)	(N=20) 18 (90)	0.474
"I would comply with government enforced quarantine/ isolation/social distancing."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.631
Agree	636 (92)	705 (93)	3 (50)	262 (93)	442 (78)	4 (100)	334 (76)	480 (85)	8 (73)	176 (69)	430 (86)		295 (75)	571 (75)	5 (83)	1,703 (82)	2,628 (84)	20 (74)	
Neither agree nor disagree	49 (6)	40 (4)	3 (50)	9 (1)	9 (0)	0 (0)	26 (6)	19 (3)	3 (27)	14 (10)	22 (5)		24 (10)	44 (17)	0 (0)	122 (6)	134 (6)	6 (22)	
Disagree	19 (2)	21 (3)	0 (0)	27 (7)	74 (22)	0 (0)	66 (18)	73 (12)	0 (0)	32 (21)	38 (9)		47 (15)	47 (8)	1 (17)	191 (11)	253 (10)	1 (4)	

1	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.761
2	Agree	644 (91)	707 (92)	3 (50)	258 (93)	412 (68)	4 (100)	340 (78)	465 (78)	10 (91)	163 (67)	403 (85)		285 (76)	548 (77)	5 (83)	1,690 (83)	2,535 (81)	22 (81)	
3	Neither agree nor disagree	50 (8)	47 (7)	3 (50)	14 (1)	34 (8)	0 (0)	22 (5)	27 (5)	1 (9)	21 (14)	38 (6)		36 (9)	55 (15)	0 (0)	143 (7)	201 (8)	4 (15)	
4	Disagree	10 (1)	12 (1)	0 (0)	26 (6)	79 (25)	0 (0)	64 (17)	80 (16)	0 (0)	38 (19)	49 (9)		45 (15)	59 (8)	1 (17)	183 (10)	279 (10)	1 (4)	
5	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.191
6	Agree	653 (93)	725 (95)	5 (83)	272 (93)	463 (83)	4 (100)	342 (77)	502 (88)	9 (82)	169 (68)	439 (91)		285 (75)	557 (74)	4 (67)	1,721 (83)	2,686 (87)	22 (81)	
7	Neither agree nor disagree	38 (5)	26 (3)	1 (17)	6 (0)	6 (0)	0 (0)	16 (4)	11 (3)	0 (0)	15 (9)	13 (2)		28 (7)	47 (15)	1 (17)	103 (5)	103 (5)	2 (7)	
8	Disagree	13 (1)	15 (2)	0 (0)	20 (6)	56 (17)	0 (0)	68 (19)	59 (10)	2 (18)	38 (23)	38 (8)		53 (18)	58 (12)	1 (17)	192 (12)	226 (9)	3 (11)	

peer review only

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 25 Breakdown of behavioural changes and acceptance of government public health measures by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and Categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
Education level	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Did you change your social behaviour before the implementation of government restrictions?	849 (93)	525 (92)	52 (64)	486 (65)	147 (60)	565 (74)	99 (46)	257 (52)	109 (41)	485 (56)	1,246 (67)	2,318 (69)	0.369
If you answered 'yes' to the previous question: how did you change your social behaviour?													
No physical contact with anyone	(N=849) 816 (95)	(N=525) 486 (91)	(N=47) 41 (85)	(N=459) 321 (70)	(N=138) 80 (59)	(N=519) 245 (45)	(N=90) 67 (76)	(N=252) 176 (71)	(N=97) 82 (96)	(N=479) 424 (90)	(N=1,221) 1,096 (87)	(N=2,234) 1,652 (70)	<0.001
No physical contact only with elderly and those with serious underlying medical conditions	(N=849) 771 (90)	(N=525) 429 (81)	(N=43) 29 (64)	(N=451) 263 (59)	(N=131) 76 (58)	(N=513) 317 (61)	(N=87) 73 (77)	(N=245) 199 (82)	(N=91) 83 (93)	(N=475) 433 (90)	(N=1,201) 1,032 (81)	(N=2,209) 1,641 (74)	0.003
Going out only for essential needs	(N=849) 798 (94)	(N=525) 493 (92)	(N=49) 47 (96)	(N=476) 442 (93)	(N=143) 122 (84)	(N=538) 449 (82)	(N=93) 69 (84)	(N=253) 194 (79)	(N=93) 86 (75)	(N=469) 315 (67)	(N=1,227) 1,102 (90)	(N=2,261) 1,893 (82)	<0.001
Moving home to stay with parents/relatives	(N=849) 515 (58)	(N=525) 162 (32)	(N=42) 11 (26)	(N=447) 88 (23)	(N=131) 5 (8)	(N=496) 25 (8)	(N=84) 10 (6)	(N=242) 17 (6)	(N=91) 3 (3)	(N=461) 29 (6)	(N=1,197) 545 (37)	(N=2,171) 321 (15)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=849) 819 (96)	(N=525) 515 (98)	(N=49) 47 (96)	(N=478) 441 (91)	(N=136) 55 (35)	(N=515) 170 (32)	(N=89) 49 (59)	(N=250) 116 (47)	(N=94) 7 (67)	(N=470) 309 (68)	(N=1,217) 1,027 (82)	(N=2,238) 1,551 (62)	<0.001
Use of sanitizer products and alcohol	(N=849) 813 (95)	(N=525) 508 (97)	(N=48) 46 (96)	(N=481) 458 (95)	(N=142) 120 (83)	(N=543) 439 (81)	(N=94) 84 (94)	(N=256) 223 (87)	(N=96) 82 (96)	(N=473) 429 (92)	(N=1,229) 1,155 (94)	(N=2,278) 2,057 (89)	<0.001
"I would comply with government enforced quarantine/isolation/social distancing."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.315
Agree	843 (93)	501 (87)	70 (85)	638 (87)	190 (77)	632 (83)	178 (75)	428 (84)	148 (68)	723 (87)	1,429 (82)	2,922 (85)	
Neither agree nor disagree	43 (4)	49 (10)	0 (0)	18 (3)	14 (5)	34 (4)	9 (7)	27 (7)	12 (19)	46 (6)	88 (7)	174 (6)	
Disagree	23 (3)	17 (3)	12 (15)	89 (11)	43 (18)	96 (13)	30 (17)	40 (9)	22 (14)	63 (7)	140 (11)	305 (9)	
"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.370
Agree	842 (92)	512 (89)	65 (80)	609 (83)	180 (73)	635 (83)	165 (75)	401 (80)	151 (72)	687 (82)	1,403 (81)	2,844 (84)	
Neither agree nor disagree	55 (7)	45 (10)	3 (4)	45 (6)	17 (6)	33 (4)	24 (11)	35 (7)	14 (15)	67 (9)	123 (8)	225 (7)	
Disagree	12 (1)	10 (2)	14 (16)	91 (11)	50 (21)	94 (13)	28 (14)	59 (13)	17 (13)	78 (9)	131 (11)	332 (10)	
How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.304
Agree	858 (95)	525 (91)	72 (88)	667 (90)	201 (80)	652 (85)	179 (78)	429 (84)	145 (768)	701 (85)	1,455 (84)	2,974 (87)	
Neither agree nor disagree	34 (4)	31 (7)	0 (0)	12 (2)	8 (4)	19 (3)	6 (5)	22 (5)	13 (14)	53 (6)	71 (5)	137 (5)	
Disagree	17 (2)	11 (2)	10 (12)	66 (8)	38 (17)	91 (12)	32 (17)	44 (10)	14 (19)	78 (9)	131 (11)	290 (9)	

Suppl. Table 26 Breakdown of behavioural changes and acceptance of government public health measures by age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
Did you change your social behaviour before the implementation of government restrictions?	202 (92)	1,079 (94)	93 (93)	233 (63)	287 (71)	18 (37)	104 (71)	448 (69)	160 (61)	124 (44)	202 (44)	30 (57)	178 (54)	386 (53)	20 (25)	841 (70)	2,402 (70)	321 (57)	0.004
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=202) 180 (91)	(N=1,079) 1,037 (96)	(N=93) 85 (90)	(N=225) 156 (84)	(N=265) 193 (80)	(N=16) 13 (81)	(N=99) 35 (43)	(N=412) 200 (51)	(N=146) 90 (61)	(N=120) 79 (72)	(N=196) 143 (74)	(N=26) 21 (75)	(N=170) 151 (87)	(N=380) 345 (94)	(N=20) 20 (100)	(N=822) 601 (78)	(N=2,332) 1,918 (84)	(N=301) 229 (82)	0.204
No physical contact only with elderly and those with serious underlying medical conditions	(N=202) 168 (88)	(N=1,079) 956 (90)	(N=93) 76 (83)	(N=218) 127 (65)	(N=261) 158 (61)	(N=15) 7 (73)	(N=98) 60 (60)	(N=416) 271 (65)	(N=130) 62 (46)	(N=120) 100 (89)	(N=187) 150 (80)	(N=25) 22 (69)	(N=170) 163 (90)	(N=374) 340 (92)	(N=18) 13 (87)	(N=812) 618 (78)	(N=2,317) 1,875 (81)	(N=281) 180 (73)	0.152
Going out only for essential needs	(N=202) 186 (94)	(N=1,079) 1,022 (95)	(N=93) 83 (89)	(N=230) 212 (98)	(N=278) 262 (94)	(N=17) 15 (82)	(N=102) 79 (76)	(N=427) 362 (86)	(N=152) 130 (86)	(N=121) 79 (68)	(N=198) 159 (79)	(N=27) 25 (99)	(N=170) 102 (55)	(N=370) 266 (75)	(N=18) 13 (87)	(N=829) 658 (85)	(N=2,352) 2,071 (88)	(N=307) 266 (89)	0.153
Moving home to stay with parents/relatives	(N=202) 88 (59)	(N=1,079) 556 (56)	(N=93) 33 (34)	(N=219) 65 (38)	(N=256) 32 (16)	(N=14) 2 (22)	(N=98) 21 (21)	(N=398) 8 (2)	(N=131) 1 (2)	(N=120) 16 (11)	(N=184) 11 (7)	(N=22) 0 (0)	(N=170) 16 (8)	(N=363) 17 (4)	(N=17) 0 (0)	(N=811) 206 (37)	(N=2,280) 624 (29)	(N=277) 36 (17)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=202) 198 (98)	(N=1,079) 1,050 (97)	(N=93) 86 (90)	(N=230) 212 (93)	(N=279) 262 (99)	(N=18) 14 (80)	(N=100) 23 (20)	(N=417) 157 (40)	(N=134) 45 (35)	(N=121) 48 (39)	(N=191) 100 (54)	(N=27) 17 (69)	(N=170) 88 (52)	(N=371) 260 (68)	(N=19) 18 (97)	(N=827) 569 (72)	(N=2,337) 1,829 (79)	(N=291) 180 (74)	0.067
Use of sanitizer products and alcohol	(N=202) 197 (96)	(N=1,079) 1,037 (96)	(N=93) 87 (91)	(N=230) 218 (94)	(N=281) 271 (99)	(N=18) 15 (81)	(N=102) 88 (84)	(N=436) 352 (82)	(N=147) 119 (84)	(N=122) 103 (84)	(N=199) 177 (90)	(N=29) 27 (99)	(N=170) 157 (92)	(N=377) 346 (94)	(N=18) 18 (100)	(N=830) 763 (92)	(N=2,372) 2,183 (93)	(N=305) 266 (91)	0.613
"I would comply with government enforced quarantine/ isolation/social distancing."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.003
Agree	189 (90)	1,058 (92)	97 (96)	307 (82)	371 (88)	30 (91)	120 (85)	493 (78)	209 (80)	247 (88)	311 (77)	48 (72)	272 (85)	559 (75)	40 (65)	1,135 (86)	2,792 (83)	424 (80)	
Neither agree nor disagree	28 (8)	63 (5)	1 (1)	7 (1)	11 (1)	0 (0)	3 (1)	33 (6)	12 (5)	7 (2)	24 (5)	5 (14)	16 (7)	44 (8)	8 (34)	61 (4)	175 (5)	26 (13)	
Disagree	6 (2)	31 (3)	3 (3)	36 (18)	60 (11)	5 (9)	17 (14)	90 (17)	32 (14)	18 (10)	48 (17)	4 (14)	20 (8)	73 (17)	2 (1)	97 (10)	302 (12)	46 (8)	

1	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.327
2	Agree	188 (86)	1,068 (93)	98 (96)	294 (79)	353 (86)	27 (68)	114 (79)	497 (78)	204 (78)	211 (70)	306 (75)	49 (84)	247 (80)	550 (75)	41 (74)	1,054 (80)	2,774 (83)	419 (82)	
3	Neither agree nor disagree	33 (13)	64 (5)	3 (4)	23 (7)	23 (1)	2 (9)	6 (4)	30 (5)	14 (7)	28 (15)	28 (8)	3 (10)	28 (9)	57 (11)	6 (20)	118 (9)	202 (6)	28 (10)	
4	Disagree	2 (1)	20 (2)	0 (0)	33 (15)	66 (13)	6 (24)	20 (17)	89 (17)	35 (15)	33 (16)	49 (17)	5 (6)	33 (11)	69 (13)	3 (7)	121 (11)	293 (11)	49 (8)	
5	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.271
6	Agree	203 (93)	1,083 (94)	97 (96)	313 (85)	393 (89)	33 (100)	120 (83)	521 (83)	212 (82)	243 (86)	315 (78)	50 (79)	254 (79)	549 (76)	43 (67)	1,133 (86)	2,861 (85)	435 (82)	
7	Neither agree nor disagree	18 (7)	45 (4)	2 (2)	5 (0)	6 (0)	1 (0)	3 (3)	16 (3)	8 (4)	10 (4)	14 (3)	4 (11)	28 (11)	45 (7)	3 (18)	64 (5)	126 (4)	18 (8)	
8	Disagree	2 (0)	24 (2)	2 (2)	32 (15)	43 (11)	1 (0)	17 (14)	79 (15)	33 (14)	19 (10)	54 (19)	3 (10)	26 (10)	82 (17)	4 (15)	96 (9)	282 (11)	43 (10)	

Suppl. Table 27 Breakdown of behavioural changes and acceptance of government public health measures by self-reported level of understanding of COVID-19

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia		Total			P-value (for total)	
	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S		N
Self-reported level of understanding of COVID-19																			
	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=20	N=42	N=3,128	N=1,757	N=173
Did you change your social behaviour before the implementation of government restrictions?	898 (94)	430 (92)	46 (91)	285 (64)	232 (66)	21 (58)	468 (69)	232 (66)	12 (68)	200 (52)	146 (43)	10 (60)	429 (52)	137 (37)	18 (46)	2,280 (70)	1,177 (64)	107 (65)	0.091
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=898) 849 (94)	(N=430) 411 (95)	(N=46) 42 (91.87)	(N=272) 204 (90)	(N=214) 143 (73)	(N=20) 15 (69)	(N=428) 221 (53)	(N=217) 99 (47)	(N=12) 5 (52)	(N=194) 137 (78)	(N=138) 99 (67)	(N=10) 7 (88)	(N=423) 380 (95)	(N=115) 119 (87)	(N=18) 17 (96)	(N=2,215) 1,791 (85)	(N=1,134) 871 (77)	(N=106) 86 (78)	0.033
No physical contact only with elderly and those with serious underlying medical conditions	(N=898) 765 (87)	(N=430) 394 (92)	(N=46) 41 (87)	(N=266) 162 (63)	(N=209) 119 (60)	(N=19) 11 (74)	(N=417) 261 (61)	(N=215) 128 (59)	(N=12) 4 (49)	(N=192) 163 (85)	(N=130) 101 (67)	(N=10) 8 (94)	(N=418) 379 (91)	(N=111) 122 (92)	(N=17) 15 (95)	(N=2,191) 1,730 (80)	(N=1,115) 864 (77)	(N=104) 79 (79)	0.744
Going out only for essential needs	(N=898) 844 (93)	(N=430) 405 (95)	(N=46) 42 (87)	(N=280) 266 (99)	(N=225) 205 (89)	(N=20) 18 (99)	(N=444) 381 (86)	(N=225) 182 (80)	(N=12) 8 (66)	(N=196) 145 (80)	(N=140) 109 (83)	(N=10) 9 (95)	(N=415) 283 (72)	(N=119) 87 (74)	(N=18) 11 (60)	(N=2,233) 1,919 (88)	(N=1,149) 988 (87)	(N=106) 88 (84)	0.711
Moving home to stay with parents/relatives	(N=898) 345 (45)	(N=430) 298 (67)	(N=46) 34 (73)	(N=261) 45 (24)	(N=209) 48 (25)	(N=19) 6 (40)	(N=404) 17 (5)	(N=212) 12 (10)	(N=11) 1 (24)	(N=189) 17 (6)	(N=127) 9 (7)	(N=10) 1 (10)	(N=405) 19 (3)	(N=119) 14 (9)	(N=18) 0 (0)	(N=2,157) 443 (25)	(N=1,107) 381 (36)	(N=104) 42 (42)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=898) 874 (97)	(N=430) 418 (96)	(N=46) 42 (81)	(N=280) 266 (99)	(N=227) 203 (90)	(N=20) 19 (99)	(N=421) 153 (38)	(N=218) 68 (28)	(N=12) 4 (17)	(N=194) 90 (46)	(N=135) 69 (66)	(N=10) 6 (66)	(N=416) 289 (71)	(N=110) 71 (59)	(N=18) 6 (38)	(N=2,209) 1,672 (78)	(N=1,140) 829 (74)	(N=106) 77 (69)	0.172
Use of sanitizer products and alcohol	(N=898) 863 (96)	(N=430) 416 (95)	(N=46) 42 (81)	(N=281) 270 (99)	(N=228) 215 (91)	(N=20) 19 (100)	(N=447) 374 (85)	(N=226) 179 (85)	(N=12) 6 (30)	(N=198) 170 (90)	(N=142) 129 (93)	(N=10) 8 (94)	(N=418) 385 (95)	(N=113) 125 (95)	(N=18) 11 (70)	(N=2,242) 2,062 (94)	(N=1,159) 1,064 (92)	(N=106) 86 (78)	<0.001

1	"I would comply with government enforced quarantine/ isolation/social distancing."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.370
2	Agree	903 (95)	402 (88)	39 (81)	378 (93)	305 (79)	25 (76)	511 (79)	291 (83)	20 (87)	303 (76)	284 (79)	19 (97)	607 (75)	232 (75)	32 (70)	2,702 (85)	1,514 (82)	135 (80)	
3	Neither agree nor disagree	39 (3)	44 (9)	9 (10)	5 (0)	9 (1)	4 (1)	29 (3)	18 (6)	1 (2)	17 (4)	18 (11)	1 (3)	45 (16)	19 (7)	4 (7)	135 (6)	108 (7)	19 (4)	
4	Disagree	23 (2)	13 (3)	4 (9)	52 (7)	45 (20)	4 (23)	107 (18)	27 (12)	5 (11)	48 (21)	22 (10)	0 (0)	61 (9)	28 (10)	6 (24)	291 (10)	135 (11)	19 (16)	
5	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.091
6	Agree	909 (95)	401 (85)	44 (90)	357 (86)	294 (76)	23 (75)	516 (78)	284 (80)	15 (60)	293 (78)	258 (74)	15 (91)	587 (78)	219 (74)	32 (69)	2,662 (84)	1,456 (79)	129 (77)	
7	Neither agree nor disagree	41 (4)	51 (13)	8 (10)	21 (1)	21 (10)	6 (1)	29 (5)	18 (5)	3 (8)	27 (8)	30 (12)	2 (6)	58 (14)	26 (9)	7 (23)	176 (6)	146 (10)	26 (8)	
8	Disagree	15 (1)	7 (1)	0 (0)	57 (13)	44 (14)	4 (23)	102 (17)	34 (15)	8 (32)	48 (15)	36 (13)	3 (4)	68 (9)	34 (12)	3 (7)	290 (9)	155 (11)	18 (15)	
9	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.688
10	Agree	920 (96)	418 (91)	45 (90)	392 (91)	319 (85)	28 (86)	540 (82)	293 (83)	20 (85)	304 (77)	285 (82)	19 (82)	589 (73)	226 (78)	31 (72)	2,745 (85)	1,541 (85)	143 (84)	
11	Neither agree nor disagree	26 (2)	33 (8)	6 (8)	5 (0)	5 (0)	2 (1)	16 (3)	10 (3)	1 (2)	10 (2)	18 (9)	0 (0)	45 (12)	27 (9)	4 (7)	102 (4)	93 (6)	13 (4)	
12	Disagree	19 (1)	8 (2)	1 (2)	38 (9)	35 (15)	3 (13)	91 (15)	33 (13)	5 (13)	54 (21)	21 (9)	1 (18)	79 (16)	26 (10)	7 (21)	281 (11)	123 (10)	17 (12)	

Suppl. Table 28 Breakdown of self-reported level of understanding of COVID-19 by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
High/very high/expert level understanding	965 (63)	435 (51)	647 (59)	368 (47)	710 (66)	3,128 (59)	
Some understanding	459 (33)	359 (38)	336 (38)	324 (50)	271 (30)	1,757 (36)	
A little/none at all	52 (4)	33 (11)	26 (4)	20 (3)	42 (4)	173 (5)	

For peer review only

Suppl. Table 29 Breakdown of self-reported level of understanding of COVID-19 by demographic characteristics

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Self-reported understanding of COVID-19	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	
Gender																			0.058
Male	458 (65)	224 (31)	22 (4)	153 (55)	130 (30)	15 (15)	280 (61)	134 (35)	12 (4)	130 (51)	87 (46)	5 (3)	269 (64)	84 (31)	13 (5)	1,290 (60)	659 (34)	67 (6)	
Female	504 (61)	232 (35)	30 (4)	280 (47)	228 (46)	17 (7)	358 (56)	200 (40)	14 (3)	238 (44)	237 (53)	15 (3)	439 (68)	194 (29)	29 (3)	1,819 (57)	1,091 (39)	105 (4)	
Other/prefer not to say	3 (50)	3 (50)	0 (0)	2 (50)	1 (25)	1 (25)	9 (82)	2 (18)	0 (0)				5 (83)	1 (17)	0 (0)	19 (70)	7 (26)	1 (4)	
Age group																			0.033
18-34	143 (62)	69 (34)	11 (4)	170 (48)	167 (48)	13 (9)	74 (44)	58 (48)	8 (8)	119 (39)	143 (57)	10 (5)	186 (59)	106 (35)	16 (6)	692 (52)	543 (41)	58 (6)	
35-64	746 (62)	371 (35)	35 (3)	244 (54)	179 (32)	19 (14)	411 (67)	193 (32)	12 (2)	220 (54)	153 (42)	10 (4)	492 (69)	158 (27)	26 (5)	2,113 (62)	1,054 (33)	102 (5)	
65+	76 (68)	19 (25)	6 (7)	21 (52)	13 (42)	1 (6)	162 (59)	85 (39)	6 (2)	29 (42)	28 (58)	0 (0)	35 (60)	15 (32)	0 (0)	323 (60)	160 (38)	13 (3)	
Education level																			<0.001
Primary or lower/secondary	537 (60)	341 (36)	31 (4)	42 (51)	30 (36)	10 (13)	140 (52)	101 (44)	6 (4)	92 (43)	114 (53)	11 (4)	124 (63)	67 (33)	11 (4)	935 (56)	653 (39)	69 (6)	
Tertiary	428 (74)	118 (22)	21 (4)	393 (51)	329 (46)	23 (3)	507 (64)	235 (32)	20 (3)	276 (58)	210 (41)	9 (2)	589 (71)	212 (26)	31 (3)	2,193 (66)	1,104 (31)	104 (3)	
Healthcare worker status																			0.001
Healthcare worker	172 (72)	59 (26)	8 (3)	128 (49)	79 (50)	6 (1)	90 (76)	24 (21)	4 (3)	45 (67)	18 (29)	1 (4)	291 (78)	44 (21)	6 (1)	726 (70)	224 (28)	25 (2)	
Non-healthcare worker	793 (61)	400 (33)	44 (4)	307 (52)	280 (35)	27 (13)	557 (57)	312 (39)	22 (4)	323 (46)	306 (50)	19 (3)	422 (63)	235 (32)	36 (5)	2,402 (57)	1,533 (38)	148 (5)	

Suppl. Table 30 Breakdown of self-reported understanding of public health measures by self-reported level of understanding of COVID-19

(H = high/very high/expert level; S = some; N = a little/none at all). Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value
Self-reported level of understanding of COVID-19	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	
How would you rate your level of understanding of the current quarantine/isolation/social distancing requirements for COVID-19?	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=279	N=21	N=3,128	N=1,757	N=173	<0.001
H	855 (89)	116 (23)	19 (24)	399 (89)	193 (52)	9 (21)	532 (81)	182 (57)	8 (21)	338 (93)	213 (71)	7 (36)	652 (89)	212 (59)	24 (46)	2,776 (88)	916 (50)	67 (27)	
S	102 (10)	323 (71)	11 (12)	31 (7)	157 (39)	15 (52)	98 (15)	129 (35)	11 (46)	22 (5)	106 (28)	10 (38)	50 (10)	55 (32)	12 (44)	303 (10)	770 (43)	59 (39)	
N	8 (1)	20 (6)	22 (64)	5 (4)	9 (9)	9 (27)	17 (4)	25 (8)	7 (33)	8 (2)	5 (1)	3 (26)	11 (1)	12 (9)	6 (11)	49 (2)	71 (6)	47 (34)	

6/mjopen/2020-046863 on 20 July 2021. Downloaded from <https://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 31 What were the three most common ways people received communication on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
How do/did you receive information about COVID-19?							
Face-to-face (e.g. doctors or health workers)	1,096 (78)	275 (19)	155 (15)	276 (32)	413 (34)	2,215 (40)	<0.001
Traditional media (TV, radio, newspapers)	1,407 (95)	795 (93)	940 (93)	650 (85)	994 (95)	4,786 (93)	0.012
Print materials (leaflets, brochures)	803 (55)	256 (32)	403 (36)	119 (23)	479 (43)	2,060 (40)	<0.001
Online (websites, email)	1,101 (69)	779 (90)	918 (89)	651 (88)	964 (87)	4,413 (83)	<0.001
Social media and messenger apps	1,279 (83)	786 (95)	773 (77)	528 (75)	731 (66)	4,097 (79)	<0.001
Government/institution's web page	1,134 (74)	682 (75)	698 (70)	580 (79)	784 (60)	3,878 (71)	<0.001
WHO web page	367 (20)	550 (56)	380 (36)	334 (39)	397 (30)	2,028 (34)	<0.001
How would you prefer to receive information about COVID-19?							
Face-to-face (e.g. doctors or health workers)	1,200 (83)	417 (44)	361 (36)	584 (77)	577 (55)	3,139 (61)	<0.001
Traditional media (TV, radio, newspapers)	1,347 (90)	759 (91)	648 (64)	467 (62)	806 (76)	4,027 (78)	<0.001
Print materials	893 (63)	340 (40)	418 (41)	149 (29)	481 (52)	2,281 (48)	<0.001
Online (websites, email)	1,105 (71)	742 (88)	812 (75)	473 (71)	856 (79)	3,988 (76)	<0.001
Social media and messenger apps	1,245 (82)	659 (85)	330 (31)	292 (50)	470 (50)	2,996 (61)	<0.001
Government/institution's web page	1,181 (77)	731 (86)	741 (74)	605 (77)	845 (71)	4,103 (77)	0.009
WHO web page	586 (36)	703 (82)	609 (58)	531 (64)	678 (55)	3,107 (56)	<0.001

Suppl. Table 32 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
How do/did you receive information about COVID-19?																			
Face-to-face	563 (81)	529 (75)	4 (67)	93 (17)	180 (21)	2 (50)	68 (16)	84 (14)	3 (27)	82 (29)	194 (34)		126 (31)	285 (37)	2 (33)	932 (40)	1,272 (41)	11 (41)	0.591
Traditional media (TV, radio, newspapers)	669 (94)	732 (96)	6 (100)	284 (92)	507 (93)	4 (100)	390 (92)	539 (95)	11 (100)	199 (82)	451 (88)		353 (98)	635 (93)	6 (100)	1,895 (92)	2,864 (94)	27 (100)	0.468
Print materials (leaflets, brochures)	398 (54)	402 (56)	3 (50)	94 (37)	162 (26)	0 (0)	171 (37)	227 (36)	5 (45)	31 (27)	88 (20)		168 (44)	307 (41)	4 (67)	862 (42)	1,186 (39)	12 (44)	0.265
Online (websites, email)	509 (69)	586 (69)	6 (100)	281 (92)	495 (89)	3 (75)	379 (87)	528 (91)	11 (100)	201 (85)	450 (90)		336 (84)	622 (90)	6 (100)	1,706 (82)	2,681 (84)	26 (96)	0.332
Social media and messenger apps	595 (84)	678 (82)	6 (100)	281 (96)	502 (94)	3 (75)	312 (74)	450 (79)	11 (100)	154 (70)	374 (80)		256 (66)	470 (67)	5 (83)	1,598 (78)	2,474 (80)	25 (93)	0.589
Government/institution's web page	540 (73)	589 (74)	5 (83)	246 (80)	432 (69)	4 (100)	282 (69)	409 (71)	7 (64)	170 (74)	410 (83)		260 (59)	518 (61)	6 (100)	1,498 (71)	2,358 (71)	22 (81)	0.881
WHO web page	150 (18)	214 (22)	3 (50)	173 (52)	374 (60)	3 (75)	136 (34)	239 (39)	5 (45)	81 (27)	253 (50)		108 (26)	286 (33)	3 (50)	648 (30)	1,366 (38)	14 (52)	0.003
How would you prefer to receive information about COVID-19?																			
Face-to-face	594 (85)	603 (82)	3 (50)	146 (39)	270 (50)	1 (25)	163 (36)	195 (37)	3 (27)	171 (75)	413 (79)		182 (53)	389 (57)	6 (100)	1,256 (59)	1,870 (63)	13 (48)	0.209
Traditional media (TV, radio, newspapers)	644 (89)	697 (91)	6 (100)	267 (91)	488 (92)	4 (100)	278 (66)	365 (63)	5 (45)	134 (57)	333 (67)		274 (76)	530 (77)	2 (33)	1,597 (77)	2,413 (79)	17 (63)	0.395
Print materials	446 (65)	442 (61)	5 (83)	115 (39)	223 (41)	2 (50)	177 (41)	237 (41)	4 (36)	46 (33)	103 (25)		165 (53)	314 (51)	2 (33)	949 (49)	1,319 (47)	13 (48)	0.408
Online (websites, email)	516 (70)	583 (71)	6 (100)	269 (92)	469 (83)	4 (100)	334 (71)	470 (78)	8 (73)	151 (72)	322 (70)		290 (74)	561 (84)	5 (83)	1,560 (75)	2,405 (77)	23 (85)	0.403
Social media and messenger apps	589 (84)	650 (80)	6 (100)	239 (85)	416 (87)	4 (100)	134 (29)	195 (34)	1 (9)	88 (52)	204 (48)		161 (43)	307 (57)	2 (33)	1,211 (60)	1,772 (63)	13 (48)	0.364
Government/institution's web page	575 (78)	601 (75)	5 (83)	270 (93)	457 (79)	4 (100)	293 (69)	440 (78)	8 (73)	181 (73)	424 (82)		278 (64)	561 (77)	6 (100)	1,597 (75)	2,483 (78)	23 (85)	0.335
WHO web page	248 (36)	334 (36)	4 (67)	242 (80)	457 (83)	4 (100)	234 (54)	370 (62)	5 (45)	143 (54)	388 (74)		209 (49)	466 (60)	3 (50)	1,076 (52)	2,015 (59)	16 (59)	0.020

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 33 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
How do/did you receive information about COVID-19?																			
Face-to-face	125 (68)	892 (82)	79 (82)	141 (20)	124 (16)	10 (23)	25 (17)	107 (17)	23 (8)	112 (37)	152 (34)	12 (23)	111 (32)	282 (30)	20 (48)	14 (37)	1,557 (42)	144 (40)	0.424
Traditional media (TV, radio, newspapers)	210 (94)	1,099 (95)	98 (96)	337 (89)	424 (95)	34 (100)	130 (93)	567 (92)	243 (97)	247 (92)	352 (90)	51 (70)	299 (98)	647 (96)	48 (91)	1,223 (93)	3,089 (94)	474 (90)	0.336
Print materials (leaflets, brochures)	107 (54)	652 (59)	44 (44)	104 (31)	146 (35)	6 (20)	34 (22)	258 (40)	111 (43)	34 (12)	71 (19)	14 (41)	140 (45)	319 (46)	20 (31)	19 (37)	1,446 (43)	195 (38)	0.106
Online (websites, email)	199 (84)	853 (71)	49 (35)	328 (86)	418 (94)	33 (91)	129 (89)	575 (92)	214 (82)	242 (90)	358 (89)	51 (82)	289 (93)	632 (91)	43 (74)	1,187 (87)	2,836 (85)	390 (69)	<0.001
Social media and messenger apps	206 (91)	1,008 (86)	65 (55)	329 (93)	424 (98)	33 (91)	104 (76)	485 (78)	184 (74)	214 (79)	274 (73)	40 (77)	243 (80)	462 (70)	26 (42)	1,096 (86)	2,653 (81)	348 (63)	<0.001
Government/institution's web page	166 (73)	902 (78)	66 (61)	298 (71)	360 (81)	24 (61)	108 (77)	459 (74)	131 (53)	219 (73)	318 (81)	43 (78)	226 (68)	528 (71)	30 (29)	1,017 (72)	2,567 (77)	294 (54)	<0.001
WHO web page	100 (31)	256 (19)	11 (6)	260 (62)	274 (53)	16 (39)	60 (45)	271 (40)	49 (18)	129 (39)	176 (38)	29 (42)	127 (39)	255 (30)	15 (19)	676 (44)	1,232 (33)	120 (22)	<0.001
How would you prefer to receive information about COVID-19?																			
Face-to-face	152 (77)	965 (87)	83 (84)	198 (53)	203 (34)	16 (53)	48 (33)	218 (37)	95 (39)	230 (78)	313 (80)	41 (71)	187 (57)	365 (53)	25 (59)	815 (59)	2,064 (61)	260 (62)	0.785
Traditional media (TV, radio, newspapers)	194 (85)	1,056 (91)	97 (93)	327 (90)	402 (91)	30 (99)	89 (65)	396 (64)	163 (64)	179 (60)	247 (58)	41 (72)	228 (73)	534 (75)	44 (83)	2,017 (78)	2,635 (78)	375 (80)	0.712
Print materials	118 (64)	720 (65)	55 (54)	143 (41)	179 (37)	18 (45)	40 (27)	256 (44)	122 (52)	43 (15)	88 (24)	18 (50)	149 (50)	308 (48)	24 (63)	493 (44)	1,551 (48)	237 (54)	0.073
Online (websites, email)	187 (83)	867 (73)	51 (41)	312 (87)	399 (91)	31 (77)	98 (59)	522 (84)	192 (74)	180 (74)	253 (68)	40 (75)	250 (79)	567 (83)	39 (71)	1,027 (78)	2,608 (79)	353 (66)	<0.001
Social media and messenger apps	196 (91)	986 (85)	63 (55)	285 (88)	349 (86)	25 (75)	34 (21)	219 (37)	77 (31)	105 (38)	156 (48)	31 (65)	134 (48)	317 (51)	19 (49)	754 (64)	2,027 (64)	215 (52)	0.005
Government/institution's web page	177 (79)	936 (80)	68 (60)	323 (93)	381 (81)	27 (82)	108 (71)	468 (77)	165 (71)	235 (83)	325 (82)	45 (65)	252 (75)	557 (76)	36 (56)	1,095 (81)	2,667 (79)	341 (64)	<0.001
WHO web page	145 (55)	415 (31)	26 (20)	320 (92)	357 (72)	26 (77)	98 (65)	387 (60)	124 (46)	226 (79)	266 (64)	39 (53)	231 (73)	427 (59)	20 (26)	1,020 (72)	1,852 (53)	235 (39)	<0.001

Suppl. Table 34 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T									
	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=802	N=1,657	N=3,401	
How do/did you receive information about COVID-19?													
Face-to-face	781 (83)	315 (55)	13 (14)	262 (37)	32 (14)	123 (16)	72 (28)	204 (39)	48 (29)	365 (43)	946 (43)	1,269 (35)	<0.001
Traditional media (TV, radio, newspapers)	865 (95)	542 (95)	76 (92)	719 (97)	234 (95)	706 (92)	192 (82)	458 (93)	196 (95)	798 (96)	1,563 (92)	3,223 (94)	0.155
Print materials (leaflets, brochures)	547 (57)	256 (45)	26 (32)	230 (31)	90 (34)	313 (38)	39 (26)	80 (16)	91 (40)	388 (47)	793 (42)	1,267 (38)	0.062
Online (websites, email)	605 (65)	496 (87)	74 (89)	705 (95)	212 (85)	706 (93)	190 (85)	461 (93)	179 (83)	785 (94)	1,260 (79)	3,153 (92)	<0.001
Social media and messenger apps	757 (81)	522 (91)	78 (95)	708 (94)	196 (79)	577 (75)	173 (78)	355 (70)	150 (65)	581 (68)	1,354 (80)	2,743 (77)	0.146
Government/institution's web page	689 (73)	445 (78)	59 (73)	623 (85)	171 (70)	527 (71)	166 (77)	414 (81)	123 (49)	661 (78)	1,208 (69)	2,670 (77)	<0.001
WHO web page	139 (15)	228 (42)	44 (53)	506 (67)	68 (30)	312 (42)	84 (35)	250 (49)	59 (24)	338 (39)	394 (29)	1,634 (44)	<0.001
How would you prefer to receive information about COVID-19?													
Face-to-face	806 (87)	394 (68)	36 (42)	381 (53)	104 (39)	257 (34)	170 (75)	414 (81)	111 (56)	466 (54)	1,227 (65)	1,912 (53)	<0.001
Traditional media (TV, radio, newspapers)	830 (90)	517 (90)	75 (91)	684 (92)	149 (63)	499 (66)	133 (60)	334 (68)	145 (74)	661 (80)	1,332 (79)	2,695 (76)	0.100
Print materials	608 (66)	285 (49)	35 (40)	305 (40)	126 (47)	292 (37)	48 (32)	101 (21)	105 (57)	376 (45)	922 (52)	1,359 (39)	<0.001
Online (websites, email)	632 (68)	473 (82)	71 (87)	671 (90)	186 (68)	626 (81)	156 (74)	317 (64)	160 (77)	696 (83)	1,205 (74)	2,783 (80)	<0.001
Social media and messenger apps	753 (81)	492 (86)	72 (87)	587 (79)	90 (32)	240 (31)	106 (55)	186 (38)	111 (55)	359 (42)	1,132 (67)	1,864 (49)	<0.001
Government/institution's web page	711 (75)	470 (83)	69 (86)	662 (90)	194 (75)	547 (72)	173 (74)	432 (86)	138 (63)	707 (84)	1,285 (75)	2,818 (81)	0.001
WHO web page	246 (30)	340 (61)	66 (81)	637 (85)	122 (50)	487 (65)	149 (60)	382 (74)	123 (49)	555 (64)	706 (50)	2,401 (67)	<0.001

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

Suppl. Table 35 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Have you seen any unclear or conflicting information about COVID-19 in the last month?							
Ways to avoid the infection	564 (36)	409 (47)	679 (68)	410 (64)	682 (64)	2,744 (54)	<0.001
Symptoms of COVID-19	568 (36)	353 (42)	590 (62)	328 (44)	492 (44)	2,333 (45)	<0.001
What to do in case of symptoms	506 (34)	295 (37)	438 (43)	293 (45)	435 (42)	1,967 (40)	0.058
Social distancing guidance	490 (33)	292 (42)	568 (56)	314 (42)	552 (51)	2,223 (44)	<0.001
Quarantine/isolation	529 (36)	314 (39)	547 (54)	292 (41)	552 (52)	2,241 (44)	<0.001
Penalties if disobey restrictions	614 (41)	384 (42)	620 (60)	378 (52)	508 (45)	2,504 (47)	<0.001
Risks in case of infection	527 (34)	327 (37)	542 (54)	330 (49)	492 (46)	2,219 (43)	<0.001
Numbers of coronavirus cases/deaths related to COVID-19	563 (37)	284 (47)	741 (72)	457 (66)	462 (46)	2,508 (52)	<0.001
Government support schemes (e.g. financial)	779 (51)	432 (53)	438 (46)	492 (69)	572 (51)	2,713 (53)	<0.001
Testing	531 (34)	376 (39)	734 (72)	520 (72)	532 (49)	2,695 (51)	<0.001
Travel restrictions (e.g. curfew, restricted hours of movement)	520 (33)	407 (43)	641 (62)	382 (55)	532 (45)	2,483 (46)	<0.001
Have you come across news about the following COVID-19 topics that seemed fake to you?							
General spread of fear	668 (42)	606 (70)	693 (72)	382 (58)	772 (69)	3,120 (60)	<0.001
Coronavirus as an engineered modified virus	543 (32)	613 (65)	819 (81)	613 (82)	862 (75)	3,452 (63)	<0.001
Minimisation of risks	440 (27)	416 (39)	579 (55)	540 (69)	732 (62)	2,706 (48)	<0.001
Numbers of infected/deceased people	512 (33)	400 (47)	615 (61)	475 (75)	572 (54)	2,576 (51)	<0.001
Unreasonable health recommendations	517 (32)	545 (55)	574 (57)	385 (50)	652 (60)	2,671 (49)	<0.001
Pharmaceutical conspiracy	490 (32)	440 (50)	525 (54)	489 (63)	672 (61)	2,617 (49)	<0.001
Home-made recipes to make sanitizer products	538 (32)	573 (61)	557 (56)	516 (70)	602 (51)	2,787 (51)	<0.001
Alternative drugs/cure	537 (33)	581 (60)	697 (67)	444 (58)	612 (51)	2,871 (51)	<0.001
Fear toward products coming from infected countries	458 (29)	549 (63)	483 (49)	425 (56)	512 (48)	2,434 (46)	<0.001

Suppl. Table 36 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent ‘fake news’, breakdown by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied ‘yes’.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T											
	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=82	N=1,657	N=3,401	
Have you seen any unclear or conflicting information about COVID-19 in the last month?													
Ways to avoid the infection	276 (33)	288 (51)	37 (46)	372 (49)	153 (66)	526 (69)	119 (65)	291 (60)	125 (63)	557 (67)	710 (50)	2,034 (62)	<0.001
Symptoms	268 (33)	300 (53)	36 (43)	317 (41)	146 (65)	444 (59)	94 (42)	234 (48)	96 (44)	398 (46)	640 (42)	1,693 (51)	<0.001
What to do in case of symptoms	245 (31)	261 (47)	32 (38)	263 (36)	96 (42)	342 (44)	94 (46)	199 (43)	80 (42)	355 (41)	547 (38)	1,420 (43)	0.026
Social distancing guidance	249 (31)	241 (42)	36 (44)	256 (34)	113 (51)	455 (61)	92 (41)	222 (46)	109 (50)	450 (53)	599 (41)	1,624 (51)	<0.001
Quarantine/isolation	278 (34)	251 (45)	32 (40)	282 (38)	123 (51)	424 (56)	84 (41)	208 (43)	102 (50)	457 (55)	619 (41)	1,622 (50)	<0.001
Penalties if disobey restrictions	315 (38)	299 (52)	34 (40)	350 (48)	143 (56)	477 (62)	103 (50)	275 (56)	101 (44)	407 (47)	696 (44)	1,808 (55)	<0.001
Risks in case of infection	257 (31)	270 (49)	32 (36)	295 (39)	127 (54)	415 (55)	105 (50)	225 (46)	93 (45)	400 (47)	614 (40)	1,605 (49)	<0.001
Numbers of coronavirus cases/deaths related to COVID-19	284 (33)	279 (52)	42 (50)	242 (33)	172 (70)	569 (74)	140 (67)	317 (65)	107 (50)	356 (41)	745 (49)	1,763 (56)	0.001
Government support schemes (e.g. financial)	402 (47)	377 (69)	44 (54)	388 (52)	103 (50)	335 (43)	138 (69)	354 (71)	108 (50)	464 (54)	795 (52)	1,918 (55)	0.257
Testing	258 (31)	273 (49)	31 (38)	345 (45)	161 (68)	573 (75)	145 (70)	375 (76)	95 (48)	439 (51)	690 (46)	2,005 (62)	<0.001
Travel restrictions (e.g. curfew, restricted hours of movement)	248 (30)	272 (49)	36 (42)	371 (49)	142 (59)	499 (65)	112 (55)	270 (55)	96 (41)	437 (51)	634 (42)	1,849 (56)	<0.001
Have you come across news about the following COVID-19 topics that seemed fake to you?													
General spread of fear	308 (37)	360 (64)	56 (69)	550 (73)	182 (76)	511 (68)	116 (60)	266 (54)	147 (66)	624 (74)	809 (57)	2,311 (67)	<0.001
Coronavirus as an engineered modified virus	209 (26)	334 (61)	52 (62)	561 (76)	193 (80)	626 (82)	174 (80)	439 (89)	156 (70)	708 (84)	784 (56)	2,668 (79)	<0.001
Minimisation of risks	178 (23)	262 (47)	31 (36)	385 (51)	128 (52)	451 (59)	141 (63)	399 (81)	122 (56)	609 (71)	600 (41)	2,106 (62)	<0.001
Numbers of infected/deceased people	231 (29)	281 (51)	40 (47)	360 (49)	152 (62)	463 (61)	153 (71)	322 (67)	118 (55)	456 (54)	694 (49)	1,882 (57)	<0.001
Unreasonable health recommendations	204 (27)	313 (57)	45 (52)	500 (66)	131 (55)	443 (59)	101 (46)	284 (60)	122 (58)	528 (64)	603 (44)	2,068 (61)	<0.001
Pharmaceutical conspiracy	239 (29)	251 (45)	41 (49)	399 (54)	131 (56)	394 (52)	138 (60)	351 (71)	125 (58)	548 (64)	674 (46)	1,943 (57)	<0.001
Home-made recipes to make sanitizer products	230 (27)	308 (55)	51 (59)	522 (69)	158 (62)	399 (51)	149 (68)	367 (75)	104 (46)	499 (59)	692 (47)	2,095 (59)	<0.001
Alternative drugs/cure	240 (28)	297 (53)	48 (57)	533 (71)	168 (65)	529 (69)	125 (55)	319 (66)	105 (44)	507 (61)	686 (46)	2,185 (64)	<0.001
Fear toward products coming from infected countries	197 (25)	261 (46)	52 (62)	497 (67)	127 (52)	356 (46)	126 (55)	299 (59)	100 (46)	419 (51)	602 (44)	1,832 (51)	<0.001

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 37 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country and self-reported level of understanding of COVID-19

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)	
	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N		
Self-reported level of understanding of COVID-19	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=279	N=42	N=3,128	N=1,757	N=173		
Have you seen any unclear or conflicting information about COVID-19 in the last month?																				
Ways to avoid the infection	401 (40)	145 (32)	18 (19)	197 (43)	191 (46)	21 (63)	416 (63)	248 (76)	15 (53)	202 (54)	193 (72)	15 (73)	445 (61)	211 (73)	26 (53)	1,661 (51)	988 (58)	95 (51)	0.094	
Symptoms of COVID-19	400 (40)	150 (33)	18 (19)	170 (36)	167 (49)	16 (51)	363 (58)	210 (66)	17 (79)	147 (31)	163 (53)	18 (81)	312 (40)	164 (54)	18 (41)	1,392 (42)	854 (50)	87 (49)	0.026	
What to do in case of symptoms	361 (37)	129 (30)	16 (17)	134 (34)	145 (41)	16 (39)	272 (39)	156 (49)	10 (59)	138 (34)	144 (55)	11 (49)	285 (37)	130 (52)	20 (40)	1,190 (37)	704 (44)	73 (37)	0.041	
Social distancing guidance	349 (37)	124 (27)	17 (19)	132 (36)	144 (43)	16 (62)	355 (52)	199 (62)	14 (70)	163 (38)	140 (45)	11 (65)	362 (47)	170 (58)	27 (64)	1,361 (42)	777 (46)	85 (54)	0.168	
Quarantine/isolation	379 (39)	139 (32)	11 (11)	153 (33)	145 (39)	16 (71)	338 (49)	193 (59)	16 (76)	148 (39)	135 (44)	9 (39)	372 (50)	165 (58)	22 (41)	1,390 (43)	777 (46)	74 (50)	0.397	
Penalties if disobey restrictions	477 (49)	126 (28)	11 (11)	186 (35)	180 (46)	18 (56)	381 (54)	225 (68)	14 (66)	187 (47)	180 (56)	11 (69)	324 (44)	162 (48)	22 (53)	1,555 (47)	873 (48)	76 (47)	0.906	
Risks in case of infection	381 (38)	132 (29)	14 (15)	152 (29)	158 (43)	17 (50)	337 (50)	191 (62)	14 (46)	158 (43)	156 (53)	16 (73)	312 (46)	159 (45)	22 (45)	1,340 (41)	796 (46)	83 (42)	0.343	
Numbers of coronavirus cases/deaths related to COVID-19	416 (42)	134 (29)	13 (15)	129 (41)	137 (50)	18 (68)	463 (66)	261 (81)	17 (77)	233 (67)	214 (66)	10 (57)	284 (43)	156 (53)	23 (57)	1,525 (50)	902 (54)	81 (54)	0.276	
Government support schemes (e.g. financial)	583 (60)	178 (38)	18 (20)	208 (46)	203 (61)	21 (62)	269 (40)	158 (53)	11 (56)	248 (67)	227 (71)	17 (78)	372 (48)	176 (59)	24 (48)	1,680 (52)	942 (55)	91 (50)	0.590	
Testing	392 (39)	124 (29)	15 (15)	181 (36)	179 (46)	16 (32)	467 (70)	249 (74)	18 (77)	266 (71)	239 (71)	15 (86)	357 (48)	154 (55)	23 (31)	1,663 (50)	945 (53)	87 (39)	0.108	
Travel restrictions (e.g. curfew, restricted hours of movement)	391 (39)	118 (25)	11 (11)	209 (37)	178 (46)	20 (62)	398 (60)	228 (71)	15 (52)	192 (50)	176 (58)	14 (78)	341 (43)	167 (50)	25 (41)	1,531 (44)	867 (49)	85 (47)	0.356	

Have you come across news about the following COVID-19 topics that seemed fake to you?																			
General spread of fear	488 (47)	158 (36)	22 (23)	320 (65)	266 (80)	20 (56)	449 (70)	228 (73)	16 (81)	208 (57)	163 (59)	11 (61)	518 (71)	222 (65)	31 (66)	1,983 (61)	1,037 (60)	100 (54)	0.594
Coronavirus as an engineered modified virus	390 (37)	134 (26)	19 (19)	327 (71)	266 (62)	20 (46)	532 (83)	268 (79)	19 (70)	320 (87)	277 (80)	16 (60)	598 (80)	231 (65)	35 (75)	2,167 (66)	1,176 (60)	109 (49)	0.007
Minimisation of risks	305 (30)	120 (24)	15 (13)	222 (38)	176 (41)	18 (32)	377 (56)	191 (56)	11 (39)	277 (64)	249 (74)	14 (54)	510 (64)	196 (57)	25 (47)	1,691 (48)	932 (49)	83 (33)	0.063
Numbers of infected/deceased people	345 (34)	148 (33)	19 (18)	206 (49)	174 (48)	20 (39)	392 (58)	207 (66)	16 (75)	252 (76)	214 (75)	9 (63)	377 (51)	172 (62)	25 (61)	1,572 (49)	915 (55)	89 (45)	0.105
Unreasonable health recommendations	387 (36)	113 (26)	17 (17)	286 (54)	237 (53)	22 (63)	375 (55)	186 (58)	13 (71)	211 (57)	163 (44)	11 (54)	440 (59)	186 (65)	24 (48)	1,699 (50)	885 (47)	87 (50)	0.538
Pharmaceutical conspiracy	358 (36)	112 (25)	20 (21)	238 (53)	188 (48)	14 (38)	355 (55)	158 (51)	12 (56)	266 (69)	209 (57)	14 (65)	453 (61)	192 (61)	28 (45)	1,670 (52)	859 (46)	88 (40)	0.059
Home-made recipes to make sanitizer products	400 (38)	122 (24)	16 (15)	309 (62)	241 (62)	23 (57)	366 (56)	179 (55)	12 (68)	274 (78)	227 (62)	15 (71)	411 (52)	170 (51)	22 (45)	1,760 (52)	939 (49)	88 (48)	0.390
Alternative drugs/cure	409 (39)	112 (24)	16 (16)	305 (57)	257 (75)	19 (20)	468 (72)	214 (62)	15 (50)	243 (64)	188 (52)	13 (66)	430 (53)	159 (45)	23 (58)	1,855 (54)	930 (49)	86 (33)	0.004
Fear toward products coming from infected countries	330 (33)	109 (23)	19 (20)	297 (65)	234 (68)	18 (39)	317 (50)	155 (48)	11 (44)	226 (58)	187 (55)	12 (64)	352 (47)	145 (49)	22 (46)	1,522 (47)	830 (46)	82 (39)	0.456

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

STROBE 2007 (v4) checklist of items to be included in reports of observational studies in epidemiology*
Checklist for cohort, case-control, and cross-sectional studies (combined)

Section/Topic	Item #	Recommendation	Reported on page #
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	2
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	2
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	3
Objectives	3	State specific objectives, including any pre-specified hypotheses	4
Methods			
Study design	4	Present key elements of study design early in the paper	4
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	4,5
Participants	6	(a) <i>Cohort study</i> —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up <i>Case-control study</i> —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls <i>Cross-sectional study</i> —Give the eligibility criteria, and the sources and methods of selection of participants	This is a survey 5
		(b) <i>Cohort study</i> —For matched studies, give matching criteria and number of exposed and unexposed <i>Case-control study</i> —For matched studies, give matching criteria and the number of controls per case	NA
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	4
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	4
Bias	9	Describe any efforts to address potential sources of bias	6
Study size	10	Explain how the study size was arrived at	6
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	6
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	6
		(b) Describe any methods used to examine subgroups and interactions	6
		(c) Explain how missing data were addressed	No missing data. only completed surveys can be submitted

		(d) <i>Cohort study</i> —If applicable, explain how loss to follow-up was addressed <i>Case-control study</i> —If applicable, explain how matching of cases and controls was addressed <i>Cross-sectional study</i> —If applicable, describe analytical methods taking account of sampling strategy	NA
		(e) Describe any sensitivity analyses	NA
Results			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	6
		(b) Give reasons for non-participation at each stage	5
		(c) Consider use of a flow diagram	NA
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	6
		(b) Indicate number of participants with missing data for each variable of interest	NA
		(c) <i>Cohort study</i> —Summarise follow-up time (eg, average and total amount)	NA
Outcome data	15*	<i>Cohort study</i> —Report numbers of outcome events or summary measures over time	NA
		<i>Case-control study</i> —Report numbers in each exposure category, or summary measures of exposure	NA
		<i>Cross-sectional study</i> —Report numbers of outcome events or summary measures	NA
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	7-12
		(b) Report category boundaries when continuous variables were categorized	7-12
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	NA
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	7-12
Discussion			
Key results	18	Summarise key results with reference to study objectives	12
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	14-15
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	12-14
Generalisability	21	Discuss the generalisability (external validity) of the study results	14-15
Other information			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	16

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.

For peer review only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

BMJ Open

Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-046863.R1
Article Type:	Original research
Date Submitted by the Author:	17-Mar-2021
Complete List of Authors:	<p>Osterrieder, Anne; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p> <p>Cuman, Giulia; University Hospital of Padova, Paediatric Ethics Committee; Research Ethics Committee</p> <p>Pan-Ngum, Wirichada; Mahidol University Rajvithi Campus, Department of Tropical Hygiene Faculty of Tropical Medicine; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Cheah, Phaik Kin; Universiti Tunku Abdul Rahman, Faculty of Arts and Social Science</p> <p>Cheah, Phee-Kheng; Ministry of Health, Malaysia, Emergency & Trauma Department, Sabah Women & Children's Hospital</p> <p>Peerawaranun, Pimnara; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Silan, Margherita; University of Padua, Department of Statistical Sciences</p> <p>Orazem, Miha; University of Ljubljana, Faculty of Medicine; Institute of Oncology Ljubljana, Department of Radiation Oncology</p> <p>Perkovic, Ksenija; Science and Research Centre Koper, Institute for Social Studies</p> <p>Groselj, Urh; University of Ljubljana, Faculty of Medicine; University Children's Hospital, University 26 Medical Center – University Children's Hospital Ljubljana,, Department of Endocrinology, Diabetes and Metabolic Diseases</p> <p>Schneiders, Mira Leonie; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Poomchaichote, Tassawan; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Waithira, Naomi; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine</p> <p>Asarath, Supa-at; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine</p> <p>Naemiratch, Bhensri; Mahidol University Rajvithi Campus, Mahidol</p>

	Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Ruangajorn, Supanat; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Skof, Lenart; Science and Research Centre Koper, Institute for Philosophical Studies Kulpijit, Natinee; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Mackworth-Young, Constance; London School of Hygiene & Tropical Medicine, Department of Global Health & Development Ongkili, Darlene; Ministry of Health, Malaysia, Emergency & Trauma Department, Queen Elizabeth Hospital Chanviriyavuth, Rita; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine Mukaka, Mavuto; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine Cheah, Phaikyeong; Mahidol University Rajvithi Campus, Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine; University of Oxford, Centre for Tropical Medicine and Global Health, Nuffield Department of Medicine
Primary Subject Heading:	Global health
Secondary Subject Heading:	Public health
Keywords:	Public health < INFECTIOUS DISEASES, Epidemiology < TROPICAL MEDICINE, PUBLIC HEALTH

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

1
2
3
4 1 Economic and social impacts of COVID-19 and public health measures:
5
6 2 results from an anonymous online survey in Thailand, Malaysia, the
7
8 3 United Kingdom, Italy and Slovenia
9
10 4

11
12 5 Anne Osterrieder^{1,2}, Giulia Cuman³, Wirichada Pan-ngum^{1,4}, Phaik Kin Cheah⁵, Phee-Kheng Cheah⁶,
13 6 Pimnara Peerawanun¹, Margherita Silan⁷, Miha Orazem^{8,9}, Ksenija Perkovic¹⁰, Urh Groselj^{8,11}, Mira
14 7 Leonie Schneiders^{1,2,12}, Tassawan Poomchaichote^{1,13}, Naomi Waithira^{1,2}, Supa-at Asarath¹, Bhensri
15 8 Naemiratch¹, Supanat Ruangajorn¹, Lenart Skof¹⁴, Natinee Kulpijit¹, Constance R.S. Mackworth-
16 9 Young¹⁵, Darlene Ongkili¹⁶, Rita Chanviriyavuth¹, Mavuto Mukaka^{1,2}, Phaik Yeong Cheah^{1,2,12,13}

17
18
19
20
21 10 ¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok,
22 11 10400, Thailand

23 12 ²Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford,
24 13 Oxford, UK

25
26 14 ³Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

27 15 ⁴Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400,
28 16 Thailand

29
30 17 ⁵Faculty of Arts and Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

31 18 ⁶Emergency and Trauma Department, Sabah Women and Children's Hospital, Ministry of Health Malaysia,
32 19 Kota Kinabalu, Malaysia

33
34 20 ⁷Department of Statistical Sciences, University of Padua, Padua, Italy

35
36 21 ⁸Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

37 22 ⁹Department of Radiation Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia

38
39 23 ¹⁰Institute for Social Studies, Science and Research Centre Koper, Koper, Slovenia

40 24 ¹¹Department of Endocrinology, Diabetes and Metabolic Diseases, University Children's Hospital, University
41 25 Medical Center – University Children's Hospital Ljubljana, Ljubljana, Slovenia

42
43 26 ¹²Ethox Centre, Nuffield Department of Population Health, University of Oxford, Oxford, UK

44
45 27 ¹³The SoNAR-Global Network

46 28 ¹⁴Institute for Philosophical Studies, Science and Research Centre Koper, Koper, Slovenia

47
48 29 ¹⁵Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London,
49 30 UK

50
51 31 ¹⁶Emergency and Trauma Department, Queen Elizabeth Hospital, Ministry of Health Malaysia, Kota Kinabalu,
52 32 Malaysia

53
54
55 34 **Corresponding author:** Phaik Yeong Cheah, 420/6 Mahidol-Oxford Tropical Medicine 24 Research Unit,
56 35 Faculty of Tropical Medicine, Rajvithi Road, Bangkok, Thailand, 10400. Email: phaikyeong@tropmedres.ac

57 36
58
59 37 **Word count:** abstract 300 words, main text 5757 words
60

38 **Keywords:** COVID-19, SARS-CoV-2, non-pharmaceutical interventions, restrictions, social distancing,
39 quarantine, isolation, compliance, information, fake news, social, behavioural, survey

40 **Abstract**

41 Objectives

42 To understand the impact of coronavirus disease 2019 (COVID-19) and public health measures on
43 different social groups, we conducted a mixed-methods study in five countries ('SEBCOV - Social,
44 ethical and behavioural aspects of COVID-19'). Here we report the results of the online survey.

45 Study design and statistical analysis

46 Overall, 5,058 respondents from Thailand, Malaysia, the United Kingdom, Italy and Slovenia
47 completed the self-administered survey between May and June 2020. Post-stratification weighting
48 was applied, and associations between categorical variables assessed. Frequency counts and
49 percentages were used to summarise categorical data. Associations between categorical variables
50 were assessed using Pearson's Chi-squared test. Data was analysed in Stata 15.0

51 Results

52 Among the five countries, Thai respondents reported having been most, and Slovenian respondents
53 least, affected economically. The following factors were associated with greater negative economic
54 impacts: being 18-24 years or 65 years or older; lower education levels; larger households; having
55 children under 18 in the household; and and having flexible/no income. Regarding social impact,
56 respondents expressed most concern about their social life, physical health, mental health and
57 wellbeing.

58 There were large differences between countries in terms of voluntary behavioural change, and in
59 compliance and agreement with COVID-19 restrictions. Overall, self-reported compliance was higher
60 among respondents who self-reported a high understanding of COVID-19. UK respondents felt able
61 to cope the longest and Thai respondents the shortest with only going out for essential needs or work.
62 Many respondents reported seeing news perceived to be fake, the proportion varying between
63 countries, with education level and self-reported levels of understanding of COVID-19.

64 Conclusions

65 Our data showed that COVID-19 and public health measures have uneven economic and social
66 impacts on people from different countries and social groups. Understanding the factors associated
67 with these impacts can help to inform future public health interventions and mitigate their negative
68 consequences.

69 Registration: TCTR20200401002

70 **Summary**

71

72 **Strengths**

- 73 • Our research findings help to address an evidence gap as identified by the global research
74 community in a recent study on COVID-19 research priorities, which identified public health
75 messaging, compliance and trust in public health interventions, and evaluation of these
76 interventions in varied settings as areas of high priority (BMJ Global Health Vol 5, Issue 7
77 (<https://gh.bmj.com/content/5/7/e003306>)).
- 78 • Because we recruited a reasonably large sample size in each country (between 700-1400), we
79 were able to compare population segments (e.g. men versus women, younger versus older people,
80 those with lower versus higher levels of education) in the whole cohort, and between countries.
- 81 • Our online survey enabled us to capture people's experiences and concerns in multiple domains,
82 in five countries, all of which had restrictions in place, during the relatively early stage of the
83 COVID-19 pandemic.

84 **Limitations**

- 85 • We did not aim to obtain nationally representative samples and acknowledge that although we
86 used weighting strategies in our analysis, our results may not be fully representative of the
87 populations in the respective countries.
- 88 • Our study captured the views and perceptions of respondents on the socio-economic impact of
89 COVID-19 public health measures, rather than data on standard indicators of economic and social
90 impacts.

91 **Introduction**

92 Coronavirus disease 2019 (COVID-19) is a respiratory disease caused by the novel coronavirus
93 'severe acute respiratory syndrome coronavirus 2' (SARS-CoV2), which is transmitted through
94 droplets, close contact, and aerosols^{1 2}. The SARS-CoV2 outbreak was first reported in December
95 2019 in Wuhan, China³, with the World Health Organization (WHO) declaring it Public Health
96 Emergency of International Concern on 30th January 2020 and a global pandemic on 11th March
97 2020¹.

98 In the absence of widely available vaccines and pharmaceutical treatments, the impact of COVID-19
99 is being mitigated using non-pharmaceutical interventions (NPIs)^{4 5}. Examples of NPIs include: social
100 distancing (or 'physical distancing') measures, such as isolation of sick individuals, quarantine of
101 exposed individuals, contact tracing, voluntary shielding, travel-related restrictions; and personal
102 protective measures, such as hand hygiene and wearing face masks^{4 6 7}. Scientific evidence indicates

1
2
3 103 that NPIs are effective measures to contain a pandemic and ease pressures on health care systems⁶⁻¹².
4
5 104 However, authorities and policy makers need to consider the societal, economic and ethical impacts of
6
7 105 these public health measures, in particular on vulnerable groups^{13 14}. Such groups might be
8
9 106 disproportionately affected by NPIs and/or might be unable to comply with them¹⁵, e.g. due to loss of
10
11 107 income when having to isolate at home, crowded living conditions¹⁴, or not being able to afford
12
13 108 masks¹⁶.

14
15 109 As the COVID-19 pandemic continues, evidence is urgently needed to understand how people
16
17 110 perceive and experience NPIs, which groups are disproportionately negatively affected by NPIs, and
18
19 111 how communication is perceived by various social groups¹⁷. These data can be used to supplement
20
21 112 standard indicators of economic and social impacts to provide a better understanding of the effects of
22
23 113 COVID-19 and its related public health measures. This understanding is important so that the policies
24
25 114 can be improved to minimize the negative impact of COVID-19 on people's lives, and to improve
26
27 115 communications.

28
29 116 Here we report the highlights of an online survey conducted in Southeast Asia (Thailand and
30
31 117 Malaysia, both upper middle-income countries), and Europe (the United Kingdom, Italy and Slovenia,
32
33 118 all high-income countries) between May 1 to June 30, 2020 as part of the mixed-methods study
34
35 119 'Social, ethical and behavioural aspects of COVID-19' (SEBCOV)¹⁸. These findings help to address
36
37 120 an evidence gap as identified by the global research community in a recent study on COVID-19
38
39 121 research priorities¹⁹, which identified public health messaging, compliance and trust in public health
40
41 122 interventions, and evaluation of these interventions in varied settings as areas of high priority¹⁹.

42 43 44 123 **Methods**

45 46 47 124 **Study area**

48
49 125 The survey was conducted in five countries (population in 2020 indicated in brackets²⁰): Thailand
50
51 126 (69.8 million) and Malaysia (population = 32.4 million) in Southeast Asia; and United Kingdom (67.9
52
53 127 million), Italy (60.5 million) and Slovenia (2.1 million) in Europe.

54 55 56 128 **Survey development**

57
58 129 The survey contained five sections with 36 questions (single-answer multiple choice and five-point
59
60 130 Likert scales) on (1) socio-demographic information; (2) income, occupation status and economic
61
62 131 impacts of COVID-19 restrictions; (3) sources of, preferences and perceptions regarding COVID-19
63
64 132 related communication, and the occurrence of 'fake news' (untrue information presented as news);
65
66 133 and (4) perceived levels of understanding of COVID-19 and NPIs, agreement with NPIs, voluntary
67
68 134 behavioural changes, and concerns and coping strategies relating to restrictions²¹. The Malaysia and

1
2
3 135 UK surveys were administered in English, with the other surveys translated into the respective
4 136 country languages. The self-administered online survey was set up using the 'JISC Online surveys'
5 137 platform²².

9 138 Patient and public involvement

11 139 The survey questions were pilot-tested with 25 people from participating countries, and revised
12 140 accordingly based on feedback. In addition, the Bangkok Health Research Ethics Interest Group, a
13 141 public involvement group set up by the Mahidol Oxford Tropical Medicine Research Unit (MORU)²³,
14 142 discussed the study and the survey questions in a dedicated virtual meeting. Selected questions were
15 143 tested using an adapted cognitive testing technique using the "thinking out loud" approach²⁴, and the
16 144 collaborative virtual sticky notes board 'Padlet'²⁵.

22 145 Participant selection and recruitment

24 146 Adults of any age residing in Thailand, Italy, Malaysia, United Kingdom (UK) or Slovenia at the time
25 147 of the study were eligible to take part. Participants needed to be able to use a computer or smart phone
26 148 to access the survey and provide online consent to participate.

29 149 The survey was open from 1st May to 30th June 2020 (1st-30th June for Slovenia due to late start).
30 150 Participants were recruited using a combination of approaches: snowball sampling through personal
31 151 and professional networks (via email, social media and messenger apps, mailing lists, and
32 152 organisations such as the Medical Chamber²⁶ in Slovenia); a polling company²⁷ in Thailand; and
33 153 through promoted posts on Facebook. Facebook allows users to 'boost' posts to selected demographic
34 154 audiences for a small fee, so that the post appears on their Facebook newsfeed²⁸. To achieve more
35 155 balanced responses in the categories of gender, education level and geographic distribution, promoted
36 156 Facebook posts were targeted at people with primary or lower/secondary education in UK and
37 157 Malaysia; potential participants in Wales, Scotland and Northern Ireland in the UK; and at men in the
38 158 UK and Italy.

47 159 Sample size

49 160 Each country aimed to recruit a minimum sample of 600 respondents, exceeding the 40-200
50 161 respondents recommended for a mixed-methods study²⁹. A minimum sample size of 600 respondents
51 162 is adequate to estimate the prevalence of a response assuming a 50% prevalence rate, with 95%
52 163 confidence and with a precision of 4%. The 50% prevalence is the standard assumption for precision
53 164 sample size calculations when the true prevalence is not available, as this gives the highest sample
54 165 size for a binomial distribution for a desired level of precision. The following sample size formula

$$n = \frac{Z_{1-\alpha/2}^2 P(1-P)}{d^2}$$

166 was used $\frac{Z_{1-\alpha/2}^2 P(1-P)}{d^2}$ where P is the anticipated prevalence, d is the margin of error,
 167 $Z_{1-\alpha/2}$ is the standard normal value corresponding to the upper tail probability of $\alpha/2$, $\alpha=0.05$ (for a
 168 95% confidence interval), n is the sample size.

169

170 Statistical analysis

171 To simplify analysis, answers in the following categories were combined as follows: “slightly
 172 agree/highly agree” were combined into one “agree”, category, and “slightly/strongly disagree”
 173 responses into one “disagree” category. To understand the distribution of the basic demographic
 174 variables in the respondent sample, the observed frequencies and sample characteristics are reported
 175 using unweighted percentages (Suppl. Table 1). The characteristics for the rest of the variables are
 176 presented using the observed survey frequency counts followed by weighted percentages (Suppl.
 177 Tables 2-37). Post-stratification weighting was used to align the composition of the respondents’
 178 sample with the known distribution of the whole population’s characteristics, reducing sampling error.
 179 Weights were computed considering three stratifying variables that were available from population
 180 census data from each country³⁰, namely, gender, age and education level. Weights were obtained as
 181 the ratio between the proportion of each possible combination of the three variables in the whole
 182 country population and the correspondent proportion in the respondent sample.

183 Survey data was analysed using Stata 15.0 software³¹. Frequency counts and percentages were used to
 184 summarise categorical data. Associations between categorical variables were assessed using Pearson’s
 185 Chi-squared test. P-values have been provided in the tables and considered statistically significant
 186 below the two-sided $\alpha=0.05$ level. All p-values presented in the tables are for global tests of
 187 significance. Practical significance was taken into account when interpreting differences in the results.

188 Results

189 At the time of the inception of this study, governments in Thailand, Malaysia, Italy, the UK and
 190 Slovenia had initiated public health measures, using varying degrees of “lockdowns” to curb the
 191 pandemic. Figure 1 shows a visualization of the ‘Stringency Index’ (SI) of the public health responses
 192 of the five government over the study period, drawing upon data provided by the Oxford COVID-19
 193 Government Response Tracker (OxCGRT)³². The OxCGRT tool tracks government policies and
 194 interventions from more than 180 countries on standardized indicators, and aggregates the data into a
 195 ‘Stringency Index’ for each country on a scale from 0-100, with 100 indicating the strictest
 196 response³². For example, Italy had the strictest public health measures in early May (SI = 93) and then
 197 gradually lifted and reintroduced restrictions, whereas restrictions in the UK remained at around the

198 same level (SI = 69-76) throughout the study period. Restrictions in Slovenia were substantially eased
199 from June onwards (SI = 33).

200 Characteristics of survey respondents

201 A total of 5,058 participants took part in the survey: 1,476 respondents from Thailand (29%), 827
202 from Malaysia (16%), 1,009 from the UK (20%), 712 from Italy (14%), and 1,034 from Slovenia
203 (20%; Suppl. Table 1, unweighted data). Overall, around 40% identified as male, around 60% as
204 female, and around 1% as 'other/prefer not to say'. Of all respondents, 8% were 18-24 years old, 17%
205 were aged -25-34 years old, 65% were 35-64 years old, and 10% fell into the 65+ age group. Overall,
206 33% had primary or lower (from here on referred to as 'primary') or secondary education, whereas
207 67% had tertiary education. Overall, 21% of respondents lived in large households with five or more
208 people. A total of 59% of respondents received a fixed income (salary/benefits/pension), 31% had
209 flexible income (contract and freelance), and 10% received no or 'other income'. Overall, 36% lived
210 with children under 18 years in their household, and 29% reported that they or a household member
211 belonged to a "vulnerable group" (persons aged 70 or older, pregnant women, or people with serious
212 health conditions). Lastly, 19% were healthcare provider/workers. Supplementary Table 1 provides
213 the breakdown by country. All results in the following subsections are presented as weighted
214 percentages.

215 Views on economic impacts of COVID-19 and public health measures

216 In order to understand the economic impacts of COVID-19, respondents who had been working
217 before the pandemic (paid or unpaid work) were asked whether COVID-19 had created any work-
218 related inconvenience for them. Overall, 56% of respondents said that they experienced loss of
219 earnings, 44% reduction of working hours, 36% closure of workplace and 14% job loss (Fig. 2, Suppl.
220 Table 2). A total of 75% reported that they continued to work during COVID-19. Of all respondents,
221 53% expressed financial concerns, and 32% worried about professional/career progression. Our
222 results indicated that the most affected country was Thailand, with 85% of respondents reporting loss
223 of earnings, 23% loss of job, and 86% expressing financial concerns (Suppl. Table 2). In contrast,
224 fewer Slovenian respondents appeared to be affected economically, e.g. 30% reported loss of
225 earnings, 3% reported loss of job, and 27% had financial concerns.

226
227 To investigate the impact of public health measures on different social groups, we analyzed responses
228 based on gender, level of education, age group, household size, whether respondents lived with
229 children under 18 years old, and income type.

230 Overall, there were no significant differences between male, female and respondents who identified as
231 'other/prefer not to say', and who had been working before COVID-19, in terms of loss of earnings,
232 loss of job, reduction of working hours and closure of workplace (Fig. 2, Suppl. Table 3). Overall,
233 fewer women continued to work during COVID-19 (71% women vs 78% men; $p=0.010$). The trend
234 was similar at country level, except for Malaysia (73% women versus 67% men; Suppl. Table 3).

235 Overall, 65% of respondents with primary and secondary education who had been working before
236 COVID-19 reported a loss of earnings, compared to 38% of respondents with tertiary education
237 ($p<0.001$; Fig. 2, Suppl. Table 4). More respondents with primary/secondary education lost their job
238 (17% versus 8%; $p<0.001$), and had their working hours reduced (47% versus 37%; $p<0.001$). Fewer
239 respondents with primary/secondary education continued to work (71%, versus 83%, $p<0.001$), and
240 59% reported financial concerns (versus 41%; $p<0.001$). This trend was mirrored at country level.
241 Respondents with primary/secondary education were most affected in Thailand, where 90% reported
242 loss of earnings, 24% reported loss of job, and 89% reported financial concerns (Suppl. Table 4).
243 Only 65% of respondents with primary/secondary education in Malaysia (versus 90% with tertiary
244 education) and 59% in Italy (versus 79%) continued to work during COVID-19.

245 In order to assess whether age was a factor associated with economic impact, respondents were
246 divided into four age groups in the analysis: 18-24 year olds, 25-34 year olds, 35-64 year olds, and
247 over 65 year olds (Fig. 2, Suppl. Tables 5a-b). There were significant differences between age groups
248 regarding loss of earnings ($p=0.044$): 67% of 65+ year olds reported loss of earnings, compared to
249 59% of 18-24 year olds, 47% of 25-34 year olds and 56% of 35-64 year olds. There were no
250 significant differences overall regarding loss of job ($p=0.053$). However, the 18-24 year olds appeared
251 to be most affected through reduction of working hours ($p=0.016$) and closure of workplace
252 ($p<0.001$). Only 54% of 18-24 year olds and 68% of 65+ year olds continued to work during
253 COVID-19, compared to 78% of 25-34 and 78% of 35-64 year olds ($p=0. <0.001$). Analysing by
254 country, the 18-24 year olds reported the higher job losses compared to the other groups in Thailand
255 (32%), Malaysia (42%) and the UK (19%). Those over 65 years old were particularly affected in
256 Italy, where 87% of 65+ year olds who had been working before COVID-19 reported loss of earnings,
257 and 42% reported loss of job ($N=12$). In all countries, fewer 18-24 year olds continued to work during
258 COVID-19, and in all countries except Thailand, fewer 65+ year olds continued to work during
259 COVID-19.

260 Overall, more respondents living in larger households, and more respondents living with children
261 under 18 in the household reported economic impacts (Fig. 2, Suppl. Tables 6 and 7). Overall, 64% of
262 respondents whose household included 5 people or more reported loss of earnings (compared to 53%
263 of households with 1-4 people; $p=0.003$), and 20% reported loss of job (compared to 12%; $p=0.005$;
264 Suppl. Table 6). More respondents with children reported a loss of earnings compared to respondents

265 without children (62% versus 53%; $p=0.005$), and higher job loss (18% versus 12%; $p=0.008$; Suppl.
266 Table 7). Analysing by country, respondents living with children appeared to be particularly affected
267 in Thailand and Malaysia.

268 We also analysed responses according to three types of income: fixed income (e.g. fixed salary,
269 benefits or pension), flexible income (e.g. contract, freelance), and other/no income (Fig. 2; Suppl.
270 Table 8). We did not ask for amount of income. Overall, respondents with fixed income were less
271 affected economically than those with flexible or other/no income. Of the latter only 38% reported
272 loss of earnings, compared to 81% of respondents with flexible income and 69% of respondents with
273 other/no income ($p<0.001$). Only 8% of people with fixed income had lost their job, compared to 22%
274 with flexible income and 27% with other/no income ($p<0.001$). At country level, the trends were
275 similar (Suppl. Table 8). Fewer people with flexible or other/no income continued to work in
276 Malaysia (42% with flexible/25% with no/other income, compared to 83% with fixed income;
277 $p<0.001$), UK (57%/62%, compared to 79%; $p<0.001$), Italy (51%/15%, compared to 81%; $p<0.001$)
278 and Slovenia (57%/59%, compared to 84%; $p<0.001$).

279 Views on social impacts of COVID-19 and public health measures

280 We asked respondents if they were concerned about the following areas of life if advised no physical
281 contact/not allowed to go out/allowed to go out only for essential needs: caring responsibilities,
282 physical health, recreational pursuits, sports, mental health and wellbeing, living arrangements,
283 infrastructure (e.g. access to transport, internet), social, and religious and spiritual needs/aspects
284 (Suppl. Table 9). Overall, respondents expressed most concern about their social life (64%), their
285 physical health (59%), and their mental health and wellbeing (58%). This trend was largely similar in
286 individual countries, except for Thailand, where caring responsibilities attracted the most concern
287 (62%); Malaysia, where 58% were concerned about religion and spirituality; and Slovenia, where
288 65% of people worried about recreational aspects. In general, there were no major differences
289 between gender (Suppl. Table 10), age groups (Suppl. Table 11), education level (Suppl. Table 12),
290 household size (Suppl. Table 13), living with children (Suppl. Table 14) or income type (Suppl. Table
291 15). However, two areas with the most significant differences between demographic groups were
292 caring responsibilities and living arrangements. For example, 52% of women (compared to 42% of
293 men and 46% of 'other/prefer not to say', $p<0.001$; Suppl. Table 10), and 64% of those living with
294 children under 18 (compared to 38% of those without children, $p<0.001$; Suppl. Table 14) expressed
295 concerns about caring responsibilities. Concerns about living arrangements were reported by 33% of
296 those with primary/secondary education (compared to 26% with tertiary, $p<0.001$; Suppl. Table 12),
297 and 41% of those living in households with 5 or more people (compared to 28% in households with
298 1-4 people, $p<0.001$; Suppl. Table 13). We asked respondents how many days they could cope with
299 not going out except for essential needs/work, with answer options ranging from one to 59 days or

1
2
3 300 more. In total, 44% of respondents said that they could cope for 29 days or longer (Suppl. Table 16).
4 301 However, coping time varied significantly between countries ($p<0.001$): in the UK, 60% of people
5 302 felt they would be able to cope for 29 days or longer, whereas in Thailand, only 26% of respondents
6 303 said that they could cope this long. Overall, gender and age did not appear to be associated with
7 304 coping time (Suppl. Tables 17-18). Factors that appeared to be associated with lower coping times
8 305 were living in households with 5 or more people ($p=0.023$, Suppl. Table 19), with children under 18
9 306 years ($p=0.004$, Suppl. Table 20), having primary/secondary education ($p<0.001$, Suppl. Table 21),
10 307 and receiving flexible income ($p<0.001$; Suppl. Table 22). Indicators varied at country level.

17 308 Compliance and acceptance of public health measures

19 309 Next, we explored which factors were associated with compliance and agreement with public health
20 310 measures. Of all respondents, 67% reported that they had changed their social behaviour *before*
21 311 government restrictions were implemented (Fig. 3; Suppl. Table 23). There were significant
22 312 differences at country level ($p<0.001$): 93% of Thai respondents reported voluntary pre-restriction
23 313 behaviour change, followed by the UK (68%) and Malaysia (64%). Slovenian (47%) and Italian
24 314 respondents (47%) reported the lowest levels of voluntary pre-restriction behaviour change. Overall,
25 315 92% of respondents had used sanitizer products and alcohol, 82% avoided physical contact with
26 316 anyone, and 79% avoided physical contact with only vulnerable groups. In Thailand and Malaysia,
27 317 96% and 95% of respondents indicated that they had been using personal protective equipment (PPE;
28 318 e.g. face masks and gloves), compared to only 33% in UK, 55% in Italy, and 67% in Slovenia
29 319 ($p<0.001$). We also asked respondents how much they agreed with quarantine/isolation/social
30 320 distancing measures and the statement that these are a necessary strategy to help control COVID-19
31 321 (Suppl. Table 23). There was a significant difference between countries ($p<0.001$): agreement with
32 322 public health measures was highest amongst respondents from Thailand (94%) and lowest amongst
33 323 those from Slovenia (around 75%).

34 324 Overall, fewer male than female respondents changed their social behaviour before the government
35 325 implemented official restrictions (65% and 70%, respectively, $p=0.039$; Fig. 3, Suppl. Table 24). At
36 326 country level, fewer men than women reported changing their social behaviour voluntarily, except in
37 327 Thailand, where reported changes among men and women were similar (94%/92%, $p=0.426$).
38 328 Overall, there were no significant differences between men and women when asked about how much
39 329 they agreed with public health measures and the statement that these are a necessary strategy to help
40 330 control COVID-19 ($p=0.191$; Suppl. Table 24).

41 331 When it came to education level, there were no significant differences between respondents with
42 332 primary/secondary and those with tertiary education regarding voluntary behaviour change before
43 333 government-imposed restrictions ($p=0.369$), and agreement with public health measures and the

1
2
3 334 statement that these are a necessary strategy to help control COVID-19 ($p=0.304$; Fig. 3, Suppl. Table
4 335 25). Indicators varied at country level.

6
7 336 Overall, 70% of 18-34 year olds and 70% of 35-64 year olds indicated that they had voluntarily
8 337 changed their behaviour before government restrictions, compared to only 57% of 65+ year olds
9 338 ($p=0.004$; Fig. 3, Suppl. Table 26). This trend was similar at country level, except in Italy where 57%
10 339 of 65+ year olds were most likely to change their behaviour, compared with 44% of 18-34 and 44% of
11 340 35-64 year olds. Overall, agreement with voluntary restrictions was similar across age groups
12 341 ($p=0.271$; Suppl. Table 26), but fewer 65+ year expressed agreement with restrictions that were
13 342 government-enforced ($p=0.003$). Respondents over 65 years old in Slovenia reported the lowest
14 343 agreement with the statement that quarantine/isolation/social distancing are a necessary strategy to
15 344 help control COVID-19 (67%), compared to 96% in Thailand and 100% in Malaysia.

16 345 Lastly, self-reported levels of understanding of COVID-19 did not significantly affect voluntary
17 346 change of behaviour ($p=0.091$), or agreement with public health measures ($p=0.688$; Suppl. Table 27).

26 347 Self-perceived level of understanding of COVID-19

27 348 We asked respondents to indicate their perceived level of understanding of COVID-19. Overall, 59%
28 349 of respondents indicated a 'high/very high' level of understanding, 36% reported 'some'
29 350 understanding, and only 5% reported 'very little/none' (Fig. 4, Suppl. Table 28). There were
30 351 significant differences at country level ($p<0.001$): perceived levels of understanding were highest in
31 352 Slovenia (66% reported 'high/very high', and 30% 'some' understanding) and Thailand (63%
32 353 'high/very high' and 33% 'some'), and lowest in Italy, with 47% reporting 'high/very high', and 50%
33 354 reporting 'some' level of understanding.

34 355 To probe for factors associated with perceived level of understanding of COVID-19, we broke down
35 356 responses by gender, age, education and healthcare worker status (Fig. 4, Suppl. Table 29). Overall,
36 357 there was no significant difference between men, women and people who identified as other or
37 358 preferred not to say ($p=0.058$; Fig. 4, Suppl. Table 29). Age appeared to be a factor, as only 52% of
38 359 18-34 year old respondents self-reported 'high/very high' understanding compared to 62% of 35-64
39 360 year olds and 60% of 65+ year olds ($p=0.033$). Overall, fewer respondents with primary and
40 361 secondary education self-reported 'high/very high' understanding (56% indicated 'high/very high'
41 362 compared to 66% with tertiary education, $p<0.001$). Lastly, healthcare worker status was associated
42 363 with perceived higher understanding ($p=0.001$). This trend was similar at country level, except for
43 364 Malaysia, where 49% of healthcare workers reported 'high/very high' understanding compared to
44 365 52% of non-healthcare workers ($p=0.805$) (Suppl. Table 29).

45 366 Overall, higher levels of perceived understanding of COVID-19 were associated with higher levels of
46 367 perceived understanding of public health measures ($p<0.001$; Suppl. Table 30). For example, 88% of

1
2
3 368 respondents who self-reported 'high/very high' understanding of COVID-19 and 50% who reported
4 369 'some' understanding felt that they had a 'high/very high' level of understanding of public health
5 370 measures. In contrast, only 27% of respondents who reported 'very little/no' understanding of
6 371 COVID-19 indicated a high understanding of public health measures.

11 372 Information about COVID-19, unclear information and fake news

13 373 Throughout the study period, all five countries were running coordinated public information
14 374 campaigns (Suppl. Fig 1^{32 33}). When respondents were asked how they receive/received information
15 375 about COVID-19 (Suppl. Table 31), most reported traditional mass media (TV, radio, newspapers;
16 376 93%), followed by online methods (websites, email; 83%) and social media and messenger apps
17 377 (79%). When asked about their preferences for receiving information, the top three responses were
18 378 traditional mass media (78%), government or institution's website (77%), and online (76%). There
19 379 were no significant differences based on gender (Suppl. Table 32). Fewer respondents over 65 years
20 380 said that they had used online channels or social media and messenger apps, and they expressed
21 381 significantly lower preference for these channels too. For example, only 66% of over 65 year olds
22 382 wanted to receive information online, compared to 78%/79% of the other age groups ($p<0.001$), and
23 383 only 52% of over 65 year olds expressed preference for social media and messenger apps, compared
24 384 to 64%/64% ($p=0.005$; Suppl. Table 33). Overall, most respondents with primary/secondary education
25 385 and those with tertiary education had received information through traditional mass media, and social
26 386 media/messenger apps (Suppl. Table 34). Fewer respondents with primary/secondary education had
27 387 used online channels in the form of websites and emails (79% versus 92%, $p<0.001$), and more had
28 388 received face-to-face information compared to those with tertiary education (43% versus 35%,
29 389 $p<0.001$; Suppl. Table 34). However, both education level groups indicated that their preferred
30 390 methods of communication were mass media channels, online methods and government/institutions'
31 391 websites.

32 392 We asked respondents if they had seen unclear or conflicting information about COVID-19 in nine
33 393 categories relating to infection, symptoms and various public health measures. Overall, between 36-
34 394 54% of respondents indicated that they had seen such information. Ways to avoid the infection (54%),
35 395 government support schemes (52%) and testing (51%) were identified as the most unclear areas
36 396 (Suppl. Table 35). Thailand reported the lowest levels of seeing unclear or conflicting information in
37 397 most categories (around 35-40%), while respondents in the UK reported the highest levels in most
38 398 categories (around 55-70%). Overall, those with tertiary education reported significantly higher levels
39 399 of seeing unclear information than those with primary/secondary education in almost all categories
40 400 ($p<0.001$) except government support schemes (Suppl. Table 36).

1
2
3 401 When asked “Have you come across news about the following COVID-19 topics that seemed fake to
4 402 you?”, overall 63% of respondents had encountered news on “Coronavirus as an engineered modified
5 403 virus”, 60% reported seeing “general spread of fear”, and 51% had come across seemingly fake news
6 404 about “numbers of infected/deceased people”, “home-made recipes to make sanitizer products” and
7 405 “alternative drugs/cure” (Fig. 5, Suppl. Table 35). Thailand reported the lowest percentages in all
8 406 ‘fake news’ categories, with a range of 27-42% (Suppl. Table 35). Overall, respondents with tertiary
9 407 education reported significantly higher levels of seeing ‘fake news’ in all categories compared to
10 408 those with primary/secondary education ($p<0.001$; Fig. 5, Suppl. Table 36). For example, only 56% of
11 409 people with primary/secondary education reported coming across fake news about “coronavirus as an
12 410 engineered modified virus” versus 79% of those with tertiary education ($p<0.001$). There did not
13 411 appear to be an association between self-reported levels of understanding of COVID-19 and seeing
14 412 unclear/conflicting information or ‘fake news’ (Suppl. Table 37).

413 Discussion

414 Our results indicate how public health measures that were in place between 1st May and 30th June
415 2020 affected a cohort of over 5,000 respondents across five countries, and thus contribute new data
416 and insights to these research areas.

417 Groups most affected by COVID-19 public health measures

418 The following factors were associated with a negative economic impact: belonging to the age group
419 18-24 years or 65 and over, having lower education levels, living in larger households with 5 or more
420 people, having children under 18 in the household, , and having flexible/no income. This suggests that
421 COVID-19 public health measures can have greater negative impacts on already disadvantaged
422 groups. Overall, it appeared that the 35-64 year old age group was less affected than other age groups.
423 Possible explanations for this could be the types of sectors that younger and older people work in (e.g
424 low paid or service industries)^{34 35}, or for older workers, shielding guidance issued by governments,
425 lower levels of digital skills for remote working³⁶, or discrimination in the form of ageism^{34 37}. There
426 were no significant differences between gender groups in our overall analysis. However, other studies
427 have shown that COVID-19 has had a greater impact on women (e.g. women are more likely to have
428 temporary contracts^{38 39} and disproportionately carry the burden of unpaid care^{40 41}). A more detailed
429 gender analysis to further break down our survey results is currently underway.

430 Our results showed that among the countries surveyed, respondents from Thailand reported the most
431 adverse impacts. Thailand is a middle-income country with a large informal economy, and relies
432 heavily on the tourism industry (15% GDP)⁴². Thailand also had a high government stringency index
433 during the period of the study (Fig. 1), which included closure of borders, businesses and nighttime

1
2
3 434 curfews⁴³. This meant that many informal street vendors and those working in the tourism industry
4
5 435 (e.g. tour operators) had no income or lost their jobs.

6
7 436 Overall, about two thirds of respondents were most concerned about the effects of public health
8
9 437 measures on their social life, their physical health, and their mental health and wellbeing. These
10
11 438 findings resonate with other studies showing the substantial negative impact of COVID-19 restrictions
12
13 439 on mental health, wellbeing and social life⁴⁴⁻⁴⁶.

14 15 440 Self-reported compliance and behavioural changes

16
17 441 A number of quantitative online surveys have examined experiences, knowledge, attitude and
18
19 442 perceptions towards COVID-19 and public health measures, at country level³⁸⁻⁴⁷⁻⁵⁶, and among
20
21 443 different social groups⁵⁷⁻⁶⁰. Our findings show that self-reported compliance and behavioural change
22
23 444 seemed to differ between countries. For example, respondents in Thailand indicated significantly
24
25 445 higher levels of compliance, acceptance of public health measures and voluntary behavioural change
26
27 446 compared to other countries. Although our survey was unable to implicate causality, it may contribute
28
29 447 to better understanding of why Thailand has the lowest number of COVID cases relative to its
30
31 448 population among the countries who took part in the survey⁶¹. Some of our results with regards to
32
33 449 gender and age were similar to trends reported in other studies. For example, results from a Hong
34
35 450 Kong study showed that female respondents, and those who reported higher levels of understanding
36
37 451 of COVID-19, were more likely to adopt social distancing measures⁶². Similarly, a Chinese study
38
39 452 found that men and those with a lower COVID-19 knowledge score were less likely to avoid crowded
40
41 453 places or wear a mask outside⁵¹. Using survey data from 27 countries, Daoust⁵⁷ observed that
42
43 454 compliance was not higher in older people even though they might be expected to comply more due
44
45 455 to being a risk group. Similarly, our data showed that overall and in Malaysia, UK and Slovenia, far
46
47 456 fewer respondents over 65 years reported changing their behaviour voluntarily before official
48
49 457 restrictions came into place. However, overall, over 80% of respondents in all three age groups
50
51 458 expressed agreement when asked if they would comply voluntarily or with government-mandated
52
53 459 restrictions (Suppl. Table 26).

54 55 460 Improving COVID-19 communication

56
57 461 Our findings indicated that younger age and lower education levels appeared to be associated with
58
59 462 lower self-perceived/subjective levels of understanding of COVID-19. Also, higher self-reported
60
463 levels of understanding of COVID-19 seemed to be associated with higher self-perceived levels of
464 understanding of public health measures. A recent modelling study suggests that self-imposed public
465 health measures combined with fast spreading of disease awareness in the population can help reduce
466 transmission of the virus¹¹. Our findings suggest that specific groups of people, such as those with

1
2
3 467 primary/secondary education levels and those 18-34 year old, may benefit most from targeted
4 468 COVID-19 communication initiatives.

6
7 469 In terms of channels of communications, the three most popular channels across countries were
8 470 traditional mass media, government or institutional websites, and online media. Similar results
9 471 emerged from a recent survey carried out in the Netherlands, Germany and Italy⁵⁴. However,
10 472 respondents in Thailand reported that they preferred to receive information face-to-face, especially
11 473 those with primary/secondary education. This suggests that in order for communication strategies to
12 474 be effective, they need to be sensitive to population preferences and tailored to local contextual
13 475 factors (e.g. levels of connectivity, literacy⁶³).

14
15 476 Our survey showed that a significant proportion of the population received conflicting information
16 477 and news that seemed fake to them, in particular about coronavirus being an engineered modified
17 478 virus. These findings confirm other reports that misinformation and what has been termed the
18 479 COVID-19 'infodemic' is widespread^{58 64 65}. More efforts should be made to curb misinformation and
19 480 disinformation, taking into account the needs of different groups⁴⁶.

27 28 481 **Strengths and limitations**

29
30 482 Our online survey enabled us to capture people's experiences and concerns in multiple domains, in
31 483 five countries, all of which had restrictions in place, during the relatively early stage of the COVID-19
32 484 pandemic. To our knowledge, the SEBCOV study was one of the largest international mixed-methods
33 485 studies conducted on the impact of COVID-19. To maximise the number of respondents and the
34 486 likelihood of getting honest answers, the survey was completely anonymous. Due to the relatively
35 487 large sample of respondents in each country, we were able to compare population segments (e.g. men
36 488 versus women or younger versus older people) in our overall cohort and at country level. We did not
37 489 aim to obtain nationally representative samples and acknowledge that although we used weighting
38 490 strategies in our analysis, our results may not be fully representative of the populations in the
39 491 respective countries. Similarly, there might be differences in the frequency of demographic groups
40 492 (e.g. 18-24 years old who had been working before COVID-19) between the different countries,
41 493 which might affect the interpretation of our data at country level. Overall, there was a high proportion
42 494 of respondents who were healthcare workers (19%), and some variation in this proportion between
43 495 countries. This may have influenced the country level analysis, in particular in the areas of perceived
44 496 understanding, compliance/agreement and communication preferences.

45
46 497 Because the survey was online, only people who were literate, had internet access, and had access to
47 498 computers or smartphones could take part. Due to COVID-19 related restrictions, it was not possible
48 499 to conduct face-to-face data collection to reach groups who were illiterate in the language of the
49 500 survey, or who did not have access to online technology. This is likely to have biased our data

1
2
3 501 towards more educated and economically advantaged populations. Our study was also subject to
4
5 502 response bias and other biases arising from self-reporting and recall. Our study was designed to
6
7 503 capture the views and perceptions of respondents on how COVID-19 impacted them socially and
8
9 504 economically rather than standard social and economic impact indicator, which are captured by other
10
11 505 studies. Similarly, our survey captured perceived level of understanding of COVID-19 and public
12
13 506 health measures rather than actual level of understanding. We were able to identify communication
14
15 507 needs and preferences of our respondents, which can be used as guidance for organisations running
16
17 508 public health communication initiatives. As the media landscapes vary among countries, other factors
18
19 509 like freedom of press or the proportion of digital media consumption are likely to influence people's
20
21 510 responses. Lastly, as a cross-sectional survey, our data only sheds light on the prevalence of certain
22
23 511 phenomena and opinions of respondents but does not imply causality.

24
25 512 The results of the survey reported here form part of a mixed-methods study, which also includes an
26
27 513 in-depth qualitative study, the findings of which are currently being analysed and will be published
28
29 514 separately. Combined, our results may help explain some of the trends reported in this survey, as well
30
31 515 as the differences between countries and social groups. We have also conducted a preliminary
32
33 516 analysis of unweighted Thai survey responses during May 2020, which includes more detailed
34
35 517 breakdowns by regions within Thailand⁶⁶.

36 518 **Conclusion**

37 519 Our data confirmed that COVID-19 and public health measures have unequal effects on different
38
39 520 countries and different social groups within countries. As such, this study helps to expose some of the
40
41 521 social and economic inequalities resulting from COVID-19 and public health measures, and
42
43 522 contributes to an important body of research showing that NPIs have a greater impact on those who
44
45 523 are socio-economically disadvantaged.. Our findings provide an indication of the social groups who
46
47 524 may be most in need of support during pandemics, so that existing social inequalities are not
48
49 525 perpetuated and worsened. Lastly, our data can help to inform future strategies for effective
50
51 526 communication in order to mitigate the impacts of COVID-19.

52 527 **Ethics approval**

53 528 Ethics approval was granted by Oxford Tropical Research Ethics Committee (OxTREC, reference
54
55 529 no.520-20), covering all countries; the Faculty of Tropical Medicine Ethics Committee, Thailand
56
57 530 (FTMEC, ref: MUTM 2020-031-01); the Medical Research and Ethics Committee (MREC), Ministry
58
59 531 of Health Malaysia (MOH), Malaysia, ref: NMRR-20-595-54437 (IIR), and the Universiti Tunku
60
532 Abdul Rahman (Utar) Scientific and Ethical Review Committee (SERC, ref: (U/SERC/63/2020),
533
534 533 Malaysia; and the National Medical Ethics Committee of the Republic of Slovenia (0120-

534 237/2020/7). Additional ethics committee approval from Italy was not required for the study to be
535 conducted there.

536 **Acknowledgements**

537 We would like to thank all participants who took part in our study. We also thank the people who
538 helped to test and promote the survey, and the members of the Bangkok Health Research and Ethics
539 Group for their input into the study. We would like to thank the SoNAR-Global Network for the
540 social science expertise in the development of this project and the ODK core team for their input in
541 design of the quantitative survey. Lastly, we would like to thank Prof Nicholas PJ Day, Prof Richard
542 Maude and Dr Tamara Giles-Vernick for critical reading of the manuscript.

543 **Data availability statement**

544 Data are available upon reasonable request. All authors recognize the value of sharing individual
545 level data. We aim to ensure that data generated from all our research are collected, curated, managed
546 and shared in a way that maximizes their benefit. Data underlying this publication are available upon
547 request to the Mahidol Oxford Tropical Medicine Research Uni Data Access Committee at
548 <https://www.tropmedres.ac/units/moru-bangkok/bioethics-engagement/data-sharing>.

549 **Funding**

550 This research was funded by a Wellcome Trust Institutional Translational Partnership Award (iTPA),
551 Thailand [210559], and a Wellcome Trust Strategic Award [096527]. The Mahidol Oxford Tropical
552 Medicine Research Unit is funded by the Wellcome Trust [106698 and 220221]. This study was
553 also supported by the Sonar-Global project which has received funding from the European Union
554 Horizon 2020 Research and Innovation Program [825671]. The research programme in Slovenia is
555 funded by the Slovenian Research Agency (Javna agencija za raziskovalno dejavnost RS) [P6-
556 0279]

557 **Conflicts of Interest**

558 The authors declare no conflict of interest. The funders had no role in the design of the study; in the
559 collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to
560 publish the results.

561 **Contributorship statement**

562 AO and PYC oversaw the whole project and wrote the initial draft of the manuscript. AO, GC, WP,
563 PKC, PC, MS, MLS, TP, NW, SA, BN, SR, NK, DO, RC and PYC developed the survey and

1
2
3 564 translations. AO, GC, WP, PC, LS led the project in the UK, Italy, Thailand, Malaysia and Slovenia,
4
5 565 respectively. MM and PP conducted the statistical analysis, figures and tables, with critical input from
6
7 566 MS, AO and PYC. MLS critically reviewed the manuscript, figures and tables. AO, GC, WP, PKC,
8
9 567 PC, MLS, MO, KP, UG, MLS, TP, SA, BN, SR, LS, NK, CRSM, DO, RC and PYC implemented the
10
11 568 survey in their respective countries. All authors contributed to the draft paper, and approved the final
12
13 569 version of the paper. PYC conceived the project and is the guarantor of the paper.

14
15
16
17 570

571 **Transparency declaration**

18 572 The corresponding author (manuscript guarantor) affirms that this manuscript is an honest, accurate,
19
20 573 and transparent account of the study being reported; that no important aspects of the study have been
21
22 574 omitted; and that any discrepancies from the study as planned (and, if relevant, registered) have been
23
24 575 explained.

27 576 **Figure legends**

28
29 577

30
31 578 **Figure 1:** Government stringency indices in Thailand, Malaysia, UK, Italy and Slovenia between 1st
32
33 579 May – 30th June 2020. A higher score indicates a stricter government response, i.e. 100 = strictest³¹.

34
35 580

36
37 581 **Figure 2:** Bar chart showing how respondents from the following demographic groups were affected
38
39 582 economically by COVID-19: at country level (TH = Thailand, MY = Malaysia, UK = United
40
41 583 Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = Other/prefer not to say);
42
43 584 education level (P/S = primary or lower/secondary, T = tertiary); age (18-24 years old, 25-34 years
44
45 585 old, 35-64 years old, 65+ years old); household size (1-4 people, ≥5 people); living with children
46
47 586 under 18 years (Y = yes, N = no); and type of income (FBP = fixed/benefits/pension, CF =
48
49 587 contract/freelance, O = other/no income).

50
51 588

52
53 589 **Figure 3:** Breakdown of responses to the question “Did you change your social behaviour before the
54
55 590 implementation of government restrictions?” by country (TH = Thailand, MY = Malaysia, UK =
56
57 591 United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female,
58
59 592 O = other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-
60
593 34 years old, 35-64 years old, 65+ years old); self-reported/perceived level of understanding of
594
595 COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).

595

Figure 4: Breakdown of responses to the question “How would you rate your level understanding of the current quarantine/isolation/social distancing requirements for COVID-19?” Self-reported/perceived level of understanding of COVID-19 ((H = high/very high/expert level, S = some, N = a little/none at all) shown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer not to say); age (18-34 years old, 35-64 years old, 65+ years old); education level (P/S = primary/secondary, T = tertiary); healthcare worker status (HCW = healthcare worker, Non-HCW = non-healthcare worker).

604

Figure 5: Diagram showing how many survey respondents had come across five ‘fake news’ categories, in response to the question “Have you come across news about the following COVID-19 topics that seemed fake to you?”. Breakdown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = other/prefer not to say), age (18-34 years old, 35-64 years old, 65+ years old), education level (P/S = primary or lower/secondary, T = tertiary), and perceived level of understanding of COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).

612

613

614

References

615

1. Guo G, Ye L, Pan K, et al. New insights of emerging SARS-CoV-2: epidemiology, etiology, clinical features, clinical treatment, and prevention. *Frontiers in Cell and Developmental Biology* 2020;8(410) doi: <https://doi.org/10.3389/fcell.2020.00410>
2. Wang L, Wang Y, Ye D, et al. Review of the 2019 novel coronavirus (SARS-CoV-2) based on current evidence. *International Journal of Antimicrobial Agents* 2020;55(6):105948. doi: <https://doi.org/10.1016/j.ijantimicag.2020.105948>
3. Yan Y, Shin WI, Pang YX, et al. The first 75 days of novel coronavirus (SARS-CoV-2) outbreak: recent advances, prevention, and treatment. *Int J Environ Res Public Health* 2020;17(7) doi: <https://doi.org/10.3390/ijerph17072323>
4. World Health Organization. Non-pharmaceutical public health measures for mitigating the risk and impact of epidemic and pandemic influenza. 2019 [Available from: https://www.who.int/influenza/publications/public_health_measures/publication/en/ accessed 9 October 2020.

- 1
2
3 629 5. Centers for Disease Control and Prevention. Non-pharmaceutical interventions (NPIs). 2020
4 630 [Available from: <https://www.cdc.gov/nonpharmaceutical-interventions/index.html> accessed
5 631 17th July 2020.
- 6
7 632 6. Aledort JE, Lurie N, Wasserman J, et al. Non-pharmaceutical public health interventions for
8 633 pandemic influenza: an evaluation of the evidence base. *BMC Public Health* 2007;7(1):208.
9 634 doi: <https://doi.org/10.1186/1471-2458-7-208>
- 10
11 635 7. Martinez DL, Das TK. Design of non-pharmaceutical intervention strategies for pandemic
12 636 influenza outbreaks. *BMC Public Health* 2014;14(1):1328. doi: [https://doi.org/10.1186/1471-](https://doi.org/10.1186/1471-2458-14-1328)
13 637 2458-14-1328
- 14
15 638 8. Ferguson N, Laydon D, Nedjati Gilani G, et al. Report 9: Impact of non-pharmaceutical
16 639 interventions (NPIs) to reduce COVID19 mortality and healthcare demand. 2020.
17 640 <http://hdl.handle.net/10044/1/77482> (accessed 9 October 2020).
- 18
19 641 9. Koo JR, Cook AR, Park M, et al. Interventions to mitigate early spread of SARS-CoV-2 in
20 642 Singapore: a modelling study. *The Lancet Infectious Diseases* 2020;20(6):678-88. doi:
21 643 [https://doi.org/10.1016/S1473-3099\(20\)30162-6](https://doi.org/10.1016/S1473-3099(20)30162-6)
- 22
23 644 10. Flaxman S, Mishra S, Gandy A, et al. Estimating the effects of non-pharmaceutical
24 645 interventions on COVID-19 in Europe. *Nature* 2020;584(7820):257-61. doi:
25 646 <https://doi.org/10.1038/s41586-020-2405-7>
- 26
27 647 11. Teslya A, Pham TM, Godijk NG, et al. Impact of self-imposed prevention measures and
28 648 short-term government-imposed social distancing on mitigating and delaying a COVID-19
29 649 epidemic: a modelling study. *PLoS Med* 2020;17(7):e1003166. doi:
30 650 <https://doi.org/10.1371/journal.pmed.1003166>
- 31
32 651 12. Doung-ngern P, Suphanchaimat R, Panjangampathana A, et al. Case-control study of use of
33 652 personal protective measures and risk for severe acute respiratory syndrome coronavirus 2
34 653 Infection, Thailand. *Emerging Infectious Diseases* 2020;26(11) doi:
35 654 <https://doi.org/10.3201/eid2611.203003>
- 36
37 655 13. Lewnard JA, Lo NC. Scientific and ethical basis for social-distancing interventions against
38 656 COVID-19. *Lancet Infect Dis* 2020;20(6):631-33. doi: [https://doi.org/10.1016/S1473-](https://doi.org/10.1016/S1473-3099(20)30190-0)
39 657 3099(20)30190-0
- 40
41 658 14. Xafis V. 'What is inconvenient for you is life-saving for me': How health inequities are
42 659 playing out during the COVID-19 pandemic. *Asian Bioethics Review* 2020;12(2):223-34. doi:
43 660 <https://doi.org/10.1007/s41649-020-00119-1>
- 44
45 661 15. Bavel JJV, Baicker K, Boggio PS, et al. Using social and behavioural science to support
46 662 COVID-19 pandemic response. *Nature Human Behaviour* 2020;4(5):460-71. doi:
47 663 <https://doi.org/10.1038/s41562-020-0884-z>
- 48
49 664 16. Seale H, Dyer CEF, Abdi I, et al. Improving the impact of non-pharmaceutical interventions
50 665 during COVID-19: examining the factors that influence engagement and the impact on
51 666 individuals. *BMC Infectious Diseases* 2020;20(1):607. doi: [https://doi.org/10.1186/s12879-](https://doi.org/10.1186/s12879-020-05340-9)
52 667 020-05340-9
- 53
54 668 17. World Health Organisation. A coordinated global research roadmap: 2019 novel coronavirus
55 669 2020 [Available from: [https://www.who.int/blueprint/priority-diseases/key-](https://www.who.int/blueprint/priority-diseases/key-action/Coronavirus_Roadmap_V9.pdf)
56 670 action/Coronavirus_Roadmap_V9.pdf accessed 9 October 2020.

- 1
2
3 671 18. Pan-ngum W, Poomchaichote T, Cuman G, et al. Social, ethical and behavioural aspects of
4 672 COVID-19 [version 2; peer review: 2 approved]. *Wellcome Open Research* 2020;5(90) doi:
5 673 <https://doi.org/10.12688/wellcomeopenres.15813.2>
6
- 7 674 19. Norton A, De La Horra Gozalo A, Feune de Colombi N, et al. The remaining unknowns: a
8 675 mixed methods study of the current and global health research priorities for COVID-19. *BMJ*
9 676 *Global Health* 2020;5(7):e003306. doi: <http://dx.doi.org/10.1136/bmjgh-2020-003306>
10
- 11 677 20. Worldometer. Countries in the world by population (2021) 2021 [Available from:
12 678 <https://www.worldometers.info/world-population/population-by-country/> accessed 8 March
13 679 2021.
14
- 15 680 21. Osterrieder A, Poomchaichote T, Cuman G, et al. Online survey questions: Social, ethical and
16 681 behavioural aspects of COVID-19 (Version Version 2.0 7 July 2020) 2020 [Available from:
17 682 <http://doi.org/10.5281/zenodo.4049821> accessed 25 September 2020.
18
19
- 20 683 22. JISC. Online surveys (formerly BOS). 2020 [Available from:
21 684 <https://www.onlinesurveys.ac.uk/> accessed 13 July 2020.
22
- 23 685 23. Cheah PY. Thailand “Asia and Africa Programme” Stakeholder Engagement Strategy 2020 -
24 686 2025 (Version Version 1, 19 Oct 2019). 2019.
25
- 26 687 24. National Research Council. Cognitive aspects of survey methodology: building a bridge
27 688 between disciplines. Washington, DC: The National Academies Press 1984.
28
- 29 689 25. Padlet. 2020 [Available from: <http://padlet.com/> accessed 2 October 2020.
30
- 31 690 26. The Medical Chamber of Slovenia. 2020 [Available from:
32 691 <https://www.zdravniskazbornica.si/en/medical-chamber-of-slovenia> accessed 2 October 2020.
33
- 34 692 27. Super Poll Thailand. Super Poll Thailand. 2020 [Available from:
35 693 <https://www.superpollthailand.net/> accessed 16 September 2020.
36
- 37 694 28. Facebook. About boosted posts. 2020 [Available from:
38 695 <https://www.facebook.com/business/help/240208966080581?id=352109282177656> accessed
39 696 25 September 2020.
40
- 41 697 29. Castro FG, Kellison JG, Boyd SJ, et al. A Methodology for Conducting Integrative Mixed
42 698 Methods Research and Data Analyses. *J Mix Methods Res* 2010;4(4):342-60. doi:
43 699 10.1177/1558689810382916 [published Online First: 2010/09/20]
44
- 45 700 30. Lutz W, Goujon A, Kc S, et al. Demographic and human capital scenarios for the 21st
46 701 century: 2018 assessment for 201 countries.: Publications Office of the European Union;
47 702 2018 [Available from: [https://ec.europa.eu/jrc/en/publication/demographic-and-human-](https://ec.europa.eu/jrc/en/publication/demographic-and-human-capital-scenarios-21st-century-2018-assessment-201-countries)
48 703 [capital-scenarios-21st-century-2018-assessment-201-countries](https://ec.europa.eu/jrc/en/publication/demographic-and-human-capital-scenarios-21st-century-2018-assessment-201-countries) accessed 9 October 2020.
49
50
- 51 704 31. StataCorp. Stata Statistical Software: Release 15. College Station, TX: StataCorp LLC, 2017.
52
- 53 705 32. Hale T, Webster S, Petherick A, et al. Oxford COVID-19 Government Response Tracker,
54 706 Blavatnik School of Government.: Blavatnik School of Government; 2020 [Available from:
55 707 <https://covidtracker.bsg.ox.ac.uk/>.
56
- 57 708 33. Our World in Data. Public information campaigns on the COVID-19 pandemic 2021
58 709 [Available from: <https://ourworldindata.org/grapher/public-campaigns-covid> accessed 8
59 710 March 2021.
60

- 1
2
3 711 34. Alwin RL, Schramm J. Coronavirus' devastating economic impact on workers age 50-plus
4 712 2020 [Available from: [https://www.aarp.org/politics-society/advocacy/info-2020/coronavirus-](https://www.aarp.org/politics-society/advocacy/info-2020/coronavirus-economic-impact-older-workers.html)
5 713 economic-impact-older-workers.html accessed 16 September 2020.
- 6
7 714 35. Business in the Community. COVID-19: economic impact on age in the workplace. 2020
8 715 [Available from: [https://www.bitc.org.uk/fact-sheet/covid-19-economic-impact-on-age-in-](https://www.bitc.org.uk/fact-sheet/covid-19-economic-impact-on-age-in-the-workplace/)
9 716 the-workplace/ accessed 16 September 2020.
- 10
11 717 36. McIvor C. The risk older workers face in the wake of COVID-19. Nesta Blogs 2020
12 718 [Available from: <https://www.nesta.org.uk/blog/risk-older-workers-face-wake-covid-19/>
13 719 accessed 13 October 2020.
- 14
15 720 37. Officer A, Schneiders ML, Wu D, et al. Valuing older people: time for a global campaign to
16 721 combat ageism. *Bull World Health Organ* 2016;94(10):710-10a. doi:
17 722 <https://doi.org/10.2471/blt.16.184960> [published Online First: 2016/11/16]
- 18
19 723 38. Eurofound. Living, working and COVID-19: First findings – April 2020 2020 [Available
20 724 from: [https://www.eurofound.europa.eu/publications/report/2020/living-working-and-covid-](https://www.eurofound.europa.eu/publications/report/2020/living-working-and-covid-19-first-findings-april-2020)
21 725 19-first-findings-april-2020 accessed 13 October 2020.
- 22
23 726 39. Burki T. The indirect impact of COVID-19 on women. *The Lancet Infectious Diseases*
24 727 2020;20(8):904-05. doi: [https://doi.org/10.1016/S1473-3099\(20\)30568-5](https://doi.org/10.1016/S1473-3099(20)30568-5)
- 25
26 728 40. Anu M, Olivia W, Mekala K, et al. COVID-19 and gender equality: Countering the regressive
27 729 effects: McKinsey Global Institute; 2020 [Available from:
28 730 [https://www.mckinsey.com/featured-insights/future-of-work/covid-19-and-gender-equality-](https://www.mckinsey.com/featured-insights/future-of-work/covid-19-and-gender-equality-countering-the-regressive-effects)
29 731 countering-the-regressive-effects accessed 16 October 2020.
- 30
31 732 41. Power K. The COVID-19 pandemic has increased the care burden of women and families.
32 733 *Sustainability: Science, Practice and Policy* 2020;16(1):67-73. doi:
33 734 <https://doi.org/10.1080/15487733.2020.1776561>
- 34
35 735 42. World Bank Group. Thailand Economic Monitor: Thailand in the Time of COVID-19
36 736 (English). Washington, D.C. 2020 [Available from:
37 737 [http://documents.worldbank.org/curated/en/456171593190431246/Thailand-Economic-](http://documents.worldbank.org/curated/en/456171593190431246/Thailand-Economic-Monitor-Thailand-in-the-Time-of-COVID-19)
38 738 Monitor-Thailand-in-the-Time-of-COVID-19 accessed 13 October 2020.
- 39
40 739 43. Ministry of Public Health. Thailand's experience in the COVID-19 response 2020 [Available
41 740 from: https://ddc.moph.go.th/viralpneumonia/eng/file/pub_doc/LDoc9.pdf accessed 13
42 741 October 2020.
- 43
44 742 44. Brooks SK, Webster RK, Smith LE, et al. The psychological impact of quarantine and how to
45 743 reduce it: rapid review of the evidence. *The Lancet* 2020;395(10227):912-20. doi:
46 744 [https://doi.org/10.1016/S0140-6736\(20\)30460-8](https://doi.org/10.1016/S0140-6736(20)30460-8)
- 47
48 745 45. Pierce M, Hope H, Ford T, et al. Mental health before and during the COVID-19 pandemic: a
49 746 longitudinal probability sample survey of the UK population. *The Lancet Psychiatry*
50 747 2020;7(10):883-92. doi: [https://doi.org/10.1016/S2215-0366\(20\)30308-4](https://doi.org/10.1016/S2215-0366(20)30308-4)
- 51
52 748 46. Social Science in Humanitarian Action Platform. Quarantine in the context of COVID-19.
53 749 [Available from: [https://www.socialscienceinaction.org/resources/february-2020-social-](https://www.socialscienceinaction.org/resources/february-2020-social-science-humanitarian-action-platform/)
54 750 science-humanitarian-action-platform/ accessed 16 September 2020.
- 55
56
57
58
59
60

- 1
2
3 751 47. Azlan AA, Hamzah MR, Sern TJ, et al. Public knowledge, attitudes and practices towards
4 752 COVID-19: A cross-sectional study in Malaysia. *PLoS One* 2020;15(5):e0233668. doi:
5 753 <https://doi.org/10.1371/journal.pone.0233668>
6
- 7 754 48. Lin Y, Hu Z, Alias H, et al. Knowledge, attitudes, impact, and anxiety regarding COVID-19
8 755 infection among the public in China. *Front Public Health* 2020;8:236. doi:
9 756 <https://doi.org/10.3389/fpubh.2020.00236>
10
- 11 757 49. Roy D, Tripathy S, Kar SK, et al. Study of knowledge, attitude, anxiety & perceived mental
12 758 healthcare need in Indian population during COVID-19 pandemic. *Asian J Psychiatr*
13 759 2020;51:102083. doi: <https://doi.org/10.1016/j.ajp.2020.102083> [published Online First:
14 760 2020/04/14]
15
- 16 761 50. Geldsetzer P. Use of rapid online surveys to assess people's perceptions during infectious
17 762 disease outbreaks: A cross-sectional survey on COVID-19. *J Med Internet Res*
18 763 2020;22(4):e18790. doi: <https://doi.org/10.2196/18790> [published Online First: 2020/04/03]
19 764
20
- 21 764 51. Zhong BL, Luo W, Li HM, et al. Knowledge, attitudes, and practices towards COVID-19
22 765 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick
23 766 online cross-sectional survey. *Int J Biol Sci* 2020;16(10):1745-52. doi: 10.7150/ijbs.45221
24 767 [published Online First: 2020/04/01]
25
- 26 768 52. Bonaccorsi G, Pierri F, Cinelli M, et al. Economic and social consequences of human
27 769 mobility restrictions under COVID-19. *Proceedings of the National Academy of Sciences of*
28 770 *the United States of America* 2020;117(27):15530-35. doi:
29 771 <https://doi.org/10.1073/pnas.2007658117>
30
- 31 772 53. Murphy K, Williamson H, Sargeant E, et al. Why people comply with COVID-19 social
32 773 distancing restrictions: Self-interest or duty? *Australian and New Zealand Journal of*
33 774 *Criminology* 2020;0(0):0004865820954484. doi: <https://doi.org/10.1177/0004865820954484>
34
- 35 775 54. Meier K, Glatz T, Guijt MC, et al. Public perspectives on protective measures during the
36 776 COVID-19 pandemic in the Netherlands, Germany and Italy: A survey study. *PLOS ONE*
37 777 2020;15(8):e0236917. doi: <https://doi.org/10.1371/journal.pone.0236917>
38
- 39 778 55. Bezerra ACV, Silva C, Soares FRG, et al. Factors associated with people's behavior in social
40 779 isolation during the COVID-19 pandemic. *Ciencia e Saude Coletiva* 2020;25(suppl 1):2411-
41 780 21. doi: <https://doi.org/10.1590/1413-81232020256.1.10792020> [published Online First:
42 781 2020/06/11]
43 782
44
- 45 782 56. Daly M, Ebbinghaus B, Lehner L, et al. Oxford Supertracker: The Global Directory for
46 783 COVID Policy Trackers and Surveys, Department of Social Policy and Intervention 2020
47 784 [Available from: <https://supertracker.spi.ox.ac.uk/> accessed 9 October 2020.
48
- 49 785 57. Daoust JF. Elderly people and responses to COVID-19 in 27 Countries. *PLoS One*
50 786 2020;15(7):e0235590. doi: <https://doi.org/10.1371/journal.pone.0235590>
51
- 52 787 58. Cuan-Baltazar JY, Muñoz-Perez MJ, Robledo-Vega C, et al. Misinformation of COVID-19
53 788 on the internet: infodemiology study. *JMIR Public Health Surveill* 2020;6(2):e18444-e44.
54 789 doi: <https://doi.org/10.2196/18444>
55
- 56 790 59. Biroli P, Bosworth SJ, Della Giusta M, et al. Family Life in Lockdown. Bonn: Institute of
57 791 Labor Economics (IZA); 2020 [Available from:
58 792 <https://www.iza.org/publications/dp/13398/family-life-in-lockdown> accessed 13 October
59 793 2020.
60

- 1
2
3 794 60. Hamadani JD, Hasan MI, Baldi AJ, et al. Immediate impact of stay-at-home orders to control
4 795 COVID-19 transmission on socioeconomic conditions, food insecurity, mental health, and
5 796 intimate partner violence in Bangladeshi women and their families: an interrupted time series.
6 797 *The Lancet Global Health* 2020 doi: [https://doi.org/10.1016/S2214-109X\(20\)30366-1](https://doi.org/10.1016/S2214-109X(20)30366-1)
- 8 798 61. World Health Organisation. WHO Coronavirus Disease (COVID-19) Dashboard 2020
9 799 [Available from: <https://covid19.who.int/table> accessed 16 September 2020.
- 11 800 62. Kwok KO, Li KK, Chan HHH, et al. Community responses during early phase of COVID-19
12 801 epidemic, Hong Kong. *Emerg Infect Dis* 2020;26(7):1575-79. doi:
13 802 <https://dx.doi.org/10.3201/eid2607.200500> [published Online First: 2020/04/17]
- 15 803 63. Vaughan E, Tinker T. Effective health risk communication about pandemic influenza for
16 804 vulnerable populations. *Am J Public Health* 2009;99 Suppl 2(Suppl 2):S324-S32. doi:
17 805 <https://dx.doi.org/10.2105%2FAJPH.2009.162537>
- 20 806 64. The Lancet Infectious Diseases. The COVID-19 infodemic. *The Lancet Infectious Diseases*
21 807 2020;20(8):875. doi: 10.1016/S1473-3099(20)30565-X
- 23 808 65. Yusof ANM, Muuti MZ, Ariffin LA, et al. Sharing Information on COVID-19: the ethical
24 809 challenges in the Malaysian setting. *Asian Bioethics Review* 2020;12(3):349-61. doi:
25 810 <https://doi.org/10.1007/s41649-020-00132-4>
- 27 811 66. Pan-ngum W, Poomchaichote T, Peerawaranun P, et al. Perspectives on public health
28 812 interventions in the management of the COVID-19 pandemic in Thailand [version 1; peer
29 813 review: 1 approved with reservations]. *Wellcome Open Research* 2020;5(245) doi:
30 814 <https://doi.org/10.12688/wellcomeopenres.16293.1>

815




Figure 1: Government stringency indices in Thailand, Malaysia, UK, Italy and Slovenia between 1st May – 30th June 2020. A higher score indicates a stricter government response, i.e. 100 = strictest

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 2. Bar chart showing how respondents from the following demographic groups were affected economically by COVID-19: at country level (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = Other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-24 years old, 25-34 years old, 35-64 years old, 65+ years old); household size (1-4 people, ≥5 people); living with children under 18 years (Y = yes, N = no); and type of income (FBP = fixed/benefits/pension, CF = contract/freelance, O = other/no income).

122x72mm (300 x 300 DPI)




Figure 3: Breakdown of responses to the question "Did you change your social behaviour before the implementation of government restrictions?" by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer not to say); education level (P/S = primary or lower/secondary, T = tertiary); age (18-34 years old, 35-64 years old, 65+ years old); self-reported/perceived level of understanding of COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).




Figure 4: Breakdown of responses to the question “How would you rate your level understanding of the current quarantine/isolation/social distancing requirements for COVID-19?” Self-reported/perceived level of understanding of COVID-19 ((H = high/very high/expert level, S = some, N = a little/none at all) shown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia) and demographic groups: gender (M = male, F = female, O = other/prefer not to say); age (18-34 years old, 35-64 years old, 65+ years old); education level (P/S = primary/secondary, T = tertiary); healthcare worker status (HCW = healthcare worker, Non-HCW = non-healthcare worker).




Figure 5: Diagram showing how many survey respondents had come across five 'fake news' categories, in response to the question "Have you come across news about the following COVID-19 topics that seemed fake to you?". Breakdown by country (TH = Thailand, MY = Malaysia, UK = United Kingdom, IT = Italy, SI = Slovenia), gender (M = male, F = female, O = other/prefer not to say), age (18-34 years old, 35-64 years old, 65+ years old), education level (P/S = primary or lower/secondary, T = tertiary), and perceived level of understanding of COVID-19 (H = high/very high/expert level, S = some, N = a little/none at all).

Supplementary tables for “Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia”

Anne Osterrieder^{1,2}, Giulia Cuman³, Wirichada Pan-ngum^{1,4}, Phaik Kin Cheah⁵, Phee-Kheng Cheah⁶, Pimnara Peerawaranun¹, Margherita Silan⁷, Miha Orazem^{8,9}, Ksenija Perkovic¹⁰, Urh Groselj^{8,11}, Mira Leonie Schneiders^{1,2,12}, Tassawan Poomchaichote^{1,13}, Naomi Waithira^{1,2}, Supa-at Asarath¹, Bheesri Naemiratch¹, Supanat Ruangkajorn¹, Lenart Skof¹⁴, Natinee Kulpijit¹, Constance R.S. Mackworth-Young¹⁵, Darlene Ongkili¹⁶, Rita Chanviriyavuth¹, Mavuto Mukaka¹, Phaik Yeong Cheah^{1,2,12,13}

¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

²Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford, Oxford, UK

³Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

⁴Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

⁵Faculty of Arts and Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

⁶Emergency and Trauma Department, Sabah Women and Children’s Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

⁷Department of Statistical Sciences, University of Padua, Padua, Italy

⁸Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

⁹Department of Radiation Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia

¹⁰Institute for Social Studies, Science and Research Centre Koper, Koper, Slovenia

¹¹Department of Endocrinology, Diabetes and Metabolic Diseases, University Children’s Hospital, University Medical Center, University Children’s Hospital Ljubljana, Ljubljana, Slovenia

¹²Ethox Centre, Nuffield Department of Population Health, University of Oxford, Oxford, UK

¹³The SoNAR-Global Network

¹⁴Institute for Philosophical Studies, Science and Research Centre Koper, Koper, Slovenia

¹⁵Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London, UK

¹⁶Emergency and Trauma Department, Queen Elizabeth Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

Corresponding author: Phaik Yeong Cheah, 420/6 Mahidol-Oxford Tropical Medicine 24 Research Unit, Faculty of Tropical Medicine, Rajvithi Road, Bangkok, Thailand, 10400. Email: phaikyeong@tropmedres.ac

Notes

- There are a total of 37 tables in this document. Suppl. Table 1 reports the distribution of the basic demographic variables in the respondent sample (N= number of respondents), followed by unweighted percentages (unweighted %) in brackets. The values displayed in the cells in Suppl. Tables 2-37 show the number of respondents (N) who replied ‘yes’ to the respective survey categories, followed by weighted percentages (weighted %) in brackets.
- Because of rounding to the nearest integer, percentages do not always add up to 100% exactly.
- For gender, due to small number in the “other/prefer not to say” category, p-values are presented for comparison between the male and female groups only.

Contents

Supplementary tables for “Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia” 1

Suppl. Table 1 Distribution of respondents by demographic characteristics and country (unweighted data) 4

Suppl. Table 2 Breakdown of economic impacts of COVID-19 and concerns by country 5

Suppl. Table 3 Breakdown of economic impacts of COVID-19 and concerns by country and gender 6

Suppl. Table 4 Breakdown of economic impacts of COVID-19 and concerns by country and education level 7

Suppl. Table 5 Breakdown of economic impacts of COVID-19 and concerns by country and age group 8

Suppl. Table 6 Breakdown of economic impacts of COVID-19 and concerns by country and household size 10

Suppl. Table 7 Breakdown of economic impacts of COVID-19 and concerns by country and whether or not living with children under 18 11

Suppl. Table 8 Breakdown of economic impacts of COVID-19 and concerns by country and type of income 12

Suppl. Table 9 Breakdown of concerns if advised/not allowed physical contact by country 13

Suppl. Table 10 Breakdown of concerns if advised/not allowed physical contact by country and gender 14

Suppl. Table 11 Breakdown of concerns if advised/not allowed physical contact by country and age group 15

Suppl. Table 12 Breakdown of concerns if advised/not allowed physical contact by country and education level 16

Suppl. Table 13 Breakdown of concerns if advised/not allowed physical contact by country and household size 17

Suppl. Table 14 Breakdown of concerns if advised/not allowed physical contact by country and whether or not living with children under 18 17

Suppl. Table 15 Breakdown of concerns if advised/not allowed physical contact by country and income type 19

Suppl. Table 16 Breakdown of maximum number of days that people thought they could cope by country 20

Suppl. Table 17 Breakdown of maximum number of days that people thought they could cope by country and gender 21

Suppl. Table 18 Breakdown of maximum number of days that people thought they could cope by country and age group 22

Suppl. Table 19 Breakdown of maximum number of days that people thought they could cope by country and household size 23

Suppl. Table 20 Breakdown of maximum number of days that people thought they could cope by country and whether or not living with children under 18 24

Suppl. Table 21 Breakdown of maximum number of days that people thought they could cope by country and education level 25

Suppl. Table 22 Breakdown of maximum number of days that people thought they could cope by country and type of income 26

Suppl. Table 23 Breakdown of behavioural changes and acceptance of government public health measures by country 27

Suppl. Table 24 Breakdown of behavioural changes and acceptance of government public health measures by country and gender 28

Suppl. Table 25 Breakdown of behavioural changes and acceptance of government public health measures by country and education level 30

Suppl. Table 26 Breakdown of behavioural changes and acceptance of government public health measures by age group 31

1 Suppl. Table 27 Breakdown of behavioural changes and acceptance of government public health measures by self-reported level of understanding of COVID-19 33

2 Suppl. Table 28 Breakdown of self-reported level of understanding of COVID-19 by country 35

3 Suppl. Table 29 Breakdown of self-reported level of understanding of COVID-19 by demographic characteristics 36

4 Suppl. Table 30 Breakdown of self-reported understanding of public health measures by self-reported level of understanding of COVID-19 37

5 Suppl. Table 31 What were the three most common ways people received communication on COVID-19, and what are the three most preferred ways to receive COVID-19

6 communications? Breakdown by country 38

7 Suppl. Table 32 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

8 communications? Breakdown by country and gender 39

9 Suppl. Table 33 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

10 communications? Breakdown by country and age group 40

11 Suppl. Table 34 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19

12 communications? Breakdown by country and education level 41

13 Suppl. Table 35 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country 42

14 Suppl. Table 36 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country and education level 43

15 Suppl. Table 37 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country and self-reported level of

16 understanding of COVID-19 44

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

2020-046869 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 1 Distribution of respondents by demographic characteristics and country (unweighted data)

Variable and categories	Thailand (N=1,476, 29%)	Malaysia (N=827, 16%)	UK (N=1,009, 20%)	Italy (N=715, 14%)	Slovenia (N=1,034, 20%)	Total (N=5,058)
Gender						
Male	704 (48)	298 (36)	426 (42)	222 (31)	366 (35)	2,016 (40)
Female	766 (52)	525 (63)	572 (57)	490 (69)	662 (64)	3,015 (60)
Other/prefer not to say	6 (0)	4 (0)	11 (1)	0 (0)	6 (1)	27 (1)
Age (years)						
18-24	83 (6)	139 (17)	54 (5)	75 (11)	62 (6)	413 (8)
25-34	140 (9)	211 (26)	86 (9)	197 (28)	246 (24)	880 (17)
35-64	1,152 (78)	442 (53)	616 (61)	383 (54)	676 (65)	3,269 (65)
65+	101 (7)	35 (4)	253 (25)	55 (8)	50 (5)	496 (10)
Education level						
Primary or lower/ secondary	909 (62)	82 (10)	247 (24)	217 (30)	202 (20)	1,657 (33)
Tertiary	567 (38)	745 (90)	762 (76)	498 (70)	832 (80)	3,401 (67)
Household structure						
Living alone	134 (9)	74 (9)	206 (20)	106 (15)	97 (9)	617 (12)
Living only with partner/spouse	173 (12)	95 (11)	391 (39)	192 (27)	210 (20)	1,061 (21)
Living with partner/spouse and children; living as single parent with children	847 (57)	312 (38)	260 (26)	188 (26)	518 (50)	2,125 (42)
Living with other relatives/non-relatives/other	322 (22)	346 (42)	152 (15)	222 (32)	209 (20)	1,255 (25)
Household size						
1	107 (7)	68 (8)	222 (22)	106 (15)	128 (12)	631 (12)
2	171 (12)	121 (15)	439 (44)	230 (32)	220 (21)	1,181 (23)
3-4	760 (51)	305 (37)	300 (30)	323 (45)	479 (46)	2,167 (43)
≥5	438 (30)	333 (40)	48 (5)	55 (8)	207 (20)	1,079 (21)
Type of income						
Fixed salary/benefits/pension	546 (37)	524 (63)	705 (70)	347 (49)	847 (82)	2,969 (59)
Contract and freelance	849 (58)	158 (19)	227 (22)	249 (34)	103 (10)	1,581 (31)
Other/no income	81 (5)	145 (18)	77 (8)	120 (17)	84 (8)	508 (10)
Living with children under 18	664 (45)	346 (42)	186 (18)	144 (20)	497 (48)	1,837 (36)
Living with vulnerable group*	457 (31)	230 (28)	367 (36)	151 (21)	280 (27)	1,485 (29)
Healthcare provider/worker**	239 (16)	213 (26)	118 (12)	60 (9)	341 (33)	975 (19)

Values in cells are n (%)

* Persons aged 70 or older; pregnant woman; people with serious health conditions

** Included respondents who were not working before COVID-19

Suppl. Table 2 Breakdown of economic impacts of COVID-19 and concerns by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=1,255	N=613	N=630	N=526	N=929	N=3,953	
Loss of earnings	(N=1,248) 1,012 (85)	(N=556) 155 (40)	(N=584) 226 (44)	(N=496) 260 (55)	(N=867) 219 (30)	(N=3,751) 1,872 (56)	<0.001
Loss of job	(N=1,191) 233 (23)	(N=532) 44 (16)	(N=551) 51 (10)	(N=471) 59 (13)	(N=832) 15 (3)	(N=3,577) 402 (14)	<0.001
Reduction of working hours	(N=1,210) 492 (42)	(N=546) 228 (52)	(N=570) 201 (39)	(N=484) 233 (48)	(N=862) 319 (41)	(N=3,672) 1,473 (44)	0.107
Closure of workplace	(N=1,207) 425 (36)	(N=562) 289 (53)	(N=591) 296 (51)	(N=484) 167 (39)	(N=833) 63 (8)	(N=3,677) 1,240 (36)	<0.001
Did you continue to work during COVID-19?	(N=1,255) 1,019 (79)	(N=613) 532 (70)	(N=630) 460 (70)	(N=526) 388 (67)	(N=929) 768 (79)	(N=3,953) 3,167 (75)	0.011
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Financial (e.g. loss of income, loss of job)	(N=1,466) 1,215 (86)	(N=775) 419 (60)	(N=950) 271 (32)	(N=678) 315 (41)	(N=1,015) 302 (28)	(N=4,884) 2,522 (53)	<0.001
Professional/career progression	(N=1,414) 607 (42)	(N=759) 418 (52)	(N=942) 198 (24)	(N=670) 224 (22)	(N=1,001) 219 (17)	(N=4,786) 1,666 (32)	<0.001

Suppl. Table 3 Breakdown of economic impacts of COVID-19 and concerns by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=606	N=645	N=4	N=230	N=380	N=3	N=261	N=363	N=6	N=184	N=342	N=0	N=332	N=91	N=6	N=1,613	N=2,321	N=19	
Loss of earnings	(N=604) 508 (83)	(N=640) 502 (86)	(N=4) 2 (50)	(N=210) 75 (42)	(N=343) 80 (37)	(N=3) 0 (0)	(N=245) 97 (45)	(N=333) 128 (43)	(N=6) 1 (17)	(N=177) 99 (54)	(N=319) 161 (57)		(N=314) 82 (29)	(N=48) 13 (31)	(N=5) 2 (40)	(N=1,550) 861 (55)	(N=2,183) 1,006 (57)	(N=18) 5 (28)	0.531
Loss of job	(N=576) 104 (20)	(N=611) 129 (25)	(N=4) 0 (0)	(N=202) 17 (18)	(N=327) 27 (15)	(N=3) 0 (0)	(N=233) 21 (19)	(N=313) 30 (11)	(N=5) 0 (0)	(N=168) 19 (10)	(N=303) 40 (17)		(N=301) 3 (1)	(N=26) 1 (4)	(N=5) 0 (0)	(N=1,480) 164 (13)	(N=2,080) 238 (16)	(N=17) 0 (0)	0.157
Reduction of working hours	(N=586) 225 (41)	(N=620) 265 (43)	(N=4) 2 (50)	(N=205) 85 (57)	(N=338) 141 (46)	(N=3) 2 (67)	(N=240) 90 (41)	(N=324) 107 (37)	(N=6) 4 (67)	(N=174) 94 (52)	(N=310) 139 (43)		(N=315) 128 (44)	(N=41) 18 (39)	(N=6) 3 (50)	(N=1,520) 622 (45)	(N=2,133) 840 (42)	(N=19) 11 (58)	0.179
Closure of workplace	(N=581) 194 (35)	(N=622) 231 (37)	(N=4) 0 (0)	(N=208) 109 (48)	(N=351) 178 (60)	(N=3) 2 (67)	(N=251) 124 (50)	(N=334) 169 (51)	(N=6) 3 (50)	(N=172) 65 (38)	(N=312) 102 (41)		(N=302) 19 (7)	(N=26) 4 (9)	(N=5) 1 (20)	(N=1,514) 511 (35)	(N=2,145) 723 (37)	(N=18) 6 (33)	0.365
Did you continue to work during COVID-19?	(N=606) 508 (84)	(N=645) 507 (75)	(N=4) 4 (100)	(N=230) 198 (67)	(N=380) 332 (73)	(N=3) 2 (67)	(N=261) 198 (72)	(N=363) 258 (67)	(N=6) 4 (67)	(N=184) 144 (74)	(N=342) 244 (60)		(N=332) 295 (85)	(N=91) 46 (74)	(N=6) 4 (67)	(N=1,613) 1,343 (78)	(N=2,321) 1,810 (71)	(N=19) 14 (74)	0.010
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=704	N=766	N=6	N=298	N=525	N=4	N=261	N=363	N=6	N=222	N=490	N=0	N=366	N=62	N=6	N=2,016	N=3,015	N=27	
Financial	(N=700) 592 (85)	(N=760) 619 (86)	(N=6) 4 (67)	(N=279) 155 (62)	(N=492) 261 (59)	(N=4) 3 (75)	(N=411) 113 (34)	(N=529) 154 (31)	(N=10) 4 (40)	(N=214) 113 (44)	(N=464) 202 (38)		(N=361) 110 (27)	(N=48) 18 (29)	(N=6) 4 (67)	(N=1,965) 1,083 (54)	(N=2,893) 1,424 (53)	(N=26) 15 (58)	0.806
Professional/career progression	(N=675) 278 (41)	(N=733) 326 (42)	(N=6) 3 (50)	(N=270) 137 (53)	(N=485) 279 (51)	(N=4) 2 (50)	(N=409) 84 (26)	(N=523) 108 (22)	(N=10) 6 (60)	(N=211) 92 (26)	(N=459) 132 (18)		(N=354) 77 (14)	(N=41) 14 (19)	(N=6) 1 (17)	(N=1,919) 668 (32)	(N=2,841) 986 (31)	(N=26) 12 (46)	0.597

Suppl. Table 4 Breakdown of economic impacts of COVID-19 and concerns by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=785	N=470	N=53	N=560	N=122	N=508	N=136	N=390	N=160	N=769	N=1,256	N=2,697	
Loss of earnings	(N=780) 725 (90)	(N=468) 287 (62)	(N=50) 21 (42)	(N=506) 134 (28)	(N=116) 55 (58)	(N=468) 171 (34)	(N=126) 75 (58)	(N=370) 185 (52)	(N=150) 56 (36)	(N=717) 163 (24)	(N=1,222) 932 (65)	(N=2,529) 940 (38)	<0.001
Loss of job	(N=744) 164 (24)	(N=447) 69 (16)	(N=50) 9 (19)	(N=482) 35 (7)	(N=108) 12 (13)	(N=443) 39 (9)	(N=123) 18 (14)	(N=348) 41 (12)	(N=144) 7 (4)	(N=692) 8 (1)	(N=1,165) 210 (17)	(N=2,412) 192 (8)	<0.001
Reduction of working hours	(N=762) 332 (43)	(N=448) 160 (37)	(N=48) 25 (55)	(N=498) 203 (40)	(N=110) 42 (49)	(N=460) 159 (32)	(N=125) 63 (47)	(N=359) 170 (49)	(N=144) 72 (46)	(N=718) 247 (35)	(N=1,189) 534 (47)	(N=2,483) 939 (37)	<0.001
Closure of workplace	(N=753) 262 (36)	(N=454) 163 (37)	(N=48) 28 (55)	(N=514) 261 (49)	(N=116) 51 (48)	(N=475) 245 (52)	(N=130) 59 (44)	(N=354) 108 (31)	(N=133) 14 (8)	(N=696) 49 (7)	(N=1,184) 414 (37)	(N=2,493) 826 (34)	0.180
Did you continue to work during COVID-19?	(N=785) 613 (78)	(N=470) 406 (86)	(N=53) 34 (65)	(N=560) 498 (90)	(N=122) 73 (59)	(N=508) 387 (77)	(N=136) 75 (59)	(N=390) 313 (79)	(N=160) 115 (72)	(N=769) 653 (85)	(N=1,256) 910 (71)	(N=2,697) 2,257 (83)	<0.001
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Financial	(N=904) 828 (89)	(N=562) 387 (68)	(N=75) 46 (62)	(N=700) 373 (55)	(N=232) 64 (34)	(N=718) 207 (31)	(N=205) 96 (39)	(N=473) 219 (46)	(N=191) 71 (29)	(N=822) 231 (27)	(N=1,609) 1,105 (59)	(N=3,275) 1,417 (41)	<0.001
Professional/career progression	(N=865) 326 (39)	(N=549) 281 (54)	(N=72) 36 (50)	(N=687) 382 (59)	(N=228) 21 (16)	(N=714) 177 (31)	(N=198) 42 (15)	(N=472) 182 (37)	(N=192) 37 (13)	(N=809) 182 (22)	(N=1,555) 462 (30)	(N=3,231) 1,204 (36)	0.004

2020-046863 on 20 July 2021
 Protected by copyright.

Suppl. Table 5 Breakdown of economic impacts of COVID-19 and concerns by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Suppl. Table 5a Breakdown of economic impacts of COVID-19 and concerns by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand				Malaysia				UK			
	18-24	25-34	35-64	65+	18-24	25-34	35-64	65+	18-24	25-34	35-64	65+
Age group												
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=35	N=120	N=1,027	N=73	N=43	N=176	N=378	N=16	N=34	N=70	N=466	N=60
Loss of earnings	(N=34) 28 (61)	(N=120) 75 (76)	(N=1,021) 851 (89)	(N=73) 58 (80)	(N=41) 15 (54)	(N=166) 33 (38)	(N=334) 98 (34)	(N=15) 9 (57)	(N=31) 15 (71)	(N=69) 16 (38)	(N=427) 168 (41)	(N=57) 26 (46)
Loss of job	(N=34) 15 (32)	(N=114) 21 (25)	(N=972) 183 (20)	(N=71) 14 (22)	(N=40) 10 (42)	(N=164) 12 (14)	(N=314) 20 (10)	(N=14) 2 (13)	(N=30) 19 (19)	(N=68) 5 (8)	(N=401) 35 (9)	(N=52) 6 (8)
Reduction of working hours	(N=34) 18 (42)	(N=113) 55 (54)	(N=991) 401 (42)	(N=72) 18 (23)	(N=38) 18 (44)	(N=168) 67 (75)	(N=325) 136 (49)	(N=15) 7 (50)	(N=32) 19 (74)	(N=68) 14 (27)	(N=416) 145 (36)	(N=54) 25 (45)
Closure of workplace	(N=34) 21 (60)	(N=117) 45 (42)	(N=984) 340 (35)	(N=72) 19 (24)	(N=40) 29 (65)	(N=167) 64 (51)	(N=340) 184 (48)	(N=15) 12 (83)	(N=32) 19 (75)	(N=68) 38 (52)	(N=434) 215 (49)	(N=57) 24 (44)
Did you continue to work during COVID-19?	(N=35) 19 (70)	(N=120) 101 (82)	(N=1,027) 838 (80)	(N=73) 61 (81)	(N=43) 32 (40)	(N=176) 163 (67)	(N=378) 330 (82)	(N=16) 7 (43)	(N=34) 19 (33)	(N=70) 60 (85)	(N=466) 346 (72)	(N=60) 35 (56)
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=83	N=140	N=1,152	N=101	N=139	N=211	N=442	N=35	N=54	N=86	N=616	N=253
Financial	(N=81) 59 (69)	(N=139) 102 (84)	(N=1,145) 985 (89)	(N=101) 69 (78)	(N=134) 83 (51)	(N=204) 115 (82)	(N=408) 211 (64)	(N=29) 10 (42)	(N=52) 19 (62)	(N=82) 29 (37)	(N=581) 195 (35)	(N=235) 17 (6)
Professional/ career progression	(N=82) 58 (61)	(N=133) 68 (48)	(N=1,106) 452 (39)	(N=93) 29 (31)	(N=130) 96 (64)	(N=206) 142 (68)	(N=395) 173 (43)	(N=28) 7 (26)	(N=51) 19 (64)	(N=83) 36 (40)	(N=572) 118 (17)	(N=236) 4 (2)

Suppl. Table 5b Breakdown of economic impacts of COVID-19 and concerns by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Italy				Slovenia				Total				P-value (for total)
	18-24	25-34	35-64	65+	18-24	25-34	35-64	65+	18-24	25-34	35-64	65+	
Age group													
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=31	N=159	N=324	N=12	N=37	N=222	N=646	N=24	N=189	N=747	N=2,841	N=185	
Loss of earnings	(N=31) 24 (67)	(N=154) 73 (47)	(N=299) 155 (54)	(N=12) 8 (87)	(N=37) 15 (45)	(N=216) 52 (25)	(N=595) 144 (29)	(N=19) 8 (39)	(N=177) 98 (55)	(N=725) 249 (47)	(N=2,676) 1,416 (56)	(N=176) 109 (67)	0.044
Loss of job	(N=30) 4 (10)	(N=151) 18 (12)	(N=282) 35 (12)	(N=8) 2 (42)	(N=37) 2 (5)	(N=211) 4 (2)	(N=567) 9 (3)	(N=17) 0 (0)	(N=177) 36 (20)	(N=708) 60 (13)	(N=2,536) 282 (12)	(N=162) 24 (17)	0.053
Reduction of working hours	(N=30) 18 (58)	(N=152) 69 (47)	(N=292) 143 (50)	(N=10) 3 (16)	(N=36) 22 (67)	(N=213) 77 (40)	(N=593) 212 (39)	(N=20) 8 (38)	(N=177) 93 (55)	(N=714) 282 (51)	(N=2,617) 1,037 (43)	(N=171) 61 (31)	0.016
Closure of workplace	(N=31) 22 (66)	(N=154) 54 (43)	(N=289) 85 (32)	(N=10) 6 (86)	(N=36) 8 (25)	(N=210) 19 (12)	(N=570) 35 (6)	(N=17) 1 (3)	(N=177) 99 (55)	(N=716) 220 (40)	(N=2,617) 859 (32)	(N=171) 62 (35)	<0.001
Did you continue to work during COVID-19?	(N=31) 16 (66)	(N=159) 118 (71)	(N=324) 250 (70)	(N=12) 4 (13)	(N=37) 22 (56)	(N=222) 187 (83)	(N=646) 540 (81)	(N=24) 19 (72)	(N=189) 108 (54)	(N=747) 629 (78)	(N=2,841) 2,304 (78)	(N=185) 126 (68)	<0.001
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=75	N=197	N=383	N=57	N=62	N=246	N=676	N=50	N=417	N=880	N=3,269	N=496	
Financial	(N=75) 36 (46)	(N=195) 102 (52)	(N=356) 168 (48)	(N=52) 9 (20)	(N=62) 26 (45)	(N=243) 66 (24)	(N=664) 205 (36)	(N=46) 5 (4)	(N=404) 234 (57)	(N=863) 414 (60)	(N=3,154) 1,764 (58)	(N=463) 110 (30)	<0.001
Professional/career progression	(N=75) 25 (30)	(N=194) 97 (48)	(N=350) 99 (23)	(N=51) 3 (1)	(N=61) 28 (44)	(N=242) 80 (29)	(N=654) 109 (15)	(N=44) 2 (1)	(N=399) 247 (57)	(N=858) 423 (48)	(N=3,077) 951 (28)	(N=452) 45 (11)	<0.001

bmjopen-2020-046863 on July 2022. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

Suppl. Table 6 Breakdown of economic impacts of COVID-19 and concerns by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	
Household size (number of persons in the household)													
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=862	N=393	N=376	N=237	N=592	N=38	N=491	N=35	N=720	N=186	N=3,064	N=889	
Loss of earnings	(N=857) 685 (84)	(N=391) 327 (85)	(N=348) 97 (36)	(N=208) 58 (45)	(N=547) 213 (43)	(N=37) 13 (51)	(N=464) 243 (55)	(N=32) 17 (68)	(N=633) 181 (30)	(N=174) 38 (32)	(N=2,909) 1,419 (53)	(N=842) 453 (64)	0.003
Loss of job	(N=821) 150 (21)	(N=370) 83 (26)	(N=335) 22 (13)	(N=197) 22 (22)	(N=515) 49 (9)	(N=36) 2 (21)	(N=442) 59 (14)	(N=29) 0 (0)	(N=666) 13 (3)	(N=166) 2 (3)	(N=2,779) 293 (12)	(N=798) 109 (20)	0.005
Reduction of working hours	(N=835) 335 (41)	(N=375) 157 (44)	(N=346) 143 (50)	(N=200) 85 (56)	(N=532) 185 (37)	(N=38) 16 (59)	(N=454) 216 (47)	(N=30) 17 (68)	(N=666) 247 (39)	(N=176) 72 (50)	(N=2,853) 1,126 (42)	(N=819) 347 (49)	0.037
Closure of workplace	(N=832) 278 (34)	(N=375) 147 (40)	(N=349) 168 (45)	(N=213) 121 (67)	(N=553) 280 (51)	(N=38) 16 (42)	(N=451) 153 (38)	(N=33) 14 (55)	(N=666) 51 (8)	(N=167) 12 (8)	(N=2,851) 930 (34)	(N=826) 310 (41)	0.057
Did you continue to work during COVID-19?	(N=862) 703 (78)	(N=393) 316 (81)	(N=376) 330 (72)	(N=237) 202 (67)	(N=592) 430 (71)	(N=38) 30 (58)	(N=491) 363 (67)	(N=35) 25 (63)	(N=720) 612 (99)	(N=186) 156 (79)	(N=3,064) 2,438 (75)	(N=889) 729 (75)	0.873
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,038	N=438	N=494	N=333	N=961	N=48	N=659	N=53	N=877	N=207	N=3,979	N=1,079	
Financial	(N=1,031) 860 (87)	(N=435) 355 (82)	(N=461) 234 (59)	(N=314) 185 (62)	(N=906) 258 (32)	(N=44) 13 (34)	(N=627) 285 (40)	(N=51) 30 (66)	(N=813) 249 (36)	(N=202) 53 (37)	(N=3,838) 1,886 (50)	(N=1,046) 636 (66)	<0.001
Professional/ career progression	(N=996) 411 (38)	(N=418) 196 (49)	(N=454) 228 (47)	(N=305) 190 (59)	(N=899) 187 (23)	(N=43) 11 (32)	(N=620) 200 (21)	(N=50) 24 (46)	(N=799) 180 (26)	(N=202) 39 (20)	(N=3,768) 1,206 (28)	(N=1,018) 460 (46)	<0.001

Suppl. Table 7 Breakdown of economic impacts of COVID-19 and concerns by country and whether or not living with children under 18

Y = living with children under 18; N = not living with children under 18. Values in cells are n (weighted %) of respondents who replied 'yes'

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	
Living with children under 18													
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=546	N=709	N=276	N=337	N=158	N=472	N=112	N=414	N=412	N=467	N=1,554	N=2,399	
Loss of earnings	(N=545) 483 (91)	(N=703) 529 (79)	(N=239) 66 (44)	(N=317) 89 (37)	(N=144) 52 (46)	(N=440) 174 (43)	(N=98) 58 (61)	(N=398) 202 (54)	(N=428) 100 (30)	(N=439) 119 (31)	(N=1,454) 759 (62)	(N=2,297) 1,113 (53)	0.005
Loss of job	(N=525) 121 (27)	(N=666) 112 (19)	(N=227) 20 (26)	(N=305) 24 (10)	(N=139) 10 (13)	(N=412) 41 (9)	(N=92) 12 (9)	(N=379) 47 (14)	(N=409) 6 (3)	(N=423) 9 (3)	(N=1,392) 169 (18)	(N=2,185) 233 (12)	0.008
Reduction of working hours	(N=531) 240 (47)	(N=679) 252 (38)	(N=230) 102 (55)	(N=316) 126 (50)	(N=145) 48 (38)	(N=425) 153 (39)	(N=99) 48 (52)	(N=385) 185 (49)	(N=427) 165 (45)	(N=435) 154 (38)	(N=1,432) 603 (47)	(N=2,240) 870 (41)	0.047
Closure of workplace	(N=528) 216 (43)	(N=679) 209 (30)	(N=247) 141 (66)	(N=315) 148 (44)	(N=151) 73 (46)	(N=440) 223 (52)	(N=96) 39 (44)	(N=388) 128 (38)	(N=413) 27 (3)	(N=420) 36 (9)	(N=1,435) 496 (38)	(N=2,242) 744 (35)	0.268
Did you continue to work during COVID-19?	(N=546) 412 (74)	(N=709) 607 (84)	(N=276) 242 (65)	(N=337) 290 (74)	(N=158) 124 (71)	(N=472) 336 (69)	(N=112) 85 (73)	(N=414) 303 (65)	(N=412) 386 (81)	(N=467) 382 (78)	(N=1,554) 1,249 (74)	(N=2,399) 1,918 (75)	0.655
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=417	N=537	N=1,837	N=3,221	
Financial	(N=660) 594 (92)	(N=806) 621 (80)	(N=323) 194 (59)	(N=452) 225 (62)	(N=174) 59 (35)	(N=776) 212 (32)	(N=135) 76 (61)	(N=543) 239 (37)	(N=486) 139 (33)	(N=529) 163 (24)	(N=1,778) 1,062 (64)	(N=3,106) 1,460 (47)	<0.001
Professional/career progression	(N=637) 230 (37)	(N=777) 377 (45)	(N=315) 182 (53)	(N=444) 236 (51)	(N=171) 58 (35)	(N=771) 140 (21)	(N=134) 46 (35)	(N=536) 178 (19)	(N=433) 98 (19)	(N=518) 121 (15)	(N=1,740) 614 (35)	(N=3,046) 1,052 (30)	0.033

Suppl. Table 8 Breakdown of economic impacts of COVID-19 and concerns by country and type of income

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other/no income. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	
If you were working before COVID-19, has COVID-19 created any inconvenience for you?	N=495	N=738	N=22	N=475	N=125	N=13	N=397	N=210	N=23	N=278	N=228	N=20	N=788	N=101	N=40	N=2,433	N=1,402	N=118	
Loss of earnings	(N=493) 320 (74)	(N=733) 674 (91)	(N=22) 18 (89)	(N=428) 69 (26)	(N=117) 79 (65)	(N=11) 7 (92)	(N=361) 91 (28)	(N=200) 125 (67)	(N=23) 10 (50)	(N=253) 87 (39)	(N=224) 157 (75)	(N=19) 16 (95)	(N=731) 128 (21)	(N=96) 70 (77)	(N=40) 21 (53)	(N=2,266) 695 (38)	(N=1,370) 1,105 (81)	(N=115) 72 (69)	<0.001
Loss of job	(N=478) 78 (21)	(N=692) 148 (23)	(N=21) 7 (47)	(N=420) 18 (8)	(N=101) 24 (31)	(N=11) 2 (78)	(N=350) 20 (6)	(N=179) 30 (17)	(N=22) 1 (6)	(N=247) 6 (3)	(N=206) 45 (27)	(N=18) 8 (36)	(N=709) 6 (2)	(N=83) 6 (6)	(N=40) 4 (10)	(N=2,204) 128 (8)	(N=1,261) 252 (22)	(N=112) 22 (27)	<0.001
Reduction of working hours	(N=479) 226 (52)	(N=710) 259 (36)	(N=21) 7 (45)	(N=429) 163 (51)	(N=106) 60 (56)	(N=11) 5 (12)	(N=358) 89 (24)	(N=189) 102 (60)	(N=23) 10 (48)	(N=256) 111 (45)	(N=210) 113 (56)	(N=18) 9 (26)	(N=735) 227 (33)	(N=89) 6 (81)	(N=38) 25 (70)	(N=2,257) 816 (41)	(N=1,304) 601 (47)	(N=111) 56 (49)	0.042
Closure of workplace	(N=480) 195 (44)	(N=706) 224 (30)	(N=21) 6 (43)	(N=438) 214 (52)	(N=113) 67 (54)	(N=11) 8 (89)	(N=376) 188 (47)	(N=192) 98 (56)	(N=23) 10 (51)	(N=252) 63 (27)	(N=213) 94 (54)	(N=19) 10 (68)	(N=710) 33 (5)	(N=85) 2 (20)	(N=38) 10 (23)	(N=2,256) 693 (33)	(N=1,309) 503 (40)	(N=112) 44 (46)	0.015
Did you continue to work during COVID-19?	(N=495) 418 (83)	(N=738) 584 (77)	(N=22) 17 (78)	(N=475) 437 (83)	(N=125) 86 (42)	(N=13) 9 (25)	(N=397) 319 (79)	(N=210) 126 (57)	(N=23) 15 (62)	(N=278) 234 (81)	(N=228) 146 (51)	(N=20) 8 (15)	(N=788) 682 (84)	(N=101) 6 (57)	(N=40) 23 (59)	(N=2,433) 2,090 (82)	(N=1,402) 1,005 (65)	(N=118) 72 (53)	<0.001
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=847	N=103	N=84	N=2,969	N=1,581	N=508	
Financial	(N=543) 402 (81)	(N=843) 753 (89)	(N=80) 60 (76)	(N=488) 231 (58)	(N=149) 110 (83)	(N=138) 78 (39)	(N=658) 131 (22)	(N=219) 116 (56)	(N=73) 24 (34)	(N=324) 102 (30)	(N=238) 165 (66)	(N=116) 48 (43)	(N=830) 190 (23)	(N=102) 7 (61)	(N=83) 38 (40)	(N=2,843) 1,056 (40)	(N=1,551) 1,218 (79)	(N=490) 248 (46)	<0.001
Professional/career progression	(N=530) 221 (43)	(N=804) 348 (41)	(N=80) 38 (37)	(N=481) 247 (41)	(N=142) 81 (71)	(N=136) 90 (56)	(N=657) 104 (17)	(N=212) 66 (36)	(N=73) 28 (40)	(N=319) 71 (15)	(N=235) 112 (38)	(N=116) 41 (22)	(N=821) 156 (14)	(N=97) 3 (23)	(N=83) 28 (33)	(N=2,808) 799 (24)	(N=1,490) 642 (43)	(N=488) 225 (40)	<0.001

Suppl. Table 9 Breakdown of concerns if advised/not allowed physical contact by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value (for total)
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Caring responsibilities (e.g. childcare, caring for elderly parents, not having access to care)	(N=1,454) 890 (62)	(N=772) 456 (57)	(N=946) 325 (31)	(N=681) 312 (46)	(N=1,006) 423 (35)	(N=4,859) 2,406 (47)	<0.001
Physical health (e.g. not being able to attend doctor appointments, medication supply for illnesses, lack of exercise)	(N=1,457) 910 (61)	(N=782) 501 (66)	(N=961) 587 (61)	(N=687) 393 (63)	(N=1,007) 437 (45)	(N=4,894) 2,828 (59)	<0.001
Recreational (e.g. not being able to access recreational facilities like cinemas or restaurants, cancelled sports or cultural events)	(N=1,425) 580 (38)	(N=763) 407 (49)	(N=963) 571 (58)	(N=683) 352 (47)	(N=1,011) 636 (65)	(N=4,845) 2,546 (51)	<0.001
Sports (e.g. participating in competitive or professional sports activities)	(N=1,400) 546 (38)	(N=755) 302 (39)	(N=943) 214 (22)	(N=675) 174 (24)	(N=997) 331 (36)	(N=4,770) 1,567 (32)	<0.001
Mental health and wellbeing (e.g. boredom, loneliness, anxiety, depression)	(N=1,427) 798 (55)	(N=769) 476 (61)	(N=970) 699 (75)	(N=691) 448 (60)	(N=1,008) 436 (43)	(N=4,865) 2,857 (58)	<0.001
Living arrangements (e.g. not enough living space, passing on illness to family members, domestic abuse)	(N=1,419) 646 (45)	(N=753) 289 (46)	(N=943) 215 (24)	(N=674) 114 (16)	(N=999) 177 (15)	(N=4,788) 1,441 (31)	<0.001
Infrastructure (e.g. access to transport, network services, internet access)	(N=1,409) 651 (46)	(N=750) 308 (45)	(N=935) 212 (24)	(N=672) 163 (28)	(N=996) 195 (19)	(N=4,762) 1,529 (33)	<0.001
Social (e.g. not being able to see friends or attend social or family events)	(N=1,440) 768 (52)	(N=773) 474 (56)	(N=974) 768 (79)	(N=686) 525 (70)	(N=1,015) 725 (69)	(N=4,888) 3,260 (64)	<0.001
Religious and spiritual (e.g. not being able to go to church, mosque, temple etc.)	(N=1,433) 591 (42)	(N=769) 393 (58)	(N=942) 162 (17)	(N=670) 95 (18)	(N=998) 201 (19)	(N=4,812) 1,442 (31)	<0.001

Suppl. Table 10 Breakdown of concerns if advised/not allowed physical contact by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
Caring responsibilities	(N=697) 430 (61)	(N=751) 456 (62)	(N=6) 4 (67)	(N=282) 170 (53)	(N=486) 284 (62)	(N=4) 2 (50)	(N=407) 124 (27)	(N=529) 197 (35)	(N=10) 4 (40)	(N=213) 82 (36)	(N=468) 230 (56)		(N=356) 124 (25)	(N=644) 277 (44)	(N=6) 2 (33)	(N=1,955) 930 (42)	(N=2,878) 1,464 (52)	(N=26) 12 (46)	<0.001
Physical health	(N=698) 443 (60)	(N=753) 463 (61)	(N=6) 4 (67)	(N=282) 184 (59)	(N=496) 314 (74)	(N=4) 3 (75)	(N=414) 255 (62)	(N=537) 323 (61)	(N=10) 9 (90)	(N=213) 106 (56)	(N=474) 287 (70)		(N=356) 148 (44)	(N=645) 277 (46)	(N=6) 2 (33)	(N=1,963) 1,136 (56)	(N=2,905) 1,674 (61)	(N=26) 18 (69)	0.058
Recreational	(N=681) 267 (39)	(N=738) 310 (38)	(N=6) 3 (50)	(N=275) 160 (54)	(N=484) 246 (44)	(N=4) 1 (25)	(N=411) 253 (61)	(N=542) 309 (56)	(N=10) 9 (90)	(N=215) 126 (54)	(N=468) 226 (41)		(N=359) 239 (71)	(N=646) 395 (59)	(N=6) 2 (33)	(N=1,941) 1,045 (54)	(N=2,878) 1,486 (47)	(N=26) 15 (58)	0.007
Sports	(N=670) 276 (40)	(N=724) 268 (35)	(N=6) 2 (33)	(N=275) 131 (47)	(N=476) 170 (29)	(N=4) 1 (25)	(N=410) 104 (23)	(N=524) 105 (21)	(N=9) 5 (56)	(N=212) 76 (32)	(N=463) 98 (17)		(N=353) 150 (44)	(N=638) 179 (28)	(N=6) 2 (33)	(N=1,920) 737 (38)	(N=2,825) 820 (27)	(N=25) 10 (40)	<0.001
Mental health and wellbeing	(N=684) 377 (55)	(N=737) 418 (55)	(N=6) 3 (50)	(N=279) 167 (62)	(N=486) 307 (61)	(N=4) 2 (50)	(N=414) 287 (73)	(N=545) 402 (77)	(N=11) 10 (91)	(N=216) 122 (56)	(N=475) 326 (63)		(N=357) 128 (40)	(N=645) 375 (46)	(N=6) 3 (50)	(N=1,950) 1,081 (57)	(N=2,888) 1,758 (60)	(N=27) 18 (67)	0.326
Living arrangements	(N=679) 323 (46)	(N=734) 320 (44)	(N=6) 3 (50)	(N=275) 106 (48)	(N=474) 182 (42)	(N=4) 1 (25)	(N=409) 79 (21)	(N=525) 131 (27)	(N=9) 5 (56)	(N=211) 40 (19)	(N=463) 74 (14)		(N=354) 53 (12)	(N=639) 171 (18)	(N=6) 3 (50)	(N=1,928) 601 (31)	(N=2,835) 828 (31)	(N=25) 12 (48)	0.948
Infrastructure	(N=672) 316 (46)	(N=731) 332 (47)	(N=6) 3 (50)	(N=276) 129 (42)	(N=470) 177 (48)	(N=4) 2 (50)	(N=407) 102 (27)	(N=520) 106 (21)	(N=8) 4 (50)	(N=209) 51 (29)	(N=463) 112 (27)		(N=353) 60 (14)	(N=637) 133 (24)	(N=6) 2 (33)	(N=1,917) 658 (32)	(N=2,821) 860 (34)	(N=24) 11 (46)	0.536
Social	(N=689) 369 (53)	(N=745) 395 (51)	(N=6) 4 (67)	(N=280) 179 (62)	(N=489) 294 (48)	(N=4) 1 (25)	(N=412) 321 (79)	(N=551) 438 (79)	(N=11) 9 (82)	(N=215) 163 (66)	(N=471) 362 (74)		(N=360) 245 (70)	(N=649) 485 (69)	(N=6) 5 (83)	(N=1,956) 1,277 (65)	(N=2,905) 1,964 (63)	(N=27) 19 (70)	0.503
Religious and spiritual	(N=689) 290 (41)	(N=738) 298 (44)	(N=6) 3 (50)	(N=279) 140 (55)	(N=486) 251 (61)	(N=4) 2 (50)	(N=408) 73 (19)	(N=524) 86 (14)	(N=10) 3 (30)	(N=208) 33 (21)	(N=462) 62 (15)		(N=355) 77 (24)	(N=637) 174 (14)	(N=6) 0 (0)	(N=1,939) 613 (33)	(N=2,847) 821 (30)	(N=26) 8 (31)	0.367

Suppl. Table 11 Breakdown of concerns if advised/not allowed physical contact by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?																			
Caring responsibilities	(N=217) 137 (71)	(N=1,138) 717 (64)	(N=99) 36 (37)	(N=333) 189 (56)	(N=407) 249 (57)	(N=32) 18 (66)	(N=131) 27 (20)	(N=581) 242 (41)	(N=234) 56 (23)	(N=270) 83 (30)	(N=361) 208 (55)	(N=50) 21 (43)	(N=304) 98 (30)	(N=656) 317 (44)	(N=46) 8 (16)	(N=1,255) 534 (46)	(N=3,143) 1,733 (53)	(N=461) 139 (32)	<0.001
Physical health	(N=218) 150 (63)	(N=1,139) 712 (63)	(N=100) 48 (47)	(N=336) 205 (60)	(N=413) 269 (65)	(N=33) 27 (98)	(N=134) 76 (61)	(N=586) 354 (60)	(N=241) 157 (64)	(N=270) 137 (45)	(N=365) 217 (57)	(N=52) 39 (90)	(N=305) 131 (40)	(N=655) 284 (42)	(N=47) 22 (59)	(N=1,263) 699 (56)	(N=3,158) 1,836 (57)	(N=473) 293 (66)	0.044
Recreational	(N=212) 121 (47)	(N=1,118) 425 (35)	(N=95) 34 (34)	(N=331) 183 (55)	(N=403) 209 (44)	(N=29) 15 (40)	(N=136) 96 (66)	(N=589) 339 (57)	(N=238) 136 (53)	(N=270) 169 (66)	(N=362) 166 (44)	(N=51) 17 (38)	(N=302) 213 (71)	(N=663) 395 (60)	(N=46) 28 (70)	(N=1,251) 782 (59)	(N=3,135) 1,534 (47)	(N=459) 230 (48)	0.003
Sports	(N=212) 99 (47)	(N=1,096) 428 (38)	(N=92) 19 (18)	(N=329) 140 (47)	(N=397) 154 (31)	(N=29) 8 (29)	(N=133) 40 (28)	(N=575) 133 (22)	(N=235) 41 (14)	(N=269) 93 (40)	(N=356) 74 (19)	(N=50) 7 (20)	(N=301) 114 (41)	(N=653) 206 (36)	(N=43) 11 (31)	(N=1,244) 486 (42)	(N=3,077) 995 (31)	(N=449) 86 (21)	<0.001
Mental health and wellbeing	(N=212) 146 (63)	(N=1,118) 613 (55)	(N=97) 39 (42)	(N=335) 230 (69)	(N=402) 227 (52)	(N=32) 19 (69)	(N=136) 118 (86)	(N=591) 439 (74)	(N=243) 142 (62)	(N=270) 191 (65)	(N=366) 227 (59)	(N=55) 30 (57)	(N=304) 169 (52)	(N=657) 253 (40)	(N=47) 14 (40)	(N=1,257) 854 (67)	(N=3,134) 1,759 (56)	(N=474) 244 (51)	<0.001
Living arrangements	(N=213) 105 (50)	(N=1,111) 518 (48)	(N=95) 23 (26)	(N=330) 142 (47)	(N=394) 137 (45)	(N=29) 10 (40)	(N=134) 47 (35)	(N=576) 144 (24)	(N=233) 24 (10)	(N=270) 60 (21)	(N=353) 52 (16)	(N=51) 2 (14)	(N=304) 76 (22)	(N=651) 100 (17)	(N=44) 1 (1)	(N=1,251) 430 (38)	(N=3,085) 951 (32)	(N=452) 60 (15)	<0.001
Infrastructure	(N=214) 117 (54)	(N=1,101) 502 (46)	(N=94) 32 (34)	(N=331) 149 (42)	(N=390) 152 (46)	(N=29) 7 (47)	(N=134) 37 (31)	(N=569) 133 (23)	(N=232) 42 (16)	(N=269) 59 (22)	(N=353) 91 (28)	(N=50) 13 (35)	(N=302) 63 (18)	(N=649) 121 (19)	(N=45) 11 (19)	(N=1,250) 425 (37)	(N=3,062) 999 (33)	(N=450) 105 (28)	0.112
Social	(N=216) 147 (59)	(N=1,126) 573 (50)	(N=98) 48 (46)	(N=334) 212 (55)	(N=408) 240 (55)	(N=31) 22 (60)	(N=136) 115 (83)	(N=592) 459 (77)	(N=246) 194 (79)	(N=268) 220 (84)	(N=366) 266 (69)	(N=52) 39 (63)	(N=304) 239 (79)	(N=662) 453 (65)	(N=49) 33 (69)	(N=1,258) 933 (69)	(N=3,154) 1,991 (62)	(N=476) 336 (64)	0.156
Religious and spiritual	(N=213) 86 (45)	(N=1,120) 468 (43)	(N=100) 37 (37)	(N=334) 180 (65)	(N=406) 198 (51)	(N=29) 15 (61)	(N=133) 14 (15)	(N=574) 111 (19)	(N=235) 37 (13)	(N=268) 27 (12)	(N=352) 64 (17)	(N=50) 4 (25)	(N=304) 51 (15)	(N=650) 142 (19)	(N=44) 8 (24)	(N=1,252) 358 (35)	(N=3,102) 983 (31)	(N=458) 101 (28)	0.198

Suppl. Table 12 Breakdown of concerns if advised/not allowed physical contact by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
Education level	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Caring responsibilities	(N=894) 571 (63)	(N=560) 319 (57)	(N=74) 42 (57)	(N=698) 414 (60)	(N=231) 78 (30)	(N=715) 247 (32)	(N=204) 98 (47)	(N=477) 214 (45)	(N=190) 67 (31)	(N=816) 356 (40)	(N=1,593) 856 (49)	(N=3,266) 1,550 (43)	0.002
Physical health	(N=894) 565 (60)	(N=563) 345 (63)	(N=75) 53 (66)	(N=707) 448 (63)	(N=238) 146 (63)	(N=723) 441 (59)	(N=208) 123 (66)	(N=479) 270 (56)	(N=191) 78 (47)	(N=816) 359 (43)	(N=1,606) 965 (60)	(N=3,288) 1,863 (56)	0.045
Recreational	(N=870) 281 (34)	(N=555) 299 (57)	(N=72) 33 (47)	(N=691) 374 (55)	(N=236) 120 (52)	(N=727) 451 (64)	(N=204) 95 (45)	(N=479) 257 (52)	(N=192) 12 (66)	(N=819) 513 (62)	(N=1,574) 652 (46)	(N=3,271) 1,894 (60)	<0.001
Sports	(N=855) 317 (36)	(N=545) 229 (43)	(N=71) 25 (38)	(N=684) 277 (43)	(N=230) 34 (17)	(N=713) 180 (26)	(N=203) 44 (23)	(N=472) 130 (27)	(N=190) 75 (39)	(N=807) 256 (32)	(N=1,549) 495 (32)	(N=3,221) 1,072 (32)	0.953
Mental health and wellbeing	(N=877) 486 (54)	(N=550) 312 (59)	(N=74) 46 (61)	(N=695) 430 (62)	(N=238) 174 (76)	(N=732) 525 (74)	(N=209) 137 (58)	(N=482) 311 (63)	(N=190) 90 (45)	(N=818) 346 (40)	(N=1,588) 933 (58)	(N=3,277) 1,924 (60)	0.256
Living arrangements	(N=866) 422 (46)	(N=553) 224 (42)	(N=71) 32 (47)	(N=682) 257 (39)	(N=232) 46 (23)	(N=711) 169 (25)	(N=204) 37 (17)	(N=470) 77 (15)	(N=189) 36 (14)	(N=810) 141 (16)	(N=1,562) 573 (33)	(N=3,226) 868 (26)	<0.001
Infrastructure	(N=858) 396 (46)	(N=551) 255 (48)	(N=70) 32 (45)	(N=680) 276 (44)	(N=229) 44 (23)	(N=706) 168 (24)	(N=203) 55 (30)	(N=469) 108 (23)	(N=189) 35 (18)	(N=807) 160 (21)	(N=1,549) 562 (35)	(N=3,213) 967 (29)	0.004
Social	(N=887) 440 (49)	(N=553) 328 (62)	(N=72) 38 (54)	(N=701) 436 (63)	(N=242) 183 (77)	(N=732) 585 (80)	(N=207) 157 (67)	(N=479) 368 (77)	(N=194) 13 (69)	(N=821) 588 (70)	(N=1,602) 955 (60)	(N=3,286) 2,305 (73)	<0.001
Religious and spiritual	(N=882) 391 (44)	(N=551) 200 (36)	(N=71) 42 (60)	(N=698) 351 (51)	(N=232) 36 (17)	(N=710) 126 (17)	(N=202) 36 (20)	(N=468) 59 (13)	(N=190) 28 (18)	(N=808) 173 (21)	(N=1,577) 533 (35)	(N=3,235) 909 (24)	<0.001

Suppl. Table 13 Breakdown of concerns if advised/not allowed physical contact by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-4	>=5	1-4	>=5	1-4	>=5	1-4	>=5	1-4	>=5	1-4	>=5	
Household size (number of persons in household)													
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=1,038	N=438	N=494	N=333	N=961	N=48	N=659	N=53	N=827	N=207	N=3,979	N=1,079	
Caring responsibilities	(N=1,019) 618 (62)	(N=435) 272 (61)	(N=461) 246 (59)	(N=311) 210 (56)	(N=900) 299 (30)	(N=46) 26 (44)	(N=630) 286 (46)	(N=51) 26 (52)	(N=836) 329 (33)	(N=200) 94 (44)	(N=3,816) 1,778 (45)	(N=1,043) 628 (56)	0.002
Physical health	(N=1,022) 639 (61)	(N=435) 271 (59)	(N=467) 293 (73)	(N=315) 208 (56)	(N=916) 557 (61)	(N=45) 30 (65)	(N=637) 363 (63)	(N=50) 30 (56)	(N=835) 360 (47)	(N=202) 77 (38)	(N=3,847) 2,212 (60)	(N=1,047) 616 (55)	0.153
Recreational	(N=1,002) 385 (35)	(N=423) 195 (46)	(N=456) 241 (47)	(N=307) 166 (51)	(N=918) 549 (59)	(N=45) 22 (53)	(N=633) 327 (47)	(N=50) 25 (50)	(N=839) 518 (55)	(N=202) 118 (61)	(N=3,818) 2,020 (51)	(N=1,027) 526 (50)	0.896
Sports	(N=984) 379 (38)	(N=416) 167 (38)	(N=447) 169 (33)	(N=308) 133 (45)	(N=900) 207 (22)	(N=43) 7 (8)	(N=625) 155 (23)	(N=50) 19 (42)	(N=838) 262 (35)	(N=199) 69 (41)	(N=3,754) 1,172 (30)	(N=1,016) 395 (39)	0.008
Mental health and wellbeing	(N=1,007) 567 (57)	(N=420) 231 (51)	(N=458) 282 (64)	(N=311) 194 (58)	(N=925) 672 (76)	(N=45) 27 (63)	(N=641) 414 (59)	(N=50) 34 (62)	(N=837) 363 (44)	(N=201) 73 (41)	(N=3,838) 2,298 (60)	(N=1,027) 559 (53)	0.031
Living arrangements	(N=1,000) 465 (47)	(N=419) 181 (42)	(N=448) 164 (40)	(N=305) 125 (53)	(N=899) 199 (23)	(N=44) 16 (45)	(N=624) 107 (16)	(N=50) 7 (16)	(N=838) 143 (14)	(N=201) 34 (18)	(N=3,769) 1,078 (28)	(N=1,019) 363 (41)	<0.001
Infrastructure	(N=995) 455 (46)	(N=414) 196 (47)	(N=445) 170 (42)	(N=305) 138 (48)	(N=892) 204 (23)	(N=43) 8 (35)	(N=622) 154 (28)	(N=50) 9 (19)	(N=836) 165 (20)	(N=200) 30 (15)	(N=3,750) 1,148 (31)	(N=1,012) 381 (40)	0.007
Social	(N=1,012) 534 (51)	(N=428) 234 (53)	(N=461) 277 (50)	(N=312) 197 (62)	(N=928) 736 (80)	(N=46) 32 (66)	(N=636) 491 (70)	(N=50) 34 (70)	(N=831) 584 (69)	(N=204) 141 (72)	(N=3,848) 2,622 (65)	(N=1,040) 638 (60)	0.120
Religious and spiritual	(N=1,008) 405 (42)	(N=425) 186 (44)	(N=457) 211 (58)	(N=312) 182 (58)	(N=898) 151 (16)	(N=44) 11 (30)	(N=621) 86 (18)	(N=49) 9 (24)	(N=837) 134 (17)	(N=201) 67 (27)	(N=3,781) 987 (28)	(N=1,031) 455 (44)	<0.001

Suppl. Table 14 Breakdown of concerns if advised/not allowed physical contact by country and whether or not living with children under 18

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	
Living with children under 18													

What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=497	N=537	N=1,837	N=3,221	
Caring responsibilities	(N=657) 487 (73)	(N=797) 403 (51)	(N=318) 217 (65)	(N=454) 239 (52)	(N=177) 109 (49)	(N=769) 216 (27)	(N=138) 88 (63)	(N=543) 224 (43)	(N=484) 278 (53)	(N=522) 45 (22)	(N=1,774) 1,179 (64)	(N=3,085) 1,227 (38)	<0.001
Physical health	(N=659) 458 (67)	(N=798) 452 (55)	(N=321) 199 (60)	(N=461) 302 (70)	(N=179) 103 (61)	(N=782) 484 (61)	(N=138) 77 (56)	(N=549) 316 (64)	(N=484) 217 (44)	(N=523) 20 (46)	(N=1,781) 1,054 (59)	(N=3,113) 1,774 (59)	0.984
Recreational	(N=644) 220 (36)	(N=781) 360 (41)	(N=316) 169 (48)	(N=447) 238 (49)	(N=179) 102 (55)	(N=784) 469 (59)	(N=139) 66 (40)	(N=544) 286 (49)	(N=486) 284 (60)	(N=525) 52 (68)	(N=1,764) 841 (46)	(N=3,081) 1,705 (53)	0.013
Sports	(N=633) 267 (41)	(N=767) 279 (35)	(N=318) 137 (45)	(N=437) 165 (34)	(N=173) 52 (24)	(N=770) 162 (21)	(N=135) 38 (29)	(N=540) 136 (23)	(N=478) 175 (41)	(N=519) 56 (33)	(N=1,737) 669 (39)	(N=3,033) 898 (29)	<0.001
Mental health and wellbeing	(N=641) 415 (63)	(N=786) 383 (48)	(N=318) 190 (56)	(N=451) 286 (65)	(N=180) 139 (80)	(N=790) 560 (74)	(N=139) 91 (60)	(N=552) 357 (60)	(N=481) 197 (44)	(N=527) 39 (43)	(N=1,759) 1,032 (59)	(N=3,106) 1,825 (58)	0.841
Living arrangements	(N=641) 366 (54)	(N=778) 280 (37)	(N=311) 118 (55)	(N=442) 171 (39)	(N=174) 56 (36)	(N=769) 159 (21)	(N=134) 24 (19)	(N=540) 90 (16)	(N=479) 93 (21)	(N=520) 4 (11)	(N=1,739) 657 (42)	(N=3,049) 784 (24)	<0.001
Infrastructure	(N=632) 322 (50)	(N=777) 329 (43)	(N=310) 131 (48)	(N=440) 177 (42)	(N=172) 37 (29)	(N=763) 175 (23)	(N=135) 30 (18)	(N=537) 133 (30)	(N=477) 81 (17)	(N=519) 14 (20)	(N=1,726) 601 (37)	(N=3,036) 928 (31)	0.018
Social	(N=651) 347 (52)	(N=789) 421 (52)	(N=322) 194 (53)	(N=451) 280 (57)	(N=179) 141 (82)	(N=795) 627 (78)	(N=140) 109 (77)	(N=546) 416 (69)	(N=488) 341 (69)	(N=527) 84 (70)	(N=1,780) 1,132 (61)	(N=3,108) 2,128 (66)	0.098
Religious and spiritual	(N=641) 307 (49)	(N=792) 284 (36)	(N=319) 174 (58)	(N=450) 219 (58)	(N=171) 30 (19)	(N=771) 132 (16)	(N=133) 23 (20)	(N=537) 72 (18)	(N=479) 118 (20)	(N=519) 3 (18)	(N=1,743) 652 (39)	(N=3,069) 790 (28)	<0.001

Suppl. Table 15 Breakdown of concerns if advised/not allowed physical contact by country and income type

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other/no income. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia		Total			P-value (for total)
Type of income	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	FBP	CF	O	
What are/were your concerns if advised no physical contact/not allowed to go out/allowed to go out only for essential needs?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=847	N=103	N=2,969	N=1,581	N=508	
Caring responsibilities	(N=540) 372 (72)	(N=836) 481 (57)	(N=78) 37 (39)	(N=490) 307 (58)	(N=145) 78 (64)	(N=137) 71 (47)	(N=661) 223 (32)	(N=213) 83 (32)	(N=72) 19 (26)	(N=328) 167 (49)	(N=236) 101 (41)	(N=117) 44 (44)	(N=826) 362 (36)	(N=97) 42 (31)	(N=2,845) 1,431 (47)	(N=1,527) 785 (51)	(N=487) 190 (38)	0.028
Physical health	(N=543) 381 (70)	(N=835) 482 (56)	(N=79) 47 (49)	(N=497) 324 (63)	(N=146) 89 (71)	(N=139) 88 (66)	(N=672) 415 (62)	(N=216) 124 (60)	(N=73) 48 (63)	(N=333) 204 (68)	(N=236) 122 (51)	(N=118) 67 (59)	(N=826) 345 (44)	(N=98) 56 (58)	(N=2,871) 1,669 (59)	(N=1,531) 873 (58)	(N=492) 286 (57)	0.826
Recreational	(N=535) 243 (43)	(N=812) 296 (35)	(N=78) 41 (42)	(N=483) 253 (46)	(N=143) 78 (48)	(N=137) 76 (56)	(N=671) 386 (54)	(N=218) 134 (65)	(N=74) 51 (71)	(N=331) 153 (46)	(N=236) 136 (50)	(N=116) 63 (47)	(N=828) 511 (62)	(N=101) 63 (75)	(N=2,848) 1,546 (52)	(N=1,510) 707 (46)	(N=487) 293 (58)	0.024
Sports	(N=531) 264 (53)	(N=791) 249 (29)	(N=78) 33 (32)	(N=474) 190 (35)	(N=145) 63 (47)	(N=136) 49 (39)	(N=660) 133 (18)	(N=213) 57 (28)	(N=70) 24 (30)	(N=325) 72 (22)	(N=234) 70 (26)	(N=116) 32 (28)	(N=818) 265 (34)	(N=96) 34 (46)	(N=2,808) 924 (32)	(N=1,479) 473 (32)	(N=483) 170 (36)	0.582
Mental health and wellbeing	(N=533) 339 (65)	(N=816) 410 (50)	(N=78) 49 (50)	(N=485) 297 (61)	(N=146) 86 (58)	(N=138) 93 (66)	(N=676) 485 (75)	(N=221) 157 (74)	(N=73) 57 (80)	(N=335) 213 (60)	(N=238) 147 (55)	(N=118) 88 (68)	(N=826) 346 (43)	(N=99) 42 (38)	(N=2,855) 1,680 (59)	(N=1,520) 842 (55)	(N=490) 335 (63)	0.125
Living arrangements	(N=533) 268 (51)	(N=808) 352 (43)	(N=78) 26 (27)	(N=474) 181 (48)	(N=142) 54 (55)	(N=137) 54 (27)	(N=655) 128 (19)	(N=216) 65 (34)	(N=72) 22 (30)	(N=325) 57 (17)	(N=233) 38 (16)	(N=116) 19 (14)	(N=821) 138 (14)	(N=95) 15 (13)	(N=2,808) 772 (27)	(N=1,494) 524 (38)	(N=486) 145 (26)	<0.001
Infrastructure	(N=530) 279 (56)	(N=800) 335 (42)	(N=79) 37 (35)	(N=473) 179 (46)	(N=141) 55 (39)	(N=136) 74 (48)	(N=654) 134 (21)	(N=210) 56 (30)	(N=71) 22 (29)	(N=325) 74 (30)	(N=230) 56 (23)	(N=117) 33 (26)	(N=819) 157 (19)	(N=94) 15 (13)	(N=2,801) 823 (32)	(N=1,475) 517 (36)	(N=486) 189 (35)	0.370
Social	(N=537) 322 (58)	(N=824) 398 (48)	(N=79) 48 (51)	(N=491) 303 (55)	(N=146) 81 (59)	(N=136) 90 (52)	(N=681) 531 (78)	(N=219) 177 (79)	(N=74) 60 (81)	(N=335) 256 (72)	(N=233) 173 (63)	(N=118) 96 (78)	(N=834) 589 (68)	(N=98) 66 (67)	(N=2,878) 2,001 (67)	(N=1,520) 895 (58)	(N=490) 364 (67)	0.004
Religious and spiritual	(N=532) 235 (49)	(N=823) 326 (39)	(N=78) 30 (35)	(N=486) 254 (57)	(N=145) 68 (57)	(N=138) 71 (62)	(N=659) 121 (17)	(N=210) 31 (16)	(N=73) 10 (12)	(N=322) 43 (20)	(N=231) 36 (14)	(N=117) 16 (17)	(N=821) 168 (18)	(N=94) 22 (31)	(N=2,820) 821 (29)	(N=1,503) 483 (34)	(N=489) 138 (33)	0.195

Suppl. Table 16 Breakdown of maximum number of days that people thought they could cope by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	957 (66)	201 (31)	192 (21)	127 (23)	261 (34)	1,738 (39)	
>14 to 28 days	223 (13)	110 (16)	98 (11)	95 (14)	169 (16)	695 (14)	
29 days+	296 (21)	516 (52)	719 (68)	490 (63)	604 (50)	2,625 (47)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	805 (54)	270 (41)	393 (40)	304 (45)	601 (61)	2,373 (49)	
>14 to 28 days	249 (17)	114 (16)	124 (14)	161 (21)	151 (13)	799 (16)	
29 days+	422 (29)	443 (43)	492 (46)	247 (34)	282 (26)	1,886 (35)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
1 to 14 days	808 (56)	268 (40)	272 (29)	205 (33)	310 (37)	1,863 (41)	
>14 to 28 days	258 (17)	98 (14)	100 (10)	110 (17)	182 (18)	748 (15)	
29 days+	410 (26)	461 (46)	637 (60)	397 (51)	542 (45)	2,447 (44)	

Suppl. Table 17 Breakdown of maximum number of days that people thought they could cope by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.381	
1 to 14 days	479 (66)	476 (66)	2 (33)	68 (29)	132 (34)	1 (25)	87 (23)	102 (19)	3 (27)	46 (28)	81 (18)	113 (38)	147 (31)	1 (17)	793 (40)	938 (37)	7 (26)		
>14 to 28 days	99 (12)	123 (15)	1 (17)	40 (14)	69 (18)	1 (25)	43 (13)	54 (9)	1 (9)	28 (11)	67 (17)	49 (14)	120 (18)	0 (0)	259 (13)	433 (15)	3 (11)		
29 days+	126 (23)	167 (19)	3 (50)	190 (57)	324 (48)	2 (50)	296 (64)	416 (72)	7 (64)	148 (61)	342 (65)	204 (48)	395 (51)	5 (83)	964 (47)	1,644 (47)	17 (63)		
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.890	
1 to 14 days	398 (53)	405 (55)	2 (33)	96 (41)	173 (40)	1 (25)	170 (42)	219 (38)	4 (36)	100 (48)	204 (42)	217 (57)	382 (65)	2 (33)	981 (49)	1,383 (50)	9 (33)		
>14 to 28 days	116 (18)	132 (16)	1 (17)	47 (18)	66 (14)	1 (25)	53 (14)	71 (13)	0 (0)	46 (18)	115 (24)	40 (14)	111 (12)	0 (0)	302 (16)	495 (16)	2 (7)		
29 days+	190 (30)	229 (29)	3 (50)	155 (41)	286 (46)	2 (50)	203 (43)	282 (49)	7 (64)	76 (34)	171 (34)	109 (29)	169 (23)	4 (67)	733 (35)	1,137 (35)	16 (59)		
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.680	
1 to 14 days	418 (57)	388 (55)	2 (33)	94 (41)	173 (38)	1 (25)	127 (32)	141 (27)	4 (36)	72 (35)	133 (31)	125 (35)	183 (40)	2 (33)	836 (42)	1,018 (40)	9 (33)		
>14 to 28 days	114 (17)	142 (17)	2 (33)	35 (11)	62 (17)	1 (25)	40 (10)	60 (10)	0 (0)	31 (17)	79 (17)	73 (23)	109 (13)	0 (0)	293 (16)	452 (15)	3 (11)		
29 days+	172 (25)	236 (27)	2 (33)	169 (47)	290 (45)	2 (50)	259 (58)	371 (62)	7 (64)	119 (49)	278 (52)	168 (43)	370 (47)	4 (67)	887 (42)	1,545 (45)	15 (56)		

6/bmjopen-2020-046863 on 20 June 2021. Downloaded from http://bmjopen.bmj.com/ on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 18 Breakdown of maximum number of days that people thought they could cope by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.409
1 to 14 days	115 (57)	774 (70)	68 (67)	96 (32)	96 (25)	9 (55)	22 (22)	112 (18)	58 (24)	37 (19)	81 (26)	9 (19)	112 (36)	167 (31)	16 (49)	348 (36)	1,230 (39)	160 (42)	
>14 to 28 days	29 (10)	179 (15)	15 (15)	51 (19)	53 (13)	6 (22)	16 (13)	55 (10)	27 (12)	42 (20)	42 (11)	11 (17)	112 (36)	112 (15)	8 (18)	187 (10)	441 (13)	67 (16)	
29 days+	79 (33)	199 (15)	18 (18)	203 (49)	293 (62)	20 (23)	102 (65)	449 (72)	168 (64)	193 (62)	260 (63)	37 (64)	111 (34)	397 (54)	26 (34)	758 (50)	1,598 (48)	269 (42)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.335
1 to 14 days	113 (48)	643 (58)	49 (50)	116 (42)	141 (36)	13 (56)	62 (42)	222 (37)	109 (47)	111 (45)	170 (44)	23 (47)	112 (36)	382 (59)	27 (67)	594 (47)	1,558 (49)	221 (53)	
>14 to 28 days	33 (17)	192 (16)	24 (20)	43 (13)	65 (17)	6 (28)	19 (17)	85 (14)	20 (9)	65 (19)	82 (19)	14 (27)	33 (11)	107 (14)	8 (15)	196 (15)	531 (16)	72 (18)	
29 days+	77 (35)	317 (26)	28 (30)	191 (45)	236 (47)	16 (16)	59 (40)	309 (50)	124 (45)	96 (36)	131 (37)	20 (26)	89 (28)	187 (28)	15 (19)	503 (37)	1,180 (36)	203 (29)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.255
1 to 14 days	107 (52)	648 (59)	53 (56)	91 (32)	163 (43)	14 (62)	33 (28)	161 (27)	78 (36)	62 (27)	126 (36)	17 (32)	98 (31)	189 (33)	23 (51)	391 (37)	1,287 (42)	185 (46)	
>14 to 28 days	43 (18)	195 (17)	20 (17)	40 (13)	54 (14)	4 (15)	17 (12)	58 (10)	25 (8)	48 (20)	52 (14)	10 (20)	55 (17)	121 (17)	8 (19)	201 (16)	480 (15)	67 (16)	
29 days+	73 (30)	309 (24)	28 (27)	219 (55)	225 (43)	17 (22)	90 (60)	397 (63)	150 (56)	162 (53)	205 (51)	30 (48)	107 (34)	366 (50)	19 (29)	701 (48)	1,502 (43)	244 (38)	

Suppl. Table 19 Breakdown of maximum number of days that people thought they could cope by country and household size

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	1-4	≥5	
Household size (number of persons in household)													
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=1,038	N=438	N=494	N=333	N=961	N=48	N=659	N=53	N=877	N=207	N=3,979	N=1,079	0.023
1 to 14 days	674 (68)	283 (61)	105 (26)	96 (38)	185 (21)	7 (12)	118 (23)	9 (24)	216 (36)	45 (28)	1,298 (37)	440 (44)	
>14 to 28 days	150 (13)	73 (15)	67 (12)	43 (22)	95 (12)	3 (3)	93 (15)	2 (2)	139 (27)	30 (12)	544 (14)	151 (16)	
29 days+	214 (19)	82 (24)	322 (62)	194 (40)	681 (67)	38 (85)	448 (62)	42 (75)	472 (77)	132 (59)	2,137 (49)	488 (40)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=1,038	N=438	N=494	N=333	N=961	N=48	N=659	N=53	N=877	N=207	N=3,979	N=1,079	0.492
1 to 14 days	594 (59)	211 (44)	160 (29)	110 (56)	375 (40)	18 (49)	285 (45)	19 (46)	487 (61)	114 (63)	1,901 (49)	472 (51)	
>14 to 28 days	158 (14)	91 (22)	68 (19)	46 (12)	114 (14)	10 (14)	146 (21)	15 (24)	123 (14)	28 (11)	609 (16)	190 (17)	
29 days+	286 (27)	136 (34)	266 (52)	177 (32)	472 (47)	20 (37)	228 (34)	19 (30)	217 (26)	65 (26)	1,469 (36)	417 (32)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=1,038	N=438	N=494	N=333	N=961	N=48	N=659	N=53	N=877	N=207	N=3,979	N=1,079	0.079
1 to 14 days	579 (58)	229 (54)	165 (35)	103 (47)	262 (30)	10 (24)	197 (33)	8 (21)	255 (37)	55 (40)	1,458 (39)	405 (47)	
>14 to 28 days	172 (15)	86 (21)	63 (20)	35 (6)	96 (11)	4 (5)	104 (17)	6 (8)	146 (18)	36 (14)	581 (16)	167 (14)	
29 days+	287 (27)	123 (25)	266 (46)	195 (46)	603 (60)	34 (72)	358 (50)	39 (72)	426 (55)	116 (46)	1,940 (45)	507 (39)	

Suppl. Table 20 Breakdown of maximum number of days that people thought they could cope by country and whether or not living with children under 18

Y = living with children under 18; N = not living with children under 18. Values in cells are n (weighted %) of respondents who replied 'yes'

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia			Total		P-value (for total)
Living with children under 18	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N		
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	<0.001	
1 to 14 days	490 (72)	467 (60)	97 (40)	104 (25)	24 (14)	168 (22)	24 (18)	103 (24)	115 (30)	146 (38)	750 (46)	988 (35)		
>14 to 28 days	80 (10)	143 (17)	37 (12)	73 (19)	18 (12)	80 (11)	13 (9)	82 (16)	79 (24)	90 (18)	227 (12)	468 (16)		
29 days+	94 (18)	202 (23)	212 (47)	304 (56)	144 (74)	575 (67)	107 (73)	383 (61)	303 (57)	301 (45)	860 (42)	1,765 (50)		
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	<0.001	
1 to 14 days	412 (59)	393 (49)	120 (57)	150 (29)	60 (36)	333 (41)	62 (44)	242 (45)	290 (62)	311 (60)	944 (56)	1,429 (46)		
>14 to 28 days	100 (16)	149 (18)	45 (11)	69 (20)	34 (19)	90 (12)	33 (26)	128 (20)	73 (33)	78 (14)	285 (15)	514 (17)		
29 days+	152 (25)	270 (33)	181 (33)	262 (51)	92 (46)	400 (46)	49 (31)	198 (34)	134 (25)	148 (26)	608 (29)	1,278 (38)		
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=664	N=812	N=346	N=481	N=186	N=823	N=144	N=568	N=477	N=537	N=1,837	N=3,221	0.004	
1 to 14 days	407 (63)	401 (51)	117 (47)	151 (35)	33 (21)	239 (31)	42 (35)	163 (32)	139 (35)	171 (39)	738 (47)	1,125 (38)		
>14 to 28 days	112 (16)	146 (18)	37 (8)	61 (18)	17 (8)	83 (11)	20 (11)	90 (18)	90 (26)	92 (18)	276 (14)	472 (16)		
29 days+	145 (21)	265 (31)	192 (45)	269 (47)	136 (71)	501 (58)	82 (53)	315 (50)	268 (49)	274 (42)	823 (40)	1,624 (46)		

Suppl. Table 21 Breakdown of maximum number of days that people thought they could cope by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
Education level	P/S	T											
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	<0.001
1 to 14 days	659 (69)	298 (51)	27 (33)	174 (23)	55 (24)	137 (18)	53 (26)	74 (16)	69 (41)	192 (24)	863 (45)	875 (25)	
>14 to 28 days	122 (12)	101 (17)	15 (17)	95 (13)	30 (13)	68 (9)	31 (15)	64 (13)	33 (16)	136 (16)	231 (15)	464 (13)	
29 days+	128 (18)	168 (32)	40 (50)	476 (64)	162 (63)	557 (73)	133 (59)	357 (72)	100 (43)	504 (60)	563 (41)	2,062 (62)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.004
1 to 14 days	541 (56)	264 (47)	34 (43)	236 (32)	101 (41)	292 (40)	95 (46)	209 (43)	111 (63)	482 (58)	890 (51)	1,483 (45)	
>14 to 28 days	144 (17)	105 (18)	15 (17)	99 (13)	31 (15)	93 (13)	41 (20)	120 (24)	23 (12)	128 (15)	254 (16)	545 (16)	
29 days+	224 (28)	198 (35)	33 (40)	410 (55)	115 (44)	377 (48)	81 (34)	166 (33)	60 (25)	222 (27)	513 (33)	1,373 (39)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	<0.001
1 to 14 days	564 (59)	244 (43)	35 (43)	233 (29)	87 (35)	185 (24)	70 (35)	135 (29)	75 (42)	235 (31)	831 (46)	1,032 (30)	
>14 to 28 days	156 (17)	102 (19)	12 (14)	86 (11)	26 (10)	74 (10)	39 (18)	71 (14)	33 (17)	149 (18)	266 (16)	482 (14)	
29 days+	189 (24)	221 (38)	35 (43)	426 (59)	134 (54)	503 (66)	108 (48)	289 (57)	94 (41)	448 (51)	560 (38)	1,887 (56)	

6/mjopen/2020-046863/2020-046863 from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 22 Breakdown of maximum number of days that people thought they could cope by country and type of income

FBP = fixed salary, benefits/pension; CF = contract and freelance; O = other. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	FBP	CF	O	
What is the maximum number of days you think you could cope without meeting family or friends not living in your household in person?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	<0.001
1 to 14 days	344 (64)	577 (69)	36 (43)	135 (23)	35 (37)	31 (48)	134 (22)	36 (17)	22 (24)	58 (22)	47 (27)	22 (18)	208 (34)	35 (44)	18 (26)	879 (33)	730 (50)	129 (34)	
>14 to 28 days	74 (11)	134 (14)	15 (17)	57 (15)	24 (16)	29 (19)	69 (11)	25 (14)	4 (7)	46 (15)	30 (12)	19 (15)	141 (17)	19 (16)	9 (9)	387 (14)	232 (14)	76 (14)	
29 days+	128 (25)	138 (16)	30 (41)	332 (62)	99 (47)	85 (33)	502 (68)	166 (69)	51 (69)	243 (63)	167 (60)	80 (66)	498 (49)	49 (40)	57 (65)	1,703 (53)	619 (35)	303 (51)	
What is the maximum number of days you think you could cope with not going out in public, assuming that you have sufficient supplies of food, medicines and other essential items?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	0.471
1 to 14 days	313 (55)	461 (55)	31 (39)	183 (38)	46 (39)	41 (49)	273 (40)	87 (41)	33 (42)	147 (45)	108 (47)	49 (40)	485 (56)	66 (75)	50 (59)	1,401 (49)	768 (51)	204 (46)	
>14 to 28 days	85 (16)	148 (17)	16 (20)	70 (18)	22 (17)	22 (10)	90 (13)	28 (17)	6 (9)	84 (24)	55 (17)	22 (14)	129 (14)	12 (7)	10 (14)	458 (16)	265 (16)	76 (13)	
29 days+	148 (29)	240 (28)	34 (40)	271 (44)	90 (44)	82 (41)	342 (47)	112 (43)	38 (49)	116 (30)	81 (36)	50 (46)	233 (27)	25 (18)	24 (27)	1,110 (35)	548 (33)	228 (41)	
What is the maximum number of days you think you could cope with going out only for essential needs/work?	N=546	N=849	N=81	N=524	N=158	N=145	N=705	N=227	N=77	N=347	N=244	N=121	N=849	N=103	N=84	N=2,969	N=1,581	N=508	<0.001
1 to 14 days	297 (59)	478 (56)	33 (43)	181 (38)	56 (53)	31 (29)	186 (29)	64 (31)	22 (22)	99 (33)	78 (34)	28 (27)	250 (38)	41 (45)	19 (27)	1,013 (39)	717 (49)	133 (30)	
>14 to 28 days	81 (16)	159 (18)	18 (23)	54 (14)	23 (4)	21 (25)	68 (10)	20 (10)	12 (16)	55 (18)	30 (12)	25 (19)	150 (17)	17 (21)	15 (17)	408 (15)	249 (14)	91 (21)	
29 days+	168 (25)	212 (26)	30 (34)	289 (48)	79 (43)	93 (46)	451 (61)	143 (58)	43 (62)	193 (49)	136 (53)	68 (54)	447 (45)	45 (34)	50 (57)	1,548 (46)	615 (37)	284 (50)	

Suppl. Table 23 Breakdown of behavioural changes and acceptance of government public health measures by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Did you change your social behaviour before the implementation of government restrictions?	1,374 (93)	538 (64)	712 (68)	356 (47)	584 (47)	3,564 (67)	<0.001
If you answered 'yes' to the previous question: how did you change your social behaviour?							
No physical contact with anyone	(N=1,374) 1,302 (94)	(N=506) 362 (82)	(N=657) 325 (51)	(N=342) 243 (74)	(N=576) 519 (93)	(N=3,455) 2,748 (82)	<0.001
No physical contact only with elderly and those with serious underlying medical conditions	(N=1,374) 1,200 (88)	(N=494) 292 (63)	(N=644) 393 (60)	(N=332) 272 (79)	(N=566) 519 (91)	(N=3,410) 2,673 (79)	<0.001
Going out only for essential needs	(N=1,374) 1,291 (94)	(N=525) 489 (95)	(N=681) 571 (83)	(N=346) 263 (82)	(N=562) 381 (71)	(N=3,488) 2,995 (87)	<0.001
Moving home to stay with parents/relatives	(N=1,374) 677 (54)	(N=489) 99 (26)	(N=627) 30 (8)	(N=326) 27 (6)	(N=552) 39 (5)	(N=3,368) 866 (30)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=1,374) 1,334 (96)	(N=527) 488 (95)	(N=651) 225 (33)	(N=339) 165 (55)	(N=564) 361 (67)	(N=3,455) 2,578 (76)	<0.001
Use of sanitizer products and alcohol	(N=1,374) 1,321 (95)	(N=529) 504 (96)	(N=685) 559 (83)	(N=350) 307 (91)	(N=569) 521 (94)	(N=3,507) 3,212 (92)	<0.001
"I would comply with government enforced quarantine/ isolation/social distancing."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,344 (92)	708 (86)	822 (80)	606 (78)	871 (75)	4,351 (83)	
Neither agree nor disagree	92 (5)	18 (0)	48 (4)	36 (7)	68 (14)	262 (6)	
Disagree	40 (3)	101 (14)	139 (15)	70 (15)	95 (11)	445 (10)	
"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,354 (92)	674 (81)	815 (78)	566 (76)	838 (76)	4,247 (82)	
Neither agree nor disagree	100 (7)	48 (4)	50 (5)	59 (10)	91 (13)	348 (8)	
Disagree	22 (1)	105 (15)	144 (17)	87 (14)	105 (11)	463 (10)	
How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
Agree	1,383 (94)	739 (88)	853 (83)	608 (80)	841 (74)	4,429 (85)	
Neither agree nor disagree	65 (4)	12 (0)	27 (3)	28 (5)	76 (11)	208 (5)	
Disagree	28 (2)	76 (12)	129 (14)	76 (15)	117 (15)	421 (10)	

Suppl. Table 24 Breakdown of behavioural changes and acceptance of government public health measures by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
Gender	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
Did you change your social behaviour before the implementation of government restrictions?	660 (94)	709 (92)	5 (83) (60)	184 (60)	351 (68)	3 (75) (64)	288 (64)	415 (71)	9 (82) (64)	99 (43) (52)	257 (52)		179 (42)	402 (51)	3 (50) (65)	1,410 (65)	2,134 (70)	20 (74)	0.039
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=660) 626 (93)	(N=709) 671 (95)	(N=5) 5 (100)	(N=173) 122 (75)	(N=330) 237 (87)	(N=3) 3 (100)	(N=271) 141 (51)	(N=379) 181 (50)	(N=7) 3 (43)	(N=94) 63 (68)	(N=248) 180 (78)		(N=175) 162 (94)	(N=398) 351 (89)	(N=3) 3 (100)	(N=1,373) 1,114 (80)	(N=2,064) 1,620 (83)	(N=18) 14 (78)	0.227
No physical contact only with elderly and those with serious underlying medical conditions	(N=660) 584 (88)	(N=709) 611 (89)	(N=5) 5 (100)	(N=170) 104 (59)	(N=321) 186 (67)	(N=3) 2 (67)	(N=268) 148 (58)	(N=370) 243 (62)	(N=6) 2 (33)	(N=90) 75 (75)	(N=242) 197 (81)		(N=171) 152 (88)	(N=392) 361 (94)	(N=3) 3 (100)	(N=1,359) 1,063 (77)	(N=2,034) 1,598 (81)	(N=17) 12 (71)	0.124
Going out only for essential needs	(N=660) 612 (93)	(N=709) 674 (94)	(N=5) 5 (100)	(N=177) 164 (91)	(N=345) 322 (99)	(N=3) 3 (100)	(N=277) 234 (84)	(N=396) 330 (82)	(N=8) 7 (88)	(N=95) 71 (84)	(N=251) 192 (81)		(N=172) 113 (65)	(N=387) 265 (76)	(N=3) 3 (100)	(N=1,381) 1,194 (87)	(N=2,088) 1,783 (88)	(N=19) 18 (95)	0.327
Moving home to stay with parents/relatives	(N=660) 359 (59)	(N=709) 316 (49)	(N=5) 2 (40)	(N=167) 39 (27)	(N=319) 59 (24)	(N=3) 1 (33)	(N=267) 8 (3)	(N=354) 22 (11)	(N=6) 0 (0)	(N=91) 7 (3)	(N=235) 20 (9)		(N=167) 11 (3)	(N=382) 21 (6)	(N=3) 1 (33)	(N=1,352) 424 (32)	(N=1,999) 438 (28)	(N=17) 4 (24)	0.207
Use of personal protection equipment (e.g. masks and gloves)	(N=660) 639 (97)	(N=709) 690 (95)	(N=5) 5 (100)	(N=178) 160 (96)	(N=346) 325 (95)	(N=3) 3 (100)	(N=272) 101 (33)	(N=371) 121 (33)	(N=8) 3 (38)	(N=93) 38 (59)	(N=246) 127 (52)		(N=173) 122 (73)	(N=388) 241 (63)	(N=3) 3 (100)	(N=1,376) 1,060 (78)	(N=2,060) 1,504 (74)	(N=19) 14 (74)	0.079
Use of sanitizer products and alcohol	(N=660) 628 (95)	(N=709) 688 (95)	(N=5) 5 (100)	(N=178) 167 (96)	(N=348) 334 (96)	(N=3) 3 (100)	(N=278) 223 (80)	(N=398) 329 (85)	(N=9) 7 (78)	(N=96) 80 (92)	(N=254) 227 (91)		(N=173) 164 (94)	(N=393) 354 (94)	(N=3) 3 (100)	(N=1,385) 1,262 (92)	(N=2,102) 1,932 (93)	(N=20) 18 (90)	0.474
"I would comply with government enforced quarantine/ isolation/social distancing."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.631
Agree	636 (92)	705 (93)	3 (50) (93)	262 (93)	442 (78)	4 (100) (76)	334 (76)	480 (85)	8 (73) (69)	176 (69)	430 (86)		295 (75)	571 (75)	5 (83) (82)	1,703 (82)	2,628 (84)	20 (74)	
Neither agree nor disagree	49 (6)	40 (4)	3 (50)	9 (1)	9 (0)	0 (0)	26 (6)	19 (3)	3 (27)	14 (10)	22 (5)		24 (10)	44 (17)	0 (0)	122 (6)	134 (6)	6 (22)	
Disagree	19 (2)	21 (3)	0 (0)	27 (7)	74 (22)	0 (0)	66 (18)	73 (12)	0 (0)	32 (21)	38 (9)		47 (15)	47 (8)	1 (17)	191 (11)	253 (10)	1 (4)	

1	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.761
2	Agree	644 (91)	707 (92)	3 (50)	258 (93)	412 (68)	4 (100)	340 (78)	465 (78)	10 (91)	163 (67)	403 (85)		285 (76)	548 (77)	5 (83)	1,690 (83)	2,535 (81)	22 (81)	
3	Neither agree nor disagree	50 (8)	47 (7)	3 (50)	14 (1)	34 (8)	0 (0)	22 (5)	27 (5)	1 (9)	21 (14)	38 (6)		36 (9)	55 (15)	0 (0)	143 (7)	201 (8)	4 (15)	
4	Disagree	10 (1)	12 (1)	0 (0)	26 (6)	79 (25)	0 (0)	64 (17)	80 (16)	0 (0)	38 (19)	49 (9)		45 (15)	59 (8)	1 (17)	183 (10)	279 (10)	1 (4)	
5	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490		N=366	N=662	N=6	N=2,016	N=3,015	N=27	0.191
6	Agree	653 (93)	725 (95)	5 (83)	272 (93)	463 (83)	4 (100)	342 (77)	502 (88)	9 (82)	169 (68)	439 (91)		285 (75)	557 (74)	4 (67)	1,721 (83)	2,686 (87)	22 (81)	
7	Neither agree nor disagree	38 (5)	26 (3)	1 (17)	6 (0)	6 (0)	0 (0)	16 (4)	11 (3)	0 (0)	15 (9)	13 (2)		28 (7)	47 (15)	1 (17)	103 (5)	103 (5)	2 (7)	
8	Disagree	13 (1)	15 (2)	0 (0)	20 (6)	56 (17)	0 (0)	68 (19)	59 (10)	2 (18)	38 (23)	38 (8)		53 (18)	58 (12)	1 (17)	192 (12)	226 (9)	3 (11)	

peer review only

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 25 Breakdown of behavioural changes and acceptance of government public health measures by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and Categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	P/S	T	
Education level	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	
Did you change your social behaviour before the implementation of government restrictions?	849 (93)	525 (92)	52 (64)	486 (65)	147 (60)	565 (74)	99 (46)	257 (52)	109 (41)	485 (56)	1,246 (67)	2,318 (69)	0.369
If you answered 'yes' to the previous question: how did you change your social behaviour?													
No physical contact with anyone	(N=849) 816 (95)	(N=525) 486 (91)	(N=47) 41 (85)	(N=459) 321 (70)	(N=138) 80 (59)	(N=519) 245 (45)	(N=90) 67 (76)	(N=252) 176 (71)	(N=97) 82 (96)	(N=479) 424 (90)	(N=1,221) 1,096 (87)	(N=2,234) 1,652 (70)	<0.001
No physical contact only with elderly and those with serious underlying medical conditions	(N=849) 771 (90)	(N=525) 429 (81)	(N=43) 29 (64)	(N=451) 263 (59)	(N=131) 76 (58)	(N=513) 317 (61)	(N=87) 73 (77)	(N=245) 199 (82)	(N=91) 83 (93)	(N=475) 433 (90)	(N=1,201) 1,032 (81)	(N=2,209) 1,641 (74)	0.003
Going out only for essential needs	(N=849) 798 (94)	(N=525) 493 (92)	(N=49) 47 (96)	(N=476) 442 (93)	(N=143) 122 (84)	(N=538) 449 (82)	(N=93) 69 (84)	(N=253) 194 (79)	(N=93) 86 (75)	(N=469) 315 (67)	(N=1,227) 1,102 (90)	(N=2,261) 1,893 (82)	<0.001
Moving home to stay with parents/relatives	(N=849) 515 (58)	(N=525) 162 (32)	(N=42) 11 (26)	(N=447) 88 (23)	(N=131) 5 (8)	(N=496) 25 (8)	(N=84) 10 (6)	(N=242) 17 (6)	(N=91) 3 (3)	(N=461) 29 (6)	(N=1,197) 545 (37)	(N=2,171) 321 (15)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=849) 819 (96)	(N=525) 515 (98)	(N=49) 47 (96)	(N=478) 441 (91)	(N=136) 55 (35)	(N=515) 170 (32)	(N=89) 49 (59)	(N=250) 116 (47)	(N=94) 7 (67)	(N=470) 309 (68)	(N=1,217) 1,027 (82)	(N=2,238) 1,551 (62)	<0.001
Use of sanitizer products and alcohol	(N=849) 813 (95)	(N=525) 508 (97)	(N=48) 46 (96)	(N=481) 458 (95)	(N=142) 120 (83)	(N=543) 439 (81)	(N=94) 84 (94)	(N=256) 223 (87)	(N=96) 82 (96)	(N=473) 429 (92)	(N=1,229) 1,155 (94)	(N=2,278) 2,057 (89)	<0.001
"I would comply with government enforced quarantine/isolation/social distancing."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.315
Agree	843 (93)	501 (87)	70 (85)	638 (87)	190 (77)	632 (83)	178 (75)	428 (84)	148 (68)	723 (87)	1,429 (82)	2,922 (85)	
Neither agree nor disagree	43 (4)	49 (10)	0 (0)	18 (3)	14 (5)	34 (4)	9 (7)	27 (7)	12 (19)	46 (6)	88 (7)	174 (6)	
Disagree	23 (3)	17 (3)	12 (15)	89 (11)	43 (18)	96 (13)	30 (17)	40 (9)	22 (14)	63 (7)	140 (11)	305 (9)	
"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.370
Agree	842 (92)	512 (89)	65 (80)	609 (83)	180 (73)	635 (83)	165 (75)	401 (80)	151 (72)	687 (82)	1,403 (81)	2,844 (84)	
Neither agree nor disagree	55 (7)	45 (10)	3 (4)	45 (6)	17 (6)	33 (4)	24 (11)	35 (7)	14 (15)	67 (9)	123 (8)	225 (7)	
Disagree	12 (1)	10 (2)	14 (16)	91 (11)	50 (21)	94 (13)	28 (14)	59 (13)	17 (13)	78 (9)	131 (11)	332 (10)	
How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=832	N=1,657	N=3,401	0.304
Agree	858 (95)	525 (91)	72 (88)	667 (90)	201 (80)	652 (85)	179 (78)	429 (84)	145 (768)	701 (85)	1,455 (84)	2,974 (87)	
Neither agree nor disagree	34 (4)	31 (7)	0 (0)	12 (2)	8 (4)	19 (3)	6 (5)	22 (5)	13 (14)	53 (6)	71 (5)	137 (5)	
Disagree	17 (2)	11 (2)	10 (12)	66 (8)	38 (17)	91 (12)	32 (17)	44 (10)	14 (19)	78 (9)	131 (11)	290 (9)	

Suppl. Table 26 Breakdown of behavioural changes and acceptance of government public health measures by age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
Did you change your social behaviour before the implementation of government restrictions?	202 (92)	1,079 (94)	93 (93)	233 (63)	287 (71)	18 (37)	104 (71)	448 (69)	160 (61)	124 (44)	202 (44)	30 (57)	178 (54)	386 (53)	20 (25)	841 (70)	2,402 (70)	321 (57)	0.004
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=202) 180 (91)	(N=1,079) 1,037 (96)	(N=93) 85 (90)	(N=225) 156 (84)	(N=265) 193 (80)	(N=16) 13 (81)	(N=99) 35 (43)	(N=412) 200 (51)	(N=146) 90 (61)	(N=120) 79 (72)	(N=196) 143 (74)	(N=26) 21 (75)	(N=170) 151 (87)	(N=380) 345 (94)	(N=20) 20 (100)	(N=822) 601 (78)	(N=2,332) 1,918 (84)	(N=301) 229 (82)	0.204
No physical contact only with elderly and those with serious underlying medical conditions	(N=202) 168 (88)	(N=1,079) 956 (90)	(N=93) 76 (83)	(N=218) 127 (65)	(N=261) 158 (61)	(N=15) 7 (73)	(N=98) 60 (60)	(N=416) 271 (65)	(N=130) 62 (46)	(N=120) 100 (89)	(N=187) 150 (80)	(N=25) 22 (69)	(N=170) 163 (90)	(N=374) 340 (92)	(N=18) 13 (87)	(N=812) 618 (78)	(N=2,317) 1,875 (81)	(N=281) 180 (73)	0.152
Going out only for essential needs	(N=202) 186 (94)	(N=1,079) 1,022 (95)	(N=93) 83 (89)	(N=230) 212 (98)	(N=278) 262 (94)	(N=17) 15 (82)	(N=102) 79 (76)	(N=427) 362 (86)	(N=152) 130 (86)	(N=121) 79 (68)	(N=198) 159 (79)	(N=27) 25 (99)	(N=170) 102 (55)	(N=370) 266 (75)	(N=18) 13 (87)	(N=829) 658 (85)	(N=2,352) 2,071 (88)	(N=307) 266 (89)	0.153
Moving home to stay with parents/relatives	(N=202) 88 (59)	(N=1,079) 556 (56)	(N=93) 33 (34)	(N=219) 65 (38)	(N=256) 32 (16)	(N=14) 2 (22)	(N=98) 21 (21)	(N=398) 8 (2)	(N=131) 1 (2)	(N=120) 16 (11)	(N=184) 11 (7)	(N=22) 0 (0)	(N=170) 16 (8)	(N=363) 17 (4)	(N=17) 0 (0)	(N=811) 206 (37)	(N=2,280) 624 (29)	(N=277) 36 (17)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=202) 198 (98)	(N=1,079) 1,050 (97)	(N=93) 86 (90)	(N=230) 212 (93)	(N=279) 262 (99)	(N=18) 14 (80)	(N=100) 23 (20)	(N=417) 157 (40)	(N=134) 45 (35)	(N=121) 48 (39)	(N=191) 100 (54)	(N=27) 17 (69)	(N=170) 88 (52)	(N=371) 260 (68)	(N=19) 18 (97)	(N=827) 569 (72)	(N=2,337) 1,829 (79)	(N=291) 180 (74)	0.067
Use of sanitizer products and alcohol	(N=202) 197 (96)	(N=1,079) 1,037 (96)	(N=93) 87 (91)	(N=230) 218 (94)	(N=281) 271 (99)	(N=18) 15 (81)	(N=102) 88 (84)	(N=436) 352 (82)	(N=147) 119 (84)	(N=122) 103 (84)	(N=199) 177 (90)	(N=29) 27 (99)	(N=170) 157 (92)	(N=377) 346 (94)	(N=18) 18 (100)	(N=830) 763 (92)	(N=2,372) 2,183 (93)	(N=305) 266 (91)	0.613
"I would comply with government enforced quarantine/ isolation/social distancing."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.003
Agree	189 (90)	1,058 (92)	97 (96)	307 (82)	371 (88)	30 (91)	120 (85)	493 (78)	209 (80)	247 (88)	311 (77)	48 (72)	272 (85)	559 (75)	40 (65)	1,135 (86)	2,792 (83)	424 (80)	
Neither agree nor disagree	28 (8)	63 (5)	1 (1)	7 (1)	11 (1)	0 (0)	3 (1)	33 (6)	12 (5)	7 (2)	24 (5)	5 (14)	16 (7)	44 (8)	8 (34)	61 (4)	175 (5)	26 (13)	
Disagree	6 (2)	31 (3)	3 (3)	36 (18)	60 (11)	5 (9)	17 (14)	90 (17)	32 (14)	18 (10)	48 (17)	4 (14)	20 (8)	73 (17)	2 (1)	97 (10)	302 (12)	46 (8)	

1	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.327
2	Agree	188	1,068	98	294	353	27	114	497	204	211	306	49	247	550	41	1,054	2,774	419	
3		(86)	(93)	(96)	(79)	(86)	(68)	(79)	(78)	(78)	(70)	(75)	(84)	(80)	(75)	(74)	(80)	(83)	(82)	
4	Neither agree nor disagree	33 (13)	64 (5)	3 (4)	23 (7)	23 (1)	2 (9)	6 (4)	30 (5)	14 (7)	28 (15)	28 (8)	3 (10)	28 (9)	57 (11)	6 (20)	118 (9)	202 (6)	28 (10)	
5	Disagree	2 (1)	20 (2)	0 (0)	33 (15)	66 (13)	6 (24)	20 (17)	89 (17)	35 (15)	33 (16)	49 (17)	5 (6)	33 (11)	69 (13)	3 (7)	121 (11)	293 (11)	49 (8)	
6	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	0.271
7	Agree	203	1,083	97	313	393	33	120	521	212	243	315	50	254	549	43	1,133	2,861	435	
8		(93)	(94)	(96)	(85)	(89)	(100)	(83)	(83)	(82)	(86)	(78)	(79)	(79)	(76)	(67)	(86)	(85)	(82)	
9	Neither agree nor disagree	18 (7)	45 (4)	2 (2)	5 (0)	6 (0)	1 (0)	3 (3)	16 (3)	8 (4)	10 (4)	14 (3)	4 (11)	28 (11)	45 (7)	3 (18)	64 (5)	126 (4)	18 (8)	
10	Disagree	2 (0)	24 (2)	2 (2)	32 (15)	43 (11)	1 (0)	17 (14)	79 (15)	33 (14)	19 (10)	54 (19)	3 (10)	26 (10)	82 (17)	4 (15)	96 (9)	282 (11)	43 (10)	

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 27 Breakdown of behavioural changes and acceptance of government public health measures by self-reported level of understanding of COVID-19

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia		Total			P-value (for total)	
	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S		N
	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	
Did you change your social behaviour before the implementation of government restrictions?	898 (94)	430 (92)	46 (91)	285 (64)	232 (66)	21 (58)	468 (69)	232 (66)	12 (68)	200 (52)	146 (43)	10 (60)	429 (52)	137 (37)	18 (46)	2,280 (70)	1,177 (64)	107 (65)	0.091
If you answered 'yes' to the previous question: how did you change your social behaviour?																			
No physical contact with anyone	(N=898) 849 (94)	(N=430) 411 (95)	(N=46) 42 (9187)	(N=272) 204 (90)	(N=214) 143 (73)	(N=20) 15 (69)	(N=428) 221 (53)	(N=217) 99 (47)	(N=12) 5 (52)	(N=194) 137 (78)	(N=138) 99 (67)	(N=10) 7 (88)	(N=423) 380 (95)	(N=115) 119 (87)	(N=18) 17 (96)	(N=2,215) 1,791 (85)	(N=1,134) 871 (77)	(N=106) 86 (78)	0.033
No physical contact only with elderly and those with serious underlying medical conditions	(N=898) 765 (87)	(N=430) 394 (92)	(N=46) 41 (87)	(N=266) 162 (63)	(N=209) 119 (60)	(N=19) 11 (74)	(N=417) 261 (61)	(N=215) 128 (59)	(N=12) 4 (49)	(N=192) 163 (85)	(N=130) 101 (67)	(N=10) 8 (94)	(N=418) 379 (91)	(N=111) 122 (92)	(N=17) 15 (95)	(N=2,191) 1,730 (80)	(N=1,115) 864 (77)	(N=104) 79 (79)	0.744
Going out only for essential needs	(N=898) 844 (93)	(N=430) 405 (95)	(N=46) 42 (87)	(N=280) 266 (99)	(N=225) 205 (89)	(N=20) 18 (99)	(N=444) 381 (86)	(N=225) 182 (80)	(N=12) 8 (66)	(N=196) 145 (80)	(N=140) 109 (83)	(N=10) 9 (95)	(N=415) 283 (72)	(N=119) 87 (74)	(N=18) 11 (60)	(N=2,233) 1,919 (88)	(N=1,149) 988 (87)	(N=106) 88 (84)	0.711
Moving home to stay with parents/relatives	(N=898) 345 (45)	(N=430) 298 (67)	(N=46) 34 (73)	(N=261) 45 (24)	(N=209) 48 (25)	(N=19) 6 (40)	(N=404) 17 (5)	(N=212) 12 (10)	(N=11) 1 (24)	(N=189) 17 (6)	(N=127) 9 (7)	(N=10) 1 (10)	(N=405) 19 (3)	(N=119) 14 (9)	(N=18) 0 (0)	(N=2,157) 443 (25)	(N=1,107) 381 (36)	(N=104) 42 (42)	<0.001
Use of personal protection equipment (e.g. masks and gloves)	(N=898) 874 (97)	(N=430) 418 (96)	(N=46) 42 (81)	(N=280) 266 (99)	(N=227) 203 (90)	(N=20) 19 (99)	(N=421) 153 (38)	(N=218) 68 (28)	(N=12) 4 (17)	(N=194) 90 (46)	(N=135) 69 (66)	(N=10) 6 (66)	(N=416) 289 (71)	(N=110) 71 (59)	(N=18) 6 (38)	(N=2,209) 1,672 (78)	(N=1,140) 829 (74)	(N=106) 77 (69)	0.172
Use of sanitizer products and alcohol	(N=898) 863 (96)	(N=430) 416 (95)	(N=46) 42 (81)	(N=281) 270 (99)	(N=228) 215 (91)	(N=20) 19 (100)	(N=447) 374 (85)	(N=226) 179 (85)	(N=12) 6 (30)	(N=198) 170 (90)	(N=142) 129 (93)	(N=10) 8 (94)	(N=418) 385 (95)	(N=113) 125 (95)	(N=18) 11 (70)	(N=2,242) 2,062 (94)	(N=1,159) 1,064 (92)	(N=106) 86 (78)	<0.001

1	"I would comply with government enforced quarantine/ isolation/social distancing."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.370
2	Agree	903 (95)	402 (88)	39 (81)	378 (93)	305 (79)	25 (76)	511 (79)	291 (83)	20 (87)	303 (76)	284 (79)	19 (97)	607 (75)	232 (75)	32 (70)	2,702 (85)	1,514 (82)	135 (80)	
3	Neither agree nor disagree	39 (3)	44 (9)	9 (10)	5 (0)	9 (1)	4 (1)	29 (3)	18 (6)	1 (2)	17 (4)	18 (11)	1 (3)	45 (16)	19 (7)	4 (7)	135 (6)	108 (7)	19 (4)	
4	Disagree	23 (2)	13 (3)	4 (9)	52 (7)	45 (20)	4 (23)	107 (18)	27 (12)	5 (11)	48 (21)	22 (10)	0 (0)	61 (9)	28 (10)	6 (24)	291 (10)	135 (11)	19 (16)	
5	"I would enter voluntary quarantine/isolation/social distancing for social/self-responsibility."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.091
6	Agree	909 (95)	401 (85)	44 (90)	357 (86)	294 (76)	23 (75)	516 (78)	284 (80)	15 (60)	293 (78)	258 (74)	15 (91)	587 (78)	219 (74)	32 (69)	2,662 (84)	1,456 (79)	129 (77)	
7	Neither agree nor disagree	41 (4)	51 (13)	8 (10)	21 (1)	21 (10)	6 (1)	29 (5)	18 (5)	3 (8)	27 (8)	30 (12)	2 (6)	58 (14)	26 (9)	7 (23)	176 (6)	146 (10)	26 (8)	
8	Disagree	15 (1)	7 (1)	0 (0)	57 (13)	44 (14)	4 (23)	102 (17)	34 (15)	8 (32)	48 (15)	36 (13)	3 (4)	68 (9)	34 (12)	3 (7)	290 (9)	155 (11)	18 (15)	
9	How much do you agree with quarantine/isolation/social distancing? "It is a necessary strategy to help control COVID-19."	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=270	N=42	N=3,128	N=1,757	N=173	0.688
10	Agree	920 (96)	418 (91)	45 (90)	392 (91)	319 (85)	28 (86)	540 (82)	293 (83)	20 (85)	304 (77)	285 (82)	19 (82)	589 (73)	226 (78)	31 (72)	2,745 (85)	1,541 (85)	143 (84)	
11	Neither agree nor disagree	26 (2)	33 (8)	6 (8)	5 (0)	5 (0)	2 (1)	16 (3)	10 (3)	1 (2)	10 (2)	18 (9)	0 (0)	45 (12)	27 (9)	4 (7)	102 (4)	93 (6)	13 (4)	
12	Disagree	19 (1)	8 (2)	1 (2)	38 (9)	35 (15)	3 (13)	91 (15)	33 (13)	5 (13)	54 (21)	21 (9)	1 (18)	79 (16)	26 (10)	7 (21)	281 (11)	123 (10)	17 (12)	

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from http://bmjopen.bmj.com/ on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 28 Breakdown of self-reported level of understanding of COVID-19 by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	<0.001
High/very high/expert level understanding	965 (63)	435 (51)	647 (59)	368 (47)	710 (66)	3,128 (59)	
Some understanding	459 (33)	359 (38)	336 (38)	324 (50)	271 (30)	1,757 (36)	
A little/none at all	52 (4)	33 (11)	26 (4)	20 (3)	42 (4)	173 (5)	

For peer review only

Suppl. Table 29 Breakdown of self-reported level of understanding of COVID-19 by demographic characteristics

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Self-reported understanding of COVID-19	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	
Gender																			0.058
Male	458 (65)	224 (31)	22 (4)	153 (55)	130 (30)	15 (15)	280 (61)	134 (35)	12 (4)	130 (51)	87 (46)	5 (3)	269 (64)	84 (31)	13 (5)	1,290 (60)	659 (34)	67 (6)	
Female	504 (61)	232 (35)	30 (4)	280 (47)	228 (46)	17 (7)	358 (56)	200 (40)	14 (3)	238 (44)	237 (53)	15 (3)	439 (68)	194 (29)	29 (3)	1,819 (57)	1,091 (39)	105 (4)	
Other/prefer not to say	3 (50)	3 (50)	0 (0)	2 (50)	1 (25)	1 (25)	9 (82)	2 (18)	0 (0)				5 (83)	1 (17)	0 (0)	19 (70)	7 (26)	1 (4)	
Age group																			0.033
18-34	143 (62)	69 (34)	11 (4)	170 (48)	167 (48)	13 (9)	74 (44)	58 (48)	8 (8)	119 (39)	143 (57)	10 (5)	186 (59)	106 (35)	16 (6)	692 (52)	543 (41)	58 (6)	
35-64	746 (62)	371 (35)	35 (3)	244 (54)	179 (32)	19 (14)	411 (67)	193 (32)	12 (2)	220 (54)	153 (42)	10 (4)	492 (69)	158 (27)	26 (5)	2,113 (62)	1,054 (33)	102 (5)	
65+	76 (68)	19 (25)	6 (7)	21 (52)	13 (42)	1 (6)	162 (59)	85 (39)	6 (2)	29 (42)	28 (58)	0 (0)	35 (60)	15 (32)	0 (0)	323 (60)	160 (38)	13 (3)	
Education level																			<0.001
Primary or lower/secondary	537 (60)	341 (36)	31 (4)	42 (51)	30 (36)	10 (13)	140 (52)	101 (44)	6 (4)	92 (43)	114 (53)	11 (4)	124 (63)	67 (33)	11 (4)	935 (56)	653 (39)	69 (6)	
Tertiary	428 (74)	118 (22)	21 (4)	393 (51)	329 (46)	23 (3)	507 (64)	235 (32)	20 (3)	276 (58)	210 (41)	9 (2)	589 (71)	212 (26)	31 (3)	2,193 (66)	1,104 (31)	104 (3)	
Healthcare worker status																			0.001
Healthcare worker	172 (72)	59 (26)	8 (3)	128 (49)	79 (50)	6 (1)	90 (76)	24 (21)	4 (3)	45 (67)	18 (29)	1 (4)	291 (78)	44 (21)	6 (1)	726 (70)	224 (28)	25 (2)	
Non-healthcare worker	793 (61)	400 (33)	44 (4)	307 (52)	280 (35)	27 (13)	557 (57)	312 (39)	22 (4)	323 (46)	306 (50)	19 (3)	422 (63)	235 (32)	36 (5)	2,402 (57)	1,533 (38)	148 (5)	

Suppl. Table 30 Breakdown of self-reported understanding of public health measures by self-reported level of understanding of COVID-19

(H = high/very high/expert level; S = some; N = a little/none at all). Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value
Self-reported level of understanding of COVID-19	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	
How would you rate your level of understanding of the current quarantine/isolation/social distancing requirements for COVID-19?	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=279	N=21	N=3,128	N=1,757	N=173	<0.001
H	855 (89)	116 (23)	19 (24)	399 (89)	193 (52)	9 (21)	532 (81)	182 (57)	8 (21)	338 (93)	213 (71)	7 (36)	652 (89)	212 (59)	24 (46)	2,776 (88)	916 (50)	67 (27)	
S	102 (10)	323 (71)	11 (12)	31 (7)	157 (39)	15 (52)	98 (15)	129 (35)	11 (46)	22 (5)	106 (28)	10 (38)	50 (10)	55 (32)	12 (44)	303 (10)	770 (43)	59 (39)	
N	8 (1)	20 (6)	22 (64)	5 (4)	9 (9)	9 (27)	17 (4)	25 (8)	7 (33)	8 (2)	5 (1)	3 (26)	11 (1)	12 (9)	6 (11)	49 (2)	71 (6)	47 (34)	

6/mjopen/2020-046863 on 20 July 2021. Downloaded from <https://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 31 What were the three most common ways people received communication on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
How do/did you receive information about COVID-19?							
Face-to-face (e.g. doctors or health workers)	1,096 (78)	275 (19)	155 (15)	276 (32)	413 (34)	2,215 (40)	<0.001
Traditional media (TV, radio, newspapers)	1,407 (95)	795 (93)	940 (93)	650 (85)	994 (95)	4,786 (93)	0.012
Print materials (leaflets, brochures)	803 (55)	256 (32)	403 (36)	119 (23)	479 (43)	2,060 (40)	<0.001
Online (websites, email)	1,101 (69)	779 (90)	918 (89)	651 (88)	964 (87)	4,413 (83)	<0.001
Social media and messenger apps	1,279 (83)	786 (95)	773 (77)	528 (75)	731 (66)	4,097 (79)	<0.001
Government/institution's web page	1,134 (74)	682 (75)	698 (70)	580 (79)	784 (60)	3,878 (71)	<0.001
WHO web page	367 (20)	550 (56)	380 (36)	334 (39)	397 (30)	2,028 (34)	<0.001
How would you prefer to receive information about COVID-19?							
Face-to-face (e.g. doctors or health workers)	1,200 (83)	417 (44)	361 (36)	584 (77)	577 (55)	3,139 (61)	<0.001
Traditional media (TV, radio, newspapers)	1,347 (90)	759 (91)	648 (64)	467 (62)	806 (76)	4,027 (78)	<0.001
Print materials	893 (63)	340 (40)	418 (41)	149 (29)	481 (52)	2,281 (48)	<0.001
Online (websites, email)	1,105 (71)	742 (88)	812 (75)	473 (71)	856 (79)	3,988 (76)	<0.001
Social media and messenger apps	1,245 (82)	659 (85)	330 (31)	292 (50)	470 (50)	2,996 (61)	<0.001
Government/institution's web page	1,181 (77)	731 (86)	741 (74)	605 (77)	845 (71)	4,103 (77)	0.009
WHO web page	586 (36)	703 (82)	609 (58)	531 (64)	678 (55)	3,107 (56)	<0.001

Suppl. Table 32 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and gender

M = male; F = female; O = other/prefer not to say. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total M vs F)
	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	M	F	O	
	N=704	N=766	N=6	N=298	N=525	N=4	N=426	N=572	N=11	N=222	N=490	N=0	N=366	N=662	N=6	N=2,016	N=3,015	N=27	
How do/did you receive information about COVID-19?																			
Face-to-face	563 (81)	529 (75)	4 (67)	93 (17)	180 (21)	2 (50)	68 (16)	84 (14)	3 (27)	82 (29)	194 (34)		126 (31)	285 (37)	2 (33)	932 (40)	1,272 (41)	11 (41)	0.591
Traditional media (TV, radio, newspapers)	669 (94)	732 (96)	6 (100)	284 (92)	507 (93)	4 (100)	390 (92)	539 (95)	11 (100)	199 (82)	451 (88)		353 (98)	635 (93)	6 (100)	1,895 (92)	2,864 (94)	27 (100)	0.468
Print materials (leaflets, brochures)	398 (54)	402 (56)	3 (50)	94 (37)	162 (26)	0 (0)	171 (37)	227 (36)	5 (45)	31 (27)	88 (20)		168 (44)	307 (41)	4 (67)	862 (42)	1,186 (39)	12 (44)	0.265
Online (websites, email)	509 (69)	586 (69)	6 (100)	281 (92)	495 (89)	3 (75)	379 (87)	528 (91)	11 (100)	201 (85)	450 (90)		336 (84)	622 (90)	6 (100)	1,706 (82)	2,681 (84)	26 (96)	0.332
Social media and messenger apps	595 (84)	678 (82)	6 (100)	281 (96)	502 (94)	3 (75)	312 (74)	450 (79)	11 (100)	154 (70)	374 (80)		256 (66)	470 (67)	5 (83)	1,598 (78)	2,474 (80)	25 (93)	0.589
Government/institution's web page	540 (73)	589 (74)	5 (83)	246 (80)	432 (69)	4 (100)	282 (69)	409 (71)	7 (64)	170 (74)	410 (83)		260 (59)	518 (61)	6 (100)	1,498 (71)	2,358 (71)	22 (81)	0.881
WHO web page	150 (18)	214 (22)	3 (50)	173 (52)	374 (60)	3 (75)	136 (34)	239 (39)	5 (45)	81 (27)	253 (50)		108 (26)	286 (33)	3 (50)	648 (30)	1,366 (38)	14 (52)	0.003
How would you prefer to receive information about COVID-19?																			
Face-to-face	594 (85)	603 (82)	3 (50)	146 (39)	270 (50)	1 (25)	163 (36)	195 (37)	3 (27)	171 (75)	413 (79)		182 (53)	389 (57)	6 (100)	1,256 (59)	1,870 (63)	13 (48)	0.209
Traditional media (TV, radio, newspapers)	644 (89)	697 (91)	6 (100)	267 (91)	488 (92)	4 (100)	278 (66)	365 (63)	5 (45)	134 (57)	333 (67)		274 (76)	530 (77)	2 (33)	1,597 (77)	2,413 (79)	17 (63)	0.395
Print materials	446 (65)	442 (61)	5 (83)	115 (39)	223 (41)	2 (50)	177 (41)	237 (41)	4 (36)	46 (33)	103 (25)		165 (53)	314 (51)	2 (33)	949 (49)	1,319 (47)	13 (48)	0.408
Online (websites, email)	516 (70)	583 (71)	6 (100)	269 (92)	469 (83)	4 (100)	334 (71)	470 (78)	8 (73)	151 (72)	322 (70)		290 (74)	561 (84)	5 (83)	1,560 (75)	2,405 (77)	23 (85)	0.403
Social media and messenger apps	589 (84)	650 (80)	6 (100)	239 (85)	416 (87)	4 (100)	134 (29)	195 (34)	1 (9)	88 (52)	204 (48)		161 (43)	307 (57)	2 (33)	1,211 (60)	1,772 (63)	13 (48)	0.364
Government/institution's web page	575 (78)	601 (75)	5 (83)	270 (93)	457 (79)	4 (100)	293 (69)	440 (78)	8 (73)	181 (73)	424 (82)		278 (64)	561 (77)	6 (100)	1,597 (75)	2,483 (78)	23 (85)	0.335
WHO web page	248 (36)	334 (36)	4 (67)	242 (80)	457 (83)	4 (100)	234 (54)	370 (62)	5 (45)	143 (54)	388 (74)		209 (49)	466 (60)	3 (50)	1,076 (52)	2,015 (59)	16 (59)	0.020

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 33 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and age group

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
Age group	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	18-34	35-64	65+	
	N=223	N=1,152	N=101	N=350	N=442	N=35	N=140	N=616	N=253	N=272	N=383	N=57	N=308	N=676	N=50	N=1,293	N=3,269	N=496	
How do/did you receive information about COVID-19?																			
Face-to-face	125 (68)	892 (82)	79 (82)	141 (20)	124 (16)	10 (23)	25 (17)	107 (17)	23 (8)	112 (37)	152 (34)	12 (23)	111 (32)	282 (30)	20 (48)	14 (37)	1,557 (42)	144 (40)	0.424
Traditional media (TV, radio, newspapers)	210 (94)	1,099 (95)	98 (96)	337 (89)	424 (95)	34 (100)	130 (93)	567 (92)	243 (97)	247 (92)	352 (90)	51 (70)	299 (98)	647 (96)	48 (91)	1,223 (93)	3,089 (94)	474 (90)	0.336
Print materials (leaflets, brochures)	107 (54)	652 (59)	44 (44)	104 (31)	146 (35)	6 (20)	34 (22)	258 (40)	111 (43)	34 (12)	71 (19)	14 (41)	140 (45)	319 (46)	20 (31)	19 (37)	1,446 (43)	195 (38)	0.106
Online (websites, email)	199 (84)	853 (71)	49 (35)	328 (86)	418 (94)	33 (91)	129 (89)	575 (92)	214 (82)	242 (90)	358 (89)	51 (82)	289 (93)	632 (91)	43 (74)	1,187 (87)	2,836 (85)	390 (69)	<0.001
Social media and messenger apps	206 (91)	1,008 (86)	65 (55)	329 (93)	424 (98)	33 (91)	104 (76)	485 (78)	184 (74)	214 (79)	274 (73)	40 (77)	243 (80)	462 (70)	26 (42)	1,096 (86)	2,653 (81)	348 (63)	<0.001
Government/institution's web page	166 (73)	902 (78)	66 (61)	298 (71)	360 (81)	24 (61)	108 (77)	459 (74)	131 (53)	219 (73)	318 (81)	43 (78)	226 (68)	528 (71)	30 (29)	1,017 (72)	2,567 (77)	294 (54)	<0.001
WHO web page	100 (31)	256 (19)	11 (6)	260 (62)	274 (53)	16 (39)	60 (45)	271 (40)	49 (18)	129 (39)	176 (38)	29 (42)	127 (39)	255 (30)	15 (19)	676 (44)	1,232 (33)	120 (22)	<0.001
How would you prefer to receive information about COVID-19?																			
Face-to-face	152 (77)	965 (87)	83 (84)	198 (53)	203 (34)	16 (53)	48 (33)	218 (37)	95 (39)	230 (78)	313 (80)	41 (71)	187 (57)	365 (53)	25 (59)	815 (59)	2,064 (61)	260 (62)	0.785
Traditional media (TV, radio, newspapers)	194 (85)	1,056 (91)	97 (93)	327 (90)	402 (91)	30 (99)	89 (65)	396 (64)	163 (64)	179 (60)	247 (58)	41 (72)	228 (73)	534 (75)	44 (83)	1,017 (78)	2,635 (78)	375 (80)	0.712
Print materials	118 (64)	720 (65)	55 (54)	143 (41)	179 (37)	18 (45)	40 (27)	256 (44)	122 (52)	43 (15)	88 (24)	18 (50)	149 (50)	308 (48)	24 (63)	493 (44)	1,551 (48)	237 (54)	0.073
Online (websites, email)	187 (83)	867 (73)	51 (41)	312 (87)	399 (91)	31 (77)	98 (59)	522 (84)	192 (74)	180 (74)	253 (68)	40 (75)	250 (79)	567 (83)	39 (71)	1,027 (78)	2,608 (79)	353 (66)	<0.001
Social media and messenger apps	196 (91)	986 (85)	63 (55)	285 (88)	349 (86)	25 (75)	34 (21)	219 (37)	77 (31)	105 (38)	156 (48)	31 (65)	134 (48)	317 (51)	19 (49)	754 (64)	2,027 (64)	215 (52)	0.005
Government/institution's web page	177 (79)	936 (80)	68 (60)	323 (93)	381 (81)	27 (82)	108 (71)	468 (77)	165 (71)	235 (83)	325 (82)	45 (65)	252 (75)	557 (76)	36 (56)	1,095 (81)	2,667 (79)	341 (64)	<0.001
WHO web page	145 (55)	415 (31)	26 (20)	320 (92)	357 (72)	26 (77)	98 (65)	387 (60)	124 (46)	226 (79)	266 (64)	39 (53)	231 (73)	427 (59)	20 (26)	1,020 (72)	1,852 (53)	235 (39)	<0.001

Suppl. Table 34 What were the three most common ways people received communications on COVID-19, and what are the three most preferred ways to receive COVID-19 communications? Breakdown by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T	P/S	T									
	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=802	N=1,657	N=3,401	
How do/did you receive information about COVID-19?													
Face-to-face	781 (83)	315 (55)	13 (14)	262 (37)	32 (14)	123 (16)	72 (28)	204 (39)	48 (29)	365 (43)	946 (43)	1,269 (35)	<0.001
Traditional media (TV, radio, newspapers)	865 (95)	542 (95)	76 (92)	719 (97)	234 (95)	706 (92)	192 (82)	458 (93)	196 (95)	798 (96)	1,563 (92)	3,223 (94)	0.155
Print materials (leaflets, brochures)	547 (57)	256 (45)	26 (32)	230 (31)	90 (34)	313 (38)	39 (26)	80 (16)	91 (40)	388 (47)	793 (42)	1,267 (38)	0.062
Online (websites, email)	605 (65)	496 (87)	74 (89)	705 (95)	212 (85)	706 (93)	190 (85)	461 (93)	179 (83)	785 (94)	1,260 (79)	3,153 (92)	<0.001
Social media and messenger apps	757 (81)	522 (91)	78 (95)	708 (94)	196 (79)	577 (75)	173 (78)	355 (70)	150 (65)	581 (68)	1,354 (80)	2,743 (77)	0.146
Government/institution's web page	689 (73)	445 (78)	59 (73)	623 (85)	171 (70)	527 (71)	166 (77)	414 (81)	123 (49)	661 (78)	1,208 (69)	2,670 (77)	<0.001
WHO web page	139 (15)	228 (42)	44 (53)	506 (67)	68 (30)	312 (42)	84 (35)	250 (49)	59 (24)	338 (39)	394 (29)	1,634 (44)	<0.001
How would you prefer to receive information about COVID-19?													
Face-to-face	806 (87)	394 (68)	36 (42)	381 (53)	104 (39)	257 (34)	170 (75)	414 (81)	111 (56)	466 (54)	1,227 (65)	1,912 (53)	<0.001
Traditional media (TV, radio, newspapers)	830 (90)	517 (90)	75 (91)	684 (92)	149 (63)	499 (66)	133 (60)	334 (68)	145 (74)	661 (80)	1,332 (79)	2,695 (76)	0.100
Print materials	608 (66)	285 (49)	35 (40)	305 (40)	126 (47)	292 (37)	48 (32)	101 (21)	105 (57)	376 (45)	922 (52)	1,359 (39)	<0.001
Online (websites, email)	632 (68)	473 (82)	71 (87)	671 (90)	186 (68)	626 (81)	156 (74)	317 (64)	160 (77)	696 (83)	1,205 (74)	2,783 (80)	<0.001
Social media and messenger apps	753 (81)	492 (86)	72 (87)	587 (79)	90 (32)	240 (31)	106 (55)	186 (38)	111 (55)	359 (42)	1,132 (67)	1,864 (49)	<0.001
Government/institution's web page	711 (75)	470 (83)	69 (86)	662 (90)	194 (75)	547 (72)	173 (74)	432 (86)	138 (63)	707 (84)	1,285 (75)	2,818 (81)	0.001
WHO web page	246 (30)	340 (61)	66 (81)	637 (85)	122 (50)	487 (65)	149 (60)	382 (74)	123 (49)	555 (64)	706 (50)	2,401 (67)	<0.001

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

Suppl. Table 35 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country

Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand	Malaysia	UK	Italy	Slovenia	Total	P-value
	N=1,476	N=827	N=1,009	N=712	N=1,034	N=5,058	
Have you seen any unclear or conflicting information about COVID-19 in the last month?							
Ways to avoid the infection	564 (36)	409 (47)	679 (68)	410 (64)	682 (64)	2,744 (54)	<0.001
Symptoms of COVID-19	568 (36)	353 (42)	590 (62)	328 (44)	492 (44)	2,333 (45)	<0.001
What to do in case of symptoms	506 (34)	295 (37)	438 (43)	293 (45)	435 (42)	1,967 (40)	0.058
Social distancing guidance	490 (33)	292 (42)	568 (56)	314 (42)	552 (51)	2,223 (44)	<0.001
Quarantine/isolation	529 (36)	314 (39)	547 (54)	292 (41)	552 (52)	2,241 (44)	<0.001
Penalties if disobey restrictions	614 (41)	384 (42)	620 (60)	378 (52)	508 (45)	2,504 (47)	<0.001
Risks in case of infection	527 (34)	327 (37)	542 (54)	330 (49)	492 (46)	2,219 (43)	<0.001
Numbers of coronavirus cases/deaths related to COVID-19	563 (37)	284 (47)	741 (72)	457 (66)	462 (46)	2,508 (52)	<0.001
Government support schemes (e.g. financial)	779 (51)	432 (53)	438 (46)	492 (69)	572 (51)	2,713 (53)	<0.001
Testing	531 (34)	376 (39)	734 (72)	520 (72)	532 (49)	2,695 (51)	<0.001
Travel restrictions (e.g. curfew, restricted hours of movement)	520 (33)	407 (43)	641 (62)	382 (55)	532 (45)	2,483 (46)	<0.001
Have you come across news about the following COVID-19 topics that seemed fake to you?							
General spread of fear	668 (42)	606 (70)	693 (72)	382 (58)	772 (69)	3,120 (60)	<0.001
Coronavirus as an engineered modified virus	543 (32)	613 (65)	819 (81)	613 (82)	862 (75)	3,452 (63)	<0.001
Minimisation of risks	440 (27)	416 (39)	579 (55)	540 (69)	732 (62)	2,706 (48)	<0.001
Numbers of infected/deceased people	512 (33)	400 (47)	615 (61)	475 (65)	572 (54)	2,576 (51)	<0.001
Unreasonable health recommendations	517 (32)	545 (55)	574 (57)	385 (50)	652 (60)	2,671 (49)	<0.001
Pharmaceutical conspiracy	490 (32)	440 (50)	525 (54)	489 (63)	672 (61)	2,617 (49)	<0.001
Home-made recipes to make sanitizer products	538 (32)	573 (61)	557 (56)	516 (70)	602 (51)	2,787 (51)	<0.001
Alternative drugs/cure	537 (33)	581 (60)	697 (67)	444 (58)	612 (51)	2,871 (51)	<0.001
Fear toward products coming from infected countries	458 (29)	549 (63)	483 (49)	425 (56)	512 (48)	2,434 (46)	<0.001

Suppl. Table 36 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent ‘fake news’, breakdown by country and education level

P/S = primary or lower/secondary education; T = tertiary education. Values in cells are n (weighted %) of respondents who replied ‘yes’.

Variable and categories	Thailand		Malaysia		UK		Italy		Slovenia		Total		P-value (for total)
	P/S	T											
	N=909	N=567	N=82	N=745	N=247	N=762	N=217	N=495	N=202	N=82	N=1,657	N=3,401	
Have you seen any unclear or conflicting information about COVID-19 in the last month?													
Ways to avoid the infection	276 (33)	288 (51)	37 (46)	372 (49)	153 (66)	526 (69)	119 (65)	291 (60)	125 (63)	557 (67)	710 (50)	2,034 (62)	<0.001
Symptoms	268 (33)	300 (53)	36 (43)	317 (41)	146 (65)	444 (59)	94 (42)	234 (48)	96 (44)	398 (46)	640 (42)	1,693 (51)	<0.001
What to do in case of symptoms	245 (31)	261 (47)	32 (38)	263 (36)	96 (42)	342 (44)	94 (46)	199 (43)	80 (42)	355 (41)	547 (38)	1,420 (43)	0.026
Social distancing guidance	249 (31)	241 (42)	36 (44)	256 (34)	113 (51)	455 (61)	92 (41)	222 (46)	109 (50)	450 (53)	599 (41)	1,624 (51)	<0.001
Quarantine/isolation	278 (34)	251 (45)	32 (40)	282 (38)	123 (51)	424 (56)	84 (41)	208 (43)	102 (50)	457 (55)	619 (41)	1,622 (50)	<0.001
Penalties if disobey restrictions	315 (38)	299 (52)	34 (40)	350 (48)	143 (56)	477 (62)	103 (50)	275 (56)	101 (44)	407 (47)	696 (44)	1,808 (55)	<0.001
Risks in case of infection	257 (31)	270 (49)	32 (36)	295 (39)	127 (54)	415 (55)	105 (50)	225 (46)	93 (45)	400 (47)	614 (40)	1,605 (49)	<0.001
Numbers of coronavirus cases/deaths related to COVID-19	284 (33)	279 (52)	42 (50)	242 (33)	172 (70)	569 (74)	140 (67)	317 (65)	107 (50)	356 (41)	745 (49)	1,763 (56)	0.001
Government support schemes (e.g. financial)	402 (47)	377 (69)	44 (54)	388 (52)	103 (50)	335 (43)	138 (69)	354 (71)	108 (50)	464 (54)	795 (52)	1,918 (55)	0.257
Testing	258 (31)	273 (49)	31 (38)	345 (45)	161 (68)	573 (75)	145 (70)	375 (76)	95 (48)	439 (51)	690 (46)	2,005 (62)	<0.001
Travel restrictions (e.g. curfew, restricted hours of movement)	248 (30)	272 (49)	36 (42)	371 (49)	142 (59)	499 (65)	112 (55)	270 (55)	96 (41)	437 (51)	634 (42)	1,849 (56)	<0.001
Have you come across news about the following COVID-19 topics that seemed fake to you?													
General spread of fear	308 (37)	360 (64)	56 (69)	550 (73)	182 (76)	511 (68)	116 (60)	266 (54)	147 (66)	624 (74)	809 (57)	2,311 (67)	<0.001
Coronavirus as an engineered modified virus	209 (26)	334 (61)	52 (62)	561 (76)	193 (80)	626 (82)	174 (80)	439 (89)	156 (70)	708 (84)	784 (56)	2,668 (79)	<0.001
Minimisation of risks	178 (23)	262 (47)	31 (36)	385 (51)	128 (52)	451 (59)	141 (63)	399 (81)	122 (56)	609 (71)	600 (41)	2,106 (62)	<0.001
Numbers of infected/deceased people	231 (29)	281 (51)	40 (47)	360 (49)	152 (62)	463 (61)	153 (71)	322 (67)	118 (55)	456 (54)	694 (49)	1,882 (57)	<0.001
Unreasonable health recommendations	204 (27)	313 (57)	45 (52)	500 (66)	131 (55)	443 (59)	101 (46)	284 (60)	122 (58)	528 (64)	603 (44)	2,068 (61)	<0.001
Pharmaceutical conspiracy	239 (29)	251 (45)	41 (49)	399 (54)	131 (56)	394 (52)	138 (60)	351 (71)	125 (58)	548 (64)	674 (46)	1,943 (57)	<0.001
Home-made recipes to make sanitizer products	230 (27)	308 (55)	51 (59)	522 (69)	158 (62)	399 (51)	149 (68)	367 (75)	104 (46)	499 (59)	692 (47)	2,095 (59)	<0.001
Alternative drugs/cure	240 (28)	297 (53)	48 (57)	533 (71)	168 (65)	529 (69)	125 (55)	319 (66)	105 (44)	507 (61)	686 (46)	2,185 (64)	<0.001
Fear toward products coming from infected countries	197 (25)	261 (46)	52 (62)	497 (67)	127 (52)	356 (46)	126 (55)	299 (59)	100 (46)	419 (51)	602 (44)	1,832 (51)	<0.001

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Suppl. Table 37 Most prevalent topic areas with unclear or conflicting COVID-19 information, and most prevalent 'fake news', breakdown by country and self-reported level of understanding of COVID-19

H = high/very high/expert level; S = some; N = a little/none at all. Values in cells are n (weighted %) of respondents who replied 'yes'.

Variable and categories	Thailand			Malaysia			UK			Italy			Slovenia			Total			P-value (for total)
	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	H	S	N	
Self-reported level of understanding of COVID-19	N=965	N=459	N=52	N=435	N=359	N=33	N=647	N=336	N=26	N=368	N=324	N=20	N=713	N=279	N=42	N=3,128	N=1,757	N=173	
Have you seen any unclear or conflicting information about COVID-19 in the last month?																			
Ways to avoid the infection	401 (40)	145 (32)	18 (19)	197 (43)	191 (46)	21 (63)	416 (63)	248 (76)	15 (53)	202 (54)	193 (72)	15 (73)	445 (61)	211 (73)	26 (53)	1,661 (51)	988 (58)	95 (51)	0.094
Symptoms of COVID-19	400 (40)	150 (33)	18 (19)	170 (36)	167 (49)	16 (51)	363 (58)	210 (66)	17 (79)	147 (31)	163 (53)	18 (81)	312 (40)	164 (54)	18 (41)	1,392 (42)	854 (50)	87 (49)	0.026
What to do in case of symptoms	361 (37)	129 (30)	16 (17)	134 (34)	145 (41)	16 (39)	272 (39)	156 (49)	10 (59)	138 (34)	144 (55)	11 (49)	285 (37)	130 (52)	20 (40)	1,190 (37)	704 (44)	73 (37)	0.041
Social distancing guidance	349 (37)	124 (27)	17 (19)	132 (36)	144 (43)	16 (62)	355 (52)	199 (62)	14 (70)	163 (38)	140 (45)	11 (65)	362 (47)	170 (58)	27 (64)	1,361 (42)	777 (46)	85 (54)	0.168
Quarantine/isolation	379 (39)	139 (32)	11 (11)	153 (33)	145 (39)	16 (71)	338 (49)	193 (59)	16 (76)	148 (39)	135 (44)	9 (39)	372 (50)	165 (58)	22 (41)	1,390 (43)	777 (46)	74 (50)	0.397
Penalties if disobey restrictions	477 (49)	126 (28)	11 (11)	186 (35)	180 (46)	18 (56)	381 (54)	225 (68)	14 (66)	187 (47)	180 (56)	11 (69)	324 (44)	162 (48)	22 (53)	1,555 (47)	873 (48)	76 (47)	0.906
Risks in case of infection	381 (38)	132 (29)	14 (15)	152 (29)	158 (43)	17 (50)	337 (50)	191 (62)	14 (46)	158 (43)	156 (53)	16 (73)	312 (46)	159 (45)	22 (45)	1,340 (41)	796 (46)	83 (42)	0.343
Numbers of coronavirus cases/deaths related to COVID-19	416 (42)	134 (29)	13 (15)	129 (41)	137 (50)	18 (68)	463 (66)	261 (81)	17 (77)	233 (67)	214 (66)	10 (57)	284 (43)	156 (53)	23 (57)	1,525 (50)	902 (54)	81 (54)	0.276
Government support schemes (e.g. financial)	583 (60)	178 (38)	18 (20)	208 (46)	203 (61)	21 (62)	269 (40)	158 (53)	11 (56)	248 (67)	227 (71)	17 (78)	372 (48)	176 (59)	24 (48)	1,680 (52)	942 (55)	91 (50)	0.590
Testing	392 (39)	124 (29)	15 (15)	181 (36)	179 (46)	16 (32)	467 (70)	249 (74)	18 (77)	266 (71)	239 (71)	15 (86)	357 (48)	154 (55)	23 (31)	1,663 (50)	945 (53)	87 (39)	0.108
Travel restrictions (e.g. curfew, restricted hours of movement)	391 (39)	118 (25)	11 (11)	209 (37)	178 (46)	20 (62)	398 (60)	228 (71)	15 (52)	192 (50)	176 (58)	14 (78)	341 (43)	167 (50)	25 (41)	1,531 (44)	867 (49)	85 (47)	0.356

Have you come across news about the following COVID-19 topics that seemed fake to you?																			
General spread of fear	488 (47)	158 (36)	22 (23)	320 (65)	266 (80)	20 (56)	449 (70)	228 (73)	16 (81)	208 (57)	163 (59)	11 (61)	518 (71)	222 (65)	31 (66)	1,983 (61)	1,037 (60)	100 (54)	0.594
Coronavirus as an engineered modified virus	390 (37)	134 (26)	19 (19)	327 (71)	266 (62)	20 (46)	532 (83)	268 (79)	19 (70)	320 (87)	277 (80)	16 (60)	598 (80)	231 (65)	35 (75)	2,167 (66)	1,176 (60)	109 (49)	0.007
Minimisation of risks	305 (30)	120 (24)	15 (13)	222 (38)	176 (41)	18 (32)	377 (56)	191 (56)	11 (39)	277 (64)	249 (74)	14 (54)	510 (64)	196 (57)	25 (47)	1,691 (48)	932 (49)	83 (33)	0.063
Numbers of infected/deceased people	345 (34)	148 (33)	19 (18)	206 (49)	174 (48)	20 (39)	392 (58)	207 (66)	16 (75)	252 (76)	214 (75)	9 (63)	377 (51)	172 (62)	25 (61)	1,572 (49)	915 (55)	89 (45)	0.105
Unreasonable health recommendations	387 (36)	113 (26)	17 (17)	286 (54)	237 (53)	22 (63)	375 (55)	186 (58)	13 (71)	211 (57)	163 (44)	11 (54)	440 (59)	186 (65)	24 (48)	1,699 (50)	885 (47)	87 (50)	0.538
Pharmaceutical conspiracy	358 (36)	112 (25)	20 (21)	238 (53)	188 (48)	14 (38)	355 (55)	158 (51)	12 (56)	266 (69)	209 (57)	14 (65)	453 (61)	192 (61)	28 (45)	1,670 (52)	859 (46)	88 (40)	0.059
Home-made recipes to make sanitizer products	400 (38)	122 (24)	16 (15)	309 (62)	241 (62)	23 (57)	366 (56)	179 (55)	12 (68)	274 (78)	227 (62)	15 (71)	411 (52)	170 (51)	22 (45)	1,760 (52)	939 (49)	88 (48)	0.390
Alternative drugs/cure	409 (39)	112 (24)	16 (16)	305 (57)	257 (75)	19 (20)	468 (72)	214 (62)	15 (50)	243 (64)	188 (52)	13 (66)	430 (53)	159 (45)	23 (58)	1,855 (54)	930 (49)	86 (33)	0.004
Fear toward products coming from infected countries	330 (33)	109 (23)	19 (20)	297 (65)	234 (68)	18 (39)	317 (50)	155 (48)	11 (44)	226 (58)	187 (55)	12 (64)	352 (47)	145 (49)	22 (46)	1,522 (47)	830 (46)	82 (39)	0.456

6/bmjopen-2020-046863 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.

Supplementary figure for “Economic and social impacts of COVID-19 and public health measures: results from an anonymous online survey in Thailand, Malaysia, the United Kingdom, Italy and Slovenia”

Anne Osterrieder^{1,2}, Giulia Cuman³, Wirichada Pan-ngum^{1,4}, Phaik Kin Cheah⁵, Phee-Kheng Cheah⁶, Pimnara Peerawaranun¹, Margherita Silan⁷, Miha Orazem^{8,9}, Ksenija Perkovic¹⁰, Urh Groselj^{8,11}, Mira Leonie Schneiders^{1,2,12}, Tassawan Poomchaichote^{1,13}, Naomi Waithira^{1,2}, Supa-at Asarath¹, Bhensri Naemiratch¹, Supanat Ruangakajorn¹, Lenart Skof¹⁴, Natinee Kulpijit¹, Constance R.S. Mackworth-Young¹⁵, Darlene Ongkili¹⁶, Rita Chanviriyavuth¹, Mavuto Mukaka^{1,2}, Phaik Yeong Cheah^{1,2,12,13}

¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

²Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford, Oxford, UK

³Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

⁴Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

⁵Faculty of Arts and Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

⁶Emergency and Trauma Department, Sabah Women and Children’s Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

⁷Department of Statistical Sciences, University of Padua, Padua, Italy

⁸Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

⁹Department of Radiation Oncology, Institute of Oncology Ljubljana, Ljubljana, Slovenia

¹⁰Institute for Social Studies, Science and Research Centre Koper, Koper, Slovenia

¹¹Department of Endocrinology, Diabetes and Metabolic Diseases, University Children’s Hospital, University Medical Center, University Children’s Hospital Ljubljana, Ljubljana, Slovenia

¹²Ethox Centre, Nuffield Department of Population Health, University of Oxford, Oxford, UK

¹³The SoNAR-Global Network

¹⁴Institute for Philosophical Studies, Science and Research Centre Koper, Koper, Slovenia


¹⁵Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London, UK

¹⁶Emergency and Trauma Department, Queen Elizabeth Hospital, Ministry of Health Malaysia, Kota Kinabalu, Malaysia

Corresponding author: Phaik Yeong Cheah, 420/6 Mahidol-Oxford Tropical Medicine 24 Research Unit, Faculty of Tropical Medicine, Rajvithi Road, Bangkok, Thailand, 10400. Email: phaikyeong@tropmedres.ac

Supplementary Figure 1: Diagram showing the level of coordination of public information campaigns on COVID-19 in the five study countries.

Levels of coordination: 0 = no COVID-19 public information campaign; 1 = public officials urging caution about COVID-19; 2 = coordinated public information campaign (e.g. across traditional and social media). All countries ran public information campaigns at level 2 during the study period from 1st May to 30th June 2020. Data was provided by the Oxford COVID-19 Government Response Tracker³² and downloaded from ‘Our World in Data’³³.



STROBE 2007 (v4) checklist of items to be included in reports of observational studies in epidemiology*
Checklist for cohort, case-control, and cross-sectional studies (combined)

Section/Topic	Item #	Recommendation	Reported on page #
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	2
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	2
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	3
Objectives	3	State specific objectives, including any pre-specified hypotheses	4
Methods			
Study design	4	Present key elements of study design early in the paper	4
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	4,5
Participants	6	(a) <i>Cohort study</i> —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up <i>Case-control study</i> —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls <i>Cross-sectional study</i> —Give the eligibility criteria, and the sources and methods of selection of participants	This is a survey 5
		(b) <i>Cohort study</i> —For matched studies, give matching criteria and number of exposed and unexposed <i>Case-control study</i> —For matched studies, give matching criteria and the number of controls per case	NA
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	4
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	4
Bias	9	Describe any efforts to address potential sources of bias	6
Study size	10	Explain how the study size was arrived at	6
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	6
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	6
		(b) Describe any methods used to examine subgroups and interactions	6
		(c) Explain how missing data were addressed	No missing data. only completed surveys can be submitted

		(d) <i>Cohort study</i> —If applicable, explain how loss to follow-up was addressed <i>Case-control study</i> —If applicable, explain how matching of cases and controls was addressed <i>Cross-sectional study</i> —If applicable, describe analytical methods taking account of sampling strategy	NA
		(e) Describe any sensitivity analyses	NA
Results			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	6
		(b) Give reasons for non-participation at each stage	5
		(c) Consider use of a flow diagram	NA
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	6
		(b) Indicate number of participants with missing data for each variable of interest	NA
		(c) <i>Cohort study</i> —Summarise follow-up time (eg, average and total amount)	NA
Outcome data	15*	<i>Cohort study</i> —Report numbers of outcome events or summary measures over time	NA
		<i>Case-control study</i> —Report numbers in each exposure category, or summary measures of exposure	NA
		<i>Cross-sectional study</i> —Report numbers of outcome events or summary measures	NA
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	7-12
		(b) Report category boundaries when continuous variables were categorized	7-12
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	NA
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	7-12
Discussion			
Key results	18	Summarise key results with reference to study objectives	12
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	14-15
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	12-14
Generalisability	21	Discuss the generalisability (external validity) of the study results	14-15
Other information			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	16

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

1
2 **Note:** An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE
3 checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at
4 <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

For peer review only

6/bmjopen-2020-016853 on 20 July 2021. Downloaded from <http://bmjopen.bmj.com/> on April 17, 2024 by guest. Protected by copyright.