## **SUPPLEMENTAL APPENDIX**

## Search strategy

Date: September 12, 2018

#### Databases

#### Medline

((((obsole\* or (("not" or "no longer") adj (effective or essential or efficient)) or ineffective or uneffective or low-value or overuse\* or inappropriate or "old habits") adj4 ("health system" or healthcare or care or policy or policies or practice or technology or procedure\* or treatment\* or intervention\* or "health services" or strateg\* or "clinical use" or referral\* or diagnosis or regulatory or approach or prescrib\* or therap\*)) or (overtest\* or overdiagnos\*)) adj5 (reduce or avoid or minimise or discontinu\* or minimise or decreas\* or stop or stopping or revers\* or replace\* or avert or "trim down" or (cut adj (down or back)) or substitute or decrement)).mp. OR ("deimplementation" or deimplementation or "do-not-do" or "deadopt\*" or decommission\*).mp.

#### Embase

#1 ((((obsole\* or (("not" or "no longer") adj (effective or essential or efficient)) or ineffective or uneffective or low-value or overuse\* or inappropriate or "old habits") adj4 ("health system" or healthcare or care or policy or policies or practice or technology or procedure\* or treatment\* or intervention\* or "health services" or strateg\* or "clinical use" or referral\* or diagnosis or regulatory or approach or prescrib\* or therap\*)) or (overtest\* or overdiagnos\*)) adj5 (reduce or avoid or minimise or discontinu\* or minimise or decreas\* or stop or stopping or revers\* or replace\* or avert or "trim down" or (cut adj (down or back)) or substitute or decrement)).mp. OR ("deimplementation" or deimplementation or "do-not-do" or "deadopt\*" or decommission\*).mp. #2 limit (conference abstract OR conference paper OR conference review)

# Rx for change

"de-adoption" OR "Decrease use" OR "abandoning" OR "Discontinue" OR "discontinuation" OR "Abandon" OR "Reassess" OR "reassessment" OR "Obsolete" OR "Medical reversal" OR "Re-invest" OR "Withdraw\*" OR "de-implementation" OR "Reduc\*" OR "Decline in use" OR "Health technology reassessment" OR "Change in use" OR "De-implement\*" OR "De-list" OR "De-commission" OR "Do not do" OR "Reallocation" OR "relinquishing" OR "Over use" OR "Stop" OR "Inappropriate use" OR "Relinquish\*" OR "Ineffective" OR "Misuse" OR "Re-appraisal" OR "Re-prioritization" OR "Clinical redesign" OR "Disadoption" OR "Redeploy" OR "Reversal" OR "Drop in use" OR "stopping"

## Websites

- Canadian Agency for Drugs and Technologies in Health https://www.cadth.ca/resources/rxfor-change/database/browse
- Agency for Healthcare Research and Quality http://www.ahrq.gov/
- Right Care http://www.rightcare.nhs.uk/
- National Institute for Health and Care Excellence https://www.nice.org.uk/
- Choosing Wisely http://www.choosingwisely.org/
- Kingsfund http://www.kingsfund.org.uk/
- Nuffield Trust http://www.nuffieldtrust.org.uk/

## Detailed information of included studies

						Factors		
Study	Study design	Goal article	Intervention	provider	patient	social context	Organisa- tional	Economic- political
Awad, 2006(1)	RCT	Measure effectiveness deimplementation	Antibiotic	x	х	x	x	
Barnes, 2017(2)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic laboratory	x			x	
Batuwitage, 2006(3)	Before-after	Measure effectiveness deimplementation	Gastric acid suppressives	x				
Bauchner, 1999(4)	Survey	Identification factors influencing low-value care	Antibiotic	x	х	x	X	
Belongia, 2001(5)	Before-after	Measure effectiveness deimplementation	Antibiotic		х			
Bishop, 2017(6)	Qualitative	Identification factors influencing low-value care	Several therapeutic and diagnostic interventions	x	х	x	x	
Brady, 2017(7)	Non-RCT	identification factors influencing low-value care	Diagnostic laboratory			x	X	
Calderon-Margalit, 2005(8)	Before-after	Measure effectiveness deimplementation	Diagnostic laboratory			х		
Chirima, 2016(9)	Cohort	Measure effectiveness deimplementation	antibiotic		Х			
Clyne, 2017(10)	Qualitative	identification factors influencing low-value care	Benzodiazepines	x				
Colla, 2017(11)	Other, mixed methods	Identification factors influencing low-value care	Several therapeutic and diagnostic interventions	x			x	

Supplemental material

BMJ	Open
-----	------

Cossette, 2016(12)	Cohort	Measure effectiveness deimplementation	Polypharmacy	Х				
Davies, 2002(13)	RCT	Measure effectiveness deimplementation	Diagnostic imaging	Х		х		
De Miguel, 2000(14)	ITS	Measure effectiveness deimplementation	Therapeutic other	х				
Dempsey, 2014(15)	Qualitative	Identification factors influencing low-value care	Antibiotic		х	x	x	
Duane, 2016(16)	Qualitative	Identification factors influencing low-value care	Antibiotic	Х	х		х	х
Flottorp, 2003(17)	Other, mixed methods	identification factors influencing low-value care	Several interventions	Х		x	х	
Freeborn, 1997(18)	Before-after	Measure effectiveness deimplementation	Diagnostic imaging	Х	х			
Gordon, 2000(19)	ITS	Measure effectiveness deimplementation	Benzodiazepines	х	х		х	
Graham, 2004(20)	Qualitative	Identification factors influencing low-value care	Diagnostic imaging	Х	х		х	
Green, 2018(21)	Qualitative	Identification factors influencing low-value care	Several therapeutic and diagnostic interventions		х	x		x
Hammond, 2009(22)	qualitative	identification factors influencing low-value care	Diagnostic resource use (referrals)		х	х	х	
Hatam, 2010(23)	Chart review	identification factors influencing low-value care	Therapeutic other	Х			х	х
Hooper, 2009(24)	Before-after	Measure effectiveness deimplementation	Benzodiazepines					х
Hussein, 2010(25)	Survey	Identification factors influencing low-value care	Gastric acid suppressives	Х				

Kakkar, 2004(26)	Before-after	Measure effectiveness deimplementation	Blood transfusion					x
Kanzaria, 2015(27)	Other, mixed methods	identification factors influencing low-value care	Diagnostic laboratory		x			
King, 2013(28)	Before-after	identification factors influencing low-value care	Blood transfusion			x	х	
Klein, 2017(29)	Survey	identification factors influencing low-value care	Antibiotic	х	x		х	
Kline, 2017(30)	Survey	identification factors influencing low-value care	Diagnostic imaging	х	x			
Kumar, 2003(31)	Qualitative	Identification factors influencing low-value care	Antibiotic	х		x		
Lambert-Kerzner, 2018(32)	Qualitative	Identification factors influencing low-value care	Device surgical procedure	х	x			
Lee, 2017(33)	Survey	Identification factors influencing low-value care	Antibiotic	х			х	x
Liao, 2017(34)	Survey	Identification factors influencing low-value care	Several interventions					x
Lin, 2016(35)	Qualitative	Measure effectiveness deimplementation	Diagnostic imaging	х	x	x	х	x
Lin, 2017(36)	Survey	identification factors influencing low-value care	Antibiotic	х				
Linder, 2007(37)	Before-after	Measure effectiveness deimplementation	Antibiotic				х	
Linsky, 2015(38)	Qualitative	Identification factors influencing low-value care	Polypharmacy	х	x		x	x
Liu, 2012(39)	ITS	Measure effectiveness deimplementation	Antibiotic	х				
Lum, 2017(40)	Qualitative	Identification factors influencing low-value care	Antibiotic	Х	х	x		

Supplemental material

BMJ	Open
-----	------

Macfarlane, 1997(41)	Survey	Identification factors influencing low-value care	Antibiotic	х	X			
Mahalingam, 2015(42)	Before-after	Measure effectiveness deimplementation	Diagnostic resource use (referrals)	х				
Maughan, 2015(43)	Qualitative	Identification factors influencing low-value care	Several interventions	х			x	
May, 2006(44)	Before-after	Measure effectiveness deimplementation	Diagnostic laboratory			х	x	
McKay, 2017(45)	Qualitative	Identification factors influencing low-value care	Therapeutic other	х		х	х	
McNicholl, 2017(46)	Chart review	Measure effectiveness deimplementation	Several interventions		x			
Melnick, 2015(47)	Qualitative	Identification factors influencing low-value care	Diagnostic imaging	х	х		x	
Miyakis, 2006(48)	Before-after	Measure the effectiveness of de- implementation	Diagnostic laboratory	х	х		x	
Murray, 2000(49)	Survey	Identification factors influencing low-value care	Antibiotic		x			
Murthy, 2006(50)	Survey	Identification factors influencing low-value care	Gastric acid suppressives	х				
Palmer, 1997(51)	Survey	Identification factors influencing low-value care	Antibiotic		X			
Perz, 2002(52)	Before-after	Measure effectiveness deimplementation	Antibiotic				x	
Pittenger, 2015(53)	ITS	Measure effectiveness deimplementation	Antibiotic				x	
Pollock, 2000(54)	Qualitative	Identification factors influencing low-value care	Gastric acid suppressives		x			
Raghunath, 2005(55)	Qualitative	Identification factors influencing low-value care	Gastric acid suppressives	Х	x		х	

Ralston, 2013(56)	ITS	Measure effectiveness deimplementation	Diagnostic resource use (referrals)			x		
Ralston, 2016(57)	Before-after	Measure effectiveness deimplementation	Diagnostic resource use (referrals)			х		
Ralston, 2017(58)	Other, mixed methods	Identification factors influencing low-value care	Therapeutic other	Х		х	x	х
Reed - Antibiotics in acute bronchitis, 2015 (59)	Other, mixed methods	Identification factors influencing low-value care	Antibiotic		х		x	х
Reed - Carotid artery stenosis, 2015(60)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic screening		Х		x	х
Reed - low back pain, 2015(61)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic imaging	х	х		х	х
Reed - Pap testing, 2015(62)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic screening	Х	Х	х	x	х
Reed - Percutaneous coronary interventions, 2015(63)	Other, mixed methods	Identification factors influencing low-value care	Device surgical procedure	х	х			x
Reed - Preoperative stress testing, 2015(64)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic other	х	х		x	x
Reed – Headache, 2015(65)	Other, mixed methods	Identification factors influencing low-value care	Diagnostic imaging	Х	х		х	х
Samore, 2005(66)	RCT	Identification factors influencing low-value care	Antibiotic	Х	х			
Sawan, 2016(67)	Qualitative	Identification factors influencing low-value care	Benzodiazepines	Х		х		
Sedrak, 2016(68)	Survey	Identification factors influencing low-value care	Diagnostic laboratory	X			X	

Shepperd, 2013(69)	Qualitative	Identification factors influencing low-value care	Several therapeutic and diagnostic interventions	Х	х		x	x
Sloane, 2014(70)	Before-after	Measure effectiveness deimplementation	Antibiotic	Х		х		
Stinnett-Donnelly, 2015(71)	Other, mixed methods	Measure effectiveness deimplementation	Several interventions				х	
Thomas, 2002(72)	Before-after	Measure effectiveness deimplementation	Antibiotic				х	
Tierny, 1990(73)	RCT	Measure effectiveness deimplementation	Diagnostic laboratory					x
Vegting, 2012(74)	Before-after	Measure effectiveness deimplementation	Diagnostic laboratory	Х				
Voorn, 2017(75)	RCT	Measure effectiveness deimplementation	Blood transfusion	Х			х	
Walker, 2001(76)	Qualitative	Identification factors influencing low-value care	Antibiotic	х				
Wermeling, 2014(77)	Qualitative	Identification factors influencing low-value care	Gastric acid suppressives	Х				
Williams, 2017(78)	Survey	Measure effectiveness deimplementation	Several therapeutic and diagnostic interventions			x		
Winchester, 2017(79)	Before-after	Measure effectiveness deimplementation	Diagnostic imaging	Х		х		
Yates, 2018(80)	Qualitative	Identification factors influencing low-value care	Antibiotic		х		х	
Zabarsky, 2008(81)	Before-after	Measure effectiveness deimplementation	Antibiotic	X		Х	х	

RCT: randomized controlled trial; ITS: interrupted times series

# REFERENCES

1. Awad AI, Eltayeb IB, Baraka OZ. Changing antibiotics prescribing practices in health centers of Khartoum State, Sudan. European journal of clinical pharmacology. 2006;62(2):135-42.

2. Barnes GD, Misirliyan S, Kaatz S, Jackson EA, Haymart B, Kline-Rogers E, et al. Barriers and facilitators to reducing frequent laboratory testing for patients who are stable on warfarin: a mixed methods study of de-implementation in five anticoagulation clinics. Implementation Science. 2017;12(1):87.

3. Batuwitage BT, Kingham JGC, Morgan NE, Bartlett RL. Inappropriate prescribing of proton pump inhibitors in primary care. Postgraduate Medical Journal. 2007;83:66-8.

4. Bauchner H, Pelton SI, Klein JO. Parents, physicians, and antibiotic use. Pediatrics. 1999;103(2):395-401.

5. Belongia EA, Sullivan BJ, Chyou PH, Madagame E, Reed KD, Schwartz B. A community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant Streptococcus pneumoniae carriage in children. Pediatrics. 2001;108(3):575-83.

6. Bishop TF, Cea M, Miranda Y, Kim R, Lash-Dardia M, Lee JI, et al. Academic physicians' views on low-value services and the choosing wisely campaign: A qualitative study. Healthcare. 2017;5(1-2):17-22.

7. Brady H, Piggott L, Dunne SS, O'Connell NH, Dunne CP. Clustered interventions to reduce inappropriate duplicate laboratory tests in an Irish tertiary hospital. Clin Biochem. 2017:19.

8. Calderon-Margalit R, Mor-Yosef S, Mayer M, Adler B, Shapira SC. An administrative intervention to improve the utilization of laboratory tests within a university hospital. International journal for quality in health care : journal of the International Society for Quality in Health Care / ISQua. 2005;17(3):243-8.

9. Chirima T, Esterhuizen T. Inappropriate antibiotic prescribing: A cross-sectional study in Swaziland. SA Pharmaceutical Journal. 2016;83(2):44-9.

10. Clyne B, Cooper JA, Boland F, Hughes CM, Fahey T, Smith SM. Beliefs about prescribed medication among older patients with polypharmacy: A mixed methods study in primary care. British Journal of General Practice. 2017;67(660):e507-e18.

11. Colla CH, Mainor AJ. Choosing Wisely Campaign: Valuable For Providers Who Knew About It, But Awareness Remained Constant, 2014-17. Health Aff (Millwood). 2017;36(11):2005-11.

12. Cossette B, Bergeron J, Ricard G, Ethier JF, Joly-Mischlich T, Levine M, et al. Knowledge Translation Strategy to Reduce the Use of Potentially Inappropriate Medications in Hospitalized Elderly Adults. Journal of the American Geriatrics Society. 2016;64(12):2487-94.

13. Davies B, Hodnett E, Hannah M, O'Brien-Pallas L, Pringle D, Wells G, et al. Fetal health surveillance: a community-wide approach versus a tailored intervention for the implementation of clinical practice guidelines. CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne. 2002;167(5):469-74.

14. De M, Vargas E, Portoles A, Puerro M, Terleira AI, Moreno A. Modification of albumin use pattern after an educational intervention. Disease Management and Health Outcomes. 2000;8:43-50.

15. Dempsey PP, Businger AC, Whaley LE, Gagne JJ, Linder JA. Primary care clinicians' perceptions about antibiotic prescribing for acute bronchitis: a qualitative study. BMC Family Practice. 2014;15:194.

16. Duane S, Beatty P, Murphy AW, Vellinga A. Exploring Experiences of Delayed Prescribing and Symptomatic Treatment for Urinary Tract Infections among General Practitioners and Patients in Ambulatory Care: A Qualitative Study. Antibiotics. 2016;5(3):15.

17. Flottorp S, Havelsrud K, Oxman AD. Process evaluation of a cluster randomized trial of tailored interventions to implement guidelines in primary care--why is it so hard to change practice? Family practice. 2003;20(3):333-9.

18. Freeborn DK, Shye D, Mullooly JP, Eraker S, Romeo J. Primary care physicians' use of lumbar spine imaging tests: effects of guidelines and practice pattern feedback. Journal of general internal medicine. 1997;12(10):619-25.

19. Gordon DB, Jones HD, Goshman LM, Foley DK, Bland SE. A quality improvement approach to reducing use of meperidine. The Joint Commission journal on quality improvement. 2000;26(12):686-99.

20. Graham ID, Logan J, Davies B, Nimrod C. Changing the use of electronic fetal monitoring and labor support: a case study of barriers and facilitators. Birth. 2004;31:293-301.

21. Green AR, Tung M, Segal JB. Older Adults' Perceptions of the Causes and Consequences of Healthcare Overuse: A Qualitative Study. Journal of General Internal Medicine. 2018;33(6):892-7.

22. Hammond CL, Pinnington LL, Phillips MF. A qualitative examination of inappropriate hospital admissions and lengths of stay. BMC health services research. 2009;9:44.

23. Hatam N, Askarian M, Sarikhani Y, Ghaem H. Necessity of admissions in selected teaching university affiliated and private hospitals during 2007 in Shiraz, Iran. Arch Iran Med. 2010;13(3):230-4.

24. Hooper S, Bruno R, Sharpe M, Tahmindjis A. Alprazolam prescribing in Tasmania: A two-fold intervention designed to reduce inappropriate prescribing and concomitant opiate prescription. Australasian Psychiatry. 2009;17:300-5.

25. Hussain S, Stefan M, Visintainer P, Rothberg M. Why do physicians prescribe stress ulcer prophylaxis to general medicine patients? Southern Medical Journal. 2010;103:1103-10.

26. Kakkar N, Kaur R, Dhanoa J. Improvement in fresh frozen plasma transfusion practice: results of an outcome audit. Transfus Med. 2004;14:231-5.

27. Kanzaria HK, Brook RH, Probst MA, Harris D, Berry SH, Hoffman JR. Emergency physician perceptions of shared decision-making. Academic Emergency Medicine. 2015;22:399-405.

28. King R, Michelman M, Curran V, Bean J, Rowden P, Lindsey J. Patient-centered approach to ensuring appropriateness of care through blood management. Southern Medical Journal. 2013;106:362-8.

29. Klein EY, Martinez EM, May L, Saheed M, Reyna V, Broniatowski DA. Categorical Risk Perception Drives Variability in Antibiotic Prescribing in the Emergency Department: A Mixed Methods Observational Study. Journal of General Internal Medicine. 2017;32(10):1083-9.

30. Kline KP, Shaw L, Beyth RJ, Plumb J, Nguyen L, Huo T, et al. Perceptions of patients and providers on myocardial perfusion imaging for asymptomatic patients, choosing wisely, and professional liability. BMC Health Services Research. 2017;17(1):553.

31. Kumar S, Little P, Britten N. Why do general practitioners prescribe antibiotics for sore throat? Grounded theory interview study. BMJ (Clinical research ed). 2003;326(7381):138-.

32. Lambert-Kerzner A, Maynard C, McCreight M, Ladebue A, Williams KM, Fehling KB, et al. Assessment of barriers and facilitators in the implementation of appropriate use criteria for elective percutaneous coronary interventions: a qualitative study. BMC Cardiovascular Disorders. 2018;18(1):164.

33. Lee TH, Wong JG, Lye DC, Chen MI, Loh VW, Leo YS, et al. Medical and psychosocial factors associated with antibiotic prescribing in primary care: survey questionnaire and factor analysis. British Journal of General Practice. 2017;67(656):e168-e77.

34. Liao JM, Navathe AS, Schapira MM, Weissman A, Mitra N, Asch DA. Penalizing Physicians for Low-Value Care in Hospital Medicine: A Randomized Survey. Journal of Hospital Medicine. 2017:22.

35. Lin IB, Coffin J, O'Sullivan PB. Using theory to improve low back pain care in Australian Aboriginal primary care: a mixed method single cohort pilot study. BMC Family Practice. 2016;17:44.

36. Lin MP, Nguyen T, Probst MA, Richardson LD, Schuur JD. Emergency Physician Knowledge, Attitudes and Behavior regarding ACEP's Choosing Wisely Recommendations: A Survey Study. Acad Emerg Med. 2017.

37. Linder J, Schnipper JL, Volk LA, Tsurikova R, Palchuk M, Olsha-Yehiav M, et al. Clinical decision support to improve antibiotic prescribing for acute respiratory infections: results of a pilot study. Amia 2007;Annual Symposium proceedings / AMIA Symposium. AMIA Symp:468-72.

38. Linsky A, Simon SR, Marcello TB, Bokhour B. Clinical provider perceptions of proactive medication discontinuation. American Journal of Managed Care. 2015;21:277-83.

39. Liu Z, Abdullah A, Baskin L, Lewis G, Kelter G, Naugler C. An intervention to reduce laboratory utilization of referred-out tests. Lab Med. 2012;43(5 S):164-7.

40. Lum EPM, Page K, Nissen L, Doust J, Graves N. Australian consumer perspectives, attitudes and behaviours on antibiotic use and antibiotic resistance: a qualitative study with implications for public health policy and practice. BMC Public Health. 2017;17(1):799.

41. Macfarlane J, Holmes W, Macfarlane R, Britten N. Influence of patients' expectations on antibiotic management of acute lower respiratory tract illness in general practice: questionnaire study. BMJ (Clinical research ed). 1997;315(7117):1211-4.

42. Mahalingam S, Seymour N, Pepper C, Tostevin P, Oakeshott P. Reducing inappropriate referrals to secondary care: our experiences with the ENT Emergency clinic. Quality in Primary Care. 2014;22:251-5.

43. Maughan BC, Baren JM, Merchant RM. Choosing wisely in emergency medicine: A national survey of academic leaders. Academic Emergency Medicine. 2015;1:S144.

44. May TA, Clancy M, Critchfield J, Ebeling F, Enriquez A, Gallagher C, et al. Reducing unnecessary inpatient laboratory testing in a teaching hospital. American journal of clinical pathology. 2006;126(2):200-6.

45. McKay VR, Margaret Dolcini M, Hoffer LD. The dynamics of de-adoption: a case study of policy change, de-adoption, and replacement of an evidence-based HIV intervention. Translational Behavioral Medicine. 2017:10.

46. McNicholl IR, Gandhi M, Hare CB, Greene M, Pierluissi E. A Pharmacist-Led Program to Evaluate and Reduce Polypharmacy and Potentially Inappropriate Prescribing in Older HIV-Positive Patients. Pharmacotherapy. 2017:10.

47. Melnick ER, Shafer K, Rodulfo N, Shi J, Hess EP, Wears RL, et al. Understanding Overuse of Computed Tomography for Minor Head Injury in the Emergency Department: A Triangulated Qualitative Study. Acad Emerg Med. 2015;22:1474-83.

48. Miyakis S, Karamanof G, Liontos M, Mountokalakis Theodore D. Factors contributing to inappropriate ordering of tests in an academic medical department and the effect of an educational feedback strategy. Postgraduate medical journal. 2006;82(974):823-9.

49. Murray S, Del M, O'Rourke P. Predictors of an antibiotic prescription by GPs for respiratory tract infections: a pilot. Family practice. 2000;17(5):386-8.

50. Murthy SK, Kauldher S, Targownik LE. Physicians' approaches to the use of gastroprotective strategies in low-risk non-steroidal anti-inflammatory drug users. Alimentary Pharmacology and Therapeutics. 2006;23:1365-72.

51. Palmer DA, Bauchner H. Parents' and physicians' views on antibiotics. Pediatrics. 1997;99:E6.

52. Perz Joseph F, Craig Allen S, Coffey Christopher S, Jorgensen Daniel M, Mitchel E, Hall S, et al. Changes in antibiotic prescribing for children after a community-wide campaign. JAMA. 2002;287(23):3103-9.

53. Pittenger K, Williams BL, Mecklenburg RS, Blackmore CC. Improving acute respiratory infection care through nurse phone care and academic detailing of physicians. J Am Board Fam Med. 2015;28:195-204.

54. Pollock K, Grime J. Strategies for reducing the prescribing of proton pump inhibitors (PPIs): patient self-regulation of treatment may be an underexploited resource. Soc Sci Med. 2000;51:1827-39.

55. Raghunath AS, Hungin AP, Cornford CS, Featherstone V. Use of proton pump inhibitors: an exploration of the attitudes, knowledge and perceptions of general practitioners. Digestion. 2005;72:212-8.

56. Ralston S, Garber M, Narang S, Shen M, Pate B, Pope J, et al. Decreasing unnecessary utilization in acute bronchiolitis care: results from the value in inpatient pediatrics network. Journal of hospital medicine. 2013;8(1):25-30.

57. Ralston SL, Garber MD, Rice-Conboy E, Mussman GM, Shadman KA, Walley SC, et al. A Multicenter Collaborative to Reduce Unnecessary Care in Inpatient Bronchiolitis. Pediatrics. 2016;137:1-9.

58. Ralston SL, Atwood EC, Garber MD, Holmes AV. What Works to Reduce Unnecessary Care for Bronchiolitis? A Qualitative Analysis of a National Collaborative. Academic pediatrics. 2017;17(2):198-204.

59. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Antibiotic use for acute bronchitis. Institute for clinical and economic review (ICER); 2015 2015/01//.

60. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Carotid artery stenosis screening in asymptomatic patients. Institute for clinical and economic review (ICER); 2015 2015/12//.

61. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Imaging for nonspecific low back pain. Institute for clinical and economic review (ICER); 2015 2015/12//.

62. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Pap testing. Institute for clinical and economic review (ICER); 2015 2015/01//.

63. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Percutaneous coronary intervention for stable ischemic heart disease. Institute for clinical and economic review (ICER); 2015 2015/12//.

64. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Preoperative stress testing. Institute for clinical and economic review (ICER); 2015 2015/12//.

65. Reed SJ, Pearson S. Choosing Wisely<sup>®</sup> Recommendation Analysis: Prioritizing Opportunities for Reducing Inappropriate Care. Imaging for uncomplicated headache. Institute for clinical and economic review (ICER); 2015 2015/12//.

66. Samore MH, Bateman K, Alder SC, Hannah E, Donnelly S, Stoddard GJ, et al. Clinical decision support and appropriateness of antimicrobial prescribing: A randomized trial. Journal of the American Medical Association. 2005;294:2305-14.

67. Sawan M, Jeon YH, Fois RA, Chen TF. Exploring the link between organizational climate and the use of psychotropic medicines in nursing homes: A qualitative study. Research In Social & Administrative Pharmacy. 2016:05.

68. Sedrak MS, Patel MS, Ziemba JB, Murray D, Kim EJ, Dine CJ, et al. Residents' self-report on why they order perceived unnecessary inpatient laboratory tests. J Hosp Med. 2016;11(12):869-72.

69. Shepperd S, Adams R, Hill A, Garner S, Dopson S. Challenges to using evidence from systematic reviews to stop ineffective practice: An interview study. Journal of Health Services Research and Policy. 2013;18:160-6.

70. Sloane PD, Zimmerman S, Reed D, Beeber AS, Chisholm L, Kistler C, et al. Antibiotic prescribing in 4 assisted-living communities: Incidence and potential for improvement. Infection Control and Hospital Epidemiology. 2014;35:S62-S8.

71. Stinnett-Donnelly JM, Stevens PG, Hood VL. Developing a high value care programme from the bottom up: a programme of faculty-resident improvement projects targeting harmful or unnecessary care. BMJ Qual Saf. 2015.

72. Thomas AR, Cieslak PR, Strausbaugh LJ, Fleming DW. Effectiveness of pharmacy policies designed to limit inappropriate vancomycin use: A population-based assessment. Infection Control and Hospital Epidemiology. 2002;23:683-8.

73. Tierney WM, Miller ME, McDonald CJ. The effect on test ordering of informing physicians of the charges for outpatient diagnostic tests. The New England journal of medicine. 1990;322(21):1499-504.

74. Vegting IL, van Beneden M, Kramer MH, Thijs A, Kostense PJ, Nanayakkara PW. How to save costs by reducing unnecessary testing: lean thinking in clinical practice. European journal of internal medicine. 2012;23(1):70-5.

75. Voorn VMA, Marang-van de Mheen PJ, van der Hout A, Hofstede SN, So-Osman C, van den Akker-van Marle ME, et al. The effectiveness of a deimplementation strategy to reduce low-value blood management techniques in primary hip and knee arthroplasty: a pragmatic cluster-randomized controlled trial. Implementation Science. 2017;12(1):72.

76. Walker AE, Grimshaw JM, Armstrong EM. Salient beliefs and intentions to prescribe antibiotics for patients with a sore throat. Br J Health Psychol. 2001;6:347-60.

77. Wermeling M, Himmel W, Behrens G, Ahrens D. Why do GPs continue inappropriate hospital prescriptions of proton pump inhibitors? A qualitative study. European Journal of General Practice. 2014;20:174-80.

78. Williams I, Harlock J, Robert G, Mannion R, Brearley S, Hall K. Decommissioning health care: identifying best practice through primary and secondary research – a prospective mixed-methods study. NIHR Journals Library. 2017;7:07.

79. Winchester DE, Schmalfuss C, Helfrich CD, Beyth RJ. A specialty-specific, multimodality educational quality improvement initiative to deimplement rarely appropriate myocardial perfusion imaging. Open Heart. 2017;4(1):e000589.

80. Yates TD, Davis ME, Taylor YJ, Davidson L, Connor CD, Buehler K, et al. Not a magic pill: a qualitative exploration of provider perspectives on antibiotic prescribing in the outpatient setting. BMC Family Practice. 2018;19(1):96.

81. Zabarsky TF, Sethi AK, Donskey CJ. Sustained reduction in inappropriate treatment of asymptomatic bacteriuria in a long-term care facility through an educational intervention. American Journal of Infection Control. 2008;36:476-80.