Supplementary File 2: Study Eligibility Form

Alcohol-related harm in rural and remote communities: a scoping review Study Eligibility Form

February 12th, 2019

Paper: Any language or publication year acceptable

Population:

- Entire population defined as rural or remote OR
- Portion of the population defined as rural or remote*

Predictor:

- IF entire population defined as rural or remote: any predictor of harmful alcohol use or alcohol-related harm
- OTHERWISE: Rural or remote residence included as a predictor of harmful alcohol use or alcohol-related harm

Analysis: All forms of statistical analysis acceptable

Outcomes reported:

- Alcohol consumption OR
- Alcohol-related harm (defined below)

Type of article:

- Cohort study (retrospective or prospective) OR
- Case-control OR
- Cross-sectional OR
- Meta-analysis OR
- Qualitative OR
- Mixed methods

Duplicated population:

- If duplicated, does this study provide new information?
- If duplicated, is study more recent?

Study inclusion:	
 All the answers are YES 	INCLUDE
Any answer is NO	EXCLUDE
 If you are unsure of the answer, include for full text screening 	INCLUDE

^{*} this can include a rural/remote to urban comparison within the study

YES

YES

YES

YES

YES

NO

NO

NO

NO

NO

Supplementary File 2: Study Eligibility Form

Outcome Definitions

Alcohol-Related Harm Includes:

- Harmful alcohol-related behavior:
 - Alcohol-Related Violence
 - Interpersonal
 - Self-harm
 - Drunk Driving
- Hospitalizations entirely caused by alcohol (Canadian Institute of Health Information (CIHI) code descriptors)
 - Alcohol-induced pseudo-Cushing's syndrome
 - Mental and behavioural disorders due to use of alcohol
 - o Degeneration of nervous system due to alcohol
 - Alcoholic polyneuropathy
 - Alcoholic myopathy
 - Alcoholic cardiomyopathy
 - Alcoholic gastritis
 - Alcoholic liver disease
 - Alcohol-induced acute pancreatitis
 - Alcohol-induced chronic pancreatitis
 - Maternal care for (suspected) damage to fetus from alcohol
 - Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium
 - Fetal alcohol syndrome (dysmorphic)
 - Finding of alcohol in blood
 - Toxic effects of alcohol
 - Accidental poisoning by and exposure to alcohol
 - o Intentional self-poisoning by and exposure to alcohol
 - o Poisoning by and exposure to alcohol, undetermined intent
 - Alcohol intoxication delirium or withdrawal delirium
 - o Alcohol persisting amnestic disorder
 - Alcohol persisting dementia
 - Alcohol-induced psychotic disorder, with hallucinations
 - Alcohol-induced psychotic disorder, with delusions
 - Alcohol withdrawal
 - Alcohol-induced sleep disorder
 - Alcohol-induced anxiety disorder, mood disorder or sexual dysfunction
 - Alcohol-related disorder not otherwise specified
 - o Alcohol intoxication
 - Alcohol dependence

Supplementary File 2: Study Eligibility Form

- Alcohol abuse
- o Alcohol intoxication delirium or withdrawal delirium
- o Alcohol-induced major neurocognitive disorder, amnestic confabulatory type
- o Alcohol-induced major neurocognitive disorder, nonamnestic confabulatory type
- Alcohol-induced anxiety disorder, bipolar and related disorder, depressive disorder, mild neurocognitive disorder or sexual dysfunction
- o Alcohol-induced psychotic disorder or unspecified alcohol-related disorder
- Alcohol use disorder, moderate/severe
- o Alcohol use disorder, mild
- Emergency department visits entirely caused by alcohol
 - Same definitions as hospitalizations
- Alcohol-attributable mortality