

BMJ Open Identifying indicators sensitive to primary healthcare nurse practitioner practice: a review of systematic reviews protocol

Kelley Kilpatrick ¹, Eric Nguemeleu Tchouaket ², Maud-Christine Chouinard,³ Isabelle Savard,⁴ Naima Bouabdillah,⁵ Julie Houle,⁵ Geneviève St-Louis,⁶ Mira Jabbour,⁷ Renee Atallah¹

To cite: Kilpatrick K, Tchouaket EN, Chouinard M-C, *et al*. Identifying indicators sensitive to primary healthcare nurse practitioner practice: a review of systematic reviews protocol. *BMJ Open* 2021;**11**:e043213. doi:10.1136/bmjopen-2020-043213

► Prepublication history and additional material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-043213>).

Received 27 July 2020
Revised 29 November 2020
Accepted 09 December 2020



© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Kelley Kilpatrick;
kelley.kilpatrick@mcgill.ca

ABSTRACT

Introduction Primary healthcare nurse practitioners (PHCNPs) practice in a wide range of clinical settings and with diverse patient populations. Several systematic reviews have examined outcomes of PHCNP roles. However, there is a lack of consistency in the definitions used for the PHCNP role across the reviews. The identification of indicators sensitive to PHCNP practice from the perspective of patients, providers and the healthcare system will allow researchers, clinicians and decision-makers to understand how these providers contribute to outcomes of care.

Methods and analysis A review of systematic reviews is proposed to describe the current state of knowledge about indicators sensitive to PHCNP practice using recognised role definitions. Outcomes of interest include any outcome indicator measuring the effectiveness of PHCNPs. We will limit our search to 2010 onwards to capture the most up-to-date trends. The following electronic databases will be searched: Allied and Complementary Medicine Database, Cumulative Index to Nursing and Allied Health Literature, Cochrane Library Database of Systematic Reviews and Controlled Trials Register, Database of Abstracts of Reviews of Effects, EMBASE, Global Health, Health Economics Evaluation Database, Health Evidence, HealthStar, Health Systems Evidence, Joanna Briggs Institute, Medline, PDQ-Evidence, PubMed and Web of Science. The search strategies will be reviewed by an academic librarian. Reference lists of all relevant publications will be reviewed. Grey literature will be searched from 2010 onwards, and will include: CADTH Information Services, CADTH's Grey Matters tool, OpenGrey, Organisation for Economic Co-operation and Development, ProQuest Dissertation and Theses and WHO. The PROSPERO International Prospective Register of Systematic Reviews will be searched to identify registered review protocols. The review protocol was developed using Preferred Reporting Items for Systematic Review and Meta-Analysis Protocols recommendations. A narrative synthesis will be used to summarise study findings.

Ethics and dissemination No ethical approval is required for the study. The data used in the study will be abstracted from published systematic reviews. Dissemination strategies will include peer-reviewed publication, conference presentations and presentations to key stakeholders.

Strengths and limitations of this study

- Our review of systematic reviews will include a recognised definition for nurse practitioner (NP) roles, thereby helping bridge knowledge gaps resulting from the use of inconsistent role definitions that limit research finding generalisability across countries.
- There will be no language restrictions for studies included in the review of systematic reviews.
- No quantitative analyses are planned.
- Because the review focuses on studies that clearly define the NP role, the overview may exclude studies that examine NP roles but did not provide clear role definitions.

PROSPERO registration number CRD42020198182.

BACKGROUND

Internationally, the primary healthcare nurse practitioner (PHCNP) role has been examined across countries and healthcare settings (eg, long-term care, primary care, home care) to understand how PHCNPs provide care.¹⁻⁴ PHCNPs are nurses prepared at the graduate level with in-depth clinical expertise who provide primary healthcare (PHC) services to different populations.⁵ Researchers⁶⁻⁹ have conducted several systematic reviews of PHCNP roles to understand their contributions to patient care. Laurant and colleagues completed a review of systematic reviews of the effectiveness of non-physician clinicians including PHCNPs.¹⁰ These researchers identified 18 systematic reviews but noted that an 'exact description of the nurses' roles was lacking in the majority of reviews'.¹⁰, p. 44S Kilpatrick *et al* conducted a review of reviews to examine the impact of graduate-prepared nurses (nurse practitioners (NPs) and clinical nurse specialists) regardless of their clinical practice setting.¹¹ This review of reviews

identified 4 systematic reviews examining 24 outcomes across reviews including 18 patient, 1 provider and 5 healthcare system outcomes for the 2 advanced practice nursing roles in acute and primary care.¹¹ Internationally, system-level dimensions have consistently been identified in the delivery of safe, efficient and effective PHC,^{12–14} among them, access, comprehensiveness, continuity of care, coordination of care, equity, integration of care and patient-centredness. A recent review of systematic reviews of PHC quality indicators identified 727 quality indicators where almost 75% of the indicators focused on process indicators (eg, treatment).¹⁵ This umbrella review highlighted that subsequent reviews needed to identify the measurement characteristics of quality indicators (eg, denominator and calculation method of a quality indicator) to capture the contributions of PHC providers. In addition, workforce data to measure the contributions of non-physician providers including PCHNPs are needed globally.^{16 17} Internationally, PHCNP roles are expanding into new areas of practice to support the delivery of patient-centred PHC. An important gap remains in identifying indicators that have been used to document the contributions of PHCNPs across settings. Thus, to understand PHCNP contributions to patient care and synthesise the available evidence, we propose to build on previous research by conducting a review of systematic reviews of studies that incorporates a recognised PHCNP role definition to identify indicators sensitive to PHCNP practice. These findings will inform the evaluation of PHCNP practice. Our research question is: what indicators are sensitive to the practice of PHCNPs from the patient, provider and health system perspectives?

In this paper, we propose to outline the methodology used in the review of systematic reviews. We aim to evaluate and synthesise systematic reviews to identify outcome indicators sensitive to the practice of PHCNPs from the patient, provider and health system perspectives. More specifically, our objectives are:

Objective 1

To assess the quality of systematic reviews of the impact of PHCNP practice from the patient, provider and health system perspectives.

Objective 2

To identify indicators sensitive to the practice of PHCNPs from the patient, provider and health system perspectives.

METHODS

We will conduct an overview of systematic reviews to describe the current state of knowledge about indicators sensitive to PHCNP practice from the patient, provider and health system perspectives.¹⁸ The review protocol was developed using Preferred Reporting Items for Systematic Review and Meta-Analysis Protocols recommendations of Shamseer *et al.*¹⁹

Inclusion criteria

Types of studies

All relevant published and unpublished systematic reviews that were reported from 2010 and onwards with no restrictions on jurisdiction or language. To be identified as a systematic review, the authors need to identify a specific research question or provide sufficient information so the reviewer can identify all the components of a research question (ie, Participants, Intervention, Comparison, Outcomes, Study Design (PICOS)) related to indicators sensitive to PHCNP practice, prespecify inclusion and exclusion criteria, and use systematic methods to identify relevant published and unpublished evidence to minimise the risk of bias.²⁰ The review will be included provided their inclusion criteria required the PHCNP role to be clearly defined.

Designs in included studies

Jackson and Waters²¹ argue that understanding the impact of complex interventions like the addition of a PHCNP role in healthcare teams necessitates different types of information to inform decisions about their effectiveness. Systematic reviews included in our overview may include the results of randomised controlled trials, prospective controlled observational studies and cohort studies, retrospective controlled observational and cohort studies, and surveys. A summary table will be developed to present key findings.

Types of participants

Participants include patients of any age, groups or communities receiving PHC care in all types (eg, teaching and non-teaching, public and private), sizes (eg, small, medium, large) and locations (eg, rural and urban) of community or care agencies (eg, long-term care, primary care practices, home care). Data will be extracted to describe the total number of participants, specific health conditions (eg, diabetes, hypertension) or type of care (eg, well baby care).

Types of interventions

We will include reviews that examine the care provided by PHCNPs in all sectors. We will adopt a recognised definition of the PHCNP role. PHCNPs are registered nurses with additional educational preparation at the master's level or above and in-depth clinical expertise who possess and demonstrate the competencies to autonomously diagnose, order and interpret diagnostic tests, prescribe pharmaceuticals and perform specific procedures within their legislated scope of practice.²² To be considered an NP, the review has to specify that the nurse has completed a formal post-baccalaureate or graduate NP education programme.

We will determine whether the PHCNPs are working in complementary, alternative, transition or mixed roles. According to Laurant and colleagues,¹⁰ those working predominantly in complementary roles provide additional services that are intended to complement or extend

existing services, and those working in predominantly alternative roles provide similar services to those for whom they are substituting (usually physicians). Those working in transition roles facilitate the safe and timely transfer of patients from one care site to another (eg, hospital to home or to a skilled nursing facility) or from one level of care to another.²³ Some PHCNPs provide services that are a combination of complementary and alternative roles. These will be categorised as mixed roles.

Types of comparators

Data related to the comparator (ie, control) group will be extracted to describe the group to which care is compared. Comparator groups can include usual care, care provided by another healthcare professional (eg, physicians), best care or adherence to clinical practice guideline. Data extractors will extract a brief description of the control group.

Types of outcomes

Outcomes of interest in this review of reviews include any outcome indicator that measures the effectiveness of PHCNPs. These measures include patient (eg, health status, quality of life, patient satisfaction) or provider (eg, quality of care, job satisfaction) or health system (eg, length of hospital stay, rehospitalisation, resource use, costs) outcomes. We will extract data related to effect sizes, and include the actual effect size (ie, OR, relative risk, mean differences), CIs, level of statistical significance and the number of studies included in the analysis.¹⁰

Exclusion criteria

Reviews that were developed to address broad research questions (eg, literature reviews, scoping reviews, integrative reviews) will be excluded.

Nurse midwives will be excluded from the review of reviews because the regulatory requirements in different countries do not all require these roles to be filled by nurses, and nurse midwife roles are not consistently identified as advanced practice nursing roles across countries.

Reviews will be excluded if PHCNP impact cannot be isolated and is not reported separately from other types of nurses or team members. A list of all excluded reviews will be developed specifying reasons for exclusion.

Database search

Evidence in approximately half of published reviews is outdated after 5 years.²⁴ Thus, we will limit our search to 2010 onwards to capture the most up-to-date trends. The following electronic databases will be searched: Allied and Complementary Medicine Database, Cumulative Index to Nursing and Allied Health Literature, Cochrane Library Database of Systematic Reviews and Controlled Trials Register, Database of Abstracts of Reviews of Effects, EMBASE, Global Health, Health Economics Evaluation Database, Health Evidence, HealthStar, Health Systems Evidence, Joanna Briggs Institute, Medline, PDQ-Evidence, PubMed and Web of Science. The preliminary search strategies to be adapted for each electronic

database are included in online supplemental appendix 1. These strategies will be reviewed by an academic librarian. In addition, the reference lists of all relevant reviews will be reviewed.

The grey literature will be searched for the period of 2010 and onwards, and will include: Canadian Agency for Drugs and Technologies in Health (CADTH) Information Services, relevant websites from CADTH's Grey Matters tool, OpenGrey Repository, Organisation for Economic Co-operation and Development, ProQuest Dissertation and Theses and WHO (online supplemental appendix 2). The PROSPERO International Prospective Register of Systematic Reviews will be searched to identify registered review protocols. Authors of registered PROSPERO reviews will be contacted to ascertain the status of the study. For each website, the content will be searched using the same search terms as those used for the published literature. If there is not an inherent search function on the website, a search will be conducted of all webpages and weblinks. The preliminary search strategy for the unpublished literature is included in online supplemental appendix 2.

Study selection

All reviewers will be trained to use the screening instrument and the inclusion/exclusion criteria. The retained studies will be uploaded into the EndNote software and the RAYYAN web platform.²⁵ Duplicates will be removed. Two reviewers will independently screen titles and abstracts using the predefined inclusion and exclusion criteria, and recommend exclusion or further full text review. Any discrepancies will be discussed among the reviewers. If there is insufficient information in the abstract or no abstract is available, a full text review will be completed. Any coding discrepancies will be discussed between the reviewers until agreement is reached on the inclusion or exclusion of the review. A third reviewer will act as a tie-breaker if the first reviewers do not come to a consensus. A full text review will be completed for all the reviews included after the initial screening again using the predefined inclusion and exclusion criteria.

Data extraction

For those full text papers that pass inclusion criteria, the data will be extracted by one coder and reviewed by a second coder. A structured tool will be developed for the study and pilot-tested by the investigators.²⁶ We will extract data from the methods and results section. The extracted data will include aim or focus of the review; review characteristics (eg, year); number and name of electronic databases searched; characteristics of the participants and intervention (ie, complementary, alternative, transition or mixed roles); number and types of studies included in the review; specification of patient, provider and health system outcomes and how the outcomes are measured; risk of bias assessment tool used; the quality ratings of the included studies and funding source.^{27 28} The results of the meta-analyses, if conducted, will be included in the

data extraction. If the data are not available in the review they will be identified as 'unknown' in the data extraction form.

Assessment of review quality

Each review will be graded using the AMSTAR 2 criteria to assess its methodological quality. Two reviewers will independently rate each review using the AMSTAR 2 criteria.²⁹ Inter-rater agreement will be estimated using the kappa statistic.³⁰ Any disagreements will be discussed among the reviewers until consensus is reached. A summary table with the AMSTAR ratings will be generated.

Outcomes

The primary outcomes of the review of reviews are those that assess patient, provider and health system outcomes directly evaluating PHCNP roles.

These will be examined separately for type of PHCNP role (ie, complementary, alternative, transition, mixed).

Data synthesis

Narrative synthesis will be used to summarise the findings. As proposed by Olry de Labry Lima *et al* and Ramalho *et al*, outcomes of care provided by PHCNPs will be categorised according to clinical indicators of care quality (eg, glycated haemoglobin for patients with diabetes), medications prescribed for chronic conditions (process), health promotion (eg, healthy lifestyle) and illness prevention activities (eg, influenza vaccination).^{15 31} An iterative process will be used to identify patterns and relationships across reviews and across years that the reviews were conducted.³² Summary tables will be developed to outline the key characteristics of the reviews (eg, year of publication, countries where primary studies were conducted), outcomes (ie, patient, provider, health system), level of role substitution (ie, complementary, alternative, transition, mixed), quality assessment and findings (positive, negative, null). A record will be kept of all review-related decisions. No quantitative analyses are planned because of the potential overlap in studies included in the different reviews.¹⁸

Patient and public involvement

This review of systematic reviews was undertaken without patient involvement. Patients were not invited to comment on the study protocol design. Patients were not invited to contribute to the writing nor the editing of this manuscript. An expert patient will be consulted as to how this work may inform patient relevant outcomes or how a patient might interpret results. The results of this work will be disseminated to key stakeholders including decision makers, healthcare professionals and patients via conferences, publications and presentations.

Anticipated contributions

PHCNPs practice in a wide range of settings and with diverse patient populations, including vulnerable populations.³³ The identification of indicators sensitive to the practice of PHCNPs from the perspective of patients,

providers and the healthcare system will allow researchers, clinicians and decision-makers to understand how these providers contribute to outcomes of care. Gaining an understanding of the patient perspective is particularly important in the context of patient-centred care and adapting services to the needs of vulnerable populations (eg, residents in long-term care, patients with mental health conditions or low socioeconomic status). Once identified, PHCNPs, other clinicians and decision-makers can track these indicators and determine if PHCNP roles are used optimally to respond to patient care needs. Using these indicators, subsequent research can be undertaken to support more rigorous economic evaluations of these roles, an important gap in the current literature.^{34 35}

Ethics and dissemination

No ethical approval is required for the study. The data used in the study will be abstracted from published systematic reviews. Dissemination strategies will include peer-reviewed publication, conference presentations and presentations to key stakeholders.

Author affiliations

¹Susan E. French Chair in Nursing Research and Innovative Practice, Ingram School of Nursing, Faculty of Medicine, McGill University, Montréal, Québec, Canada

²Département des sciences infirmières, Université du Québec en Outaouais, Saint Jérôme, Québec, Canada

³Département des sciences de la santé (Health Sciences Department), Université du Québec à Chicoutimi, Chicoutimi, Québec, Canada

⁴Ingram School of Nursing, Faculty of Medicine and Health Sciences, McGill University, Montreal, Quebec, Canada

⁵Département des sciences infirmières, Université du Québec à Trois-Rivières, Trois-Rivières, Québec, Canada

⁶Support and Development of Professional Practices in Nursing and Assistance Care and Infection Prevention Associate Directorate, Centre intégré universitaire de santé et de services sociaux de la Mauricie-et-du-Centre-du-Québec, Trois-Rivières, Québec, Canada

⁷Maisonnette-Rosemont Hospital Site, Centre intégré universitaire de santé et de services sociaux de l'Est-de-l'Île-de-Montréal du Québec, Montreal, Quebec, Canada

Correction notice This article has been corrected since it first published. The provenance and peer review statement has been included.

Twitter Maud-Christine Chouinard @MaudCChouinard

Acknowledgements This study was funded by the Le Réseau intersectoriel de recherche en santé de l'Université du Québec (RISUQ) (Project Grant Number 304168 (30416801); principal investigator: ENT). KK and ENT are supported by the Fonds de recherche du Québec-Santé (Research Scholar Junior 2 (KK) (Award Number 34722) and Junior 1 (ENT) (Award Number 31051) salary awards.

Contributors KK, ENT, M-CC, IS, NB, JH, GS-L, MJ and RA made substantial contributions to study conception and design. All authors were involved in drafting the manuscript and making revisions for critical intellectual content. All authors gave final approval of the version to be published.

Funding Le Réseau intersectoriel de recherche en santé de l'Université du Québec (RISUQ) (Project Grant Number: 304168 (30416801); principal investigator: ENT). The funder played no role in: study design and interpretation; development of the manuscript.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those

of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Kelley Kilpatrick <http://orcid.org/0000-0003-2137-6560>

Eric Nguemeleu Tchouaket <http://orcid.org/0000-0002-4309-0478>

REFERENCES

- Chavez KS, Dwyer AA, Ramelet A-S. International practice settings, interventions and outcomes of nurse practitioners in geriatric care: a scoping review. *Int J Nurs Stud* 2018;78:61–75.
- Kilpatrick K, Tchouaket E, Jabbour M, et al. A mixed methods quality improvement study to implement nurse practitioner roles and improve care for residents in long-term care facilities. *BMC Nurs* 2020;19:1–14.
- Grant J, Lines L, Darbyshire P, et al. How do nurse practitioners work in primary health care settings? A scoping review. *Int J Nurs Stud* 2017;75:51–7.
- Martin-Misener R, Donald F, Wickson-Griffiths A, et al. A mixed methods study of the work patterns of full-time nurse practitioners in nursing homes. *J Clin Nurs* 2015;24:1327–37.
- Landry V, Kilpatrick K, Paquette L, et al. L'étendue du rôle de l'infirmière praticienne spécialisée en soins de première ligne dans différents milieux de pratique au Québec: une étude temps et mouvement. *SNAHP* 2020;3:1–14.
- Martin-Misener R, Harbman P, Donald F, et al. Cost-Effectiveness of nurse practitioners in primary and specialised ambulatory care: systematic review. *BMJ Open* 2015;5:e007167.
- Newhouse RP, Stanik-Hutt J, White KM, et al. Advanced practice nurse outcomes 1990–2008: a systematic review. *Nurs Econ* 2011;29:230–50.
- Swan M, Ferguson S, Chang A, et al. Quality of primary care by advanced practice nurses: a systematic review. *Int J Qual Health Care* 2015;27:396–404.
- Donald F, Kilpatrick K, Reid K, et al. A systematic review of the cost-effectiveness of nurse practitioners and clinical nurse specialists: what is the quality of the evidence? *Nurs Res Pract* 2014;2014:1–28.
- Laurant M, Harmsen M, Wollersheim H, et al. The impact of nonphysician clinicians: do they improve the quality and cost-effectiveness of health care services? *Med Care Res Rev* 2009;66:36S–89.
- Kilpatrick K, DiCenso A, Reid K. *The impact of Graduate-Prepared nurse practitioners and clinical nurse specialists on patient, provider and health system outcomes: a review of systematic reviews. 9th biennial Joanna Briggs International Colloquium, scaling new heights: challenging the status quo.* Singapore, 2014.
- Haj-Ali W, Hutchison B. Establishing a primary care performance measurement framework for Ontario. Mise en place d'un cadre pour la mesure du rendement des soins primaires en Ontario. *Healthc Policy* 2017;12:66–79.
- Kringos DS, Boerma WGW, Hutchinson A, et al. The breadth of primary care: a systematic literature review of its core dimensions. *BMC Health Serv Res* 2010;10:1–13.
- Ontario HQ. Quality in primary care: setting foundation for monitoring and reporting in Ontario, 2015. Available: www.hqontario.ca/Portals/0/Documents/pr/theme-report-quality-in-primary-care-en.pdf [Accessed 22 Oct 2020].
- Ramalho A, Castro P, Gonçalves-Pinho M, et al. Primary health care quality indicators: an umbrella review. *PLoS One* 2019;14:e0220888.
- Ammi M, Ambrose S, Hogg B, et al. The influence of registered nurses and nurse practitioners on patient experience with primary care: results from the Canadian QUALICO-PC study. *Health Policy* 2017;121:1215–24.
- World Health Organization. State of the World's Nursing Report 2020- Investing in education, jobs and leadership. Health Workforce 6 April 2020. Available: <https://www.who.int/publications/i/item/9789240003279> [Accessed 22 Oct 2020].
- Smith V, Devane D, Begley CM, et al. Methodology in conducting a systematic review of systematic reviews of healthcare interventions. *BMC Med Res Methodol* 2011;11:15.
- Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. *BMJ* 2015;350:g7647.
- Liberati A, Altman DG, Tetzlaff J, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS Med* 2009;6:e1000100.
- Jackson N, Waters E. Criteria for the guidelines for systematic reviews in health promotion and public health Taskforce. *Health Promot Int* 2005;20:367–74.
- Bowen D, Bryant Lukosius D, Byres D. Advanced practice nursing: A Pan-Canadian framework. CAN, 2019. Available: <https://www.cna-aic.ca/-/media/cna/page-content/pdf-en/apn-a-pan-canadian-framework.pdf?la=en&hash=E1387634D492FD2B003964E3CD4188971305469E> [Accessed 22 Oct 2020].
- Naylor MD, Aiken LH, Kurtzman ET, et al. The care span: the importance of transitional care in achieving health reform. *Health Aff* 2011;30:746–54.
- Pieper D, Buechter R, Jerinic P, et al. Overviews of reviews often have limited rigor: a systematic review. *J Clin Epidemiol* 2012;65:1267–73.
- Ouzzani M, Hammady H, Fedorowicz Z, et al. Rayyan-a web and mobile APP for systematic reviews. *Syst Rev* 2016;5:210.
- Kilpatrick K, Paquette L, Jabbour M, et al. Systematic review of the characteristics of brief team interventions to clarify roles and improve functioning in healthcare teams. *PLoS One* 2020;15:e0234416.
- Hart LC, Patel-Nguyen SV, Merkley MG, et al. An evidence map for interventions addressing transition from pediatric to adult care: a systematic review of systematic reviews. *J Pediatr Nurs* 2019;48:18–34.
- Aromataris E, Fernandez R, Godfrey CM, et al. Summarizing systematic reviews: methodological development, conduct and reporting of an umbrella review approach. *Int J Evid Based Healthc* 2015;13:132–40.
- Shea BJ, Reeves BC, Wells G, et al. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ* 2017;358:j4008.
- Sim J, Wright CC. The kappa statistic in reliability studies: use, interpretation, and sample size requirements. *Phys Ther* 2005;85:257–68.
- Olry de Labry Lima A, García Mochón L, Bermúdez Tamayo C. Identification of health outcome indicators in Primary Care. A review of systematic reviews. *Rev Calid Asist* 2017;32:278–88.
- Whittemore R, Knaf K. The integrative review: updated methodology. *J Adv Nurs* 2005;52:546–53.
- Xue Y, Intrator O. Cultivating the role of nurse practitioners in providing primary care to vulnerable populations in an era of health-care reform. *Policy Polit Nurs Pract* 2016;17:24–31.
- Tchouaket E, Kilpatrick K, Jabbour M. Effectiveness of introducing nurse practitioners in six long-term care facilities in Québec, Canada: a cost-savings analysis. *Nurs Outlook* 2020;6554:30562–7.
- Marshall DA, Donald F, Lacny S, et al. Assessing the quality of economic evaluations of clinical nurse specialists and nurse practitioners: a systematic review of cost-effectiveness. *NursingPlus Open* 2015;1:11–17.

Appendix 1: Preliminary search strategies for published literature.

Title: Identifying Indicators Sensitive to Primary Healthcare Nurse Practitioner Practice: A Review of Systematic Reviews

Question: What indicators are sensitive to the practice of primary healthcare nurse practitioners (PHCNPs) from the patient, provider and health system perspectives?

Aim: To evaluate and synthesize systematic reviews to identify outcome indicators sensitive to the practice of primary PHCNPs from the patient, provider and health system perspectives.

Search Strategy:

- P:** Patients of any age, groups or communities receiving primary healthcare care in all types (e.g., teaching and non-teaching, public and private), sizes (e.g., small, medium, large) and locations (e.g., rural and urban) of community or care agencies (e.g., long-term care, primary care practices, home care).
= Search strategy concept 1: Primary Healthcare.
- I:** Care provided by PHCNPs in all sectors.
= Search strategy concept 2: Advanced Practice Nursing.
- C:** Data related to the comparator (i.e., control) group will be extracted to describe the group to which care is compared. Comparator groups can include usual care, care provided by another health care professional (e.g., physicians), best care, or adherence to clinical practice guideline.
- O:** Any outcome indicator that measures the effectiveness of PHCNPs. These measures include patient (e.g., health status, quality of life, patient satisfaction) or provider (e.g., quality of care, job satisfaction) or health system (e.g., length of hospital stay, rehospitalisation, resource use, costs) outcomes.
= Search strategy concept 3: Outcomes, comprised of 6 sub-concepts: 1) Quality/ Best practice; 2) Promotion; 3) Prevention; 4) Indicators; 5) Access; 6) Equity.
- S:** All relevant published and unpublished systematic reviews that were reported from 2010 and onwards with no restrictions on jurisdiction or language.
= Search strategy concept 4. NB: This component of the search strategy is based on part of the CADTH hedge for systematic reviews and meta-analyses (<https://www.cadth.ca/resources/finding-evidence/strings-attached-cadths-database-search-filters#syst>) combined with the hedge developed by Lunny C. et al. for overviews of reviews (Journal of Clinical Epidemiology 2016; 74: 107-118).

Date of last revision: November 26, 2020

("Primary Health Care"[MH] OR
"Primary Care Nursing"[MH] OR
"Physicians, Primary Care"[MH] OR
"Physicians, Family"[MH] OR
"Family Practice"[MH] OR
"General Practice"[MH] OR
"General Practitioners"[MH] OR
"Intermediate Care Facilities"[MH] OR
"Ambulatory Care"[MH] OR
"Ambulatory Care Facilities"[MH] OR
"Office Nursing"[MH] OR
"Outpatients"[MH] OR
"Community Health Services"[MH] OR
"Community Mental Health Services"[MH] OR
"Delivery of Health Care"[MH] OR
"Nurses, Community Health"[MH] OR
"Community Health Nursing"[MH] OR
"Community Health Planning"[MH] OR
"Community Health Centers"[MH] OR
"Community Medicine"[MH] OR
"Group Practice"[MH] OR
"Nursing Stations"[MH] OR
"Rural Health"[MH] OR
"Rural Health Services"[MH] OR
"Rural Nursing"[MH] OR
"Suburban Health Services"[MH] OR
"Remote Consultation"[MH] OR
"Telerehabilitation"[MH] OR
"Telenursing"[MH] OR
"Telemedicine"[MH] OR
"Home Care Services"[MH] OR
"Health Services Administration"[MH] OR
"Home Nursing"[MH] OR
"Nursing Homes"[MH] OR
"Homes for the Aged"[MH] OR
"Housing for the Elderly"[MH] OR
"Long-Term Care"[MH] OR
"Respite Care"[MH] OR
"Nursing"[MH] OR
"Nursing, Team"[MH] OR
"Nursing Care"[MH] OR
"Patient Care Team"[MH] OR
"Health Personnel"[MH] OR
"Professional Practice"[MH] OR
"Professional Autonomy"[MH] OR
"Primary healthcare"[tiab] OR
"Primary health care"[tiab] OR
"Primary health-care"[tiab] OR

Date of last revision: November 26, 2020

"Primary care"[tiab] OR
"Primary care nursing"[tiab] OR
"Primary care nurse"[tiab] OR
"Primary care nurses"[tiab] OR
"Primary care physician"[tiab] OR
"Primary care physicians"[tiab] OR
"Primary care doctor"[tiab] OR
"Primary care doctors"[tiab] OR
"Primary care service"[tiab] OR
"Primary care services"[tiab] OR
"Primary care clinic"[tiab] OR
"Primary care clinics"[tiab] OR
"Primary care facility"[tiab] OR
"Primary care facilities"[tiab] OR
"Primary care practice"[tiab] OR
"Primary care practices"[tiab] OR
"Primary care program"[tiab] OR
"Primary care programs"[tiab] OR
"Family physician"[tiab] OR
"Family physicians"[tiab] OR
"Family doctor"[tiab] OR
"Family doctors"[tiab] OR
"Family medicine"[tiab] OR
"Family practice"[tiab] OR
"Family practices"[tiab] OR
"Family clinic"[tiab] OR
"Family clinics"[tiab] OR
"general practice"[tiab] OR
"general practices"[tiab] OR
"general practitioner"[tiab] OR
"general practitioners"[tiab] OR
"General practice clinic"[tiab] OR
"General practice clinics"[tiab] OR
"General practice program"[tiab] OR
"General practice programs"[tiab] OR
"General practice doctor"[tiab] OR
"General practice doctors"[tiab] OR
"General practice nursing"[tiab] OR
"General practice nurse"[tiab] OR
"General practice nurses"[tiab] OR
"General practice physician"[tiab] OR
"General practice physicians"[tiab] OR
"intermediate care"[tiab] OR
"Intermediate care facility"[tiab] OR
"Intermediate care facilities"[tiab] OR
"ambulatory care"[tiab] OR
"Ambulatory care facility"[tiab] OR
"Ambulatory care facilities"[tiab] OR

Date of last revision: November 26, 2020

"Ambulatory care physician"[tiab] OR
"Ambulatory care physicians"[tiab] OR
"Ambulatory care nursing"[tiab] OR
"Ambulatory care nurse"[tiab] OR
"Ambulatory care nurses"[tiab] OR
"Ambulatory care service"[tiab] OR
"Ambulatory care services"[tiab] OR
"Ambulatory care clinic"[tiab] OR
"Ambulatory care clinics"[tiab] OR
"Office nursing"[tiab] OR
"Office nurse"[tiab] OR
"Office nurses"[tiab] OR
"Outpatient"[tiab] OR
"Outpatients"[tiab] OR
"Outpatient care"[tiab] OR
"Outpatient department"[tiab] OR
"Outpatient departments"[tiab] OR
"Outpatient service"[tiab] OR
"Outpatient services"[tiab] OR
"Outpatient clinic"[tiab] OR
"Outpatient clinics"[tiab] OR
"Outpatient facility"[tiab] OR
"Outpatient facilities"[tiab] OR
"Outpatient care service"[tiab] OR
"Outpatient care services"[tiab] OR
"Outpatient care clinic"[tiab] OR
"Outpatient care clinics"[tiab] OR
"Outpatient care facility"[tiab] OR
"Outpatient care facilities"[tiab] OR
"Community health service"[tiab] OR
"Community health services"[tiab] OR
"Community mental health service"[tiab] OR
"Community mental health services"[tiab] OR
"Delivery of health care"[tiab] OR
"Delivery of healthcare"[tiab] OR
"Delivery of health-care"[tiab] OR
"Health care delivery"[tiab] OR
"Healthcare delivery"[tiab] OR
"Health-care delivery"[tiab] OR
"Community care"[tiab] OR
"Community health nursing"[tiab] OR
"Community health nurse"[tiab] OR
"Community health nurses"[tiab] OR
"Community health plan"[tiab] OR
"Community health plans"[tiab] OR
"Community health planning"[tiab] OR
"Community health plannings"[tiab] OR
"Community health center"[tiab] OR

Date of last revision: November 26, 2020

"Community health centers"[tiab] OR
"Community health centre"[tiab] OR
"Community health centres"[tiab] OR
"CLSC"[tiab] OR
"CLSCs"[tiab] OR
"CLSC's"[tiab] OR
"Local community service center"[tiab] OR
"Local community service centers"[tiab] OR
"Local community service centre"[tiab] OR
"Local community service centres"[tiab] OR
"Centres locaux de services communautaires"[tiab] OR
"Centre local de services communautaires"[tiab] OR
"Groupe de médecine familiale"[tiab] OR
"Groupes de médecine familiale"[tiab] OR
"Family medicine group"[tiab] OR
"Family medicine groups"[tiab] OR
"Community medicine"[tiab] OR
"Community physician"[tiab] OR
"Community physicians"[tiab] OR
"Community doctor"[tiab] OR
"Community doctors"[tiab] OR
"Community Nursing"[tiab] OR
"Community Nurse"[tiab] OR
"Community Nurses"[tiab] OR
"Community service"[tiab] OR
"Community services"[tiab] OR
"Community clinic"[tiab] OR
"Community clinics"[tiab] OR
"Community facility"[tiab] OR
"Community facilities"[tiab] OR
"Community practice"[tiab] OR
"Community practices"[tiab] OR
"Community program"[tiab] OR
"Community programs"[tiab] OR
"Community care physician"[tiab] OR
"Community care physicians"[tiab] OR
"Community care doctor"[tiab] OR
"Community care doctors"[tiab] OR
"Community care nursing"[tiab] OR
"Community care nurse"[tiab] OR
"Community care nurses"[tiab] OR
"Community care service"[tiab] OR
"Community care services"[tiab] OR
"Community care clinic"[tiab] OR
"Community care clinics"[tiab] OR
"Community care facility"[tiab] OR
"Community facilities"[tiab] OR
"Community care practice"[tiab] OR

Date of last revision: November 26, 2020

"Community care practices"[tiab] OR
"Community care program"[tiab] OR
"Community care programs"[tiab] OR
"Group practice"[tiab] OR
"Group practices"[tiab] OR
"Walk-in practice"[tiab] OR
"Walk-in practices"[tiab] OR
"Walk in practice"[tiab] OR
"Walk in practices"[tiab] OR
"Walk-in clinic"[tiab] OR
"Walk-in clinics"[tiab] OR
"Walk in clinic"[tiab] OR
"Walk in clinics"[tiab] OR
"Walk-in program"[tiab] OR
"Walk-in programs"[tiab] OR
"Walk in program"[tiab] OR
"Walk in programs"[tiab] OR
"Nursing station"[tiab] OR
"Nursing stations"[tiab] OR
"rural health"[tiab] OR
"rural health service"[tiab] OR
"rural health services"[tiab] OR
"rural health nursing"[tiab] OR
"rural health nurse"[tiab] OR
"rural health nurses"[tiab] OR
"Rural nursing"[tiab] OR
"Rural nurse"[tiab] OR
"Rural nurses"[tiab] OR
"Suburban Health Service"[tiab] OR
"Suburban Health Services"[tiab] OR
"Suburban"[tiab] OR
"Remote"[tiab] OR
"Remote consult"[tiab] OR
"Remote consults"[tiab] OR
"Remote consultation"[tiab] OR
"Remote consultations"[tiab] OR
"Telerehabilitation"[tiab] OR
"Telerehabilitations"[tiab] OR
"Tele-rehabilitation"[tiab] OR
"Tele-rehabilitations"[tiab] OR
"Telenursing"[tiab] OR
"Telenurse"[tiab] OR
"Telenurses"[tiab] OR
"Tele-nursing"[tiab] OR
"Tele-nurse"[tiab] OR
"Tele-nurses"[tiab] OR
"Telemedicine"[tiab] OR
"tele-medicine"[tiab] OR

Date of last revision: November 26, 2020

"Home care service"[tiab] OR
"Home care services"[tiab] OR
"Home care"[tiab] OR
"Continuity of care"[tiab] OR
"Care continuity"[tiab] OR
"Counseling"[tiab] OR
"Counselling"[tiab] OR
"Distance Counseling"[tiab] OR
"Distance Counselling"[tiab] OR
"Health Services administration"[tiab] OR
"Administration of health services"[tiab] OR
"Home Health"[tiab] OR
"Home Health Nursing"[tiab] OR
"Home Health Nurse"[tiab] OR
"Home Health Nurses"[tiab] OR
"Home Nursing"[tiab] OR
"Home Nurse"[tiab] OR
"Home Nurses"[tiab] OR
"Nursing home"[tiab] OR
"Nursing homes"[tiab] OR
"Elderly nursing home"[tiab] OR
"Elderly nursing homes"[tiab] OR
"Elder care"[tiab] OR
"Elder living home"[tiab] OR
"Elder living homes"[tiab] OR
"Retirement home"[tiab] OR
"Retirement homes"[tiab] OR
"Résidence pour personnes âgées"[tiab] OR
"Résidences pour personnes âgées"[tiab] OR
"Centre d'hébergement"[tiab] OR
"Centres d'hébergement"[tiab] OR
"Centre de soins de longue durée"[tiab] OR
"Centres de soins de longue durée"[tiab] OR
"Centre d'hébergement de soins de longue durée"[tiab] OR
"Centres d'hébergement de soins de longue durée"[tiab] OR
"CHSLD"[tiab] OR
"CHSLDs"[tiab] OR
"CHSLD's"[tiab] OR
"Ressource intermédiaire"[tiab] OR
"Ressources intermédiaires"[tiab] OR
"Long-term care home"[tiab] OR
"Long-term care homes"[tiab] OR
"Long term care home"[tiab] OR
"Long term care homes"[tiab] OR
"Long-term care center"[tiab] OR
"Long-term care centers"[tiab] OR
"Long term care center"[tiab] OR
"Long term care centers"[tiab] OR

Date of last revision: November 26, 2020

"Long-term care centre"[tiab] OR
"Long-term care centres"[tiab] OR
"Long term care centre"[tiab] OR
"Long term care centres"[tiab] OR
"Soins de longue durée à domicile"[tiab] OR
"Long-stay home care"[tiab] OR
"Residential care"[tiab] OR
"Residential care center"[tiab] OR
"Residential care centers"[tiab] OR
"Residential care centre"[tiab] OR
"Residential care centres"[tiab] OR
"interactive consult"[tiab] OR
"interactive consults"[tiab] OR
"interactive consultation"[tiab] OR
"interactive consultations"[tiab] OR
"interactive service"[tiab] OR
"interactive services"[tiab] OR
"Respite Care"[tiab] OR
"Nursing staff"[tiab] OR
"Staff Nurse"[tiab] OR
"Staff Nurses"[tiab] OR
"Nurse"[tiab] OR
"Nurses"[tiab] OR
"Nursing"[tiab] OR
"Nursing team"[tiab] OR
"Nursing teams"[tiab] OR
"Nursing-led"[tiab] OR
"Nursing led"[tiab] OR
"Nurse-led"[tiab] OR
"Nurse led"[tiab] OR
"Nurses-led"[tiab] OR
"Nurses led"[tiab] OR
"Nursing-run"[tiab] OR
"Nursing run"[tiab] OR
"Nurse-run"[tiab] OR
"Nurse run"[tiab] OR
"Nurses-run"[tiab] OR
"Nurses run"[tiab] OR
"Nursing-managed"[tiab] OR
"Nursing managed"[tiab] OR
"Nurse-managed"[tiab] OR
"Nurse managed"[tiab] OR
"Nurses-managed"[tiab] OR
"Nurses managed"[tiab] OR
"Nursing management"[tiab] OR
"Nurse management"[tiab] OR
"Nurses management"[tiab] OR
"Nursing-delivered"[tiab] OR

Date of last revision: November 26, 2020

"Nursing delivered"[tiab] OR
"Nurse-delivered"[tiab] OR
"Nurse delivered"[tiab] OR
"Nurses-delivered"[tiab] OR
"Nurses delivered"[tiab] OR
"Nursing care"[tiab] OR
"Multidiscipline team"[tiab] OR
"multidiscipline teams"[tiab] OR
"multidisciplinary team"[tiab] OR
"multidisciplinary teams"[tiab] OR
"multi-discipline team"[tiab] OR
"multi-discipline teams"[tiab] OR
"multi-disciplinary team"[tiab] OR
"multi-disciplinary teams"[tiab] OR
"interdiscipline team"[tiab] OR
"interdiscipline teams"[tiab] OR
"interdisciplinary team"[tiab] OR
"interdisciplinary teams"[tiab] OR
"inter-discipline team"[tiab] OR
"inter-discipline teams"[tiab] OR
"inter-disciplinary team"[tiab] OR
"inter-disciplinary teams"[tiab] OR
"interprofessional team"[tiab] OR
"interprofessional teams"[tiab] OR
"inter-professional team"[tiab] OR
"inter-professional teams"[tiab] OR
"Teamwork"[tiab] OR
"team"[tiab] OR
"teams"[tiab] OR
"Patient care team"[tiab] OR
"Patient care teams "[tiab] OR
"Health care team"[tiab] OR
"Health care teams"[tiab] OR
"Healthcare team"[tiab] OR
"Healthcare teams"[tiab] OR
"Health-care team"[tiab] OR
"Health-care teams"[tiab] OR
"Health personnel"[tiab] OR
"Healthcare professional"[tiab] OR
"Healthcare professionals"[tiab] OR
"Health care professional"[tiab] OR
"Health care professionals"[tiab] OR
"Health-care professional"[tiab] OR
"Health-care professionals"[tiab] OR
"Healthcare provider"[tiab] OR
"Healthcare providers"[tiab] OR
"Health care provider"[tiab] OR
"Health care providers"[tiab] OR

Date of last revision: November 26, 2020

"Health-care provider"[tiab] OR
"Health-care providers"[tiab] OR
"Health professional"[tiab] OR
"Health professionals"[tiab] OR
"Professional practice"[tiab] OR
"Professional practices"[tiab] OR
"Professional autonomy"[tiab])
AND
("Advanced Practice Nursing"[MH] OR
"Nurse Practitioners"[MH] OR
"Family Nurse Practitioners"[MH] OR
"advanced practice nursing"[tiab] OR
"advanced practice nurse"[tiab] OR
"advanced practice nurses"[tiab] OR
("APN"[tiab] AND "nursing"[tiab]) OR
("APN"[tiab] AND "nurse"[tiab]) OR
("APN"[tiab] AND "nurses"[tiab]) OR
"advanced nursing practice"[tiab] OR
"advanced nursing practices"[tiab] OR
"advanced nurse practitioner"[tiab] OR
"advanced nurse practitioners"[tiab] OR
("ANP"[tiab] AND "nursing"[tiab]) OR
("ANP"[tiab] AND "nurse"[tiab]) OR
("ANP"[tiab] AND "nurses"[tiab]) OR
"advanced practice registered nursing"[tiab] OR
"advanced practice registered nurse"[tiab] OR
"advanced practice registered nurses"[tiab] OR
("APRN"[tiab] AND "nursing"[tiab]) OR
("APRN"[tiab] AND "nurse"[tiab]) OR
("APRN"[tiab] AND "nurses"[tiab]) OR
"Nurse practitioner"[tiab] OR
"Nurse practitioners"[tiab] OR
("NP"[tiab] and "nursing"[tiab]) OR
("NP"[tiab] and "nurse"[tiab]) OR
("NP"[tiab] and "nurses"[tiab]) OR
"Primary healthcare nurse practitioner"[tiab] OR
"Primary healthcare nurse practitioners"[tiab] OR
"Primary health care nurse practitioner"[tiab] OR
"Primary health care nurse practitioners"[tiab] OR
"Primary health-care nurse practitioner"[tiab] OR
"Primary health-care nurse practitioners"[tiab] OR
("PHCNP"[tiab] AND "Nursing"[tiab]) OR
("PHCNP"[tiab] AND "Nurse"[tiab]) OR
("PHCNP"[tiab] AND "Nurses"[tiab]) OR
"Primary care nurse practitioner"[tiab] OR
"Primary care nurse practitioners"[tiab] OR
("PCNP"[tiab] AND "Nursing"[tiab]) OR
("PCNP"[tiab] AND "Nurse"[tiab]) OR

Date of last revision: November 26, 2020

("PCNP"[tiab] AND "Nurses"[tiab]) OR
"Family nurse practitioner"[tiab] OR
"Family nurse practitioners"[tiab] OR
("FNP"[tiab] AND "Nursing"[tiab]) OR
("FNP"[tiab] AND "Nurse"[tiab]) OR
("FNP"[tiab] AND "Nurses"[tiab]) OR
"Emergency nurse practitioner"[tiab] OR
"Emergency nurse practitioners"[tiab] OR
("ENP"[tiab] AND "Nursing"[tiab]) OR
("ENP"[tiab] AND "Nurse"[tiab]) OR
("ENP"[tiab] AND "Nurses"[tiab]))
AND
("Advance Directive Adherence"[MH] OR
"Appointments and Schedules"[MH] OR
"Biomarkers"[MH] OR
"Blood Pressure"[MH] OR
"Cholesterol"[MH] OR
"Chronic Disease"[MH] OR
"Consumer Behavior"[MH] OR
"Costs and Cost Analysis"[MH] OR
"Delivery of Health Care"[MH] OR
"Diagnostic Tests, Routine"[MH] OR
"Glycated Hemoglobin A"[MH] OR
"Guideline Adherence"[MH] OR
"Health Resources"[MH] OR
"Health Services"[MH] OR
"Health Status Indicators"[MH] OR
"Health status"[MH] OR
"Job Satisfaction"[MH] OR
"Mortality"[MH] OR
"Outcome and Process Assessment, Health Care"[MH] OR
"Outcome Assessment, Health Care"[MH] OR
"Pain"[MH] OR
"Patient Satisfaction"[MH] OR
"Personal Satisfaction"[MH] OR
"Prescriptions"[MH] OR
"Professional Role"[MH] OR
"Quality of Health Care"[MH] OR
"Referral and Consultation"[MH] OR
"Task Performance and Analysis"[MH] OR
"Treatment Adherence and Compliance"[MH] OR
"Advance Directive Adherence"[tiab] OR
"Schedule"[tiab] OR
"Schedules"[tiab] OR
"Appointment"[tiab] OR
"Appointments"[tiab] OR
"Attendance"[tiab] OR
"Biomarker"[tiab] OR

Date of last revision: November 26, 2020

"Biomarkers"[tiab] OR
"Blood Pressure"[tiab] OR
"Care Process"[tiab] OR
"Care Processes"[tiab] OR
"Cholesterol"[tiab] OR
"Chronic disease"[tiab] OR
"Chronic diseases"[tiab] OR
"Chronic illness"[tiab] OR
"Chronic illnesses"[tiab] OR
"Chronic condition"[tiab] OR
"Chronic conditions"[tiab] OR
"clinical outcome"[tiab] OR
"clinical outcomes"[tiab] OR
"clinical parameter"[tiab] OR
"clinical parameters"[tiab] OR
"Compliant"[tiab] OR
"Compliance"[tiab] OR
"Consumer Behavior"[tiab] OR
"Consumer Behaviors"[tiab] OR
"Consumer Behaviour"[tiab] OR
"Consumer Behaviours"[tiab] OR
"Cost"[tiab] OR
"Costs"[tiab] OR
"Cost analysis"[tiab] OR
"Cost analyses"[tiab] OR
"Delivery of healthcare"[tiab] OR
"Delivery of health care"[tiab] OR
"Delivery of health-care"[tiab] OR
"Healthcare delivery"[tiab] OR
"Health care delivery"[tiab] OR
"Health-care delivery"[tiab] OR
"Routine test"[tiab] OR
"Routine tests"[tiab] OR
"Routine testing"[tiab] OR
"Diagnostic Test"[tiab] OR
"Diagnostic Tests"[tiab] OR
"Diagnostic Testing"[tiab] OR
"Routine diagnostic test"[tiab] OR
"Routine diagnostic tests"[tiab] OR
"Routine diagnostic testing"[tiab] OR
"economic evaluation"[tiab] OR
"economic evaluations"[tiab] OR
"economic analysis"[tiab] OR
"economic analyses"[tiab] OR
"Emergency Service"[tiab] OR
"Emergency Services"[tiab] OR
"Glycated Hemoglobin A"[tiab] OR
"Glycated Haemoglobin A"[tiab] OR

Date of last revision: November 26, 2020

"Guideline Adherence"[tiab] OR
"HbA1C"[tiab] OR
"high-density lipoprotein"[tiab] OR
"high density lipoprotein"[tiab] OR
"hdl"[tiab] OR
"healthcare"[tiab] OR
"health-care"[tiab] OR
"health care"[tiab] OR
"indicator"[tiab] OR
"indicators"[tiab] OR
"Health Planning"[tiab] OR
"Health Plannings"[tiab] OR
"Health Resource"[tiab] OR
"Health Resources"[tiab] OR
"Health Service"[tiab] OR
"Health Services"[tiab] OR
"Health status indicator"[tiab] OR
"Health status indicators"[tiab] OR
"Health status"[tiab] OR
"hospital admission"[tiab] OR
"hospital admissions"[tiab] OR
"hospital referral"[tiab] OR
"hospital referrals"[tiab] OR
"Hypertension"[tiab] OR
"Job Satisfaction"[tiab] OR
"low-density lipoprotein"[tiab] OR
"low density lipoprotein"[tiab] OR
"ldl"[tiab] OR
"Lipid profile"[tiab] OR
"Lipid profiles"[tiab] OR
"Manpower"[tiab] OR
"Mortality"[tiab] OR
"Mortalities"[tiab] OR
"Death"[tiab] OR
"Deaths"[tiab] OR
"Outcome Assessment"[tiab] OR
"Outcome Assessments"[tiab] OR
Healthcare process assessment[tiab] OR
Healthcare process assessments[tiab] OR
Health care process assessment[tiab] OR
Health care process assessments[tiab] OR
Health-care process assessment[tiab] OR
Health-care process assessments[tiab] OR
"Pain"[tiab] OR
"Pains"[tiab] OR
"Patient Satisfaction"[tiab] OR
"Personal Satisfaction"[tiab] OR
"prefer"[tiab] OR

Date of last revision: November 26, 2020

"preferred"[tiab] OR
"preference"[tiab] OR
"preferences"[tiab] OR
"Prescribe"[tiab] OR
"Prescribed"[tiab] OR
"prescription"[tiab] OR
"prescriptions"[tiab] OR
"Process of care"[tiab] OR
"Processes of care"[tiab] OR
"Professional Role"[tiab] OR
"Professional Roles"[tiab] OR
"quality indicator"[tiab] OR
"quality indicators"[tiab] OR
"Quality of Health Care"[tiab] OR
"Quality of Health-Care"[tiab] OR
"Quality of Healthcare"[tiab] OR
"Health Care Quality"[tiab] OR
"Health-Care Quality"[tiab] OR
"Healthcare Quality"[tiab] OR
"Quality of life"[tiab] OR
"QOL"[tiab] OR
"Health-related quality of life"[tiab] OR
"Health related quality of life"[tiab] OR
"HRQOL"[tiab] OR
"Consultation"[tiab] OR
"Consultations"[tiab] OR
"Referral"[tiab] OR
"Referrals"[tiab] OR
"return visit"[tiab] OR
"return visits"[tiab] OR
"return appointment"[tiab] OR
"return appointments"[tiab] OR
"follow-up visit"[tiab] OR
"follow-up visits"[tiab] OR
"follow up visit"[tiab] OR
"follow up visits"[tiab] OR
"follow-up appointment"[tiab] OR
"follow-up appointments"[tiab] OR
"Follow up appointment"[tiab] OR
"Follow up appointments"[tiab] OR
"satisfaction"[tiab] OR
"satisfied"[tiab] OR
"satisfactory"[tiab] OR
"Task Analysis"[tiab] OR
"Task Analyses"[tiab] OR
"Task Performance"[tiab] OR
"Treatment Compliance"[tiab] OR
"Treatment compliant"[tiab] OR

Date of last revision: November 26, 2020

"treatment-compliant"[tiab] OR
"Treatment Adherence"[tiab] OR
"treatment adherent"[tiab] OR
"treatment-adherent"[tiab] OR
"Wellness"[tiab]
OR
"Anthropometry"[MH] OR
"Body Weight"[MH] OR
"Culturally Competent Care"[MH] OR
"diet"[MH] OR
"Diet, Food, and Nutrition"[MH] OR
"Exercise"[MH] OR
"Health Education"[MH] OR
"Health Promotion"[MH] OR
"Healthy Lifestyle"[MH] OR
"Mental Health"[MH] OR
"Nutrition Assessment"[MH] OR
"Nutritional Status"[MH] OR
"poverty"[MH] OR
"Preventive Health Services"[MH] OR
"Smoking Cessation"[MH] OR
"Smoking Prevention"[MH] OR
"Smoking"[MH] OR
"Teaching"[MH] OR
"Tobacco Smoke Pollution"[MH] OR
"Tobacco Use"[MH] OR
"Condition specific"[tiab] OR
"Condition-specific"[tiab] OR
"physical activity"[tiab] OR
"anthropometric"[tiab] OR
"anthropometrics"[tiab] OR
"anthropometrical"[tiab] OR
"anthropometrically"[tiab] OR
"Anthropometry"[tiab] OR
"Body Weight"[tiab] OR
"Culturally Competent Care"[tiab] OR
"Culturally-competent care"[tiab] OR
"culturally diverse"[tiab] OR
"culturally-diverse"[tiab] OR
"Diet"[tiab] OR
"Diets"[tiab] OR
"Dietary"[tiab] OR
"Dietetics"[tiab] OR
"Dietetical"[tiab] OR
"Dietetically"[tiab] OR
"Food regimen"[tiab] OR
"Food regimens"[tiab] OR
"Dietary regimen"[tiab] OR

Date of last revision: November 26, 2020

"Dietary regimens"[tiab] OR
"Dietary restriction"[tiab] OR
"Dietary restrictions"[tiab] OR
"emotional health"[tiab] OR
"Exercise"[tiab] OR
"Health Education"[tiab] OR
"Health Promotion"[tiab] OR
"promotion of health"[tiab] OR
"healthy habit"[tiab] OR
"healthy habits"[tiab] OR
"Lifestyle"[tiab] OR
"Life-style"[tiab] OR
"Life style"[tiab] OR
Healthy life habit[tiab] OR
Healthy life habits[tiab] OR
"healthy living"[tiab] OR
"stress level"[tiab] OR
"stress levels"[tiab] OR
"low income"[tiab] OR
"low-income"[tiab] OR
"Mental Health"[tiab] OR
"Nutrition Assessment"[tiab] OR
"Nutrition"[tiab] OR
"Nutritional Status"[tiab] OR
"nutritional"[tiab] OR
"poverty"[tiab] OR
"socioeconomic status"[tiab] OR
"socio-economic status"[tiab] OR
"Preventive Health Service"[tiab] OR
"Preventive Health Services"[tiab] OR
"Health prevention"[tiab] OR
"Promotion"[tiab] OR
"second-hand smoke"[tiab] OR
"second hand smoke"[tiab] OR
"Smoke"[tiab] OR
"Smokes"[tiab] OR
"Smoked"[tiab] OR
"Smoker"[tiab] OR
"Smokers"[tiab] OR
"Smoking Cessation"[tiab] OR
"Smoking Prevention"[tiab] OR
"Quit smoking"[tiab] OR
"Quitting smoking"[tiab] OR
"Stop smoking"[tiab] OR
"Stopping smoking"[tiab] OR
"Smoking"[tiab] OR
"Teach"[tiab] OR
"Taught"[tiab] OR

Date of last revision: November 26, 2020

"Teaching"[tiab] OR
"Tobacco Use"[tiab] OR
"Weight"[tiab]
OR
"Immunization"[MH] OR
"Maternal Health Services"[MH] OR
"Primary Prevention"[MH] OR
"Secondary Prevention"[MH] OR
"Sexually Transmitted Diseases"[MH] OR
"Vaccination"[MH] OR
"Pediatrics"[MH] OR
"Child Development"[MH] OR
"Human Development"[MH] OR
"Adolescent"[MH] OR
"Immunization"[tiab] OR
"Immunisation"[tiab] OR
"Immunize"[tiab] OR
"Immunizes"[tiab] OR
"Immunized"[tiab] OR
"Immunise"[tiab] OR
"Immunises"[tiab] OR
"Immunised"[tiab] OR
"laboratory test"[tiab] OR
"Maternal Health Service"[tiab] OR
"Maternal Health Services"[tiab] OR
"pregnancy"[tiab] OR
"Prevent"[tiab] OR
"Prevents"[tiab] OR
"Prevented"[tiab] OR
"Prevention"[tiab] OR
"Primary Prevention"[tiab] OR
"Secondary Prevention"[tiab] OR
"sexually transmitted"[tiab] OR
"sexually-transmitted"[tiab] OR
"Vaccination"[tiab] OR
"Vaccine"[tiab] OR
"Vaccines"[tiab] OR
"Vaccinate"[tiab] OR
"Vaccinates"[tiab] OR
"Vaccinated"[tiab] OR
"Pediatric"[tiab] OR
"Pediatrics"[tiab] OR
"Paediatric"[tiab] OR
"Paediatrics"[tiab] OR
"Childhood development"[tiab] OR
"Child development"[tiab] OR
"Childhood"[tiab] OR
"Human development"[tiab] OR

Date of last revision: November 26, 2020

"healthy development"[tiab] OR
"youth"[tiab] OR
"youths"[tiab] OR
"adolescence"[tiab]
"adolescent"[tiab]
"adolescents"[tiab]
OR
"Acute Coronary Syndrome"[MH] OR
"Adjustment Disorders"[MH] OR
"Alcohol Drinking"[MH] OR
"Alcohol-Related Disorders"[MH] OR
"Anxiety Disorders"[MH] OR
"Blood Glucose"[MH] OR
"Cancer Survivors"[MH] OR
"Cardiovascular Diseases"[MH] OR
"Coronary Disease"[MH] OR
"Depressive Disorder"[MH] OR
"Diabetes Mellitus"[MH] OR
"diabetes, gestational"[MH] OR
"Diabetic Foot"[MH] OR
"Health Care Evaluation Mechanisms"[MH] OR
"Health Information Interoperability"[MH] OR
"Heart Failure"[MH] OR
"Ischemia"[MH] OR
"Mental Disorders"[MH] OR
"Neoplasms"[MH] OR
"pain management"[MH] OR
"pain"[MH] OR
"Papanicolaou Test"[MH] OR
"Patient Reported Outcome Measures"[MH] OR
"Physical Examination"[MH] OR
"Pulmonary Disease, Chronic Obstructive"[MH] OR
"Quality Indicators, Health Care"[MH] OR
"Rehabilitation"[MH] OR
"Self care"[MH] OR
"Self Efficacy"[MH] OR
"Stroke"[MH] OR
"Dementia"[MH] OR
"Acute Coronary Syndrome"[tiab] OR
"Acute Coronary Syndromes"[tiab] OR
"ACS"[tiab] OR
"ACSs"[tiab] OR
"Adjustment Disorder"[tiab] OR
"Adjustment Disorders"[tiab] OR
"Alcohol Drinking"[tiab] OR
"Alcohol-Related Disorder"[tiab] OR
"Alcohol-Related Disorders"[tiab] OR
"Alcohol Related Disorder"[tiab] OR

Date of last revision: November 26, 2020

"Alcohol Related Disorders"[tiab] OR
"Alcohol consumption"[tiab] OR
"Alcoholic"[tiab] OR
"Alcoholism"[tiab] OR
"Anxiety Disorder"[tiab] OR
"Anxiety Disorders"[tiab] OR
"Anxiety"[tiab] OR
"anxious"[tiab] OR
"Blood Glucose"[tiab] OR
"Blood sugar"[tiab] OR
"Blood sugars"[tiab] OR
"Cancer survivor"[tiab] OR
"Cancer survivors"[tiab] OR
"Cancer survival"[tiab] OR
"Cancer"[tiab] OR
"Cardiovascular disease"[tiab] OR
"Cardiovascular diseases"[tiab] OR
"CVD"[tiab] OR
"CVDs"[tiab] OR
"complication"[tiab] OR
"complications"[tiab] OR
"copd"[tiab] OR
"Chronic Obstructive Pulmonary Disease"[tiab] OR
"Chronic Obstructive Pulmonary Disorder"[tiab] OR
"Chronic Obstructive Pulmonary Disorders"[tiab] OR
"Coronary Disease"[tiab] OR
"Coronary Diseases"[tiab] OR
"Coronary artery disease"[tiab] OR
"Coronary artery diseases"[tiab] OR
"depression"[tiab] OR
"depressed"[tiab] OR
"depressive"[tiab] OR
"Depressive Disorder"[tiab] OR
"Depressive Disorders"[tiab] OR
"Diabetes Mellitus"[tiab] OR
"Diabetes"[tiab] OR
"Diabetic Foot"[tiab] OR
"foot complication"[tiab] OR
"foot complications"[tiab] OR
"gestational diabetes"[tiab] OR
"glycaemic"[tiab] OR
"glycaemia"[tiab] OR
"glycemic"[tiab] OR
"glycemia"[tiab] OR
"HealthCare Evaluation Mechanism"[tiab] OR
"HealthCare Evaluation Mechanisms"[tiab] OR
"Health Care Evaluation Mechanism"[tiab] OR
"Health Care Evaluation Mechanisms"[tiab] OR

Date of last revision: November 26, 2020

"Health-Care Evaluation Mechanism"[tiab] OR
"Health-Care Evaluation Mechanisms"[tiab] OR
"Health Information Interoperability"[tiab] OR
Interoperability of Health Information[tiab] OR
Inter-operability of Health Information[tiab] OR
"Interoperability"[tiab] OR
"Inter-operability"[tiab] OR
"Interoperable"[tiab] OR
"Inter-operable"[tiab] OR
"Heart Failure"[tiab] OR
"Congestive heart failure"[tiab] OR
"CHF"[tiab] OR
"Ischemia"[tiab] OR
"Ischemias"[tiab] OR
"ischemic stroke"[tiab] OR
"ischemic strokes"[tiab] OR
"Ischaemia"[tiab] OR
"Ischaemias"[tiab] OR
"ischaemic stroke"[tiab] OR
"ischaemic strokes"[tiab] OR
"Mental Disorder"[tiab] OR
"Mental Disorders"[tiab] OR
"mental health"[tiab] OR
"mentally healthy"[tiab] OR
"Mental illness"[tiab] OR
"Mental illnesses"[tiab] OR
"Mentally ill"[tiab] OR
"Neoplasm"[tiab] OR
"Neoplasms"[tiab] OR
"Oncology"[tiab] OR
"Oncologist"[tiab] OR
"Oncologists"[tiab] OR
"pain management"[tiab] OR
"management of pain"[tiab] OR
"managing pain"[tiab] OR
"managed pain"[tiab] OR
"pain"[tiab] OR
"pains"[tiab] OR
"Pap test"[tiab] OR
"Pap tests"[tiab] OR
"Papanicolaou Test"[tiab] OR
"Papanicolaou Tests"[tiab] OR
"Patient Reported Experience Measure"[tiab] OR
"Patient Reported Experience Measures"[tiab] OR
"Patient Reported Outcome Measure"[tiab] OR
"Patient Reported Outcome Measures"[tiab] OR
"Patient-Reported Experience Measure"[tiab] OR
"Patient-Reported Experience Measures"[tiab] OR

Date of last revision: November 26, 2020

"Patient-Reported Outcome Measure"[tiab] OR
"Patient-Reported Outcome Measures"[tiab] OR
"Physical Exam"[tiab] OR
"Physical Exams"[tiab] OR
"Physical Examination"[tiab] OR
"Physical Examinations"[tiab] OR
"PREM"[tiab] OR
"PREMs"[tiab] OR
"PROM"[tiab] OR
"PROMs"[tiab] OR
"promotion"[tiab] OR
"psychosocial"[tiab] OR
"psycho social"[tiab] OR
"psycho-social"[tiab] OR
"Health Care Quality Indicator"[tiab]
"Health Care Quality Indicators"[tiab]
"Healthcare Quality Indicator"[tiab]
"Healthcare Quality Indicators"[tiab]
"Health-care Quality Indicator"[tiab]
"Health-care Quality Indicators"[tiab]
"Quality indicator of health care"[tiab]
"Quality indicators of health care"[tiab]
"Quality indicator of healthcare"[tiab]
"Quality indicators of healthcare"[tiab]
"Quality indicator of health-care"[tiab]
"Quality indicators of health-care"[tiab]
"Quality Indicator"[tiab] OR
"Quality Indicators"[tiab] OR
"Rehabilitation"[tiab] OR
"self care"[tiab] OR
"Self Efficacy"[tiab] OR
"self-care"[tiab] OR
"self-efficacy"[tiab] OR
"Stroke"[tiab] OR
"Strokes"[tiab] OR
"cerebrovascular accident"[tiab] OR
"cerebrovascular accidents"[tiab] OR
"CVA"[tiab] OR
"CVAs"[tiab] OR
"Dementia"[tiab] OR
"Dementias"[tiab]
OR
"Allied Health Personnel"[MH] OR
"ambulatory care"[MH] OR
"Ambulatory Care Information Systems"[MH] OR
"Appointments and Schedules"[MH] OR
"Clinical Competence"[MH] OR
"Duration of Therapy"[MH] OR

Date of last revision: November 26, 2020

"Education"[MH] OR
"Educational Measurement"[MH] OR
"Evidence-Based Practice"[MH] OR
"Harm Reduction"[MH] OR
"Health Behavior"[MH] OR
"Health Care Costs"[MH] OR
"Health Care Economics and Organizations"[MH] OR
"Health Care Facilities, Manpower, and Services"[MH] OR
"Health Care Quality, Access, and Evaluation"[MH] OR
"Health Knowledge, Attitudes, Practice"[MH] OR
"Health Plan Implementation"[MH] OR
"Health Services Accessibility"[MH] OR
"Healthcare Disparities"[MH] OR
"Hospital Shared Services"[MH] OR
"House Calls"[MH] OR
"Length of Stay"[MH] OR
"Office Visits"[MH] OR
"Patient Acceptance of Health Care"[MH] OR
"patient admission"[MH] OR
"Patient Advocacy"[MH] OR
"Prescriptions"[MH] OR
"Referral and Consultation"[MH] OR
"Training Support"[MH] OR
"Universal Health Care"[MH] OR
"Allied Health Personnel"[tiab] OR
"Access to care"[tiab] OR
"care access"[tiab] OR
"Access to health-care"[tiab] OR
"Access to healthcare"[tiab] OR
"Access to health care"[tiab] OR
"Health Personnel"[tiab] OR
"ambulatory care"[tiab] OR
"Ambulatory Care Information System"[tiab] OR
"Ambulatory Care Information Systems"[tiab] OR
"Schedule"[tiab] OR
"Schedules"[tiab] OR
"Scheduled"[tiab] OR
"Appointment"[tiab] OR
"Appointments"[tiab] OR
"Clinical Competence"[tiab] OR
"Clinical Competency"[tiab] OR
"Clinical Competencies"[tiab] OR
"Cost outcome"[tiab] OR
"Cost outcomes"[tiab] OR
"Cost"[tiab] OR
"Costs"[tiab] OR
"direct cost"[tiab] OR
"direct costs"[tiab] OR

Date of last revision: November 26, 2020

"indirect cost"[tiab] OR
"indirect costs"[tiab] OR
"Duration of Therapy"[tiab] OR
"Therapy duration"[tiab] OR
"Therapy durations"[tiab] OR
"Length of therapy"[tiab] OR
"Therapy length"[tiab] OR
"Therapy lengths"[tiab] OR
"Education"[tiab] OR
"Educational Measurement"[tiab] OR
"Educational Measurements"[tiab] OR
"Evidence-based intervention"[tiab] OR
"Evidence-based interventions"[tiab] OR
"Evidence-based policy"[tiab] OR
"Evidence-based policies"[tiab] OR
"Evidence-Based Practice"[tiab] OR
"Evidence-Based Practices"[tiab] OR
"Harm Reduction"[tiab] OR
"Reduction of harm"[tiab] OR
"Harm prevention"[tiab] OR
"Prevention of harm"[tiab] OR
"Health Behavior"[tiab] OR
"Health Behaviors"[tiab] OR
"Health Behaviour"[tiab] OR
"Health Behaviours"[tiab] OR
"HealthCare Cost"[tiab] OR
"HealthCare Costs"[tiab] OR
"Health Care Cost"[tiab] OR
"Health Care Costs"[tiab] OR
"Health-Care Cost"[tiab] OR
"Health-Care Costs"[tiab] OR
"HealthCare Organization"[tiab] OR
"HealthCare Organizations"[tiab] OR
"Health Care Organization"[tiab] OR
"Health Care Organizations"[tiab] OR
"Health-Care Organization"[tiab] OR
"Health-Care Organizations"[tiab] OR
"HealthCare Economics"[tiab] OR
"Health Care Economics"[tiab] OR
"Health-Care Economics"[tiab] OR
"HealthCare Facility"[tiab] OR
"HealthCare Facilities"[tiab] OR
"Health-Care Facility"[tiab] OR
"Health-Care Facilities"[tiab] OR
"Health Care Facility"[tiab] OR
"Health Care Facilities"[tiab] OR
"Health-Care Manpower"[tiab] OR
"Health Care Manpower"[tiab] OR

Date of last revision: November 26, 2020

"HealthCare Service"[tiab] OR
"HealthCare Services"[tiab] OR
"Health-Care Service"[tiab] OR
"Health-Care Services"[tiab] OR
"Health Care Service"[tiab] OR
"Health Care Services"[tiab] OR
"HealthCare Quality"[tiab] OR
"Health-Care Quality"[tiab] OR
"Health Care Quality"[tiab] OR
"Quality HealthCare"[tiab] OR
"Quality Health-Care"[tiab] OR
"Quality Health Care"[tiab] OR
"Health Care Access"[tiab] OR
"Health-Care Access"[tiab] OR
"HealthCare Access"[tiab] OR
"HealthCare Evaluation"[tiab] OR
"HealthCare Evaluations"[tiab] OR
"Health Care Evaluation"[tiab] OR
"Health Care Evaluations"[tiab] OR
"Health-Care Evaluation"[tiab] OR
"Health-Care Evaluations"[tiab] OR
"Evaluation of Health Care"[tiab] OR
"Evaluation of Health-Care"[tiab] OR
"Evaluation of HealthCare"[tiab] OR
"Evaluations of Health Care"[tiab] OR
"Evaluations of Health-Care"[tiab] OR
"Evaluations of HealthCare"[tiab] OR
"Evaluate Health Care"[tiab] OR
"Evaluate Health-Care"[tiab] OR
"Evaluate HealthCare"[tiab] OR
"Evaluates Health Care"[tiab] OR
"Evaluates Health-Care"[tiab] OR
"Evaluates HealthCare"[tiab] OR
"Evaluated Health Care"[tiab] OR
"Evaluated Health-Care"[tiab] OR
"Evaluated HealthCare"[tiab] OR
"Evaluating Health Care"[tiab] OR
"Evaluating Health-Care"[tiab] OR
"Evaluating HealthCare"[tiab] OR
"Health Knowledge"[tiab] OR
"Knowledge of Health"[tiab] OR
"Health Attitude"[tiab] OR
"Health Attitudes"[tiab] OR
"Health Plan Implementation"[tiab] OR
"Health Resource Utilization"[tiab] OR
"Utilization of Health Resources"[tiab] OR
"Health Resource Utilisation"[tiab] OR
"Utilisation of Health Resources"[tiab] OR

Date of last revision: November 26, 2020

"Health Resource Usage"[tiab] OR
"Usage of health Resources"[tiab] OR
"Health Resource Usages"[tiab] OR
"Usages of Health Resources"[tiab] OR
"Health Service Accessibility"[tiab] OR
"Health Services Accessibility"[tiab] OR
"Accessibility of Health Services"[tiab] OR
"Access to Health Services"[tiab] OR
"Healthcare Disparity"[tiab] OR
"Health Care Disparity"[tiab] OR
"Health-Care Disparity"[tiab] OR
"Healthcare Disparities"[tiab] OR
"Health Care Disparities"[tiab] OR
"Health-Care Disparities"[tiab] OR
"healthy environment"[tiab] OR
"healthy environments"[tiab] OR
"Hospital Shared Service"[tiab] OR
"Hospital Shared Services"[tiab] OR
"House Call"[tiab] OR
"House Calls"[tiab] OR
"Length of Stay"[tiab] OR
"Lengths of Stay"[tiab] OR
"LOS"[tiab] OR
"Office Visit"[tiab] OR
"Office Visits"[tiab] OR
"Patient Acceptance"[tiab] OR
"patient admission"[tiab] OR
"patient admissions"[tiab] OR
"Admission of patient"[tiab] OR
"Admission of patients"[tiab] OR
"Patient Advocacy"[tiab] OR
"Prescription"[tiab] OR
"Prescriptions"[tiab] OR
"Consultation"[tiab] OR
"Consultations"[tiab] OR
"Referral"[tiab] OR
"Referrals"[tiab] OR
"return visit"[tiab] OR
"return visits"[tiab] OR
"Training Support"[tiab] OR
"Universal Health-Care"[tiab] OR
"Universal Health Care"[tiab] OR
"Universal HealthCare"[tiab] OR
"unplanned"[tiab]
OR
"Delivery of Health Care"[MH] OR
"Frailty"[MH] OR
"Global Health"[MH] OR

Date of last revision: November 26, 2020

"Health Equity"[MH] OR
"Health Literacy"[MH] OR
"Health Status Disparities"[MH] OR
"Healthcare Disparities"[MH] OR
"Income"[MH] OR
"Insurance Coverage"[MH] OR
"International Classification of Functioning, Disability and Health"[MH] OR
"Marital Status"[MH] OR
"Minority Health"[MH] OR
"Oceanic Ancestry Group"[MH] OR
"Patient Selection"[MH] OR
"Population Dynamics"[MH] OR
"Population Groups"[MH] OR
"Poverty Areas"[MH] OR
"Refusal to Treat"[MH] OR
"Religion"[MH] OR
"Social Discrimination"[MH] OR
"Socioeconomic Factors"[MH] OR
"Treatment Failure"[MH] OR
"Aboriginal"[tiab] OR
"Communication Barriers"[tiab] OR
"Delivery of HealthCare"[tiab] OR
"Delivery of Health Care"[tiab] OR
"Delivery of Health-Care"[tiab] OR
"HealthCare Delivery"[tiab] OR
"Health Care Delivery"[tiab] OR
"Health-Care Delivery"[tiab] OR
"Disability Evaluation"[tiab] OR
"Discrimination"[tiab] OR
"equity"[tiab] OR
"Frailty"[tiab] OR
"Global Health"[tiab] OR
"Health Equity"[tiab] OR
"Health Literacy"[tiab] OR
"Health Status Disparity"[tiab] OR
"Health Status Disparities"[tiab] OR
"Income"[tiab] OR
"Incomes"[tiab] OR
"Insurance coverage"[tiab] OR
"Insurance coverages"[tiab] OR
"Insurance cover"[tiab] OR
"Insurance covers"[tiab] OR
"Insurance covered"[tiab] OR
"International Classification of Functioning, Disability and Health"[tiab] OR
"inequal"[tiab] OR
"inequality"[tiab] OR
"inequalities"[tiab] OR
"Marital status"[tiab] OR

Date of last revision: November 26, 2020

"Minority Health"[tiab] OR
"Health of minority"[tiab] OR
"Health of minorities"[tiab] OR
"Oceanic Ancestry Group"[tiab] OR
"Oceanic Ancestry Groups"[tiab] OR
"Patient selection"[tiab] OR
"population dynamics"[tiab] OR
"Dynamics of populations"[tiab] OR
"Population group"[tiab] OR
"Population groups"[tiab] OR
"Poverty"[tiab] OR
"Poverty area"[tiab] OR
"Poverty areas"[tiab] OR
"Refusal to Treat"[tiab] OR
"Refusal-to-Treat"[tiab] OR
"Religion"[tiab] OR
"Religions"[tiab] OR
"safety net"[tiab] OR
"Safety-net"[tiab] OR
"Gender Minority"[tiab] OR
"Gender Minorities"[tiab] OR
"Sexual Minority"[tiab] OR
"Sexual Minorities"[tiab] OR
"Sexual Orientation"[tiab] OR
"Sexual Orientations"[tiab] OR
"Social Discrimination"[tiab] OR
"Social Discriminations"[tiab] OR
"Social support"[tiab] OR
"treatment failure"[tiab] OR
"treatment failures"[tiab] OR
"Treatment preference"[tiab] OR
"Treatment preferences"[tiab] OR
"Vulnerability"[tiab] OR
"Vulnerabilities"[tiab] OR
"Vulnerable"[tiab] OR
"Healthcare Disparity"[tiab] OR
"Health Care Disparity"[tiab] OR
"Health-Care Disparity"[tiab] OR
"Healthcare Disparities"[tiab] OR
"Health-care Disparities"[tiab] OR
"Health care Disparities"[tiab])
AND
(systematic[sb] or
meta-analysis[pt] or
meta-analysis as topic[mh] or
meta-analysis[mh] or
meta analy*[tw] or
metanaly*[tw] or

Date of last revision: November 26, 2020

metaanaly*[tw] or
met analy*[tw] or
integrative research[tiab] or
integrative review*[tiab] or
integrative overview*[tiab] or
research integration*[tiab] or
research overview*[tiab] or
collaborative review*[tiab] or
collaborative overview*[tiab] or
systematic review*[tiab] or
((overview*[ti] or review[ti] or synthesis[ti] or summary[ti] or cochrane[ti] or analysis[ti]) and
(reviews[ti] or meta-analyses[ti] or articles[ti] or umbrella[ti])) or
"umbrella review"[tiab] or
(meta-review[tiab] or meta review[tiab]) or
((overview*[ti] or reviews[ti]) and (systematic[ti] or cochrane[ti])) or
(reviews[tiab] and (meta [tiab] or published[tiab] or quality[tiab] or included[tiab] or summar*[tiab])) or
("cochrane reviews"[tiab]) or
(evidence[ti] and (reviews[ti] or meta-analyses[ti]))

Date of last revision: November 26, 2020

Appendix 2: Preliminary search strategies for unpublished literature

CADTH Information Services, Grey Matters: a practical tool for searching health-related grey literature

<https://www.cadth.ca/resources/finding-evidence/grey-matters>

Organization for Economic Co-operation and Development (OECD)

<http://www.oecd.org/>

ProQuest Dissertation and Theses

<https://about.proquest.com/products-services/pqdtglobal.html>

World Health Organization

<https://www.who.int/>

00 - GENERAL, MULTIDISCIPLINARY

East View Information Services

<http://www.eastview.com>

GreyNet International, Grey literature Network Service

<http://www.greynet.org>

Grijze Literatuur in Nederland, GLIN

<http://www.publiekwijzer.nl/bestanden.php?id=zoeknaar&db=3.2>

Italian Grey Literature Database

<http://polarcnr.area.ge.cnr.it/cataloghi/bice/index.php?type=Grigia>

National Repository of Grey Literature, NRGL

<http://www.nusl.cz/?lang=en>

OpenGrey Repository, System for Information on Grey Literature in Europe

<http://www.opengrey.eu>

[NEW ENTRY](#)

06 - BIOLOGICAL & MEDICAL SCIENCES

Cochrane Reviews

<http://www.cochrane.org/reviews/en/mr000010.html>

Doctor of Nursing Practice, DNP

<http://libguides.rutgers.edu/content.php?pid=449135&sid=3680427>

Duke University Medical Center Library

<http://guides.mclibrary.duke.edu/greyliterature>

Gray Literature in Health Research

<http://researchguides.dml.georgetown.edu/content.php?pid=352972&sid=2887419>

Grey Horizon, A Grey Literature Current Awareness Tool in Cancer Care

<http://grey-horizon.blogspot.nl/>

Grey Literature for Dentistry

<http://guides.library.utoronto.ca/dentistry>

Grey Literature in the Health Sciences

<http://guides.library.upenn.edu/healthgreylit?hs=a>

Grey Literature Report - New York Academy of Medicine

<http://www.greylit.org>

HealthKnowledge

<http://www.healthknowledge.org.uk/public-health-textbook/research-methods/1a-epidemiology/grey-literature>

Lister Hill Library of the Health Sciences

<http://libguides.lhl.uab.edu/GreyLit>

Mesothelioma Guide

<https://www.mesotheliomaguide.com/mesothelioma/causes/asbestos-and-cancer/>

Mesothelioma.net

<http://www.mesothelioma.net>

Norris Medical Library - Grey Literature Resource Guide

http://norris.usc.libguides.com/grey_literature

Nursing and Allied Health Resource Section, NAHRS

<http://sites.google.com/site/nahrsnursingresources/Home/grey-literature-1>

Social Policy and Practice

<http://bathhealthnews.blogspot.com/2009/11/new-database-social-policy-practice.html>

Health Sciences Library and Informatics Center

<http://libguides.health.unm.edu/content.php?pid=200149>

University of Waterloo

http://www.lib.uwaterloo.ca/discipline/health_kin/grey_literature.html