

Supplementary file 4: All risk factors for hypertension amongst commercial drivers in Sub-Saharan Africa

Author	Country	Risk factor information
Appiah et al.	Ghana	Not reported
Shownade et al.	Nigeria	Not reported
Oyeniyi et al.	Nigeria	<ol style="list-style-type: none"> 1. Overweight/obese AOR=6.2, [95% CI:1.9-20.7] 2. Central obesity AOR=6.4, [95% CI:1.5-27.0] 3. Family Hx: AOR=4.1, [95% CI:1.9-80] 4. Hypercholesterolemia: AOR=4.0, [(95% CI:1.2-13.2)]
Lalla-Edward et al	South Africa	Not reported
Setorglo et al.	Ghana	Not reported
Aban	Ghana	<ol style="list-style-type: none"> 1. Duration of driving (>14yrs): AOR=7.7, [95% CI:2.6-25.0]
Anto et al.	Ghana	<ol style="list-style-type: none"> 1. Ageing: AOR=5.1, [95% CI:2.1-12.3] 2. Current smoker: AOR=7.1, [95% CI:1.5-33.8] 3. Alcohol: AOR=3.2, [95% CI:2.1-4.8] 4. Sleep inhibitors: AOR=3.2, [95% CI:2.0-5.3] 5. Night eating: AOR=8.2, [95%CI:5.5-12.2]
Odeyinka et al	Nigeria	<ol style="list-style-type: none"> 1. Advanced Age: AOR=2.4, [95% CI:1.0-5.9] 2. Central Obesity: AOR=2.4, [95% CI:1.0-5.8]
Yosef	Ethiopia	<ol style="list-style-type: none"> 1. Not reported
Adedokun et al.	Nigeria	<ol style="list-style-type: none"> 1. Advanced Age: AOR=2.2, [95% CI:1.3-3.7] 2. Overweight/Obese: AOR=3.4, [95% CI:2.1-5.4] 3. Alcohol consumption: AOR=2.8, [95% CI:1.7-4.4] 4. Duration of driving (>5yrs.): AOR=1.8, [95% CI:1.1-2.7] 5. Diabetes: AOR=3.1, [95% CI:1.5-6.4]
Amoran et al	Nigeria	<ol style="list-style-type: none"> 1. Not reported
Amadi et al	Nigeria	<ol style="list-style-type: none"> 1. Advanced Age: AOR=1.1 [95% CI:1.1-1.2] 2. Overweight/Obese: AOR=3.0, [95% CI:1.7-5.3] 2.
Tobin et al	Nigeria	<ol style="list-style-type: none"> 1. Not reported
Erhiano et al.,	Nigeria	<ol style="list-style-type: none"> 1. Advanced Age:AOR=4.2, [95% CI:2.2-6.0] 2. Overweight/Obese: AOR=3.9, [95% CI:2.7-8.2] 2.

