

BMJ Open

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-042503
Article Type:	Original research
Date Submitted by the Author:	07-Jul-2020
Complete List of Authors:	Urquhart, Robin; Dalhousie University Faculty of Medicine, Community Health and Epidemiology Kendell, Cynthia ; Nova Scotia Health Authority, Surgery Cornelissen, Evelyn; The University of British Columbia Faculty of Medicine, Department of Family Practice Powell, Byron; Washington University in St. Louis, Brown School Madden, Laura; Dalhousie University Faculty of Medicine, Surgery Kissmann, Glenn; Interior Health Authority Richmond, Sarah; Public Health Ontario, Health Promotion, Chronic Disease and Injury Prevention; University of Toronto, Division of Epidemiology, Dalla Lana School of Public Health Bender, Jacqueline; Princess Margaret Hospital Cancer Centre,
Keywords:	ONCOLOGY, HEALTH SERVICES ADMINISTRATION & MANAGEMENT, QUALITATIVE RESEARCH

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Title: Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Authors: Robin Urquhart^{1,2,3,4}, Cynthia Kendell^{2,3}, Evelyn Cornelissen⁵, Byron J. Powell⁶, Laura L. Madden², Glenn Kissmann⁷, Sarah A. Richmond^{4,8}, Jacqueline L. Bender^{4,9}

Affiliations:

1. Department of Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia, Canada
2. Department of Surgery, Dalhousie University, Halifax, Nova Scotia, Canada
3. Nova Scotia Health Authority, Halifax, Nova Scotia, Canada
4. Dalla Lana School of Public Health, University of Toronto, Toronto, Ontario, Canada
5. Department of Family Practice, Faculty of Medicine, University of British Columbia, Kelowna, British Columbia, Canada
6. Brown School, Washington University in St. Louis, St. Louis, Missouri, USA
7. Interior Health, Kelowna, British Columbia, Canada
8. Public Health Ontario, Toronto, Ontario, Canada
9. ELLICSR/Department of Supportive Care, Princess Margaret Cancer Centre, University Health Network, Toronto, Ontario, Canada

Word count: 4601

No of tables: 2

No of figures: 1

Email addresses:

robin.urquhart@nshealth.ca (corresponding author)

cynthia.kendell@ccns.nshealth.ca

evelyn.cornelissen@ubc.ca

bjpowell@wustl.edu

maddlaura@gmail.com

glenn.kissmann@interiorhealth.ca

sarah.a.richmond@gmail.com

jackie.bender@uhnresearch.ca

Corresponding author: Robin Urquhart

ABSTRACT

Objectives: Moving innovations into health care organizations to increase positive health outcomes remains a significant challenge. Even when knowledge and tools are adopted, they often fail to become integrated into the long-term routines of organizations. The objective of this study was to identify factors and processes influencing the sustainability of innovations in cancer survivorship care. **Design:** Qualitative study using semi-structured, in-depth interviews, informed by grounded theory. Data were collected and analyzed concurrently, using constant comparative analysis. **Setting:** 25 cancer survivorship innovations based in six Canadian provinces. **Participants:** Twenty-seven implementation leaders and relevant staff from across Canada involved in the implementation of innovations in cancer survivorship. **Results:** The findings were categorised according to determinants, processes, and implementation outcomes, and whether a factor was necessary to sustainability, or important but not necessary. Seven determinants, six processes, and three implementation outcomes were perceived to influence sustainability. The necessary determinants were 1) management support; 2) organizational and system-level priorities; and 3) key people and expertise. Necessary processes were 4) innovation adaptation; 5) stakeholder engagement; and 6) ongoing education and training. The only necessary implementation outcome was 7) widespread staff and organizational buy-in for the innovation. **Conclusions:** Factors influencing the sustainability of cancer survivorship innovations exist across multiple levels of the health system and are often interdependent. Study findings may be used by implementation teams to plan for sustainability from the beginning of innovation adoption initiatives. **Keywords:** oncology, health services administration and management, qualitative research

STRENGTHS AND LIMITATIONS OF THIS STUDY

- The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” and we provide a comprehensive inquiry of factors and processes influencing the sustainability of innovations in health care.
- We interviewed 27 implementation leaders and relevant staff from 25 cancer survivorship innovations that were implemented across Canadian jurisdictions.
- We used several implementation science frameworks and taxonomies to design our study and analyse and interpret the findings.
- This is a critical area of inquiry, given there is limited empirical data on the processes by which innovations are sustained in clinical settings as well as the considerable investment over the past decade to implement beneficial innovations so more people have access to high-quality health care.

INTRODUCTION

Across Canada, many studies have identified gaps in the delivery of cancer care whereby the care patients receive is not consistent with scientific evidence [1-8]. The Canadian Strategy for Cancer Control estimated that cancer outcomes could improve by as much as 30% by routinely applying existing evidence in practice [9]. Similarly, the World Health Organization estimated that worldwide, one-third of cancer cases could be prevented and another one-third cured if evidence-based practices were consistently implemented and sustained in care [10]. Importantly, even when knowledge and tools are put into practice, they often fail to become integrated into the long-term routines of organizations [11-13]. This poor sustainment means many patients do not benefit from the best care possible [14-16].

The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” [17]. In the past decade, a number of researchers have published conceptual models on innovation sustainability in health care [18-21], while recent reviews have provided syntheses of how researchers in the field define and approach sustainability [22, 23]. Nevertheless, there remains limited empirical data on the processes by which innovations are sustained in clinical settings and the factors that influence sustainability [17, 24-26].

Focusing on cancer survivorship care, this study examined whether and how various evidence-based innovations have been sustained. Cancer survivorship was the focus of this study for three reasons: 1) the number of cancer survivors has grown substantially due to advances in early diagnosis and treatment [27]; 2) cancer survivorship has become a strategic policy focus, with Canadian decision-makers seeking ways to deliver care and implement innovations that address the needs and circumstances of this growing population; and 3) cancer research funders in Canada have explicitly stated a need to integrate *what we know* into survivorship programs and policy [28]. The specific objectives were to 1) identify factors influencing sustainability and 2) explore the processes that facilitate the sustainability of innovations in cancer survivorship care.

MATERIALS AND METHODS

Study design

We conducted a qualitative study, informed by the principles of grounded theory [29], on the sustainability of evidence-based innovations in cancer survivorship care that have been implemented across Canadian jurisdictions. An innovation was defined as new knowledge, tools, or interventions (including programs and services) that organizations are using for the first time [30]. An innovation was considered evidence-based if at least one published peer-reviewed study, using an experimental or quasi-experimental design, demonstrated improved outcomes for the target population. This is the criterion used by the National Cancer Institute for Research-Tested Intervention Programs specifically for cancer control and cancer survivorship interventions [31]. Sustainability was defined as the *continuation* of the innovation's activities or outcomes beyond the initial implementation stage or initial funding period [32]. This study was approved by the Nova Scotia Health Authority's Research Ethics Board. All participants provided written informed consent before participating in the study.

Patient and Public Involvement

No patient involved.

Conceptual Frameworks

The study was informed by Scheirer's work on sustainability [32, 33], the dynamic sustainability framework (DSF) [19], and Nilsen's taxonomy of implementation frameworks [34]. Scheirer's work was used during sampling, specifically to identify innovations based on innovation type: those implemented by individual providers; those requiring coordination among multiple staff; new policies, procedures, and technologies; capacity or infrastructure building; collaborative partnerships or coalitions; and broad-

1
2
3 scale system change. The DSF proposes that the “fit” between the innovation (specifically, interventions)
4 and the setting is key to sustainability, and focuses on three main elements: the intervention, practice
5 setting or context, and broader ecological system. This framework informed development of the
6 interview guide (e.g., questions and probes around the innovation, practice setting, and broader health
7 care system) and ongoing analyses/interpretation. Nilsen’s taxonomy was used during data analysis only
8 to categorize the resultant findings (see below).
9
10
11
12
13
14
15
16
17
18

19 **Participants**

20
21 Participants were implementation leaders and relevant staff from across Canada involved in the
22 implementation of a range of innovations in cancer survivorship care (e.g., self-management tools,
23 physical activity programs, and models of follow-up care). We purposively recruited participants to
24 maximize variation in cancer site, type of innovation [33], and geographic setting. Individual recruitment
25 involved purposive sampling to identify the implementation leader(s) and/or staff member(s) who was
26 most directly involved in the implementation and/or sustainment of the innovation. These individuals
27 were contacted by the lead author (RU) via email and invited to participate. Data collection continued
28 until thematic saturation was reached [35].
29
30
31
32
33
34
35
36
37
38
39
40

41 **Data Collection**

42
43 We conducted one-on-one, semi-structured telephone interviews with participants. An interview guide
44 was developed based on the study objectives and the DSF, using practical guidance from Patton [36] and
45 Rubin and Rubin [37]. The interviews focused on eliciting participants’ understandings of the innovation,
46 the process by which it was implemented, whether and how the innovation is sustained, and the multi-
47 level factors affecting its sustained use and impact. One master’s trained research associate with
48 experience in qualitative methods (LLM) conducted all interviews, which lasted approximately 40-60
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 minutes. The interviewer had no prior relationship with any of the participants, and no repeat
4
5 interviews were conducted. Field notes were taken during interviews to record interviewer observations
6
7 and perceptions. All interviews were audiotaped and transcribed verbatim.
8
9

10 11 12 **Data Analysis**

13
14 Consistent with grounded theory, the interview data were collected and analyzed concurrently. An
15
16 inductive approach, using constant comparative analysis, was used to analyze the interview transcripts
17
18 [29]. Analysis involved coding, constant comparison, and identification, organization, and refinement of
19
20 categories. To help ensure consistency and conceptual clarity throughout the process of coding and
21
22 categorization, a coding framework (i.e., “codebook”) was developed by the lead author (RU) and
23
24 research associate (LLM). This was achieved through review of three transcripts and a team discussion.
25
26
27 Next, the research associate used the codebook to code the remaining transcripts, with regular
28
29 meetings between the same two individuals to review coding and the consistency of applying the codes
30
31 to the interview text, consult with field notes, and refine the codebook as needed. Qualitative software
32
33 (NVivo 10, QSR International, 2012) was used for data management and to facilitate comparison and
34
35 synthesis of codes. Several full team meetings were also conducted to review coding and discuss
36
37 emerging findings.
38
39
40

41
42 During a final two-day team meeting, the resultant findings were categorised according to
43
44 determinants, processes, and implementation outcomes, and whether the data suggested a factor was
45
46 necessary to sustainability or important but not necessary. Drawing on Nilsen’s taxonomy of
47
48 implementation frameworks [34], we categorized factors as those that help us understand and/or
49
50 explain what influences outcomes (determinants), those that describe the processes that help translate
51
52 innovations into practice (processes), and those that identify important aspects by which to evaluate the
53
54 initial implementation (implementation outcomes). Regarding the latter, implementation outcomes
55
56
57
58
59
60

1
2
3 were specifically defined as “the effects of deliberate and purposive actions to implement new
4
5 treatments, practices and services” [38]. Determining whether a factor was ‘necessary’ or ‘important
6
7 but not necessary’ was an iterative process that involved analyzing participant perspectives on this issue
8
9 as well as the data on whether and the extent to which a specific innovation was sustained (i.e.,
10
11 *continued* activities or outcomes beyond the initial implementation stage or initial funding period [32],
12
13 as described above) in the presence or absence of all resultant factors. If innovations were sustained in
14
15 the absence of a particular factor, then this factor was deemed important but not necessary.
16
17
18
19
20

21 RESULTS

22
23 Twenty-seven participants from 25 unique cancer survivorship innovations based in six Canadian
24
25 provinces (British Columbia, Alberta, Manitoba, Ontario, Quebec, and Nova Scotia) participated in this
26
27 study. Most, but not all, innovations were sustained to some degree in that activities continued after the
28
29 initial funding period. The innovations were grouped into five categories, depending on its intended
30
31 purpose: physical activity programs, psychological support/counselling, transition to survivorship
32
33 programs, transition to primary care programs, and return to life and lifestyle programs. Eighteen were
34
35 delivered in-person, four were delivered online, and three were delivered both in-person and online.
36
37
38

39 Sixteen factors were perceived to influence sustainability: seven determinants, five processes,
40
41 and four implementation outcomes (Figure 1). Seven of these were deemed necessary, while nine were
42
43 important but not necessary. Table 1 presents all 16 factors, with brief descriptions. The necessary
44
45 determinants, discussed in detail below, were 1) management support; 2) organizational and system-
46
47 level priorities; and 3) key people and expertise. Necessary processes were 4) adaptation; 5) stakeholder
48
49 engagement; and 6) ongoing education and training. The only necessary implementation outcome was
50
51 7) staff and organizational buy-in for the innovation.
52
53
54
55
56
57
58
59
60

Necessary Determinants

Management support

Participants continually voiced their experience that the support of middle and senior managers is imperative to the sustained use of any innovation. Their experience was that even with all other pieces in place, it is extremely challenging to sustain any innovation without management support. As one participant stated, “*Management support, for sure, is very important, especially for growth. Um, very, very important*” [Participant 19]. Participants noted that management support tends to result in ongoing funding, whether this is the direct provision of funds (e.g., out of their program budget) or advocating for funding from other sources. Participants also described how it is often difficult for managers to support innovations in survivorship care because of competing priorities and that survivorship care does not result in quantifiable metrics in the same the way other areas of care do:

I would say that it’s one of the ... tougher components for people, for senior management, to buy into because it’s a softer metric to try to collect in a way. Because it’s not like you’ve got numbers of patients going through chemo or radiation. It’s not, you know, survivorship care is a lot harder to look at that data and try to figure out if it’s meaningful or worth it. [Participant 2]

Participants also noted that management support is much higher when an innovation and its sustainment are appropriately resourced and funded. Innovations that do not have secure funding require managers to transfer operational funds and/or allocate other resources (e.g., staff time) away from existing programs and services.

Organizational and system-level priorities

All participants discussed how survivorship care is perceived as a low organizational and health system priority relative to other cancer programs and services. As one participant stated, “*It’s not because people aren’t interested in [survivorship care], it’s just that it’s maybe seen, maybe viewed as the nice to*

1
2
3 *have, not the need to have*" [Participant 2]. As a result, the sustainment of innovations that have been
4 implemented were described as particularly challenging, regardless of the extent to which program
5 components are in place and working well. Participants described several instances whereby
6 survivorship care was prioritized and therefore initial implementation efforts were well supported and
7 resourced. One example of this is a focus on post-cancer treatment transitions mandated by the
8 province of Ontario: *"Having Cancer Care Ontario ... starting to really implement comprehensive care*
9 *that includes the patient, not just the tumour, is really helpful. Because our hospitals are funded by the*
10 *degree to which they meet these mandates"* [Participant 18]. However, participants noted that even
11 when innovations appeared to be integrated, shifting priorities at the health authority or government
12 level often meant that sustainability was threatened. Speaking about an innovation related to
13 transitioning survivors from active treatment to well follow-up care, one participant explained:

14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
There had been significant shifting in terms of how our organization was structured and who
actually had the authority and power, and their viewpoint on all of it. And, so, we couldn't at
that point really proceed with it because the organization was really shifting away from that
work. [Participant 11]

Key people and expertise

Participants continually emphasized the importance of two key individuals for ongoing sustainment of
innovations: clinical champions and dedicated coordinators (or similar personnel). Ongoing champions
were deemed necessary for sustainability. Several innovations illustrated this perspective. One was a
program aimed at transitioning low-risk survivors back to primary care after treatment. This program,
led by a tremendously well-respected clinical champion, had been in place for more than four years and
appeared well integrated within the cancer care setting. However, upon loss of the champion, the
program was substantially altered and eventually dwindled to minimal use. Conversely, two other

1
2
3 transition programs, in other jurisdictions, did not secure ongoing funding after the initial pilots, but
4
5 maintained ongoing activities simply because the clinical champions continued the service, sometimes in
6
7 a voluntary role (i.e., during evenings and weekends) despite a lack of funding and other resources.
8
9

10 For many programs, participants also described dedicated program coordinators (or staff
11
12 members with a coordination role) as being a necessary resource for sustainability, playing a
13
14 complementary role to clinical champions. Their experience was that such a role was necessary to
15
16 ensure the innovation was running smoothly, including the continuation of activities and tracking of
17
18 deliverables. As one participant said:
19
20

21 It could conceivably be just a small team or one person working remotely, coordinating this kind
22
23 of thing and sort of, like I said, overseeing the [innovation] and making sure that technological
24
25 and referral purpose is running smoothly. But, it has to be, it does have to be there. It can't run
26
27 itself. [Participant 7]
28
29

30 Many participants highlighted that certain expertise or skillsets are often needed for an innovation to
31
32 continue to work efficiently and effectively. An example was the presence of certified exercise
33
34 professionals for physical activity programs.
35
36
37
38

39 **Necessary Processes**

40 *Adaptation*

41 All participants emphasized that adaptation, not fidelity, is necessary for sustainability. Participants
42
43 discussed how their task, as leaders and staff of innovations, was to ensure that the innovation evolved
44
45 and adapted as necessary in their particular setting. Their view was that without adaptation, there was
46
47 no sustainability. Adaptation was necessary to allow the team/organization to continually meet the
48
49 needs of patients and to maintain fit with the setting/environment (e.g., changing staff, capacity,
50
51 resources, policies, and political environment). As one participant stated:
52
53
54
55
56
57
58
59
60

1
2
3 Our being flexible and adapting to what would work, both for ourselves and our limited
4
5 resources and time and for our patients. I think if we hadn't adapted the program, we wouldn't
6
7 still be offering it. So, we had to adapt and change and shorten and condense, while sticking to
8
9 the hearts and, you know, key concepts of the program. [Participant 17]

10
11
12 Table 2 provides examples of adaptations to each type of innovation. Many were related to delivery
13
14 mechanisms with the goal of increasing accessibility of the program and/or its feasibility (e.g., changing
15
16 the frequency or timing of delivery, moving some components to online delivery, changing referral
17
18 processes). Moreover, it was widely recognized that adaptation was necessary because the evidence
19
20 base for innovations change. An innovation today, both its components and target population, will likely
21
22 change as new evidence becomes available: *"I think it's imperative to keep current with the evidence for
23
24 whatever it is you're offering. And making adaptations with the program that are in keeping with the
25
26 evidence"* [Participant 6].
27
28
29
30
31

32 *Stakeholder engagement*

33
34 Participants described the engagement of important stakeholders (e.g., physicians, patients,
35
36 administrators) as essential to sustainability. The data indicated participants viewed engagement as
37
38 critical for two reasons. First, engagement increases awareness of the innovation, its evidence base, and
39
40 its potential benefits, and helps to develop trust and a sense of ownership with regard to the innovation.
41
42

43 As one participant said:

44
45 ... the consultations in advance and the getting the people on board and having their input into
46
47 how things are gonna look and design, I think that was required in order to get any of them on
48
49 board for something that would be a voluntary change in practice. [Participant 8]

50
51
52 Second, engagement contributed to the practice-based adaptation of the innovations to optimize fit to
53
54 the local setting. This engagement occurred through mechanisms such as establishing Steering or
55
56
57
58
59
60

1
2
3 Advisory Committees composed of key stakeholders, conducting needs assessments, meeting with
4 multidisciplinary cancer site teams/tumour boards, consulting with primary care providers/networks,
5 and co-designing with patient and/or physician groups. Participants described engagement as positively
6 changing both the engaged person (through building a sense of ownership and personal investment;
7 discussed below) as well as the innovation itself (through adaptation to the local setting; discussed
8 above), both viewed as essential to sustainability.
9
10
11
12
13
14
15
16
17
18

19 *Ongoing education and training*

20
21 Participants across all organizations and jurisdictions emphasized that ongoing education and training
22 was required to sustain their innovations. This was particularly true due to high staff turnover, which
23 was deemed prevalent across organizations and jurisdictions. The nature of academic health care
24 settings, with turnover of learners on an ongoing and frequent basis, was also described as a challenge
25 to sustainability:
26
27
28
29
30

31
32 Probably one of the biggest barriers is that there's always new staff that come along, like fellows
33 and residents and stuff like that. So, um, you know, they're often just not even aware. So
34 unless there's some kind of process in place to sort of orient them to those types of things then
35 they won't be delivering it. [Participant 16]
36
37
38
39
40

41 Ongoing training was viewed as particularly important in cancer survivorship care given the absence of
42 formal education and training in survivorship issues for most health care providers. One participant put
43 it this way: "...teaching, teaching the next one, so that ... we can grow our force of people involved in
44 survivorship care. If we don't invest in that then, well then, I'm never gonna have a vacation"
45
46
47
48
49 [Participant 24].
50
51
52
53
54

55 **Necessary Implementation Outcome**

Widespread staff and organizational buy-in

Participants stated that ongoing and widespread staff and organizational buy-in is absolutely necessary for sustainability. One participant summed this up by saying, “*without buy in and support from the physicians, from other nurses, from the other allied health staff, from the receptionist, from everybody, um, the program wouldn’t work*” [Participant 23]. Participants discussed many factors during the implementation period that lead to widespread buy-in, including attributes of the innovation itself (e.g., ease of use), how the innovation is initially framed/presented (including its evidence base), stakeholder engagement, and whether it is a priority of senior management. Participants also stated that the overall low priority of survivorship care (relevant to other areas of cancer care) serves to decrease buy-in from at all levels of the organizations.

Important but not necessary

The data suggested 9 factors were important to sustainability, but not necessary. These are presented in Table 1. For example, while resources in the form of funding, equipment, and physical space are very important for many innovations, the data demonstrated that, with the exception of one innovation, the loss of the initial implementation funding, or the lack of additional funding, equipment, or space to expand beyond the implementation phase, did not result in a loss of the innovation if other necessary factors were present (e.g., key people). Similarly, penetration of the innovation into existing workflows and systems, particularly hospital information technology systems, was perceived as important to many of the innovations, yet many innovations were sustained (oftentimes described as continuation of program components and activities) in the absence of penetration when other necessary components were in place.

DISCUSSION

1
2
3 We investigated the factors influencing the sustainability of 25 different types of innovations in cancer
4 survivorship care. The findings revealed a number of factors deemed necessary for sustainability:
5
6 management support; organizational and system-level priorities; key people and expertise; innovation
7
8 adaptation; stakeholder engagement; ongoing education and training; and staff and organizational buy-
9
10 in. These findings are important given the considerable investment over the past decade to implement
11
12 and scale beneficial innovations within and across Canadian jurisdictions so more people have access to
13
14 high-quality cancer survivorship care. They point to specific factors implementation teams should
15
16 consider and plan for to achieve their desired outcomes and maximize the long-term impact of these
17
18 investments.
19
20
21
22
23
24

25 Many of the determinants, processes, and outcomes identified in this study align with the emerging
26
27 literature in this area. A recently developed framework [26] from a 2018 review on sustainability
28
29 identified four key processes that the evidence suggests are important to sustainability:
30
31 partnership/engagement, training/supervision, program evaluation, and adaptation. Moreover, program
32
33 champions, leadership/support, resources/funding, and staffing/turnover were all identified as key inner
34
35 (organizational) contextual factors that influence sustainability. While the concepts may be phrased
36
37 differently, our findings markedly align with the existing evidence in this area. There were also several
38
39 factors identified by participants in this study that are somewhat unique, or not explicitly specified, in
40
41 the literature. One of these is the speed of implementation, which participants viewed as being
42
43 important because a slow(er) implementation allows implementation teams the time to plan for and
44
45 implement in a way that leverages the key elements needed for sustainability. Moreover, we
46
47 categorized a number of our findings as implementation outcomes, which are necessary for or
48
49 important to sustainability. While we recognize that sustainability has been described as an
50
51 implementation outcome itself [38], few researchers have attempted to describe or delineate the
52
53
54
55
56
57
58
59
60

1
2
3 impact of more proximal implementation outcomes (e.g., adoption) on the sustained use of an
4
5 innovation, yet these proximal outcomes may act as moderators to sustainability (e.g., continuation of
6
7 program components/activities and/or continuation of desired outcomes). Such relationships could be
8
9 tested in future research.
10

11
12
13
14 The emphasis on the essential role of adaptation for sustainability deserves discussion. Participants
15
16 were implementation leaders and relevant staff involved in the implementation and/or sustainment of
17
18 innovations relevant to cancer survivorship care. Their perspectives were largely practice-based, with an
19
20 acute recognition that one-sized-fits-all innovations do not work for most settings. This is supported by
21
22 the increasing awareness in the literature that adaptation is common and likely necessary to facilitate
23
24 sustainability [19, 26, 39, 40]. Many of the described adaptations were made in response to
25
26 unanticipated challenges, and thus might be better termed modifications [39]. Moreover, many were to
27
28 form, rather than function [41, 42]. That is, adaptations were made to specific strategies or activities
29
30 (forms) rather than the intended purposes the innovation aims to achieve (functions). For example,
31
32 educating and supporting patients to more effectively manage their post-treatment health concerns
33
34 (function) may be accomplished through various activities, such as one-on-one teaching, individualized
35
36 care plans, and so on (forms). These types of adaptations demonstrate the importance of 'flexibility
37
38 within fidelity' [43] or fidelity-consistent adaptations [39] for sustainability. In its methodology standards
39
40 for studies of complex interventions, the Patient-Centered Outcomes Research Institute (PCORI) in the
41
42 US advises researchers and implementation teams to clearly delineate an intervention's core functions
43
44 and forms, and to maintain fidelity to the core functions while documenting adaptations to form [44]. By
45
46 doing so, we can provide better guidance to those who are implement and evaluate such interventions.
47
48
49
50
51
52 This reinforces the need for ongoing evaluation post-implementation to understand the what and why
53
54
55
56
57
58
59
60

1
2
3 of adaptations, and how these relate to sustainability; in this study, less than half of the innovations
4
5 were evaluated post-implementation.
6
7
8
9

10 We categorized widespread buy-in as an implementation outcome. We defined widespread buy-in as a
11
12 commitment to the innovation by a larger group of individuals within the organization or the
13
14 organization as whole, specifically their commitment to support and engage in an initiative. Although we
15
16 could find no clear definition or operational specificity of this concept in the existing health literature,
17
18 the management and business literature does characterize buy-in in terms of one's intellectual and
19
20 emotional commitment to an organization's cause and/or plan [45], and provides guidance to increase
21
22 buy-in during organizational change initiatives [46]. While buy-in, as we have defined, can be present
23
24 during the decision to adopt an innovation and/or its implementation, buy-in is also a desired result of
25
26 the strategies and activities (e.g., communications, education/training, use of opinion leaders) put in
27
28 place during implementation. By and large, implementation teams are seeking to achieve buy-in. In this
29
30 way, it aligns with the definition of implementation outcomes proposed by Proctor, namely "the effects
31
32 of the deliberate and purposive actions to implement new treatments, practices, and services" [38].
33
34 However, buy-in is not one of the eight commonly-used implementation outcomes [38]. We posit that
35
36 perhaps this construct might be a useful addition to implementation outcomes and thereby efforts to
37
38 understand how to appropriately operationalize and measure buy-in are needed.
39
40
41
42
43
44
45

46 Clearly, many of the factors presented here relate to one another and are not independent influences
47
48 on sustainability. For example, stakeholder engagement (a process) often serves to increase wide-
49
50 spread buy-in (an outcome), which then may result in additional resources (a determinant) to sustain an
51
52 innovation. Such interdependence will be present in the sustainability of any complex innovation, and
53
54 demonstrates the 'messiness' of both the science and practice in this area. Future research should
55
56
57
58
59
60

1
2
3 attempt to delineate what combination of factors might be most important for different types of
4
5 innovations.
6
7
8
9

10 From a methodological standpoint, during sampling, we attempted to identify and categorize programs
11 based on Scheirer's suggested innovation types: innovations implemented by individual providers;
12 interventions requiring coordination among multiple staff; new policies, procedures, and technologies;
13 capacity or infrastructure building; collaborative partnerships or coalitions; and broad-scale system
14 change [33]. In practice, this was challenging for several reasons. One, there are few innovations in
15 cancer survivorship that are implemented by individual providers. Two, many of the innovations crossed
16 categories. For example, many innovations required coordination across multiple staff, represented new
17 policies, procedures, or technologies, *and* involved collaborative partnerships with community- or
18 research-based groups. Thus, the most appropriate category was difficult to select and we therefore
19 categorized the innovations by function (i.e., its intended purpose) rather than the level or nature of the
20 change. These are not limitations of Scheirer's taxonomy, but demonstrate the complexity that can arise
21 when attempting to fit into pre-existing categories. We continue to advocate for and support the use of
22 existing nomenclature, taxonomies, and frameworks to help build an evidence base in this area.
23
24 Nonetheless, while such frameworks should guide our work, we cannot be constrained by them when
25 they are not helpful in the context of a particular study.
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

46 This study has a number of strengths. First, we interviewed participants from 25 different survivorship
47 innovations across six jurisdictions, which should increase the transferability of findings. Second, we
48 built on others' work in sustainability, including existing taxonomies and frameworks, to advance
49 knowledge in this area. This study also has several limitations. First, this study focused solely on
50 innovations in cancer survivorship. This may limit transferability to innovations in other areas of care,
51
52
53
54
55
56
57
58
59
60

1
2
3 although there is no inherent reason why innovations in cancer survivorship should differ from
4 innovations in other areas of chronic disease management that aim to address the physical,
5 psychosocial, and economic sequelae of an illness and its treatment. Second, we attempted to
6 discriminate between factors that are more salient or perceived by participants as necessary to
7 sustainability as opposed to factors that are important, but not necessary. This dichotomization may be
8 somewhat artificial and not true for all settings or innovations. We did this in an attempt to avoid a
9 'laundry list' of every possible determinant of sustainability. It also attempts to address one of the gaps
10 in our understanding of the factors that influence sustainability: namely, are some factors more critical
11 than others [26]? This is a first step toward identifying critical factors (determinants, processes, and
12 implementation outcomes) of sustainability. Future research should also focus on developing metrics
13 and methods to prioritize these factors, and combinations thereof, and link them to appropriate
14 strategies.

15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32 In conclusion, this study demonstrated that certain determinants, processes, and implementation
33 outcomes influence the sustainability of innovations in cancer survivorship care. These factors exist
34 across multiple levels of the health system and are often interdependent. They also demonstrate the
35 dynamic nature of sustainability. Three examples of this dynamism are the ongoing nature of
36 adaptation, the shifting nature of priorities that can change the local landscape and resulting support for
37 sustainment, and the turnover of champions and support staff. The findings may be used by researchers,
38 decision-makers, and implementation teams to plan for sustainability during the early implementation
39 of innovations, particularly factors shown to be necessary to the long-term use of innovations.

ACKNOWLEDGMENTS

We gratefully acknowledge the study participants who took the time to participate in this study as well as Margaret Jorgensen for her assistance with study coordination. We also acknowledge Designs that Cell for illustrating Figure 1.

FUNDING STATEMENT

The work was supported by a research grant from the Canadian Cancer Society Research Institute (Grant # 704897). BJP was supported in part by the U.S. National Institute of Mental Health (K01MH113806; Powell, PI) and the U.S. National Cancer Institute (P50CA244431; Brownson, PI).

AUTHOR CONTRIBUTIONS

Conceptualization, RU, CK, EC, BJP, GK, SAR, and JLB; Methodology, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Formal Analysis, RU, LLM; Writing – Original Draft Preparation, RU; Writing – Review & Editing, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Funding Acquisition, RU, CK, EC, BJP, GK, SAR, and JLB. All authors read and approved the final manuscript.

COMPETING INTERESTS

The authors declare no competing interests.

DATA SHARING STATEMENT

This is a qualitative dataset and therefore not publicly available due to confidentiality reasons.

Table 1. Factors influencing the sustainability of cancer survivorship innovations. Bolding represents necessary factors.

	FACTOR	DESCRIPTION
DETERMINANTS	Management support	The support of middle and senior managers is critical for sustainability. It is difficult to sustain any innovation in the absence of management support.
	Organizational and system-level priorities	Survivorship care is generally not an organizational or system-level priority, making sustainability challenging. Even when survivorship is prioritized, shifting priorities at health authority or government levels often mean sustainability is threatened.
	Key people & expertise	Key people, namely clinical champions and project/program coordinators, are particularly important to maintaining an innovation's activities and use. Often, certain expertise or skillsets are required for an innovation to work efficiently and effectively.
	Resources	Resources in the form of funding, physical space, and equipment are often very important to sustainment, particularly to expand a program or service beyond the population served in the initial pilot phase.
	Complexity	Innovations that are simple, require less time to use, and the coordination and/or cooperation of fewer organizational members are easier to sustain.
	Evidence	Scientific evidence of an innovation's effectiveness contributes to sustainability by strengthening the case for funding, increasing its priority level, and strengthening buy-in from frontline staff (mainly physicians).
	Partnerships	Partnerships with other similar organizations, including community-based organizations, are not necessary for sustainability but can be very important as they permit the sharing of resources and expertise.
	PROCESSES	Adaptation
Stakeholder engagement		The engagement of key stakeholders (e.g., physicians, patients, administrators) is essential to sustainability by developing a sense of ownership over the innovation and allowing for practice-based adaptations that optimize fit with the local setting.
Ongoing education and training		Ongoing education and training is necessary to sustain innovations, particularly due to high levels of staff turnover in cancer care settings.
Speed of implementation		The speed of implementation can impact sustainability. Specifically, implementing slowly permits the time to get many of the key elements in place (e.g., training and ongoing supports, metrics and data collection/reporting procedures,

		stakeholder engagement) that support the long-term sustainment of the innovation.
	Feedback and evaluation	Feedback and evaluation, while not necessary, is important to sustainability as it helps to demonstrate the innovation's value, maintain credibility, maintain buy-in, and help secure ongoing resources, including funding.
IMPLEMENTATION OUTCOMES	Staff and organizational buy-in	Widespread and ongoing staff and organizational buy-in is necessary for sustainability. Many factors during the implementation period lead to buy-in.
	Adds value	Adding value to the organization (e.g., through positive publicity) and its staff (e.g., saving staff time) helps to maintain buy-in, and increases opportunities for partnerships and additional resources.
	Adoption	A lack of adoption, specifically by patients, threatens sustainability. Many survivorship innovations rely on patients being aware that a particular program or resource is available and choosing to access it. Low patient uptake reinforces the perception such innovations are low priority.
	Penetration	Integrating the innovation into the service setting and its existing subsystems is important to sustainability. These systems include existing clinical workflows, including EMRs, physician ordering, and other forms of documentation. Such integration can provide automatic referrals for programs/services and serve as reminders regarding use.

Table 2. Innovation types and examples of adaptations.

INNOVATION TYPE	FUNCTION	EXAMPLES OF ADAPTATIONS
Physical activity programs	To increase physical activity among cancer survivors	Changes in timing and length of delivery; changes in setting (cancer centre versus community)
Psychological support/counselling	To provide cancer survivors with the tools to manage/cope with psychological, emotional, and social distress	Changes in length of sessions; addition of orientation sessions; transition to online delivery, including apps for smartphones
Transition to survivorship programs	To support cancer survivors' transition from active (intensive) cancer treatment to routine follow-up care	Automatic referrals to program; changes in timing of delivery; changes in setting (cancer centre versus community); addition of content (e.g., self-management)
Transition to primary care programs	To support cancer survivors' transition from specialist-led follow-up care to primary care-led follow-up	Tailoring of tools (e.g., specific recommendations, list of community resources) to cancer types; changes in delivery mode (e.g., mailed versus faxed versus emailed communications)
Return to life and lifestyle programs	To help cancer survivors return to a "new normal" after cancer treatment and/or to support lifestyle changes to improve overall health and well-being	Addition of orientation sessions; automatic registration; transition to online delivery; refinement of websites; addition of content (e.g., sexuality and cancer); changes in frequency, timing, and length of delivery

REFERENCES

1. Corkum M, Urquhart R, G K, Hayden JA, Porter G: **Breast and cervical cancer screening behaviours among colorectal cancer survivors in Nova Scotia.** *Curr Oncol* 2014, **21**(5):e670-677.
2. Johnson PM, Malatjalian D, Porter GA: **Adequacy of nodal harvest in colorectal cancer: a consecutive cohort study.** *J Gastrointest Surg* 2002, **6**(6):883-888; discussion 889-890.
3. Porter GA, Urquhart R, Bu J, Johnson PJ, Grunfeld E: **The impact of audit and feedback on nodal harvest in colorectal cancer.** *BMC Cancer* 2011, **11**:2.
4. Rayson D, Urquhart R, Cox M, Grunfeld E, Porter G: **Adherence to clinical practice guidelines for adjuvant chemotherapy for colorectal cancer in a Canadian province: a population-based analysis.** *J Oncol Pract* 2012, **8**(4):253-259.
5. Richardson DP, Porter GA, Johnson PM: **Population-based use of sphincter-preserving surgery in patients with rectal cancer: is there room for improvement?** *Dis Colon Rectum* 2013, **56**(6):704-710.
6. Urquhart R, Folkes A, Porter G, C K, Cox M, R D, E G: **Population-based longitudinal study of follow-up care for colorectal cancer patients in Nova Scotia.** *J Oncol Pract* 2012, **8**(4):246-252.
7. Latosinsky S, Fradette K, Lix L, Hildebrand K, Turner D: **Canadian breast cancer guidelines: have they made a difference?** *CMAJ* 2007, **176**(6):771-776.
8. Cree M, Tonita J, Turner D, Nugent Z, Alvi R, Barss R, King C, Winget M: **Comparison of treatment received versus long-standing guidelines for stage III colon and stage II/III rectal cancer patients diagnosed in Alberta, Saskatchewan, and Manitoba in 2004.** *Clin Colorectal Cancer* 2009, **8**(3):141-145.
9. Canadian Strategy for Cancer Control: **The Canadian Strategy for Cancer Control: a cancer plan for Canada - Discussion Paper.** In. Ottawa, ON: CSCC Governing Council; 2006.
10. World Health Organization: **Bridging the "know-do" gap. Meeting on knowledge translation in global health. Geneva, Switzerland.** In.; 2006.
11. Ejemot RI, Ehiri JE, Meremikwu MM, Critchley JA: **Hand washing for preventing diarrhoea.** *Cochrane Database Syst Rev* 2008(1):CD004265.
12. Wilson KD, Kurz RS: **Bridging implementation and institutionalization within organizations: proposed employment of continuous quality improvement to further dissemination.** *J Public Health Manag Pract* 2008, **14**(2):109-116.
13. Gillissen F, Ament SM, Maessen JM, Dejong CH, Dirksen CD, van der Weijden T, von Meyenfeldt MF: **Sustainability of an Enhanced Recovery After Surgery Program (ERAS) in Colonic Surgery.** *World J Surg* 2014.
14. Kryworuchko J, Stacey D, Bai N, Graham ID: **Twelve years of clinical practice guideline development, dissemination and evaluation in Canada (1994 to 2005).** *Implement Sci* 2009, **4**:49.
15. Grunfeld E: **Canadian breast cancer guidelines are as effective as possible under the circumstances.** *CMAJ* 2007, **176**(6):785-786.
16. Sheldon TA, Cullum N, Dawson D, Lankshear A, Lowson K, Watt I, West P, Wright D, Wright J: **What's the evidence that NICE guidance has been implemented? Results from a national evaluation using time series analysis, audit of patients' notes, and interviews.** *BMJ* 2004, **329**(7473).
17. Proctor E, Luke D, Calhoun A, McMillen C, Brownson R, McCrary S, Padek M: **Sustainability of evidence-based healthcare: research agenda, methodological advances, and infrastructure support.** *Implement Sci* 2015, **10**:88.

18. Maher L, DH G, Evans A: **Sustainability model and guide**. In. Coventry, UK: Institute for Innovation and Improvement, National Health Service. Available at: <http://www.institute.nhs.uk/sustainability>; 2010.
19. Chambers DA, Glasgow RE, Stange KC: **The dynamic sustainability framework: addressing the paradox of sustainment amid ongoing change**. *Implement Sci* 2013, **8**:117.
20. Schell SF, Luke DA, Schooley MW, Elliott MB, Herbers SH, Mueller NB, Bunger AC: **Public health program capacity for sustainability: a new framework**. *Implement Sci* 2013, **8**:15.
21. Shelton RC, Chambers DA, Glasgow RE: **An Extension of RE-AIM to Enhance Sustainability: Addressing Dynamic Context and Promoting Health Equity Over Time**. *Front Public Health* 2020, **8**:134.
22. Lennox L, Maher L, Reed J: **Navigating the sustainability landscape: a systematic review of sustainability approaches in healthcare**. *Implement Sci* 2018, **13**:27.
23. Moore JE, Mascarenhas A, Bain J, Straus SE: **Developing a comprehensive definition of sustainability**. *Implement Sci* 2017, **12**(1):110.
24. Wiltsey Stirman S, Kimberly J, Cook N, Calloway A, Castro F, Charns M: **The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research**. *Implement Sci* 2012, **7**:17.
25. Scheirer MA: **Is Sustainability Possible? A Review and Commentary on Empirical Studies of Program Sustainability**. *American Journal of Evaluation* 2005, **26**(3):320-347.
26. Shelton RC, Cooper BR, Stirman SW: **The Sustainability of Evidence-Based Interventions and Practices in Public Health and Health Care**. *Annu Rev Public Health* 2018, **39**:55-76.
27. Canadian Cancer Society's Advisory Committee: **Canadian Cancer Statistics 2019**. In. Toronto, ON: Canadian Cancer Society; 2019.
28. Canadian Cancer Research Alliance: **Pan-Canadian framework for cancer survivorship research**. In. Toronto, ON: CCRA; 2017.
29. Strauss AL, Corbin JM: **Basics of qualitative research: grounded theory procedures and techniques**. Thousand Oaks, CA: Sage; 1990.
30. Klein KJ, Sorra JS: **The challenge of innovation implementation**. *Acad Manage Rev* 1996, **21**(4):1055-1080.
31. **Research-Tested Intervention Programs (RTIPs)**. Available at: <https://rtips.cancer.gov/rtips/index.do> [Accessed May 4, 2020]
32. Scheirer MA, Dearing JW: **An agenda for research on the sustainability of public health programs**. *Am J Public Health* 2011, **101**(11):2059-2067.
33. Scheirer MA: **Linking sustainability research to intervention types**. *Am J Public Health* 2013, **103**(4):e73-80.
34. Nilsen P: **Making sense of implementation theories, models and frameworks**. *Implement Sci* 2015, **10**:53.
35. Guest G, Bunce A, Johnson L: **How many interviews are enough?** *Field Methods* 2006, **18**(1):59-82.
36. Patton MQ: **Qualitative research & evaluation methods**, 3rd edn. Thousand Oaks, CA: SAGE Publications; 2002.
37. Rubin H, Rubin I: **Qualitative interviewing: the art of hearing data**. Thousand Oaks, CA: Sage Publications; 1995.
38. Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, Bunger A, Griffey R, Hensley M: **Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda**. *Adm Policy Ment Health* 2011, **38**(2):65-76.
39. Wiltsey Stirman S, Baumann AA, Miller CJ: **The FRAME: an expanded framework for reporting adaptations and modifications to evidence-based interventions**. *Implement Sci* 2019, **14**(58).

- 1
2
3 40. Aarons GA, Green AE, Palinkas LA, Self-Brown S, Whitaker DJ, Lutzker JR, Silovsky JF, Hecht DB, Chaffin MJ: **Dynamic adaptation process to implement an evidence-based child maltreatment intervention.** *Implement Sci* 2012, **7**:32.
- 4
5
6 41. Hawe P, Shiell A, Riley T: **Complex interventions: how "out of control" can a randomised controlled trial be?** *BMJ* 2004, **328**(7455):1561-1563.
- 7
8
9 42. Jolles MP, Lengnick-Hall R, Mittman BS: **Correction to: Core Functions and Forms of Complex Health Interventions: a Patient-Centered Medical Home Illustration.** *J Gen Intern Med* 2019.
- 10
11 43. Kendall PC, Beidas RS: **Smoothing the trail for dissemination of evidence-based practices for youth: Flexibility within fidelity.** *Professional Psychology: Research and Practice* 2007, **38**(1):13-20.
- 12
13
14 44. **PCORI Methodology Standards for Studies of Complex Interventions. Available at:**
15 [https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex)
16 [methodology-standards - Complex](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex) [accessed May 4, 2020]
- 17
18 45. Thomson K, de Chernatony L, Arganbright L, Khan S: **The Buy-in Benchmark: How Staff Understanding and Commitment Impact Brand and Business Performance.** *Journal of Marketing Management* 1999, **15**(8):819-835.
- 19
20
21 46. Kotter JP: **Leading change: Why transformation efforts fail.** . *Harvard Business Review* 1995, Reprint 95204:59-67.
- 22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **FIGURE LEGENDS**
4
5
6

7 Figure 1. Factors influencing the sustainability of cancer survivorship innovations.
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 1. Factors influencing the sustainability of cancer survivorship innovations.

Consolidated criteria for reporting qualitative studies (COREQ): 32-item checklist

No	Item	Guide questions/description	Author response
Domain 1: Research team and reflexivity			
Personal Characteristics			
1.	Interviewer/facilitator	Which author/s conducted the interview or focus group?	Laura L Madden [LLM]; stated in text (methods section)
2.	Credentials	What were the researcher's credentials? <i>E.g. PhD, MD</i>	The interviewer [LLM] has a MSc; the lead author [RU] a PhD
3.	Occupation	What was their occupation at the time of the study?	LLM: Research Associate, Department of Surgery RU: Assistant Professor, Department of Surgery
4.	Gender	Was the researcher male or female?	Female
5.	Experience and training	What experience or training did the researcher have?	LLM: Did a qualitative Master's thesis; employed under the PI/lead author (RU) as a Research Associate of qualitative studies. RU: PI, expertise in qualitative research
Relationship with participants			
6.	Relationship established	Was a relationship established prior to study commencement?	There was no relationship between the interviewer [LLM] and either participant prior to study commencement. The lead author [RU] and one other author [JLB] knew some study participants in a

136/bmjopen-2020-042503 on 23 April 2021 by guest. Protected by copyright. http://bmjopen.bmj.com/site/about/guidelines.xhtml

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

7.	Participant knowledge of the interviewer	What did the participants know about the researcher? <i>e.g. personal goals, reasons for doing the research</i>	professional capacity only. Many participants would have known that the lead author [RU] and another author [JLB] had research programs in cancer survivorship.
8.	Interviewer characteristics	What characteristics were reported about the interviewer/facilitator? <i>e.g. Bias, assumptions, reasons and interests in the research topic</i>	No characteristics are reported about the interviewer. The interviewer was a Research Associate with qualitative research experience but without any background in cancer survivorship or sustainability research.
Domain 2: study design			
Theoretical framework			
9.	Methodological orientation and Theory	What methodological orientation was stated to underpin the study? <i>e.g. grounded theory, discourse analysis, ethnography, phenomenology, content analysis</i>	This study was informed by the principles of grounded theory, specifically Strauss and Corbin (1990), which is cited in the manuscript.
Participant selection			
10.	Sampling	How were participants selected? <i>e.g. purposive, convenience, consecutive, snowball</i>	Purposive; stated in text (methods section)
11.	Method of approach	How were participants approached? <i>e.g. face-to-face, telephone, mail, email</i>	Email; stated in text (methods section)
12.	Sample size	How many participants were in the study?	27; stated in text (results section)
13.	Non-participation	How many people refused to participate or dropped out? Reasons?	32 people in total were contacted for participation, with 27

participating in the final study; 2 individuals did not respond to the study invitation while 3 responded stating they were not the best person to interview and provided the name and contact information of a more suitable person.

Setting			
14.	Setting of data collection	Where was the data collected? e.g. <i>home, clinic, workplace</i>	Telephone; stated in text (methods section).
15.	Presence of non-participants	Was anyone else present besides the participants and researchers?	No.
16.	Description of sample	What are the important characteristics of the sample? e.g. <i>demographic data, date</i>	Given the nature of this study, detailed demographic data are not presented. However, participants were situated in six Canadian provinces and involved in a variety (25) of survivorship innovations.
Data collection			
17.	Interview guide	Were questions, prompts, guides provided by the authors? Was it pilot tested?	The interview guide was pilot tested with 10 individuals.
18.	Repeat interviews	Were repeat interviews carried out? If yes, how many?	No; stated in text (methods section).
19.	Audio/visual recording	Did the research use audio or visual recording to collect the data?	Yes, audio recording; stated in text (methods section).
20.	Field notes	Were field notes made during and/or after the interview or focus group?	Yes; stated in text (methods section).
21.	Duration	What was the duration of the interviews or focus group?	~40-60 minutes; stated in text (methods section).
22.	Data saturation	Was data saturation discussed?	Yes, the interviews continued until data saturation was reached. This

136/bmjopen-2020-042633 on February 2021. Downloaded from <http://bmjopen.bmj.com/> by guest. Protected by copyright.

was determined by constant comparison techniques and research team discussion.

23.	Transcripts returned	Were transcripts returned to participants for comment and/or correction?	No.
Domain 3: analysis and findings			
Data analysis			
24.	Number of data coders	How many data coders coded the data?	Two researchers [LLM, RU] coded the first 3 transcripts, with the remaining transcripts coded by LLM with regular review by RU; stated in text (methods section).
25.	Description of the coding tree	Did authors provide a description of the coding tree?	A codebook containing code definitions, sample data illustrating application of the code, and decision rules related to each code, was developed by the research team. This was achieved through (1) review of three interview transcripts by RU and LLM; (2) review of codes and discussion between RU and LLM; and (3) subsequent review of codebook and discussion by the entire team; stated in text (methods section).
26.	Derivation of themes	Were themes identified in advance or derived from the data?	Derived from the data; analysis process discussed in text (methods section).
27.	Software	What software, if applicable, was used to manage	Yes, NVivo; stated in text (methods

For peer review only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

28.	Participant checking	the data? Did participants provide feedback on the findings?	section). No.
Reporting			
29.	Quotations presented	Were participant quotations presented to illustrate the themes / findings? Was each quotation identified? <i>e.g. participant number</i>	Yes (results section).
30.	Data and findings consistent	Was there consistency between the data presented and the findings?	Yes.
31.	Clarity of major themes	Were major themes clearly presented in the findings?	Yes.
32.	Clarity of minor themes	Is there a description of diverse cases or discussion of minor themes?	Yes, minor themes are presented in both a table and figure, and discussed in brief in the discussion section.

BMJ Open

Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-042503.R1
Article Type:	Original research
Date Submitted by the Author:	09-Dec-2020
Complete List of Authors:	Urquhart, Robin; Dalhousie University Faculty of Medicine, Community Health and Epidemiology Kendell, Cynthia ; Nova Scotia Health Authority, Surgery Cornelissen, Evelyn; The University of British Columbia Faculty of Medicine, Department of Family Practice Powell, Byron; Washington University in St. Louis, Brown School Madden, Laura; Dalhousie University Faculty of Medicine, Surgery Kissmann, Glenn; Interior Health Authority Richmond, Sarah; Public Health Ontario, Health Promotion, Chronic Disease and Injury Prevention; University of Toronto, Division of Epidemiology, Dalla Lana School of Public Health Bender, Jacqueline; Princess Margaret Hospital Cancer Centre,
Primary Subject Heading:	Health services research
Secondary Subject Heading:	Evidence based practice, Oncology, Qualitative research
Keywords:	ONCOLOGY, HEALTH SERVICES ADMINISTRATION & MANAGEMENT, QUALITATIVE RESEARCH

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Title: Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Authors: Robin Urquhart^{1,2,3,4}, Cynthia Kendell^{2,3}, Evelyn Cornelissen⁵, Byron J. Powell⁶, Laura L. Madden², Glenn Kissmann⁷, Sarah A. Richmond^{4,8}, Jacqueline L. Bender^{4,9}

Affiliations:

1. Department of Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia, Canada
2. Department of Surgery, Dalhousie University, Halifax, Nova Scotia, Canada
3. Nova Scotia Health Authority, Halifax, Nova Scotia, Canada
4. Dalla Lana School of Public Health, University of Toronto, Toronto, Ontario, Canada
5. Department of Family Practice, Faculty of Medicine, University of British Columbia, Kelowna, British Columbia, Canada
6. Brown School, Washington University in St. Louis, St. Louis, Missouri, USA
7. Interior Health, Kelowna, British Columbia, Canada
8. Public Health Ontario, Toronto, Ontario, Canada
9. ELLICSR/Department of Supportive Care, Princess Margaret Cancer Centre, University Health Network, Toronto, Ontario, Canada

Word count: 5211

No of tables: 2

No of figures: 1

Email addresses:

robin.urquhart@nshealth.ca (corresponding author)

cynthia.kendell@ccns.nshealth.ca

evelyn.cornelissen@ubc.ca

bjpowell@wustl.edu

maddlaura@gmail.com

glenn.kissmann@interiorhealth.ca

sarah.a.richmond@gmail.com

jackie.bender@uhnresearch.ca

Corresponding author: Robin Urquhart

Department of Community Health & Epidemiology, Dalhousie University

Room 413 – Centre for Clinical Research

5790 University Avenue, Halifax, Nova Scotia, B3H 1V7

Tel: (902) 473-7290; Fax: (902) 473-4631

Email: robin.urquhart@nshealth.ca

ABSTRACT

Objectives: Moving innovations into health care organizations to increase positive health outcomes remains a significant challenge. Even when knowledge and tools are adopted, they often fail to become integrated into the long-term routines of organizations. The objective of this study was to identify factors and processes influencing the sustainability of innovations in cancer survivorship care. **Design:** Qualitative study using semi-structured, in-depth interviews, informed by grounded theory. Data were collected and analyzed concurrently, using constant comparative analysis. **Setting:** 25 cancer survivorship innovations based in six Canadian provinces. **Participants:** Twenty-seven implementation leaders and relevant staff from across Canada involved in the implementation of innovations in cancer survivorship. **Results:** The findings were categorised according to determinants, processes, and implementation outcomes, and whether a factor was necessary to sustainability, or important but not necessary. Seven determinants, six processes, and three implementation outcomes were perceived to influence sustainability. The necessary determinants were 1) management support; 2) organizational and system-level priorities; and 3) key people and expertise. Necessary processes were 4) innovation adaptation; 5) stakeholder engagement; and 6) ongoing education and training. The only necessary implementation outcome was 7) widespread staff and organizational buy-in for the innovation.

Conclusions: Factors influencing the sustainability of cancer survivorship innovations exist across multiple levels of the health system and are often interdependent. Study findings may be used by implementation teams to plan for sustainability from the beginning of innovation adoption initiatives.

Keywords: oncology, health services administration and management, qualitative research

STRENGTHS AND LIMITATIONS OF THIS STUDY

- The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” and we provide a comprehensive inquiry of factors and processes influencing the sustainability of innovations in health care.
- We interviewed 27 implementation leaders and relevant staff from 25 cancer survivorship innovations that were implemented across Canadian jurisdictions.
- We used several implementation science frameworks and taxonomies to design our study and analyse and interpret the findings.
- This is a critical area of inquiry, given there is limited empirical data on the processes by which innovations are sustained in clinical settings as well as the considerable investment over the past decade to implement beneficial innovations so more people have access to high-quality health care.

INTRODUCTION

Across Canada, many studies have identified gaps in the delivery of cancer care whereby the care patients receive is not consistent with scientific evidence [1-8]. The Canadian Strategy for Cancer Control estimated that cancer outcomes could improve by as much as 30% by routinely applying existing evidence in practice [9]. Similarly, the World Health Organization estimated that worldwide, one-third of cancer cases could be prevented and another one-third cured if evidence-based practices were consistently implemented and sustained in care [10]. Importantly, even when knowledge and tools are put into practice, they often fail to become integrated into the long-term routines of organizations [11-13]. This poor sustainment means many patients do not benefit from the best care possible [14-16].

The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” [17]. In the past decade, a number of researchers have published conceptual models on innovation sustainability in health care [18-21], while recent reviews have provided syntheses of how researchers in the field define and approach sustainability [22, 23]. Nevertheless, there remains limited empirical data on the processes by which innovations are sustained in clinical settings and the factors that influence sustainability [17, 24-26].

Focusing on cancer survivorship care, this study examined whether and how various evidence-based innovations have been sustained. Cancer survivorship was the focus of this study for three reasons: 1) the number of cancer survivors has grown substantially due to advances in early diagnosis and treatment [27]; 2) cancer survivorship has become a strategic policy focus, with Canadian decision-makers seeking ways to deliver care and implement innovations that address the needs and circumstances of this growing population; and 3) cancer research funders in Canada have explicitly stated a need to integrate *what we know* into survivorship programs and policy [28]. The specific objectives were to 1) identify factors influencing sustainability and 2) explore the processes that facilitate the sustainability of innovations in cancer survivorship care.

MATERIALS AND METHODS

Study design

We conducted a qualitative study, informed by the principles of grounded theory [29], on the sustainability of evidence-based innovations in cancer survivorship care that have been implemented across Canadian jurisdictions. An innovation was defined as new knowledge, tools, or interventions (including programs and services) that organizations are using for the first time [30]. An innovation was considered evidence-based if at least one published peer-reviewed study, using an experimental or quasi-experimental design, demonstrated improved outcomes for the target population. This is the criterion used by the National Cancer Institute for Research-Tested Intervention Programs specifically for cancer control and cancer survivorship interventions [31]. Sustainability was defined as the *continuation* of the innovation's activities or outcomes beyond the initial implementation stage or initial funding period [32]. This study was approved by the Nova Scotia Health Authority's Research Ethics Board. All participants provided written informed consent before participating in the study.

Patient and Public Involvement

No patient involved.

Conceptual Frameworks

The study was informed by Scheirer's work on sustainability [32, 33], the dynamic sustainability framework (DSF) [19], and Nilsen's taxonomy of implementation frameworks [34]. Scheirer's work was used during sampling, specifically to identify innovations based on innovation type: those implemented by individual providers; those requiring coordination among multiple staff; new policies, procedures, and technologies; capacity or infrastructure building; collaborative partnerships or coalitions; and broad-

1
2
3 scale system change. The DSF proposes that the “fit” between the innovation (specifically, interventions)
4 and the setting is key to sustainability, and focuses on three main elements: the intervention, practice
5 setting or context, and broader ecological system. This framework informed development of the
6 interview guide (e.g., questions and probes around the innovation, practice setting, and broader health
7 care system) and ongoing analyses/interpretation. Nilsen’s taxonomy was used during data analysis only
8 to categorize the resultant findings (see below).
9
10
11
12
13
14
15
16
17
18

19 **Participants**

20
21 Participants were implementation leaders and relevant staff from across Canada involved in the
22 implementation of a range of innovations in cancer survivorship care (e.g., self-management tools,
23 physical activity programs, and models of follow-up care). Recruitment involved a two-phased process.
24
25 First, we had to identify innovations of interest and, second, recruit leaders and staff involved in those
26 innovations. The identification of innovations was multipronged: 1) viewing of all archived rounds and
27 reviewing of all publications posted on the Canadian Cancer Survivorship Research Consortium (CCSRC)
28 website; 2) multiple PubMed searches with combinations of relevant search terms (e.g., cancer,
29 survivor*, Canada, rehabilitation, interventions, physical activity); and 3) speaking with the individual
30 responsible for survivorship care and programming at all provincial cancer agencies (or their equivalent)
31 to identify additional relevant initiatives in each province. Upon a final list of all potential innovations,
32 we assessed whether each innovation was evidence-based, as per the criterion described above [31].
33
34
35
36
37
38
39
40
41
42
43
44
45

46 From those innovations deemed evidence-based, we purposively recruited participants to
47 maximize variation in cancer site, type of innovation [33], and geographic setting. Individual recruitment
48 involved purposive sampling to identify the implementation leader(s) and/or staff member(s) who was
49 most directly involved in the implementation and/or sustainment of the innovation. These individuals
50
51
52
53
54
55
56
57
58
59
60

1
2
3 were contacted by the lead author (RU) via email and invited to participate. Data collection continued
4
5 until thematic saturation was reached [35].
6
7
8
9

10 **Data Collection**

11 We conducted one-on-one, semi-structured telephone interviews with participants. An interview guide
12 was developed based on the study objectives and the DSF, using practical guidance from Patton [36] and
13 Rubin and Rubin [37]. The interview guide is provided as a Supplementary File. The interviews focused
14 on eliciting participants' understandings of the innovation, the process by which it was implemented,
15 whether and how the innovation is sustained, and the multi-level factors affecting its sustained use and
16 impact. One master's trained research associate with experience in qualitative methods (LLM)
17 conducted all interviews, which lasted approximately 40-60 minutes. The interviewer had no prior
18 relationship with any of the participants, and no repeat interviews were conducted. Field notes were
19 taken during interviews to record interviewer observations and perceptions. All interviews were
20 audiotaped and transcribed verbatim.
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

37 **Data Analysis**

38 Consistent with grounded theory, the interview data were collected and analyzed concurrently. An
39 inductive approach, using constant comparative analysis, was used to analyze the interview transcripts
40 [29]. Analysis involved coding, constant comparison, and identification, organization, and refinement of
41 categories. To help ensure consistency and conceptual clarity throughout the process of coding and
42 categorization, a coding framework (i.e., "codebook") was developed by the lead author (RU) and
43 research associate (LLM). This was achieved through review of three transcripts and a team discussion.
44
45 Next, the research associate used the codebook to code the remaining transcripts, with regular
46 meetings between the same two individuals to review coding and the consistency of applying the codes
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 to the interview text, consult with field notes, and refine the codebook as needed. Qualitative software
4
5 (NVivo 10, QSR International, 2012) was used for data management and to facilitate comparison and
6
7 synthesis of codes. Several full team meetings were also conducted to review coding and discuss
8
9 emerging findings.
10

11
12 During a final two-day team meeting, the resultant findings were categorised according to
13
14 determinants, processes, and implementation outcomes, and whether the data suggested a factor was
15
16 necessary to sustainability or important but not necessary. Drawing on Nilsen's taxonomy of
17
18 implementation frameworks [34], we categorized factors as those that help us understand and/or
19
20 explain what influences outcomes (determinants), those that describe the processes that help translate
21
22 innovations into practice (processes), and those that identify important aspects by which to evaluate the
23
24 initial implementation (implementation outcomes). Regarding the latter, implementation outcomes
25
26 were specifically defined as "the effects of deliberate and purposive actions to implement new
27
28 treatments, practices and services" [38]. Determining whether a factor was 'necessary' or 'important
29
30 but not necessary' was an iterative process that involved analyzing participant perspectives on this issue
31
32 as well as the data on whether and the extent to which a specific innovation was sustained (i.e.,
33
34 *continued* activities or outcomes beyond the initial implementation stage or initial funding period [32],
35
36 as described above) in the presence or absence of all resultant factors. If innovations were sustained in
37
38 the absence of a particular factor, then this factor was deemed important but not necessary.
39
40
41
42
43
44
45

46 RESULTS

47
48 Twenty-seven participants from 25 unique cancer survivorship innovations based in six Canadian
49
50 provinces (British Columbia, Alberta, Manitoba, Ontario, Quebec, and Nova Scotia) participated in this
51
52 study. All interviews took place from August 2017 to March 2018. Of the 25 innovations, 20 were
53
54 sustained to some degree in that activities continued after the initial funding period. Five were not
55
56
57
58
59
60

1
2
3 sustained. The innovations were grouped into five categories, depending on its intended purpose:
4
5 physical activity programs, psychological support/counselling, transition to survivorship programs,
6
7 transition to primary care programs, and return to life and lifestyle programs. Eighteen were delivered
8
9 in-person, four were delivered online, and three were delivered both in-person and online.
10
11

12 Sixteen factors were perceived to influence sustainability: seven determinants, five processes,
13
14 and four implementation outcomes (Figure 1). Seven of these were deemed necessary, while nine were
15
16 important but not necessary. Table 1 presents all 16 factors, with brief descriptions. The necessary
17
18 determinants, discussed in detail below, were 1) management support; 2) organizational and system-
19
20 level priorities; and 3) key people and expertise. Necessary processes were 4) adaptation; 5) stakeholder
21
22 engagement; and 6) ongoing education and training. The only necessary implementation outcome was
23
24 7) staff and organizational buy-in for the innovation.
25
26
27
28
29

30 **Necessary Determinants**

31 *Management support*

32
33
34 Participants continually voiced their experience that the support of middle and senior managers is
35
36 imperative to the sustained use of any innovation. Their experience was that even with all other pieces
37
38 in place, it is extremely challenging to sustain any innovation without management support. As one
39
40 participant stated, “Management support, for sure, is very important, especially for growth. Um, very,
41
42 very important” [Participant 19]. Participants noted that management support tends to result in ongoing
43
44 funding, whether this is the direct provision of funds (e.g., out of their program budget) or advocating
45
46 for funding from other sources. Participants also described how it is often difficult for managers to
47
48 support innovations in survivorship care because of competing priorities and that survivorship care does
49
50 not result in quantifiable metrics in the same the way other areas of care do:
51
52
53
54
55
56
57
58
59
60

1
2
3 I would say that it's one of the ... tougher components for people, for senior management, to
4 buy into because it's a softer metric to try to collect in a way. Because it's not like you've got
5 numbers of patients going through chemo or radiation. It's not, you know, survivorship care is a
6 lot harder to look at that data and try to figure out if it's meaningful or worth it. [Participant 2]
7
8
9

10
11
12 Participants also noted that management support is much higher when an innovation and its
13 sustainment are appropriately resourced and funded. Innovations that do not have secure funding
14 require managers to transfer operational funds and/or allocate other resources (e.g., staff time) away
15 from existing programs and services.
16
17
18
19
20
21
22

23 *Organizational and system-level priorities*

24
25 All participants discussed how survivorship care is perceived as a low organizational and health system
26 priority relative to other cancer programs and services. As one participant stated, "It's not because
27 people aren't interested in [survivorship care], it's just that it's maybe seen, maybe viewed as the nice to
28 have, not the need to have" [Participant 2]. As a result, the sustainment of innovations that have been
29 implemented were described as particularly challenging, regardless of the extent to which program
30 components are in place and working well. Participants described several instances whereby
31 survivorship care was prioritized and therefore initial implementation efforts were well supported and
32 resourced. One example of this is a focus on post-cancer treatment transitions mandated by the
33 province of Ontario: "Having Cancer Care Ontario ... starting to really implement comprehensive care
34 that includes the patient, not just the tumour, is really helpful. Because our hospitals are funded by the
35 degree to which they meet these mandates" [Participant 18]. However, participants noted that even
36 when innovations appeared to be integrated, shifting priorities at the health authority or government
37 level often meant that sustainability was threatened. Speaking about an innovation related to
38 transitioning survivors from active treatment to well follow-up care, one participant explained:
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 There had been significant shifting in terms of how our organization was structured and who
4 actually had the authority and power, and their viewpoint on all of it. And, so, we couldn't at
5 that point really proceed with it because the organization was really shifting away from that
6 work. [Participant 11]
7
8
9
10
11
12

13 *Key people and expertise*

14
15 Participants continually emphasized the importance of two key individuals for ongoing sustainment of
16 innovations: clinical champions and dedicated coordinators (or similar personnel). Ongoing champions
17 were deemed necessary for sustainability. Several innovations illustrated this perspective. One was a
18 program aimed at transitioning low-risk survivors back to primary care after treatment. This program,
19 led by a tremendously well-respected clinical champion, had been in place for more than four years and
20 appeared well integrated within the cancer care setting. However, upon loss of the champion, the
21 program was substantially altered and eventually dwindled to minimal use. Conversely, two other
22 transition programs, in other jurisdictions, did not secure ongoing funding after the initial pilots, but
23 maintained ongoing activities simply because the clinical champions continued the service, sometimes in
24 a voluntary role (i.e., during evenings and weekends) despite a lack of funding and other resources.
25
26
27
28
29
30
31
32
33
34
35
36
37
38

39 For many programs, participants also described dedicated program coordinators (or staff
40 members with a coordination role) as being a necessary resource for sustainability, playing a
41 complementary role to clinical champions. Their experience was that such a role was necessary to
42 ensure the innovation was running smoothly, including the continuation of activities and tracking of
43 deliverables. As one participant said:
44
45
46
47
48
49

50 It could conceivably be just a small team or one person working remotely, coordinating this kind
51 of thing and sort of, like I said, overseeing the [innovation] and making sure that technological
52
53
54
55
56
57
58
59
60

1
2
3 and referral purpose is running smoothly. But, it has to be, it does have to be there. It can't run
4
5 itself. [Participant 7]
6

7 Many participants highlighted that certain expertise or skillsets are often needed for an innovation to
8
9 continue to work efficiently and effectively. An example was the presence of certified exercise
10
11 professionals for physical activity programs.
12
13

14 15 16 **Necessary Processes**

17 18 *Adaptation*

19 All participants emphasized that adaptation, not fidelity, is necessary for sustainability. Participants
20
21 discussed how their task, as leaders and staff of innovations, was to ensure that the innovation evolved
22
23 and adapted as necessary in their particular setting. Their view was that without adaptation, there was
24
25 no sustainability. Adaptation was necessary to allow the team/organization to continually meet the
26
27 needs of patients and to maintain fit with the setting/environment (e.g., changing staff, capacity,
28
29 resources, policies, and political environment). As one participant stated:
30
31

32
33
34 Our being flexible and adapting to what would work, both for ourselves and our limited
35
36 resources and time and for our patients. I think if we hadn't adapted the program, we wouldn't
37
38 still be offering it. So, we had to adapt and change and shorten and condense, while sticking to
39
40 the hearts and, you know, key concepts of the program. [Participant 17]
41
42

43 Table 2 provides examples of adaptations to each type of innovation. Many were related to delivery
44
45 mechanisms with the goal of increasing accessibility of the program and/or its feasibility (e.g., changing
46
47 the frequency or timing of delivery, moving some components to online delivery, changing referral
48
49 processes). Moreover, it was widely recognized that adaptation was necessary because the evidence
50
51 base for innovations change. An innovation today, both its components and target population, will likely
52
53 change as new evidence becomes available: "I think it's imperative to keep current with the evidence for
54
55
56
57
58
59
60

1
2
3 whatever it is you're offering. And making adaptations with the program that are in keeping with the
4
5 evidence" [Participant 6].
6
7
8
9

10 *Stakeholder engagement*

11 Participants described the engagement of important stakeholders (e.g., physicians, patients,
12
13 administrators) as essential to sustainability. The data indicated participants viewed engagement as
14
15 critical for two reasons. First, engagement increases awareness of the innovation, its evidence base, and
16
17 its potential benefits, and helps to develop trust and a sense of ownership with regard to the innovation.
18
19

20 As one participant said:

21
22
23 ... the consultations in advance and the getting the people on board and having their input into
24
25 how things are gonna look and design, I think that was required in order to get any of them on
26
27 board for something that would be a voluntary change in practice. [Participant 8]
28
29

30 Second, engagement contributed to the practice-based adaptation of the innovations to optimize fit to
31
32 the local setting. This engagement occurred through mechanisms such as establishing Steering or
33
34 Advisory Committees composed of key stakeholders, conducting needs assessments, meeting with
35
36 multidisciplinary cancer site teams/tumour boards, consulting with primary care providers/networks,
37
38 and co-designing with patient and/or physician groups. Participants described engagement as positively
39
40 changing both the engaged person (through building a sense of ownership and personal investment;
41
42 discussed below) as well as the innovation itself (through adaptation to the local setting; discussed
43
44 above), both viewed as essential to sustainability.
45
46
47
48
49

50 *Ongoing education and training*

51 Participants across all organizations and jurisdictions emphasized that ongoing education and training
52
53 was required to sustain their innovations. This was particularly true due to high staff turnover, which
54
55
56
57
58
59
60

1
2
3 was deemed prevalent across organizations and jurisdictions. The nature of academic health care
4 settings, with turnover of learners on an ongoing and frequent basis, was also described as a challenge
5
6 to sustainability:
7

8
9
10 Probably one of the biggest barriers is that there's always new staff that come along, like fellows
11 and residents and stuff like that. So, um, you know, they're often just not even aware. So
12 unless there's some kind of process in place to sort of orient them to those types of things then
13 they won't be delivering it. [Participant 16]
14
15
16
17

18
19 Ongoing training was viewed as particularly important in cancer survivorship care given the absence of
20 formal education and training in survivorship issues for most health care providers. One participant put
21 it this way: "...teaching, teaching the next one, so that ... we can grow our force of people involved in
22 survivorship care. If we don't invest in that then, well then, I'm never gonna have a vacation"
23
24 [Participant 24].
25
26
27
28
29
30
31

32 **Necessary Implementation Outcome**

33 *Widespread staff and organizational buy-in*

34
35 Participants stated that ongoing and widespread staff and organizational buy-in is absolutely necessary
36 for sustainability. One participant summed this up by saying, "without buy in and support from the
37 physicians, from other nurses, from the other allied health staff, from the receptionist, from everybody,
38 um, the program wouldn't work" [Participant 23]. Participants discussed many factors during the
39 implementation period that lead to widespread buy-in, including attributes of the innovation itself (e.g.,
40 ease of use), how the innovation is initially framed/presented (including its evidence base), stakeholder
41 engagement, and whether it is a priority of senior management. Participants also stated that the overall
42 low priority of survivorship care (relevant to other areas of cancer care) serves to decrease buy-in from
43 at all levels of the organizations.
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Important but not necessary

The data suggested 9 factors were important to sustainability, but not necessary. These are presented in Table 1. For example, while resources in the form of funding, equipment, and physical space are very important for many innovations, the data demonstrated that, with the exception of one innovation, the loss of the initial implementation funding, or the lack of additional funding, equipment, or space to expand beyond the implementation phase, did not result in a loss of the innovation if other necessary factors were present (e.g., key people). Similarly, penetration of the innovation into existing workflows and systems, particularly hospital information technology systems, was perceived as important to many of the innovations, yet many innovations were sustained (oftentimes described as continuation of program components and activities) in the absence of penetration when other necessary components were in place.

DISCUSSION

We investigated the factors influencing the sustainability of 25 different types of innovations in cancer survivorship care. The findings revealed a number of factors deemed necessary for sustainability: management support; organizational and system-level priorities; key people and expertise; innovation adaptation; stakeholder engagement; ongoing education and training; and staff and organizational buy-in. These findings are important given the considerable investment over the past decade to implement and scale beneficial innovations within and across Canadian jurisdictions so more people have access to high-quality cancer survivorship care. They point to specific factors implementation teams should consider and plan for to achieve their desired outcomes and maximize the long-term impact of these investments. From a practice perspective, they can be used to develop and/or select instruments and

1
2
3 tools to assess capacity for sustainability, increase capacity in specific domains, and to assist with the
4
5 ongoing monitoring of key determinants and processes.
6
7
8
9

10 Many of the determinants, processes, and outcomes identified in this study align with the emerging
11 literature in this area. A recently developed framework [26] from a 2018 review on sustainability
12 identified four key processes that the evidence suggests are important to sustainability:
13
14 partnership/engagement, training/supervision, program evaluation, and adaptation. Moreover, program
15
16 champions, leadership/support, resources/funding, and staffing/turnover were all identified as key inner
17
18 (organizational) contextual factors that influence sustainability. While the concepts may be phrased
19
20 differently, our findings markedly align with the existing evidence in this area. There were also several
21
22 factors identified by participants in this study that are somewhat unique, or not explicitly specified, in
23
24 the literature. One of these is the speed of implementation, which participants viewed as being
25
26 important because a slow(er) implementation allows implementation teams the time to plan for and
27
28 implement in a way that leverages the key elements needed for sustainability. Moreover, we
29
30 categorized a number of our findings as implementation outcomes, which are necessary for or
31
32 important to sustainability. While we recognize that sustainability has been described as an
33
34 implementation outcome itself [38], few researchers have attempted to describe or delineate the
35
36 impact of more proximal implementation outcomes (e.g., adoption) on the sustained use of an
37
38 innovation, yet these proximal outcomes may act as moderators to sustainability (e.g., continuation of
39
40 program components/activities and/or continuation of desired outcomes). Such relationships could be
41
42 tested in future research.
43
44
45
46
47
48
49
50
51

52 The emphasis on the essential role of adaptation for sustainability deserves discussion. Participants
53
54 were implementation leaders and relevant staff involved in the implementation and/or sustainment of
55
56
57
58
59
60

1
2
3 innovations relevant to cancer survivorship care. Their perspectives were largely practice-based, with an
4 acute recognition that one-sized-fits-all innovations do not work for most settings. This is supported by
5 the increasing awareness in the literature that adaptation is common and likely necessary to facilitate
6 sustainability [19, 26, 39, 40]. In fact, the findings align well with the DSF and its postulation that
7 innovations should not be optimized prior to implementation but rather require (and benefit from)
8 ongoing adaptation and optimization. In this study, innovations were adapted (e.g., components,
9 practitioners, delivery platforms) in response to changes in the practice setting (e.g., staffing,
10 information systems, processes for training) and the broader ecological system (e.g., other practice
11 settings, policies, population characteristics). It is important to note, however, that many of the
12 described adaptations were made in response to unanticipated changes and challenges, and thus might
13 be better termed modifications [39]. These findings reinforce the need for ongoing monitoring and
14 feedback mechanisms to assess not only the innovation itself and related outcomes, but also changes in
15 the setting and system at large to support appropriate and timely adaptation.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

34 It is also important to highlight that many of adaptations described by participants were to form, rather
35 than function [41, 42]. That is, adaptations were made to specific strategies or activities (forms) rather
36 than the intended purposes the innovation aims to achieve (functions). For example, educating and
37 supporting patients to more effectively manage their post-treatment health concerns (function) may be
38 accomplished through various activities, such as one-on-one teaching, individualized care plans, and so
39 on (forms). These types of adaptations demonstrate the importance of 'flexibility within fidelity' [43] or
40 fidelity-consistent adaptations [39] for sustainability. In its methodology standards for studies of
41 complex interventions, the Patient-Centered Outcomes Research Institute (PCORI) in the US advises
42 researchers and implementation teams to clearly delineate an intervention's core functions and forms,
43 and to maintain fidelity to the core functions while documenting adaptations to form [44]. By doing so,
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 we can provide better guidance to those who are implement and evaluate such interventions. This also
4
5 reinforces the need for ongoing evaluation post-implementation to understand the what and why of
6
7 adaptations, and how these relate to sustainability; in this study, less than half of the innovations were
8
9 evaluated post-implementation.
10

11
12
13
14 We categorized widespread buy-in as an implementation outcome. We defined widespread buy-in as a
15
16 commitment to the innovation by a larger group of individuals within the organization or the
17
18 organization as whole, specifically their commitment to support and engage in an initiative. Although we
19
20 could find no clear definition or operational specificity of this concept in the existing health literature,
21
22 the management and business literature does characterize buy-in in terms of one's intellectual and
23
24 emotional commitment to an organization's cause and/or plan [45], and provides guidance to increase
25
26 buy-in during organizational change initiatives [46]. While buy-in, as we have defined, can be present
27
28 during the decision to adopt an innovation and/or its implementation, buy-in is also a desired result of
29
30 the strategies and activities (e.g., communications, education/training, use of opinion leaders) put in
31
32 place during implementation. By and large, implementation teams are seeking to achieve buy-in. In this
33
34 way, it aligns with the definition of implementation outcomes proposed by Proctor, namely "the effects
35
36 of the deliberate and purposive actions to implement new treatments, practices, and services" [38].
37
38 However, buy-in is not one of the eight commonly-used implementation outcomes [38]. We posit that
39
40 perhaps this construct might be a useful addition to implementation outcomes and thereby efforts to
41
42 understand how to appropriately operationalize and measure buy-in are needed.
43
44
45
46
47
48
49

50
51 Clearly, many of the factors presented here relate to one another and are not independent influences
52
53 on sustainability. For example, stakeholder engagement (a process) often serves to increase wide-
54
55 spread buy-in (an outcome), which then may result in additional resources (a determinant) to sustain an
56
57
58
59

1
2
3 innovation. Moreover, both managerial support and organizational- and system-level priorities
4
5 (necessary determinants) will often reflect the magnitude and nature of resources (important
6
7 determinant) dedicated to any initiative. Such interdependence will be present in the sustainability of
8
9 any complex innovation, and demonstrates the ‘messiness’ of both the science and practice in this area.
10
11 Future research should attempt to delineate what combination of factors might be most important for
12
13 different types of innovations.
14
15

16
17
18 Several of the study findings also highlight an important issue in cancer survivorship care and
19
20 programming: namely, that the evidence base for survivorship innovations is of lower quality, and the
21
22 resulting outcomes are “softer,” compared to the evidence base and outcomes in other areas of cancer
23
24 care (e.g., diagnosis and treatment). While participants in this study stated that evidence of an
25
26 innovation’s effectiveness contributed to sustainability by strengthening the case for funding and
27
28 helping consolidate buy-in from frontline staff (see Table 1), they also noted that it can be difficult to
29
30 secure management support for innovations in survivorship care, in part because it does not result in
31
32 quantifiable metrics like other areas of cancer care. As such, they perceived that survivorship care is
33
34 viewed as a desirable, but non-essential, service within cancer care organizations. These issues
35
36 undoubtedly impact the ability to sustain survivorship innovations in practice, particularly where leaders
37
38 and managers have to decide between funding/resourcing services with hard performance metrics to
39
40 demonstrate effectiveness versus services with metrics that are less traditional or more difficulty to
41
42 quantify.
43
44
45
46
47
48
49

50 From a methodological standpoint, during sampling, we attempted to identify and categorize programs
51
52 based on Scheirer’s suggested innovation types: innovations implemented by individual providers;
53
54 interventions requiring coordination among multiple staff; new policies, procedures, and technologies;
55
56
57
58
59

1
2
3 capacity or infrastructure building; collaborative partnerships or coalitions; and broad-scale system
4
5 change [33]. In practice, this was challenging for several reasons. One, there are few innovations in
6
7 cancer survivorship that are implemented by individual providers. Two, many of the innovations crossed
8
9 categories. For example, many innovations required coordination across multiple staff, represented new
10
11 policies, procedures, or technologies, *and* involved collaborative partnerships with community- or
12
13 research-based groups. Thus, the most appropriate category was difficult to select and we therefore
14
15 categorized the innovations by function (i.e., its intended purpose) rather than the level or nature of the
16
17 change. These are not limitations of Scheirer's taxonomy, but demonstrate the complexity that can arise
18
19 when attempting to fit into pre-existing categories. We continue to advocate for and support the use of
20
21 existing nomenclature, taxonomies, and frameworks to help build an evidence base in this area.
22
23
24 Nonetheless, while such frameworks should guide our work, we cannot be constrained by them when
25
26 they are not helpful in the context of a particular study.
27
28
29
30
31

32 This study has a number of strengths. First, we interviewed participants from 25 different survivorship
33
34 innovations across six jurisdictions, which should increase the transferability of findings. Second, we
35
36 built on others' work in sustainability, including existing taxonomies and frameworks, to advance
37
38 knowledge in this area. This study also has several limitations. First, this study focused solely on
39
40 innovations in cancer survivorship. This may limit transferability to innovations in other areas of care,
41
42 although there is no inherent reason why innovations in cancer survivorship should differ from
43
44 innovations in other areas of chronic disease management that aim to address the physical,
45
46 psychosocial, and economic sequelae of an illness and its treatment. Given that the findings also align
47
48 with the emerging literature on sustainability, conducted across a range of health conditions and
49
50 settings, the findings are likely transferable. Second, although we undertook a multi-stepped approach
51
52 to identify innovations that had been implemented across Canada, we cannot be certain that we did not
53
54
55
56
57
58
59
60

1
2
3 miss innovations that would have been important to study. Third, we used the National Cancer Institute
4 for Research-Tested Intervention Programs criterion for determining whether an innovation was
5 evidence-based. This criterion is not stringent and it is likely some of the innovations studied were more
6 “evidence-based” than others, which may have implications for sustainability (see Table 1). Fourth, we
7 attempted to discriminate between factors that are more salient or perceived by participants as
8 necessary to sustainability as opposed to factors that are important, but not necessary. This
9 dichotomization may be somewhat artificial and not true for all settings or innovations. We did this in an
10 attempt to avoid a ‘laundry list’ of every possible determinant of sustainability. It also attempts to
11 address one of the gaps in our understanding of the factors that influence sustainability: namely, are
12 some factors more critical than others [26]? This is a first step toward identifying critical factors
13 (determinants, processes, and implementation outcomes) of sustainability. Future research should also
14 focus on developing metrics and methods to prioritize these factors, and combinations thereof, and link
15 them to appropriate strategies.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

34 In conclusion, this study demonstrated that certain determinants, processes, and implementation
35 outcomes influence the sustainability of innovations in cancer survivorship care. These factors exist
36 across multiple levels of the health system and are often interdependent. They also demonstrate the
37 dynamic nature of sustainability. Three examples of this dynamism are the ongoing nature of
38 adaptation, the shifting nature of priorities that can change the local landscape and resulting support for
39 sustainment, and the turnover of champions and support staff. The findings may be used by researchers,
40 decision-makers, and implementation teams to plan for sustainability during the early implementation
41 of innovations, particularly factors shown to be necessary to the long-term use of innovations.
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

ACKNOWLEDGMENTS

We gratefully acknowledge the study participants who took the time to participate in this study as well as Margaret Jorgensen for her assistance with study coordination. We also acknowledge Designs that Cell for illustrating Figure 1.

For peer review only

Table 1. Factors influencing the sustainability of cancer survivorship innovations. Bolding represents necessary factors.

	FACTOR	DESCRIPTION
DETERMINANTS	Management support	The support of middle and senior managers is critical for sustainability. It is difficult to sustain any innovation in the absence of management support.
	Organizational and system-level priorities	Survivorship care is generally not an organizational or system-level priority, making sustainability challenging. Even when survivorship is prioritized, shifting priorities at health authority or government levels often mean sustainability is threatened.
	Key people & expertise	Key people, namely clinical champions and project/program coordinators, are particularly important to maintaining an innovation's activities and use. Often, certain expertise or skillsets are required for an innovation to work efficiently and effectively.
	Resources	Resources in the form of funding, physical space, and equipment are often very important to sustainment, particularly to expand a program or service beyond the population served in the initial pilot phase.
	Complexity	Innovations that are simple, require less time to use, and the coordination and/or cooperation of fewer organizational members are easier to sustain.
	Evidence	Scientific evidence of an innovation's effectiveness contributes to sustainability by strengthening the case for funding, increasing its priority level, and strengthening buy-in from frontline staff (mainly physicians).
	Partnerships	Partnerships with other similar organizations, including community-based organizations, are not necessary for sustainability but can be very important as they permit the sharing of resources and expertise.
	PROCESSES	Adaptation
Stakeholder engagement		The engagement of key stakeholders (e.g., physicians, patients, administrators) is essential to sustainability by developing a sense of ownership over the innovation and allowing for practice-based adaptations that optimize fit with the local setting.
Ongoing education and training		Ongoing education and training is necessary to sustain innovations, particularly due to high levels of staff turnover in cancer care settings.
Speed of implementation		The speed of implementation can impact sustainability. Specifically, implementing slowly permits the time to get many of the key elements in place (e.g., training and ongoing supports, metrics and data collection/reporting procedures,

		stakeholder engagement) that support the long-term sustainment of the innovation.
	Feedback and evaluation	Feedback and evaluation, while not necessary, is important to sustainability as it helps to demonstrate the innovation's value, maintain credibility, maintain buy-in, and help secure ongoing resources, including funding.
IMPLEMENTATION OUTCOMES	Staff and organizational buy-in	Widespread and ongoing staff and organizational buy-in is necessary for sustainability. Many factors during the implementation period lead to buy-in.
	Adds value	Adding value to the organization (e.g., through positive publicity) and its staff (e.g., saving staff time) helps to maintain buy-in, and increases opportunities for partnerships and additional resources.
	Adoption	A lack of adoption, specifically by patients, threatens sustainability. Many survivorship innovations rely on patients being aware that a particular program or resource is available and choosing to access it. Low patient uptake reinforces the perception such innovations are low priority.
	Penetration	Integrating the innovation into the service setting and its existing subsystems is important to sustainability. These systems include existing clinical workflows, including EMRs, physician ordering, and other forms of documentation. Such integration can provide automatic referrals for programs/services and serve as reminders regarding use.

Table 2. Innovation types and examples of adaptations.

INNOVATION TYPE	FUNCTION	EXAMPLES OF ADAPTATIONS
Physical activity programs	To increase physical activity among cancer survivors	Changes in timing and length of delivery; changes in setting (cancer centre versus community)
Psychological support/counselling	To provide cancer survivors with the tools to manage/cope with psychological, emotional, and social distress	Changes in length of sessions; addition of orientation sessions; transition to online delivery, including apps for smartphones
Transition to survivorship programs	To support cancer survivors' transition from active (intensive) cancer treatment to routine follow-up care	Automatic referrals to program; changes in timing of delivery; changes in setting (cancer centre versus community); addition of content (e.g., self-management)
Transition to primary care programs	To support cancer survivors' transition from specialist-led follow-up care to primary care-led follow-up	Tailoring of tools (e.g., specific recommendations, list of community resources) to cancer types; changes in delivery mode (e.g., mailed versus faxed versus emailed communications)
Return to life and lifestyle programs	To help cancer survivors return to a "new normal" after cancer treatment and/or to support lifestyle changes to improve overall health and well-being	Addition of orientation sessions; automatic registration; transition to online delivery; refinement of websites; addition of content (e.g., sexuality and cancer); changes in frequency, timing, and length of delivery

CONTRIBUTORSHIP STATEMENT

Conceptualization, RU, CK, EC, BJP, GK, SAR, and JLB; Methodology, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Formal Analysis, RU, LLM; Writing – Original Draft Preparation, RU; Writing – Review & Editing, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Funding Acquisition, RU, CK, EC, BJP, GK, SAR, and JLB. All authors read and approved the final manuscript.

COMPETING INTERESTS

The authors declare no competing interests.

FUNDING STATEMENT

The work was supported by a research grant from the Canadian Cancer Society Research Institute (Grant # 704897). BJP was supported in part by the U.S. National Institute of Mental Health (K01MH113806; Powell, PI) and the U.S. National Cancer Institute (P50CA244431; Brownson, PI).

DATA SHARING STATEMENT

This is a qualitative dataset and therefore not publicly available due to confidentiality reasons.

REFERENCES

1. Corkum M, Urquhart R, G K, Hayden JA, Porter G: **Breast and cervical cancer screening behaviours among colorectal cancer survivors in Nova Scotia.** *Curr Oncol* 2014, **21**(5):e670-677.
2. Johnson PM, Malatjalian D, Porter GA: **Adequacy of nodal harvest in colorectal cancer: a consecutive cohort study.** *J Gastrointest Surg* 2002, **6**(6):883-888; discussion 889-890.
3. Porter GA, Urquhart R, Bu J, Johnson PJ, Grunfeld E: **The impact of audit and feedback on nodal harvest in colorectal cancer.** *BMC Cancer* 2011, **11**:2.
4. Rayson D, Urquhart R, Cox M, Grunfeld E, Porter G: **Adherence to clinical practice guidelines for adjuvant chemotherapy for colorectal cancer in a Canadian province: a population-based analysis.** *J Oncol Pract* 2012, **8**(4):253-259.
5. Richardson DP, Porter GA, Johnson PM: **Population-based use of sphincter-preserving surgery in patients with rectal cancer: is there room for improvement?** *Dis Colon Rectum* 2013, **56**(6):704-710.
6. Urquhart R, Folkes A, Porter G, C K, Cox M, R D, E G: **Population-based longitudinal study of follow-up care for colorectal cancer patients in Nova Scotia.** *J Oncol Pract* 2012, **8**(4):246-252.
7. Latosinsky S, Fradette K, Lix L, Hildebrand K, Turner D: **Canadian breast cancer guidelines: have they made a difference?** *CMAJ* 2007, **176**(6):771-776.
8. Cree M, Tonita J, Turner D, Nugent Z, Alvi R, Barss R, King C, Winget M: **Comparison of treatment received versus long-standing guidelines for stage III colon and stage II/III rectal cancer patients diagnosed in Alberta, Saskatchewan, and Manitoba in 2004.** *Clin Colorectal Cancer* 2009, **8**(3):141-145.
9. Canadian Strategy for Cancer Control: **The Canadian Strategy for Cancer Control: a cancer plan for Canada - Discussion Paper.** In. Ottawa, ON: CSCC Governing Council; 2006.
10. World Health Organization: **Bridging the "know-do" gap. Meeting on knowledge translation in global health. Geneva, Switzerland.** In.; 2006.
11. Ejemot RI, Ehiri JE, Meremikwu MM, Critchley JA: **Hand washing for preventing diarrhoea.** *Cochrane Database Syst Rev* 2008(1):CD004265.
12. Wilson KD, Kurz RS: **Bridging implementation and institutionalization within organizations: proposed employment of continuous quality improvement to further dissemination.** *J Public Health Manag Pract* 2008, **14**(2):109-116.
13. Gillissen F, Ament SM, Maessen JM, Dejong CH, Dirksen CD, van der Weijden T, von Meyenfeldt MF: **Sustainability of an Enhanced Recovery After Surgery Program (ERAS) in Colonic Surgery.** *World J Surg* 2014.
14. Kryworuchko J, Stacey D, Bai N, Graham ID: **Twelve years of clinical practice guideline development, dissemination and evaluation in Canada (1994 to 2005).** *Implement Sci* 2009, **4**:49.
15. Grunfeld E: **Canadian breast cancer guidelines are as effective as possible under the circumstances.** *CMAJ* 2007, **176**(6):785-786.
16. Sheldon TA, Cullum N, Dawson D, Lankshear A, Lowson K, Watt I, West P, Wright D, Wright J: **What's the evidence that NICE guidance has been implemented? Results from a national evaluation using time series analysis, audit of patients' notes, and interviews.** *BMJ* 2004, **329**(7473).
17. Proctor E, Luke D, Calhoun A, McMillen C, Brownson R, McCrary S, Padek M: **Sustainability of evidence-based healthcare: research agenda, methodological advances, and infrastructure support.** *Implement Sci* 2015, **10**:88.

18. Maher L, DH G, Evans A: **Sustainability model and guide**. In. Coventry, UK: Institute for Innovation and Improvement, National Health Service. Available at: <http://www.institute.nhs.uk/sustainability>; 2010.
19. Chambers DA, Glasgow RE, Stange KC: **The dynamic sustainability framework: addressing the paradox of sustainment amid ongoing change**. *Implement Sci* 2013, **8**:117.
20. Schell SF, Luke DA, Schooley MW, Elliott MB, Herbers SH, Mueller NB, Bunger AC: **Public health program capacity for sustainability: a new framework**. *Implement Sci* 2013, **8**:15.
21. Shelton RC, Chambers DA, Glasgow RE: **An Extension of RE-AIM to Enhance Sustainability: Addressing Dynamic Context and Promoting Health Equity Over Time**. *Front Public Health* 2020, **8**:134.
22. Lennox L, Maher L, Reed J: **Navigating the sustainability landscape: a systematic review of sustainability approaches in healthcare**. *Implement Sci* 2018, **13**:27.
23. Moore JE, Mascarenhas A, Bain J, Straus SE: **Developing a comprehensive definition of sustainability**. *Implement Sci* 2017, **12**(1):110.
24. Wiltsey Stirman S, Kimberly J, Cook N, Calloway A, Castro F, Charns M: **The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research**. *Implement Sci* 2012, **7**:17.
25. Scheirer MA: **Is Sustainability Possible? A Review and Commentary on Empirical Studies of Program Sustainability**. *American Journal of Evaluation* 2005, **26**(3):320-347.
26. Shelton RC, Cooper BR, Stirman SW: **The Sustainability of Evidence-Based Interventions and Practices in Public Health and Health Care**. *Annu Rev Public Health* 2018, **39**:55-76.
27. Canadian Cancer Society's Advisory Committee: **Canadian Cancer Statistics 2019**. In. Toronto, ON: Canadian Cancer Society; 2019.
28. Canadian Cancer Research Alliance: **Pan-Canadian framework for cancer survivorship research**. In. Toronto, ON: CCRA; 2017.
29. Strauss AL, Corbin JM: **Basics of qualitative research: grounded theory procedures and techniques**. Thousand Oaks, CA: Sage; 1990.
30. Klein KJ, Sorra JS: **The challenge of innovation implementation**. *Acad Manage Rev* 1996, **21**(4):1055-1080.
31. **Research-Tested Intervention Programs (RTIPs)**. Available at: <https://rtips.cancer.gov/rtips/index.do> [Accessed May 4, 2020]
32. Scheirer MA, Dearing JW: **An agenda for research on the sustainability of public health programs**. *Am J Public Health* 2011, **101**(11):2059-2067.
33. Scheirer MA: **Linking sustainability research to intervention types**. *Am J Public Health* 2013, **103**(4):e73-80.
34. Nilsen P: **Making sense of implementation theories, models and frameworks**. *Implement Sci* 2015, **10**:53.
35. Guest G, Bunce A, Johnson L: **How many interviews are enough?** *Field Methods* 2006, **18**(1):59-82.
36. Patton MQ: **Qualitative research & evaluation methods**, 3rd edn. Thousand Oaks, CA: SAGE Publications; 2002.
37. Rubin H, Rubin I: **Qualitative interviewing: the art of hearing data**. Thousand Oaks, CA: Sage Publications; 1995.
38. Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, Bunger A, Griffey R, Hensley M: **Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda**. *Adm Policy Ment Health* 2011, **38**(2):65-76.
39. Wiltsey Stirman S, Baumann AA, Miller CJ: **The FRAME: an expanded framework for reporting adaptations and modifications to evidence-based interventions**. *Implement Sci* 2019, **14**(58).

- 1
2
3 40. Aarons GA, Green AE, Palinkas LA, Self-Brown S, Whitaker DJ, Lutzker JR, Silovsky JF, Hecht DB, Chaffin MJ: **Dynamic adaptation process to implement an evidence-based child maltreatment intervention.** *Implement Sci* 2012, **7**:32.
- 4
5
6 41. Hawe P, Shiell A, Riley T: **Complex interventions: how "out of control" can a randomised controlled trial be?** *BMJ* 2004, **328**(7455):1561-1563.
- 7
8
9 42. Jolles MP, Lengnick-Hall R, Mittman BS: **Correction to: Core Functions and Forms of Complex Health Interventions: a Patient-Centered Medical Home Illustration.** *J Gen Intern Med* 2019.
- 10
11
12 43. Kendall PC, Beidas RS: **Smoothing the trail for dissemination of evidence-based practices for youth: Flexibility within fidelity.** *Professional Psychology: Research and Practice* 2007, **38**(1):13-20.
- 13
14
15 44. **PCORI Methodology Standards for Studies of Complex Interventions. Available at:**
16 [https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex)
17 [methodology-standards - Complex](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex) [accessed May 4, 2020]
- 18
19 45. Thomson K, de Chernatony L, Arganbright L, Khan S: **The Buy-in Benchmark: How Staff Understanding and Commitment Impact Brand and Business Performance.** *Journal of Marketing Management* 1999, **15**(8):819-835.
- 20
21
22 46. Kotter JP: **Leading change: Why transformation efforts fail.** . *Harvard Business Review* 1995, Reprint 95204:59-67.
- 23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **FIGURE LEGENDS**
4
5
6

7 Figure 1. Factors influencing the sustainability of cancer survivorship innovations.
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 1. Factors influencing the sustainability of cancer survivorship innovations.

Additional file 1

Draft interview guide for semi-structured interviews.

Setting the stage

1. Can you tell me a bit about [*Innovation X*]?
Probes
 - a. What does [*Innovation X*] entail? What are its components?
 - b. Was there any training or education necessary with the implementation?
 - c. Were there any policies put into place?
 - d. Were there any additional management needs or positions created?
 - e. What year was it introduced?
 - f. Was there a pilot period? If so, how long was the pilot period?
 - g. How long has it been in use (since then)? Is it still in use?
2. How did you first hear about [*Innovation X*]?
 - a. What were your initial thoughts?
3. Why was [*innovation X*] implemented here? What need were you trying to address?
 - a. Who identified the need for this intervention [*frontline staff, hospital manager/administrators, government*]?
 - b. Who proposed [*Innovation X*] as a means of addressing this need [*frontline staff, hospital manager/administrators, government*]?
 - c. Did others perceive this need as well?

Implementation

Now I'd like to talk to you a bit about the implementation of [*Innovation X*].

4. Can you tell me about how [*Innovation X*] was implemented?
Probes
 - a. What was your role in the implementation process?
 - b. Who else was involved and what were their roles?
 - c. How were the relationships between people during the implementation process?
 - i. Examples: pre-existing, strength, coming from within or from outside, trust, respect
5. How different was [*Innovation X*] from the existing practices?
 - a. Did these differences/similarities affect the implementation process?
 - b. If so, how?
6. Would you say that the implementation of [*Innovation X*] was initially successful?
 - a. If so, how?
 - b. If not, why not?

Sustainability

7. When I talk about sustainability of innovations, what does sustainability mean to you?
8. Would you say [*Innovation X*] has been sustained so far? Why or why not?
 - a. Was use impacted once the initially training/support ended?
 - i. If so how?
 - ii. If not, why not?
9. Has [*innovation X*] been adapted or modified at all?
 - a. If so, in what way?
 - b. Why were these modifications needed?
10. What did your program/organization do to support the ongoing use or integration of [*Innovation X*] into routine care?
 - Examples: policy or operational changes to integrate [*innovation X*] into normal worker expectations or routines
 - b. How did that help with the sustainability of [*Innovation X*]?
 - c. Engage: Did your team/program/organization try to engage people in the implementation process or the use of the new innovation?
 - d. Execute: Did the implementation process go according to the original plan?
11. What factors do you believe influence the sustainability of [*Innovation X*]?

Probes:

 - a. In what ways?
 - b. Both facilitators and barriers.
 - c. Characteristics of the innovation?
 - d. Characteristics of the people managing/leading/supporting its ongoing use?
 - e. Organizational context (ex: staffing, IT, infrastructure, organizational culture, management support, incentives, organizational mandates)?
 - f. Broader context (ex: policies, regulations, legal, political, or economic context, patient needs/preferences/characteristics)?
12. Earlier we talked about why [*Innovation X*] was implemented here and the needs it was designed to meet. What would you say has been successful in meeting the needs we talked about?
13. What other impacts has [*Innovation X*] had on your program/organization and the people who work there/with the [*Innovation*]?
 - a. What about on the patients?
14. Has there been an evaluation conducted related to the sustained use and/or impacts of [*Innovation X*]?
 - a. Are the findings from those evaluations fed back into [*Innovation X*] and used to adapt it?
 - i. If so, how so?
15. What do you think is required to ensure the continued use of [*innovation X*] moving forward?
 - a. Examples: attitudes, incentives, removal of specific barriers, financial, human resources, organizational mandates/policies

Consolidated criteria for reporting qualitative studies (COREQ): 32-item checklist

No	Item	Guide questions/description	Author response
Domain 1: Research team and reflexivity			
Personal Characteristics			
1.	Interviewer/facilitator	Which author/s conducted the interview or focus group?	Laura L Madden [LLM]; stated in text (methods section, pg 7)
2.	Credentials	What were the researcher's credentials? <i>E.g. PhD, MD</i>	The interviewer [LLM] has a MSc; the lead author [RU] a PhD
3.	Occupation	What was their occupation at the time of the study?	LLM: Research Associate, Department of Surgery RU: Assistant Professor, Department of Surgery
4.	Gender	Was the researcher male or female?	Female
5.	Experience and training	What experience or training did the researcher have?	LLM: Did a qualitative Master's thesis; employed under the PI/lead author (RU) as a Research Associate of qualitative studies; stated in text (methods section, pg 7). RU: PI, expertise in qualitative research
Relationship with participants			
6.	Relationship established	Was a relationship established prior to study commencement?	There was no relationship between the interviewer [LLM] and either participant prior to study commencement; stated in text

136/bmjopen-2020-042333 on February 20, 2021. Downloaded from http://bmjopen.bmj.com/ by guest. Protected by copyright.

(methods section, pg 7). The lead author [RU] and one other author [JLB] knew some study participants in a professional capacity only.

7.	Participant knowledge of the interviewer	What did the participants know about the researcher? e.g. <i>personal goals, reasons for doing the research</i>	Many participants would have known that the lead author [RU] and another author [JLB] had research programs in cancer survivorship
8.	Interviewer characteristics	What characteristics were reported about the interviewer/facilitator? e.g. <i>Bias, assumptions, reasons and interests in the research topic</i>	No characteristics are reported about the interviewer. The interviewer was a Research Associate with qualitative research experience but without any background in cancer survivorship or sustainability research.

Domain 2: study design

Theoretical framework

9.	Methodological orientation and Theory	What methodological orientation was stated to underpin the study? e.g. <i>grounded theory, discourse analysis, ethnography, phenomenology, content analysis</i>	This study was informed by the principles of grounded theory, specifically Strauss and Corbin (1990), which is cited in the manuscript (pg. 5)
----	---------------------------------------	---	--

Participant selection

10.	Sampling	How were participants selected? e.g. <i>purposive, convenience, consecutive, snowball</i>	Purposive; stated in text (methods section, pg. 5)
11.	Method of approach	How were participants approached? e.g. <i>face-to-face, telephone, mail, email</i>	Email; stated in text (methods section, pg. 5-7)

12.	Sample size	How many participants were in the study?	27; stated in text (results section, pg. 8)
13.	Non-participation	How many people refused to participate or dropped out? Reasons?	32 people in total were contacted for participation, with 27 participating in the final study; 2 individuals did not respond to the study invitation while 3 responded stating they were not the best person to interview and provided the name and contact information of a more suitable person.
Setting			
14.	Setting of data collection	Where was the data collected? e.g. <i>home, clinic, workplace</i>	Telephone; stated in text (methods section, pg. 7).
15.	Presence of non-participants	Was anyone else present besides the participants and researchers?	No.
16.	Description of sample	What are the important characteristics of the sample? e.g. <i>demographic data, date</i>	Given the nature of this study, detailed demographic data are not presented. However, participants were situated in six Canadian provinces and involved in a variety (25) of worship innovations.
Data collection			
17.	Interview guide	Were questions, prompts, guides provided by the authors? Was it pilot tested?	The interview guide was pilot tested with 10 individuals.
18.	Repeat interviews	Were repeat interviews carried out? If yes, how many?	No; stated in text (methods section, pg. 7).
19.	Audio/visual recording	Did the research use audio or visual recording to collect the data?	Yes, audio recording; stated in text (methods section, pg. 7).
20.	Field notes	Were field notes made during and/or after the interview or focus group?	Yes; stated in text (methods section, pg. 7).

136/bmjopen-2020-042533n For peer review only. Downloaded from <http://bmjopen.bmj.com/> on April 23, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

21.	Duration	What was the duration of the interviews or focus group?	~40-60 minutes; stated in text (methods section, pg. 7).
22.	Data saturation	Was data saturation discussed?	Yes, the interviews continued until data saturation was reached. This was determined by constant comparison techniques and research team discussion.
23.	Transcripts returned	Were transcripts returned to participants for comment and/or correction?	No.
Domain 3: analysis and findings			
Data analysis			
24.	Number of data coders	How many data coders coded the data?	Two researchers [LLM, RU] coded the first 3 transcripts, with the remaining transcripts coded by LLM with regular review by RU; stated in text (methods section).
25.	Description of the coding tree	Did authors provide a description of the coding tree?	A codebook containing code definitions, sample data illustrating application of the code, and decision rules related to each code, was developed by the research team. This was achieved through (1) review of three interview transcripts by RU and LLM; (2) review of codes and discussion between RU and LLM; and (3) subsequent review of codebook and discussion by the entire team; stated in text (methods section, pg. 7).

26.	Derivation of themes	Were themes identified in advance or derived from the data?	Derived from the data; analysis process discussed in text (methods section, pg. 7-8).
27.	Software	What software, if applicable, was used to manage the data?	Yes, NVivo; stated in text (methods section, pg. 7-8).
28.	Participant checking	Did participants provide feedback on the findings?	No.
Reporting			
29.	Quotations presented	Were participant quotations presented to illustrate the themes / findings? Was each quotation identified? <i>e.g. participant number</i>	Yes (results section, pg. 9-14).
30.	Data and findings consistent	Was there consistency between the data presented and the findings?	Yes.
31.	Clarity of major themes	Were major themes clearly presented in the findings?	Yes.
32.	Clarity of minor themes	Is there a description of diverse cases or discussion of minor themes?	Yes, minor themes are presented in both a table and figure, and discussed in brief in the discussion section.

BMJ Open

Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2020-042503.R2
Article Type:	Original research
Date Submitted by the Author:	14-Jan-2021
Complete List of Authors:	Urquhart, Robin; Dalhousie University Faculty of Medicine, Community Health and Epidemiology Kendell, Cynthia ; Nova Scotia Health Authority, Surgery Cornelissen, Evelyn; The University of British Columbia Faculty of Medicine, Department of Family Practice Powell, Byron; Washington University in St. Louis, Brown School Madden, Laura; Dalhousie University Faculty of Medicine, Surgery Kissmann, Glenn; Interior Health Authority Richmond, Sarah; Public Health Ontario, Health Promotion, Chronic Disease and Injury Prevention; University of Toronto, Division of Epidemiology, Dalla Lana School of Public Health Bender, Jacqueline; Princess Margaret Hospital Cancer Centre,
Primary Subject Heading:	Health services research
Secondary Subject Heading:	Evidence based practice, Oncology, Qualitative research
Keywords:	ONCOLOGY, HEALTH SERVICES ADMINISTRATION & MANAGEMENT, QUALITATIVE RESEARCH

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

Title: Identifying factors influencing sustainability of innovations in cancer survivorship care: a qualitative study

Authors: Robin Urquhart^{1,2,3,4}, Cynthia Kendell^{2,3}, Evelyn Cornelissen⁵, Byron J. Powell⁶, Laura L. Madden², Glenn Kissmann⁷, Sarah A. Richmond^{4,8}, Jacqueline L. Bender^{4,9}

Affiliations:

1. Department of Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia, Canada
2. Department of Surgery, Dalhousie University, Halifax, Nova Scotia, Canada
3. Nova Scotia Health Authority, Halifax, Nova Scotia, Canada
4. Dalla Lana School of Public Health, University of Toronto, Toronto, Ontario, Canada
5. Department of Family Practice, Faculty of Medicine, University of British Columbia, Kelowna, British Columbia, Canada
6. Brown School, Washington University in St. Louis, St. Louis, Missouri, USA
7. Interior Health, Kelowna, British Columbia, Canada
8. Public Health Ontario, Toronto, Ontario, Canada
9. ELLICSR/Department of Supportive Care, Princess Margaret Cancer Centre, University Health Network, Toronto, Ontario, Canada

Word count: 5211

No of tables: 3

No of figures: 1

Email addresses:

robin.urquhart@nshealth.ca (corresponding author)

cynthia.kendell@ccns.nshealth.ca

evelyn.cornelissen@ubc.ca

bjpowell@wustl.edu

maddlaura@gmail.com

glenn.kissmann@interiorhealth.ca

sarah.a.richmond@gmail.com

jackie.bender@uhnresearch.ca

Corresponding author: Robin Urquhart

Department of Community Health & Epidemiology, Dalhousie University

Room 413 – Centre for Clinical Research

5790 University Avenue, Halifax, Nova Scotia, B3H 1V7

Tel: (902) 473-7290; Fax: (902) 473-4631

Email: robin.urquhart@nshealth.ca

ABSTRACT

Objectives: Moving innovations into health care organizations to increase positive health outcomes remains a significant challenge. Even when knowledge and tools are adopted, they often fail to become integrated into the long-term routines of organizations. The objective of this study was to identify factors and processes influencing the sustainability of innovations in cancer survivorship care. **Design:** Qualitative study using semi-structured, in-depth interviews, informed by grounded theory. Data were collected and analyzed concurrently, using constant comparative analysis. **Setting:** 25 cancer survivorship innovations based in six Canadian provinces. **Participants:** Twenty-seven implementation leaders and relevant staff from across Canada involved in the implementation of innovations in cancer survivorship. **Results:** The findings were categorised according to determinants, processes, and implementation outcomes, and whether a factor was necessary to sustainability, or important but not necessary. Seven determinants, six processes, and three implementation outcomes were perceived to influence sustainability. The necessary determinants were 1) management support; 2) organizational and system-level priorities; and 3) key people and expertise. Necessary processes were 4) innovation adaptation; 5) stakeholder engagement; and 6) ongoing education and training. The only necessary implementation outcome was 7) widespread staff and organizational buy-in for the innovation. **Conclusions:** Factors influencing the sustainability of cancer survivorship innovations exist across multiple levels of the health system and are often interdependent. Study findings may be used by implementation teams to plan for sustainability from the beginning of innovation adoption initiatives. **Keywords:** oncology, health services administration and management, qualitative research

STRENGTHS AND LIMITATIONS OF THIS STUDY

- The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” and we provide a comprehensive inquiry of factors and processes influencing the sustainability of innovations in health care.
- We interviewed 27 implementation leaders and relevant staff from 25 cancer survivorship innovations that were implemented across Canadian jurisdictions.
- We used several implementation science frameworks and taxonomies to design our study and analyse and interpret the findings.
- This study focused solely on innovations in cancer survivorship, which may limit transferability to innovations in other areas of care, although there is no inherent reason why innovations in cancer survivorship should differ from innovations in other areas of chronic disease management.
- This is a critical area of inquiry, given there is limited empirical data on the processes by which innovations are sustained in clinical settings as well as the considerable investment over the past decade to implement beneficial innovations so more people have access to high-quality health care.

INTRODUCTION

Across Canada, many studies have identified gaps in the delivery of cancer care whereby the care patients receive is not consistent with scientific evidence [1-8]. The Canadian Strategy for Cancer Control estimated that cancer outcomes could improve by as much as 30% by routinely applying existing evidence in practice [9]. Similarly, the World Health Organization estimated that worldwide, one-third of cancer cases could be prevented and another one-third cured if evidence-based practices were consistently implemented and sustained in care [10]. Importantly, even when knowledge and tools are put into practice, they often fail to become integrated into the long-term routines of organizations [11-13]. This poor sustainment means many patients do not benefit from the best care possible [14-16].

The sustainability of evidence-based innovations has been described as “one of the least understood and most vexing issues for implementation research” [17]. In the past decade, a number of researchers have published conceptual models on innovation sustainability in health care [18-21], while recent reviews have provided syntheses of how researchers in the field define and approach sustainability [22, 23]. Nevertheless, there remains limited empirical data on the processes by which innovations are sustained in clinical settings and the factors that influence sustainability [17, 24-26].

Focusing on cancer survivorship care, this study examined whether and how various evidence-based innovations have been sustained. Cancer survivorship was the focus of this study for three reasons: 1) the number of cancer survivors has grown substantially due to advances in early diagnosis and treatment [27]; 2) cancer survivorship has become a strategic policy focus, with Canadian decision-makers seeking ways to deliver care and implement innovations that address the needs and circumstances of this growing population; and 3) cancer research funders in Canada have explicitly stated a need to integrate *what we know* into survivorship programs and policy [28]. The specific objectives were to 1) identify factors influencing sustainability and 2) explore the processes that facilitate the sustainability of innovations in cancer survivorship care.

MATERIALS AND METHODS

Study design

We conducted a qualitative study, informed by the principles of grounded theory [29], on the sustainability of evidence-based innovations in cancer survivorship care that have been implemented across Canadian jurisdictions. An innovation was defined as new knowledge, tools, or interventions (including programs and services) that organizations are using for the first time [30]. An innovation was considered evidence-based if at least one published peer-reviewed study, using an experimental or quasi-experimental design, demonstrated improved outcomes for the target population. This is the criterion used by the National Cancer Institute for Research-Tested Intervention Programs specifically for cancer control and cancer survivorship interventions [31]. Sustainability was defined as the *continuation* of the innovation's activities or outcomes beyond the initial implementation stage or initial funding period [32]. This study was approved by the Nova Scotia Health Authority's Research Ethics Board. All participants provided written informed consent before participating in the study.

Patient and Public Involvement

No patient involved.

Conceptual Frameworks

The study was informed by Scheirer's work on sustainability [32, 33], the dynamic sustainability framework (DSF) [19], and Nilsen's taxonomy of implementation frameworks [34]. Scheirer's work was used during sampling, specifically to identify innovations based on innovation type: those implemented by individual providers; those requiring coordination among multiple staff; new policies, procedures, and technologies; capacity or infrastructure building; collaborative partnerships or coalitions; and broad-

1
2
3 scale system change. The DSF proposes that the “fit” between the innovation (specifically, interventions)
4 and the setting is key to sustainability, and focuses on three main elements: the intervention, practice
5 setting or context, and broader ecological system. This framework informed development of the
6 interview guide (e.g., questions and probes around the innovation, practice setting, and broader health
7 care system) and ongoing analyses/interpretation. Nilsen’s taxonomy was used during data analysis only
8 to categorize the resultant findings (see below).
9
10
11
12
13
14
15
16
17
18

19 **Participants**

20
21 Participants were implementation leaders and relevant staff from across Canada involved in the
22 implementation of a range of innovations in cancer survivorship care (e.g., self-management tools,
23 physical activity programs, and models of follow-up care). Recruitment involved a two-phased process.
24
25 First, we had to identify innovations of interest and, second, recruit leaders and staff involved in those
26 innovations. The identification of innovations was multipronged: 1) viewing of all archived rounds and
27 reviewing of all publications posted on the Canadian Cancer Survivorship Research Consortium (CCSRC)
28 website; 2) multiple PubMed searches with combinations of relevant search terms (e.g., cancer,
29 survivor*, Canada, rehabilitation, interventions, physical activity); and 3) speaking with the individual
30 responsible for survivorship care and programming at all provincial cancer agencies (or their equivalent)
31 to identify additional relevant initiatives in each province. Upon a final list of all potential innovations,
32 we assessed whether each innovation was evidence-based, as per the criterion described above [31].
33
34
35
36
37
38
39
40
41
42
43
44
45

46 From those innovations deemed evidence-based, we purposively recruited participants to
47 maximize variation in cancer site, type of innovation [33], and geographic setting. Individual recruitment
48 involved purposive sampling to identify the implementation leader(s) and/or staff member(s) who was
49 most directly involved in the implementation and/or sustainment of the innovation. These individuals
50
51
52
53
54
55
56
57
58
59
60

1
2
3 were contacted by the lead author (RU) via email and invited to participate. Data collection continued
4
5 until thematic saturation was reached [35].
6
7
8
9

10 **Data Collection**

11 We conducted one-on-one, semi-structured telephone interviews with participants. An interview guide
12 was developed based on the study objectives and the DSF, using practical guidance from Patton [36] and
13 Rubin and Rubin [37]. The interview guide is provided as a Supplementary File. The interviews focused
14 on eliciting participants' understandings of the innovation, the process by which it was implemented,
15 whether and how the innovation is sustained, and the multi-level factors affecting its sustained use and
16 impact. One master's trained research associate with experience in qualitative methods (LLM)
17 conducted all interviews, which lasted approximately 40-60 minutes. The interviewer had no prior
18 relationship with any of the participants, and no repeat interviews were conducted. Field notes were
19 taken during interviews to record interviewer observations and perceptions. All interviews were
20 audiotaped and transcribed verbatim.
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

37 **Data Analysis**

38 Consistent with grounded theory, the interview data were collected and analyzed concurrently. An
39 inductive approach, using constant comparative analysis, was used to analyze the interview transcripts
40 [29]. Analysis involved coding, constant comparison, and identification, organization, and refinement of
41 categories. To help ensure consistency and conceptual clarity throughout the process of coding and
42 categorization, a coding framework (i.e., "codebook") was developed by the lead author (RU) and
43 research associate (LLM). This was achieved through review of three transcripts and a team discussion.
44
45 Next, the research associate used the codebook to code the remaining transcripts, with regular
46 meetings between the same two individuals to review coding and the consistency of applying the codes
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 to the interview text, consult with field notes, and refine the codebook as needed. Qualitative software
4
5 (NVivo 10, QSR International, 2012) was used for data management and to facilitate comparison and
6
7 synthesis of codes. Several full team meetings were also conducted to review coding and discuss
8
9 emerging findings.
10

11
12 During a final two-day team meeting, the resultant findings were categorised according to
13
14 determinants, processes, and implementation outcomes, and whether the data suggested a factor was
15
16 necessary to sustainability or important but not necessary. Drawing on Nilsen's taxonomy of
17
18 implementation frameworks [34], we categorized factors as those that help us understand and/or
19
20 explain what influences outcomes (determinants), those that describe the processes that help translate
21
22 innovations into practice (processes), and those that identify important aspects by which to evaluate the
23
24 initial implementation (implementation outcomes). Regarding the latter, implementation outcomes
25
26 were specifically defined as "the effects of deliberate and purposive actions to implement new
27
28 treatments, practices and services" [38]. Determining whether a factor was 'necessary' or 'important
29
30 but not necessary' was an iterative process that involved analyzing participant perspectives on this issue
31
32 as well as the data on whether and the extent to which a specific innovation was sustained (i.e.,
33
34 *continued* activities or outcomes beyond the initial implementation stage or initial funding period [32],
35
36 as described above) in the presence or absence of all resultant factors. If innovations were sustained in
37
38 the absence of a particular factor, then this factor was deemed important but not necessary.
39
40
41
42
43
44
45

46 RESULTS

47
48 Twenty-seven participants from 25 unique cancer survivorship innovations based in six Canadian
49
50 provinces (British Columbia, Alberta, Manitoba, Ontario, Quebec, and Nova Scotia) participated in this
51
52 study. Table 1 presents participant characteristics. All interviews took place from August 2017 to March
53
54 2018. Of the 25 innovations, 20 were sustained to some degree in that activities continued after the
55
56
57
58
59
60

1
2
3 initial funding period. Five were not sustained. The innovations were grouped into five categories,
4 depending on its intended purpose: physical activity programs, psychological support/counselling,
5 transition to survivorship programs, transition to primary care programs, and return to life and lifestyle
6 programs. Eighteen were delivered in-person, four were delivered online, and three were delivered both
7 in-person and online.
8
9

10
11
12
13
14 Sixteen factors were perceived to influence sustainability: seven determinants, five processes,
15 and four implementation outcomes (Figure 1). Seven of these were deemed necessary, while nine were
16 important but not necessary. Table 2 presents all 16 factors, with brief descriptions. The necessary
17 determinants, discussed in detail below, were 1) management support; 2) organizational and system-
18 level priorities; and 3) key people and expertise. Necessary processes were 4) adaptation; 5) stakeholder
19 engagement; and 6) ongoing education and training. The only necessary implementation outcome was
20 7) staff and organizational buy-in for the innovation.
21
22
23
24
25
26
27
28
29
30
31

32 **Necessary Determinants**

33 *Management support*

34
35 Participants continually voiced their experience that the support of middle and senior managers is
36 imperative to the sustained use of any innovation. Their experience was that even with all other pieces
37 in place, it is extremely challenging to sustain any innovation without management support. As one
38 participated stated, “Management support, for sure, is very important, especially for growth. Um, very,
39 very important” [Participant 19]. Participants noted that management support tends to result in ongoing
40 funding, whether this is the direct provision of funds (e.g., out of their program budget) or advocating
41 for funding from other sources. Participants also described how it is often difficult for managers to
42 support innovations in survivorship care because of competing priorities and that survivorship care does
43 not result in quantifiable metrics in the same the way other areas of care do:
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 I would say that it's one of the ... tougher components for people, for senior management, to
4 buy into because it's a softer metric to try to collect in a way. Because it's not like you've got
5 numbers of patients going through chemo or radiation. It's not, you know, survivorship care is a
6 lot harder to look at that data and try to figure out if it's meaningful or worth it. [Participant 2]
7
8
9

10
11
12 Participants also noted that management support is much higher when an innovation and its
13 sustainment are appropriately resourced and funded. Innovations that do not have secure funding
14 require managers to transfer operational funds and/or allocate other resources (e.g., staff time) away
15 from existing programs and services.
16
17
18
19
20
21
22

23 *Organizational and system-level priorities*

24
25 All participants discussed how survivorship care is perceived as a low organizational and health system
26 priority relative to other cancer programs and services. As one participant stated, "It's not because
27 people aren't interested in [survivorship care], it's just that it's maybe seen, maybe viewed as the nice to
28 have, not the need to have" [Participant 2]. As a result, the sustainment of innovations that have been
29 implemented were described as particularly challenging, regardless of the extent to which program
30 components are in place and working well. Participants described several instances whereby
31 survivorship care was prioritized and therefore initial implementation efforts were well supported and
32 resourced. One example of this is a focus on post-cancer treatment transitions mandated by the
33 province of Ontario: "Having Cancer Care Ontario ... starting to really implement comprehensive care
34 that includes the patient, not just the tumour, is really helpful. Because our hospitals are funded by the
35 degree to which they meet these mandates" [Participant 18]. However, participants noted that even
36 when innovations appeared to be integrated, shifting priorities at the health authority or government
37 level often meant that sustainability was threatened. Speaking about an innovation related to
38 transitioning survivors from active treatment to well follow-up care, one participant explained:
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 There had been significant shifting in terms of how our organization was structured and who
4 actually had the authority and power, and their viewpoint on all of it. And, so, we couldn't at
5 that point really proceed with it because the organization was really shifting away from that
6 work. [Participant 11]
7
8
9
10
11
12

13 *Key people and expertise*

14
15
16 Participants continually emphasized the importance of two key individuals for ongoing sustainment of
17 innovations: clinical champions and dedicated coordinators (or similar personnel). Ongoing champions
18 were deemed necessary for sustainability. Several innovations illustrated this perspective. One was a
19 program aimed at transitioning low-risk survivors back to primary care after treatment. This program,
20 led by a tremendously well-respected clinical champion, had been in place for more than four years and
21 appeared well integrated within the cancer care setting. However, upon loss of the champion, the
22 program was substantially altered and eventually dwindled to minimal use. Conversely, two other
23 transition programs, in other jurisdictions, did not secure ongoing funding after the initial pilots, but
24 maintained ongoing activities simply because the clinical champions continued the service, sometimes in
25 a voluntary role (i.e., during evenings and weekends) despite a lack of funding and other resources.
26
27
28
29
30
31
32
33
34
35
36
37
38

39 For many programs, participants also described dedicated program coordinators (or staff
40 members with a coordination role) as being a necessary resource for sustainability, playing a
41 complementary role to clinical champions. Their experience was that such a role was necessary to
42 ensure the innovation was running smoothly, including the continuation of activities and tracking of
43 deliverables. As one participant said:
44
45
46
47
48
49

50 It could conceivably be just a small team or one person working remotely, coordinating this kind
51 of thing and sort of, like I said, overseeing the [innovation] and making sure that technological
52
53
54
55
56
57
58
59
60

1
2
3 and referral purpose is running smoothly. But, it has to be, it does have to be there. It can't run
4
5 itself. [Participant 7]
6

7
8 Many participants highlighted that certain expertise or skillsets are often needed for an innovation to
9
10 continue to work efficiently and effectively. An example was the presence of certified exercise
11
12 professionals for physical activity programs.
13

14 15 16 **Necessary Processes** 17

18 *Adaptation* 19

20
21 All participants emphasized that adaptation, not fidelity, is necessary for sustainability. Participants
22
23 discussed how their task, as leaders and staff of innovations, was to ensure that the innovation evolved
24
25 and adapted as necessary in their particular setting. Their view was that without adaptation, there was
26
27 no sustainability. Adaptation was necessary to allow the team/organization to continually meet the
28
29 needs of patients and to maintain fit with the setting/environment (e.g., changing staff, capacity,
30
31 resources, policies, and political environment). As one participant stated:
32
33

34 Our being flexible and adapting to what would work, both for ourselves and our limited
35
36 resources and time and for our patients. I think if we hadn't adapted the program, we wouldn't
37
38 still be offering it. So, we had to adapt and change and shorten and condense, while sticking to
39
40 the hearts and, you know, key concepts of the program. [Participant 17]
41
42

43 Table 3 provides examples of adaptations to each type of innovation. Many were related to delivery
44
45 mechanisms with the goal of increasing accessibility of the program and/or its feasibility (e.g., changing
46
47 the frequency or timing of delivery, moving some components to online delivery, changing referral
48
49 processes). Moreover, it was widely recognized that adaptation was necessary because the evidence
50
51 base for innovations change. An innovation today, both its components and target population, will likely
52
53 change as new evidence becomes available: "I think it's imperative to keep current with the evidence for
54
55
56
57
58
59
60

1
2
3 whatever it is you're offering. And making adaptations with the program that are in keeping with the
4
5 evidence" [Participant 6].
6
7
8
9

10 *Stakeholder engagement*

11 Participants described the engagement of important stakeholders (e.g., physicians, patients,
12
13 administrators) as essential to sustainability. The data indicated participants viewed engagement as
14
15 critical for two reasons. First, engagement increases awareness of the innovation, its evidence base, and
16
17 its potential benefits, and helps to develop trust and a sense of ownership with regard to the innovation.
18
19

20 As one participant said:

21
22
23 ... the consultations in advance and the getting the people on board and having their input into
24
25 how things are gonna look and design, I think that was required in order to get any of them on
26
27 board for something that would be a voluntary change in practice. [Participant 8]
28
29

30 Second, engagement contributed to the practice-based adaptation of the innovations to optimize fit to
31
32 the local setting. This engagement occurred through mechanisms such as establishing Steering or
33
34 Advisory Committees composed of key stakeholders, conducting needs assessments, meeting with
35
36 multidisciplinary cancer site teams/tumour boards, consulting with primary care providers/networks,
37
38 and co-designing with patient and/or physician groups. Participants described engagement as positively
39
40 changing both the engaged person (through building a sense of ownership and personal investment;
41
42 discussed below) as well as the innovation itself (through adaptation to the local setting; discussed
43
44 above), both viewed as essential to sustainability.
45
46
47
48
49

50 *Ongoing education and training*

51 Participants across all organizations and jurisdictions emphasized that ongoing education and training
52
53 was required to sustain their innovations. This was particularly true due to high staff turnover, which
54
55
56
57
58
59
60

1
2
3 was deemed prevalent across organizations and jurisdictions. The nature of academic health care
4 settings, with turnover of learners on an ongoing and frequent basis, was also described as a challenge
5
6 to sustainability:
7

8
9
10 Probably one of the biggest barriers is that there's always new staff that come along, like fellows
11 and residents and stuff like that. So, um, you know, they're often just not even aware. So
12 unless there's some kind of process in place to sort of orient them to those types of things then
13 they won't be delivering it. [Participant 16]
14
15
16
17

18
19 Ongoing training was viewed as particularly important in cancer survivorship care given the absence of
20 formal education and training in survivorship issues for most health care providers. One participant put
21 it this way: "...teaching, teaching the next one, so that ... we can grow our force of people involved in
22 survivorship care. If we don't invest in that then, well then, I'm never gonna have a vacation"
23
24 [Participant 24].
25
26
27
28
29
30
31

32 **Necessary Implementation Outcome**

33 *Widespread staff and organizational buy-in*

34
35 Participants stated that ongoing and widespread staff and organizational buy-in is absolutely necessary
36 for sustainability. One participant summed this up by saying, "without buy in and support from the
37 physicians, from other nurses, from the other allied health staff, from the receptionist, from everybody,
38 um, the program wouldn't work" [Participant 23]. Participants discussed many factors during the
39 implementation period that lead to widespread buy-in, including attributes of the innovation itself (e.g.,
40 ease of use), how the innovation is initially framed/presented (including its evidence base), stakeholder
41 engagement, and whether it is a priority of senior management. Participants also stated that the overall
42 low priority of survivorship care (relevant to other areas of cancer care) serves to decrease buy-in from
43 at all levels of the organizations.
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Important but not necessary

The data suggested 9 factors were important to sustainability, but not necessary. These are presented in Table 2. For example, while resources in the form of funding, equipment, and physical space are very important for many innovations, the data demonstrated that, with the exception of one innovation, the loss of the initial implementation funding, or the lack of additional funding, equipment, or space to expand beyond the implementation phase, did not result in a loss of the innovation if other necessary factors were present (e.g., key people). Similarly, penetration of the innovation into existing workflows and systems, particularly hospital information technology systems, was perceived as important to many of the innovations, yet many innovations were sustained (oftentimes described as continuation of program components and activities) in the absence of penetration when other necessary components were in place.

DISCUSSION

We investigated the factors influencing the sustainability of 25 different types of innovations in cancer survivorship care. The findings revealed a number of factors deemed necessary for sustainability: management support; organizational and system-level priorities; key people and expertise; innovation adaptation; stakeholder engagement; ongoing education and training; and staff and organizational buy-in. These findings are important given the considerable investment over the past decade to implement and scale beneficial innovations within and across Canadian jurisdictions so more people have access to high-quality cancer survivorship care. They point to specific factors implementation teams should consider and plan for to achieve their desired outcomes and maximize the long-term impact of these investments. From a practice perspective, they can be used to develop and/or select instruments and

1
2
3 tools to assess capacity for sustainability, increase capacity in specific domains, and to assist with the
4
5 ongoing monitoring of key determinants and processes.
6
7
8
9

10 Many of the determinants, processes, and outcomes identified in this study align with the emerging
11 literature in this area. A recently developed framework [26] from a 2018 review on sustainability
12 identified four key processes that the evidence suggests are important to sustainability:
13
14 partnership/engagement, training/supervision, program evaluation, and adaptation. Moreover, program
15
16 champions, leadership/support, resources/funding, and staffing/turnover were all identified as key inner
17
18 (organizational) contextual factors that influence sustainability. While the concepts may be phrased
19
20 differently, our findings markedly align with the existing evidence in this area. There were also several
21
22 factors identified by participants in this study that are somewhat unique, or not explicitly specified, in
23
24 the literature. One of these is the speed of implementation, which participants viewed as being
25
26 important because a slow(er) implementation allows implementation teams the time to plan for and
27
28 implement in a way that leverages the key elements needed for sustainability. Moreover, we
29
30 categorized a number of our findings as implementation outcomes, which are necessary for or
31
32 important to sustainability. While we recognize that sustainability has been described as an
33
34 implementation outcome itself [38], few researchers have attempted to describe or delineate the
35
36 impact of more proximal implementation outcomes (e.g., adoption) on the sustained use of an
37
38 innovation, yet these proximal outcomes may act as moderators to sustainability (e.g., continuation of
39
40 program components/activities and/or continuation of desired outcomes). Such relationships could be
41
42 tested in future research.
43
44
45
46
47
48
49
50
51

52 The emphasis on the essential role of adaptation for sustainability deserves discussion. Participants
53
54 were implementation leaders and relevant staff involved in the implementation and/or sustainment of
55
56
57
58
59
60

1
2
3 innovations relevant to cancer survivorship care. Their perspectives were largely practice-based, with an
4 acute recognition that one-sized-fits-all innovations do not work for most settings. This is supported by
5 the increasing awareness in the literature that adaptation is common and likely necessary to facilitate
6 sustainability [19, 26, 39, 40]. In fact, the findings align well with the DSF and its postulation that
7 innovations should not be optimized prior to implementation but rather require (and benefit from)
8 ongoing adaptation and optimization. In this study, innovations were adapted (e.g., components,
9 practitioners, delivery platforms) in response to changes in the practice setting (e.g., staffing,
10 information systems, processes for training) and the broader ecological system (e.g., other practice
11 settings, policies, population characteristics). It is important to note, however, that many of the
12 described adaptations were made in response to unanticipated changes and challenges, and thus might
13 be better termed modifications [39]. These findings reinforce the need for ongoing monitoring and
14 feedback mechanisms to assess not only the innovation itself and related outcomes, but also changes in
15 the setting and system at large to support appropriate and timely adaptation.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

34 It is also important to highlight that many of adaptations described by participants were to form, rather
35 than function [41, 42]. That is, adaptations were made to specific strategies or activities (forms) rather
36 than the intended purposes the innovation aims to achieve (functions). For example, educating and
37 supporting patients to more effectively manage their post-treatment health concerns (function) may be
38 accomplished through various activities, such as one-on-one teaching, individualized care plans, and so
39 on (forms). These types of adaptations demonstrate the importance of 'flexibility within fidelity' [43] or
40 fidelity-consistent adaptations [39] for sustainability. In its methodology standards for studies of
41 complex interventions, the Patient-Centered Outcomes Research Institute (PCORI) in the US advises
42 researchers and implementation teams to clearly delineate an intervention's core functions and forms,
43 and to maintain fidelity to the core functions while documenting adaptations to form [44]. By doing so,
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 we can provide better guidance to those who are implement and evaluate such interventions. This also
4
5 reinforces the need for ongoing evaluation post-implementation to understand the what and why of
6
7 adaptations, and how these relate to sustainability; in this study, less than half of the innovations were
8
9 evaluated post-implementation.
10

11
12
13
14 We categorized widespread buy-in as an implementation outcome. We defined widespread buy-in as a
15
16 commitment to the innovation by a larger group of individuals within the organization or the
17
18 organization as whole, specifically their commitment to support and engage in an initiative. Although we
19
20 could find no clear definition or operational specificity of this concept in the existing health literature,
21
22 the management and business literature does characterize buy-in in terms of one's intellectual and
23
24 emotional commitment to an organization's cause and/or plan [45], and provides guidance to increase
25
26 buy-in during organizational change initiatives [46]. While buy-in, as we have defined, can be present
27
28 during the decision to adopt an innovation and/or its implementation, buy-in is also a desired result of
29
30 the strategies and activities (e.g., communications, education/training, use of opinion leaders) put in
31
32 place during implementation. By and large, implementation teams are seeking to achieve buy-in. In this
33
34 way, it aligns with the definition of implementation outcomes proposed by Proctor, namely "the effects
35
36 of the deliberate and purposive actions to implement new treatments, practices, and services" [38].
37
38 However, buy-in is not one of the eight commonly-used implementation outcomes [38]. We posit that
39
40 perhaps this construct might be a useful addition to implementation outcomes and thereby efforts to
41
42 understand how to appropriately operationalize and measure buy-in are needed.
43
44
45
46
47
48
49

50
51 Clearly, many of the factors presented here relate to one another and are not independent influences
52
53 on sustainability. For example, stakeholder engagement (a process) often serves to increase wide-
54
55 spread buy-in (an outcome), which then may result in additional resources (a determinant) to sustain an
56
57
58
59

1
2
3 innovation. Moreover, both managerial support and organizational- and system-level priorities
4
5 (necessary determinants) will often reflect the magnitude and nature of resources (important
6
7 determinant) dedicated to any initiative. Such interdependence will be present in the sustainability of
8
9 any complex innovation, and demonstrates the ‘messiness’ of both the science and practice in this area.
10
11 Future research should attempt to delineate what combination of factors might be most important for
12
13 different types of innovations.
14
15

16
17
18 Several of the study findings also highlight an important issue in cancer survivorship care and
19
20 programming: namely, that the evidence base for survivorship innovations is of lower quality, and the
21
22 resulting outcomes are “softer,” compared to the evidence base and outcomes in other areas of cancer
23
24 care (e.g., diagnosis and treatment). While participants in this study stated that evidence of an
25
26 innovation’s effectiveness contributed to sustainability by strengthening the case for funding and
27
28 helping consolidate buy-in from frontline staff (see Table 2), they also noted that it can be difficult to
29
30 secure management support for innovations in survivorship care, in part because it does not result in
31
32 quantifiable metrics like other areas of cancer care. As such, they perceived that survivorship care is
33
34 viewed as a desirable, but non-essential, service within cancer care organizations. These issues
35
36 undoubtedly impact the ability to sustain survivorship innovations in practice, particularly where leaders
37
38 and managers have to decide between funding/resourcing services with hard performance metrics to
39
40 demonstrate effectiveness versus services with metrics that are less traditional or more difficulty to
41
42 quantify.
43
44
45
46
47
48
49

50 From a methodological standpoint, during sampling, we attempted to identify and categorize programs
51
52 based on Scheirer’s suggested innovation types: innovations implemented by individual providers;
53
54 interventions requiring coordination among multiple staff; new policies, procedures, and technologies;
55
56
57
58
59

1
2
3 capacity or infrastructure building; collaborative partnerships or coalitions; and broad-scale system
4
5 change [33]. In practice, this was challenging for several reasons. One, there are few innovations in
6
7 cancer survivorship that are implemented by individual providers. Two, many of the innovations crossed
8
9 categories. For example, many innovations required coordination across multiple staff, represented new
10
11 policies, procedures, or technologies, *and* involved collaborative partnerships with community- or
12
13 research-based groups. Thus, the most appropriate category was difficult to select and we therefore
14
15 categorized the innovations by function (i.e., its intended purpose) rather than the level or nature of the
16
17 change. These are not limitations of Scheirer's taxonomy, but demonstrate the complexity that can arise
18
19 when attempting to fit into pre-existing categories. We continue to advocate for and support the use of
20
21 existing nomenclature, taxonomies, and frameworks to help build an evidence base in this area.
22
23
24 Nonetheless, while such frameworks should guide our work, we cannot be constrained by them when
25
26 they are not helpful in the context of a particular study.
27
28
29
30
31

32 This study has a number of strengths. First, we interviewed participants from 25 different survivorship
33
34 innovations across six jurisdictions, which should increase the transferability of findings. Second, we
35
36 built on others' work in sustainability, including existing taxonomies and frameworks, to advance
37
38 knowledge in this area. This study also has several limitations. First, this study focused solely on
39
40 innovations in cancer survivorship. This may limit transferability to innovations in other areas of care,
41
42 although there is no inherent reason why innovations in cancer survivorship should differ from
43
44 innovations in other areas of chronic disease management that aim to address the physical,
45
46 psychosocial, and economic sequelae of an illness and its treatment. Given that the findings also align
47
48 with the emerging literature on sustainability, conducted across a range of health conditions and
49
50 settings, the findings are likely transferable. Second, although we undertook a multi-stepped approach
51
52 to identify innovations that had been implemented across Canada, we cannot be certain that we did not
53
54
55
56
57
58
59
60

1
2
3 miss innovations that would have been important to study. Third, we used the National Cancer Institute
4 for Research-Tested Intervention Programs criterion for determining whether an innovation was
5
6 for Research-Tested Intervention Programs criterion for determining whether an innovation was
7
8 evidence-based. This criterion is not stringent and it is likely some of the innovations studied were more
9
10 “evidence-based” than others, which may have implications for sustainability (see Table 2). Fourth, we
11
12 attempted to discriminate between factors that are more salient or perceived by participants as
13
14 necessary to sustainability as opposed to factors that are important, but not necessary. This
15
16 dichotomization may be somewhat artificial and not true for all settings or innovations. We did this in an
17
18 attempt to avoid a ‘laundry list’ of every possible determinant of sustainability. It also attempts to
19
20 address one of the gaps in our understanding of the factors that influence sustainability: namely, are
21
22 some factors more critical than others [26]? This is a first step toward identifying critical factors
23
24 (determinants, processes, and implementation outcomes) of sustainability. Future research should also
25
26 focus on developing metrics and methods to prioritize these factors, and combinations thereof, and link
27
28 them to appropriate strategies.
29
30
31
32
33

34
35 In conclusion, this study demonstrated that certain determinants, processes, and implementation
36
37 outcomes influence the sustainability of innovations in cancer survivorship care. These factors exist
38
39 across multiple levels of the health system and are often interdependent. They also demonstrate the
40
41 dynamic nature of sustainability. Three examples of this dynamism are the ongoing nature of
42
43 adaptation, the shifting nature of priorities that can change the local landscape and resulting support for
44
45 sustainment, and the turnover of champions and support staff. The findings may be used by researchers,
46
47 decision-makers, and implementation teams to plan for sustainability during the early implementation
48
49 of innovations, particularly factors shown to be necessary to the long-term use of innovations.
50
51
52
53
54
55
56
57
58
59
60

ACKNOWLEDGMENTS

We gratefully acknowledge the study participants who took the time to participate in this study as well as Margaret Jorgensen for her assistance with study coordination. We also acknowledge Designs that Cell for illustrating Figure 1.

For peer review only

Table 1. Participant characteristics (N=27).

Characteristic	N (%*)
Sex	
Male	5 (18.5)
Female	22 (81.5)
Jurisdiction*	
British Columbia	4 (14.8)
Alberta	4 (14.8)
Manitoba	1 (3.7)
Ontario	14 (51.8)
Quebec	3 (11.1)
Nova Scotia	1 (3.7)
Professional role	
Researcher	11 (40.7)
Clinician	11 (40.7)
Decision-maker	5 (18.5)
Years in role	
<10	6 (22.2)
10+	21 (77.8)

*Percentages may not add to 100% due to rounding.

**Indicates place of employment of participant; some innovations were pan-Canadian in nature but hosted/led by a program in a specific jurisdiction.

Table 2. Factors influencing the sustainability of cancer survivorship innovations. Bolding represents necessary factors.

	FACTOR	DESCRIPTION
DETERMINANTS	Management support	The support of middle and senior managers is critical for sustainability. It is difficult to sustain any innovation in the absence of management support.
	Organizational and system-level priorities	Survivorship care is generally not an organizational or system-level priority, making sustainability challenging. Even when survivorship is prioritized, shifting priorities at health authority or government levels often mean sustainability is threatened.
	Key people & expertise	Key people, namely clinical champions and project/program coordinators, are particularly important to maintaining an innovation's activities and use. Often, certain expertise or skillsets are required for an innovation to work efficiently and effectively.
	Resources	Resources in the form of funding, physical space, and equipment are often very important to sustainment, particularly to expand a program or service beyond the population served in the initial pilot phase.
	Complexity	Innovations that are simple, require less time to use, and the coordination and/or cooperation of fewer organizational members are easier to sustain.
	Evidence	Scientific evidence of an innovation's effectiveness contributes to sustainability by strengthening the case for funding, increasing its priority level, and strengthening buy-in from frontline staff (mainly physicians).
	Partnerships	Partnerships with other similar organizations, including community-based organizations, are not necessary for sustainability but can be very important as they permit the sharing of resources and expertise.
	PROCESSES	Adaptation
Stakeholder engagement		The engagement of key stakeholders (e.g., physicians, patients, administrators) is essential to sustainability by developing a sense of ownership over the innovation and allowing for practice-based adaptations that optimize fit with the local setting.
Ongoing education and training		Ongoing education and training is necessary to sustain innovations, particularly due to high levels of staff turnover in cancer care settings.
Speed of implementation		The speed of implementation can impact sustainability. Specifically, implementing slowly permits the time to get many of the key elements in place (e.g., training and ongoing supports, metrics and data collection/reporting procedures,

		stakeholder engagement) that support the long-term sustainment of the innovation.
	Feedback and evaluation	Feedback and evaluation, while not necessary, is important to sustainability as it helps to demonstrate the innovation's value, maintain credibility, maintain buy-in, and help secure ongoing resources, including funding.
IMPLEMENTATION OUTCOMES	Staff and organizational buy-in	Widespread and ongoing staff and organizational buy-in is necessary for sustainability. Many factors during the implementation period lead to buy-in.
	Adds value	Adding value to the organization (e.g., through positive publicity) and its staff (e.g., saving staff time) helps to maintain buy-in, and increases opportunities for partnerships and additional resources.
	Adoption	A lack of adoption, specifically by patients, threatens sustainability. Many survivorship innovations rely on patients being aware that a particular program or resource is available and choosing to access it. Low patient uptake reinforces the perception such innovations are low priority.
	Penetration	Integrating the innovation into the service setting and its existing subsystems is important to sustainability. These systems include existing clinical workflows, including EMRs, physician ordering, and other forms of documentation. Such integration can provide automatic referrals for programs/services and serve as reminders regarding use.

Table 3. Innovation types and examples of adaptations.

INNOVATION TYPE	FUNCTION	EXAMPLES OF ADAPTATIONS
Physical activity programs	To increase physical activity among cancer survivors	Changes in timing and length of delivery; changes in setting (cancer centre versus community)
Psychological support/counselling	To provide cancer survivors with the tools to manage/cope with psychological, emotional, and social distress	Changes in length of sessions; addition of orientation sessions; transition to online delivery, including apps for smartphones
Transition to survivorship programs	To support cancer survivors' transition from active (intensive) cancer treatment to routine follow-up care	Automatic referrals to program; changes in timing of delivery; changes in setting (cancer centre versus community); addition of content (e.g., self-management)
Transition to primary care programs	To support cancer survivors' transition from specialist-led follow-up care to primary care-led follow-up	Tailoring of tools (e.g., specific recommendations, list of community resources) to cancer types; changes in delivery mode (e.g., mailed versus faxed versus emailed communications)
Return to life and lifestyle programs	To help cancer survivors return to a "new normal" after cancer treatment and/or to support lifestyle changes to improve overall health and well-being	Addition of orientation sessions; automatic registration; transition to online delivery; refinement of websites; addition of content (e.g., sexuality and cancer); changes in frequency, timing, and length of delivery

CONTRIBUTORSHIP STATEMENT

Conceptualization, RU, CK, EC, BJP, GK, SAR, and JLB; Methodology, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Formal Analysis, RU, LLM; Writing – Original Draft Preparation, RU; Writing – Review & Editing, RU, LLM, CK, EC, BJP, GK, SAR, and JLB; Funding Acquisition, RU, CK, EC, BJP, GK, SAR, and JLB. All authors read and approved the final manuscript.

COMPETING INTERESTS

The authors declare no competing interests.

FUNDING STATEMENT

The work was supported by a research grant from the Canadian Cancer Society Research Institute (Grant # 704897). BJP was supported in part by the U.S. National Institute of Mental Health (K01MH113806; Powell, PI) and the U.S. National Cancer Institute (P50CA244431; Brownson, PI).

DATA SHARING STATEMENT

This is a qualitative dataset and therefore not publicly available due to confidentiality reasons.

REFERENCES

1. Corkum M, Urquhart R, G K, Hayden JA, Porter G: **Breast and cervical cancer screening behaviours among colorectal cancer survivors in Nova Scotia.** *Curr Oncol* 2014, **21**(5):e670-677.
2. Johnson PM, Malatjalian D, Porter GA: **Adequacy of nodal harvest in colorectal cancer: a consecutive cohort study.** *J Gastrointest Surg* 2002, **6**(6):883-888; discussion 889-890.
3. Porter GA, Urquhart R, Bu J, Johnson PJ, Grunfeld E: **The impact of audit and feedback on nodal harvest in colorectal cancer.** *BMC Cancer* 2011, **11**:2.
4. Rayson D, Urquhart R, Cox M, Grunfeld E, Porter G: **Adherence to clinical practice guidelines for adjuvant chemotherapy for colorectal cancer in a Canadian province: a population-based analysis.** *J Oncol Pract* 2012, **8**(4):253-259.
5. Richardson DP, Porter GA, Johnson PM: **Population-based use of sphincter-preserving surgery in patients with rectal cancer: is there room for improvement?** *Dis Colon Rectum* 2013, **56**(6):704-710.
6. Urquhart R, Folkes A, Porter G, C K, Cox M, R D, E G: **Population-based longitudinal study of follow-up care for colorectal cancer patients in Nova Scotia.** *J Oncol Pract* 2012, **8**(4):246-252.
7. Latosinsky S, Fradette K, Lix L, Hildebrand K, Turner D: **Canadian breast cancer guidelines: have they made a difference?** *CMAJ* 2007, **176**(6):771-776.
8. Cree M, Tonita J, Turner D, Nugent Z, Alvi R, Barss R, King C, Winget M: **Comparison of treatment received versus long-standing guidelines for stage III colon and stage II/III rectal cancer patients diagnosed in Alberta, Saskatchewan, and Manitoba in 2004.** *Clin Colorectal Cancer* 2009, **8**(3):141-145.
9. Canadian Strategy for Cancer Control: **The Canadian Strategy for Cancer Control: a cancer plan for Canada - Discussion Paper.** In. Ottawa, ON: CSCC Governing Council; 2006.
10. World Health Organization: **Bridging the "know-do" gap. Meeting on knowledge translation in global health. Geneva, Switzerland.** In.; 2006.
11. Ejemot RI, Ehiri JE, Meremikwu MM, Critchley JA: **Hand washing for preventing diarrhoea.** *Cochrane Database Syst Rev* 2008(1):CD004265.
12. Wilson KD, Kurz RS: **Bridging implementation and institutionalization within organizations: proposed employment of continuous quality improvement to further dissemination.** *J Public Health Manag Pract* 2008, **14**(2):109-116.
13. Gillissen F, Ament SM, Maessen JM, Dejong CH, Dirksen CD, van der Weijden T, von Meyenfeldt MF: **Sustainability of an Enhanced Recovery After Surgery Program (ERAS) in Colonic Surgery.** *World J Surg* 2014.
14. Kryworuchko J, Stacey D, Bai N, Graham ID: **Twelve years of clinical practice guideline development, dissemination and evaluation in Canada (1994 to 2005).** *Implement Sci* 2009, **4**:49.
15. Grunfeld E: **Canadian breast cancer guidelines are as effective as possible under the circumstances.** *CMAJ* 2007, **176**(6):785-786.
16. Sheldon TA, Cullum N, Dawson D, Lankshear A, Lowson K, Watt I, West P, Wright D, Wright J: **What's the evidence that NICE guidance has been implemented? Results from a national evaluation using time series analysis, audit of patients' notes, and interviews.** *BMJ* 2004, **329**(7473).
17. Proctor E, Luke D, Calhoun A, McMillen C, Brownson R, McCrary S, Padek M: **Sustainability of evidence-based healthcare: research agenda, methodological advances, and infrastructure support.** *Implement Sci* 2015, **10**:88.

18. Maher L, DH G, Evans A: **Sustainability model and guide**. In. Coventry, UK: Institute for Innovation and Improvement, National Health Service. Available at: <http://www.institute.nhs.uk/sustainability>; 2010.
19. Chambers DA, Glasgow RE, Stange KC: **The dynamic sustainability framework: addressing the paradox of sustainment amid ongoing change**. *Implement Sci* 2013, **8**:117.
20. Schell SF, Luke DA, Schooley MW, Elliott MB, Herbers SH, Mueller NB, Bunger AC: **Public health program capacity for sustainability: a new framework**. *Implement Sci* 2013, **8**:15.
21. Shelton RC, Chambers DA, Glasgow RE: **An Extension of RE-AIM to Enhance Sustainability: Addressing Dynamic Context and Promoting Health Equity Over Time**. *Front Public Health* 2020, **8**:134.
22. Lennox L, Maher L, Reed J: **Navigating the sustainability landscape: a systematic review of sustainability approaches in healthcare**. *Implement Sci* 2018, **13**:27.
23. Moore JE, Mascarenhas A, Bain J, Straus SE: **Developing a comprehensive definition of sustainability**. *Implement Sci* 2017, **12**(1):110.
24. Wiltsey Stirman S, Kimberly J, Cook N, Calloway A, Castro F, Charns M: **The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research**. *Implement Sci* 2012, **7**:17.
25. Scheirer MA: **Is Sustainability Possible? A Review and Commentary on Empirical Studies of Program Sustainability**. *American Journal of Evaluation* 2005, **26**(3):320-347.
26. Shelton RC, Cooper BR, Stirman SW: **The Sustainability of Evidence-Based Interventions and Practices in Public Health and Health Care**. *Annu Rev Public Health* 2018, **39**:55-76.
27. Canadian Cancer Society's Advisory Committee: **Canadian Cancer Statistics 2019**. In. Toronto, ON: Canadian Cancer Society; 2019.
28. Canadian Cancer Research Alliance: **Pan-Canadian framework for cancer survivorship research**. In. Toronto, ON: CCRA; 2017.
29. Strauss AL, Corbin JM: **Basics of qualitative research: grounded theory procedures and techniques**. Thousand Oaks, CA: Sage; 1990.
30. Klein KJ, Sorra JS: **The challenge of innovation implementation**. *Acad Manage Rev* 1996, **21**(4):1055-1080.
31. **Research-Tested Intervention Programs (RTIPs)**. Available at: <https://rtips.cancer.gov/rtips/index.do> [Accessed May 4, 2020]
32. Scheirer MA, Dearing JW: **An agenda for research on the sustainability of public health programs**. *Am J Public Health* 2011, **101**(11):2059-2067.
33. Scheirer MA: **Linking sustainability research to intervention types**. *Am J Public Health* 2013, **103**(4):e73-80.
34. Nilsen P: **Making sense of implementation theories, models and frameworks**. *Implement Sci* 2015, **10**:53.
35. Guest G, Bunce A, Johnson L: **How many interviews are enough?** *Field Methods* 2006, **18**(1):59-82.
36. Patton MQ: **Qualitative research & evaluation methods**, 3rd edn. Thousand Oaks, CA: SAGE Publications; 2002.
37. Rubin H, Rubin I: **Qualitative interviewing: the art of hearing data**. Thousand Oaks, CA: Sage Publications; 1995.
38. Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, Bunger A, Griffey R, Hensley M: **Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda**. *Adm Policy Ment Health* 2011, **38**(2):65-76.
39. Wiltsey Stirman S, Baumann AA, Miller CJ: **The FRAME: an expanded framework for reporting adaptations and modifications to evidence-based interventions**. *Implement Sci* 2019, **14**(58).

- 1
2
3 40. Aarons GA, Green AE, Palinkas LA, Self-Brown S, Whitaker DJ, Lutzker JR, Silovsky JF, Hecht DB, Chaffin MJ: **Dynamic adaptation process to implement an evidence-based child maltreatment intervention.** *Implement Sci* 2012, **7**:32.
- 4
5
6 41. Hawe P, Shiell A, Riley T: **Complex interventions: how "out of control" can a randomised controlled trial be?** *BMJ* 2004, **328**(7455):1561-1563.
- 7
8
9 42. Jolles MP, Lengnick-Hall R, Mittman BS: **Correction to: Core Functions and Forms of Complex Health Interventions: a Patient-Centered Medical Home Illustration.** *J Gen Intern Med* 2019.
- 10
11 43. Kendall PC, Beidas RS: **Smoothing the trail for dissemination of evidence-based practices for youth: Flexibility within fidelity.** *Professional Psychology: Research and Practice* 2007, **38**(1):13-20.
- 12
13
14 44. **PCORI Methodology Standards for Studies of Complex Interventions. Available at:**
15 [https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex)
16 [methodology-standards - Complex](https://www.pcori.org/research-results/about-our-research/research-methodology/pcori-methodology-standards - Complex) [accessed May 4, 2020]
- 17
18 45. Thomson K, de Chernatony L, Arganbright L, Khan S: **The Buy-in Benchmark: How Staff Understanding and Commitment Impact Brand and Business Performance.** *Journal of Marketing Management* 1999, **15**(8):819-835.
- 19
20
21 46. Kotter JP: **Leading change: Why transformation efforts fail.** . *Harvard Business Review* 1995, Reprint 95204:59-67.
- 22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **FIGURE LEGENDS**
4
5
6

7 Figure 1. Factors influencing the sustainability of cancer survivorship innovations.
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 1. Factors influencing the sustainability of cancer survivorship innovations.

Additional file 1

Draft interview guide for semi-structured interviews.

Setting the stage

1. Can you tell me a bit about [*Innovation X*]?
Probes
 - a. What does [*Innovation X*] entail? What are its components?
 - b. Was there any training or education necessary with the implementation?
 - c. Were there any policies put into place?
 - d. Were there any additional management needs or positions created?
 - e. What year was it introduced?
 - f. Was there a pilot period? If so, how long was the pilot period?
 - g. How long has it been in use (since then)? Is it still in use?
2. How did you first hear about [*Innovation X*]?
 - a. What were your initial thoughts?
3. Why was [*innovation X*] implemented here? What need were you trying to address?
 - a. Who identified the need for this intervention [*frontline staff, hospital manager/administrators, government*]?
 - b. Who proposed [*Innovation X*] as a means of addressing this need [*frontline staff, hospital manager/administrators, government*]?
 - c. Did others perceive this need as well?

Implementation

Now I'd like to talk to you a bit about the implementation of [*Innovation X*].

4. Can you tell me about how [*Innovation X*] was implemented?
Probes
 - a. What was your role in the implementation process?
 - b. Who else was involved and what were their roles?
 - c. How were the relationships between people during the implementation process?
 - i. Examples: pre-existing, strength, coming from within or from outside, trust, respect
5. How different was [*Innovation X*] from the existing practices?
 - a. Did these differences/similarities affect the implementation process?
 - b. If so, how?
6. Would you say that the implementation of [*Innovation X*] was initially successful?
 - a. If so, how?
 - b. If not, why not?

Sustainability

7. When I talk about sustainability of innovations, what does sustainability mean to you?
8. Would you say [*Innovation X*] has been sustained so far? Why or why not?
 - a. Was use impacted once the initially training/support ended?
 - i. If so how?
 - ii. If not, why not?
9. Has [*innovation X*] been adapted or modified at all?
 - a. If so, in what way?
 - b. Why were these modifications needed?
10. What did your program/organization do to support the ongoing use or integration of [*Innovation X*] into routine care?
 - Examples: policy or operational changes to integrate [*innovation X*] into normal worker expectations or routines
 - b. How did that help with the sustainability of [*Innovation X*]?
 - c. Engage: Did your team/program/organization try to engage people in the implementation process or the use of the new innovation?
 - d. Execute: Did the implementation process go according to the original plan?
11. What factors do you believe influence the sustainability of [*Innovation X*]?

Probes:

 - a. In what ways?
 - b. Both facilitators and barriers.
 - c. Characteristics of the innovation?
 - d. Characteristics of the people managing/leading/supporting its ongoing use?
 - e. Organizational context (ex: staffing, IT, infrastructure, organizational culture, management support, incentives, organizational mandates)?
 - f. Broader context (ex: policies, regulations, legal, political, or economic context, patient needs/preferences/characteristics)?
12. Earlier we talked about why [*Innovation X*] was implemented here and the needs it was designed to meet. What would you say has been successful in meeting the needs we talked about?
13. What other impacts has [*Innovation X*] had on your program/organization and the people who work there/with the [*Innovation*]?
 - a. What about on the patients?
14. Has there been an evaluation conducted related to the sustained use and/or impacts of [*Innovation X*]?
 - a. Are the findings from those evaluations fed back into [*Innovation X*] and used to adapt it?
 - i. If so, how so?
15. What do you think is required to ensure the continued use of [*innovation X*] moving forward?
 - a. Examples: attitudes, incentives, removal of specific barriers, financial, human resources, organizational mandates/policies

Consolidated criteria for reporting qualitative studies (COREQ): 32-item checklist

No	Item	Guide questions/description	Author response
Domain 1: Research team and reflexivity			
Personal Characteristics			
1.	Interviewer/facilitator	Which author/s conducted the interview or focus group?	Laura L Madden [LLM]; stated in text (methods section, pg 7)
2.	Credentials	What were the researcher's credentials? <i>E.g. PhD, MD</i>	The interviewer [LLM] has a MSc; the lead author [RU] a PhD
3.	Occupation	What was their occupation at the time of the study?	LLM: Research Associate, Department of Surgery RU: Assistant Professor, Department of Surgery
4.	Gender	Was the researcher male or female?	Female
5.	Experience and training	What experience or training did the researcher have?	LLM: Did a qualitative Master's thesis; employed under the PI/lead author (RU) as a Research Associate of qualitative studies; stated in text (methods section, pg 7). RU: PI, expertise in qualitative research
Relationship with participants			
6.	Relationship established	Was a relationship established prior to study commencement?	There was no relationship between the interviewer [LLM] and either participant prior to study commencement; stated in text

136/bmjopen-2020-042333 on February 20, 2021. Downloaded from http://bmjopen.bmj.com/ by guest. Protected by copyright.

(methods section, pg 7). The lead author [RU] and one other author [JLB] knew some study participants in a professional capacity only.

7.	Participant knowledge of the interviewer	What did the participants know about the researcher? e.g. <i>personal goals, reasons for doing the research</i>	Many participants would have known that the lead author [RU] and another author [JLB] had research programs in cancer survivorship
8.	Interviewer characteristics	What characteristics were reported about the interviewer/facilitator? e.g. <i>Bias, assumptions, reasons and interests in the research topic</i>	No characteristics are reported about the interviewer. The interviewer was a Research Associate with qualitative research experience but without any background in cancer survivorship or sustainability research.

Domain 2: study design

Theoretical framework

9.	Methodological orientation and Theory	What methodological orientation was stated to underpin the study? e.g. <i>grounded theory, discourse analysis, ethnography, phenomenology, content analysis</i>	This study was informed by the principles of grounded theory, specifically Strauss and Corbin (1990), which is cited in the manuscript (pg. 5)
----	---------------------------------------	---	--

Participant selection

10.	Sampling	How were participants selected? e.g. <i>purposive, convenience, consecutive, snowball</i>	Purposive; stated in text (methods section, pg. 5)
11.	Method of approach	How were participants approached? e.g. <i>face-to-face, telephone, mail, email</i>	Email; stated in text (methods section, pg. 5-7)

12.	Sample size	How many participants were in the study?	27; stated in text (results section, pg. 8)
13.	Non-participation	How many people refused to participate or dropped out? Reasons?	32 people in total were contacted for participation, with 27 participating in the final study; 2 individuals did not respond to the study invitation while 3 responded stating they were not the best person to interview and provided the name and contact information of a more suitable person.
Setting			
14.	Setting of data collection	Where was the data collected? e.g. <i>home, clinic, workplace</i>	Telephone; stated in text (methods section, pg. 7).
15.	Presence of non-participants	Was anyone else present besides the participants and researchers?	No.
16.	Description of sample	What are the important characteristics of the sample? e.g. <i>demographic data, date</i>	Given the nature of this study, detailed demographic data are not presented. However, participants were situated in six Canadian provinces and involved in a variety (25) of worship innovations.
Data collection			
17.	Interview guide	Were questions, prompts, guides provided by the authors? Was it pilot tested?	The interview guide was pilot tested with individuals.
18.	Repeat interviews	Were repeat interviews carried out? If yes, how many?	No; stated in text (methods section, pg. 7).
19.	Audio/visual recording	Did the research use audio or visual recording to collect the data?	Yes, audio recording; stated in text (methods section, pg. 7).
20.	Field notes	Were field notes made during and/or after the interview or focus group?	Yes; stated in text (methods section, pg. 7).

136/bmjopen-2020-042503 on 23 April 2021. Downloaded from <http://bmjopen.bmj.com/> by guest on 23 April 2021. Protected by copyright.

136/bmjopen-2020-042533n For peer review only. Downloaded from <http://bmjopen.bmj.com/> on April 23, 2024 by guest. Protected by copyright.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

21.	Duration	What was the duration of the interviews or focus group?	~40-60 minutes; stated in text (methods section, pg. 7).
22.	Data saturation	Was data saturation discussed?	Yes, the interviews continued until data saturation was reached. This was determined by constant comparison techniques and research team discussion.
23.	Transcripts returned	Were transcripts returned to participants for comment and/or correction?	No.
Domain 3: analysis and findings			
Data analysis			
24.	Number of data coders	How many data coders coded the data?	Two researchers [LLM, RU] coded the first 3 transcripts, with the remaining transcripts coded by LLM with regular review by RU; stated in text (methods section).
25.	Description of the coding tree	Did authors provide a description of the coding tree?	A codebook containing code definitions, sample data illustrating application of the code, and decision rules related to each code, was developed by the research team. This was achieved through (1) review of three interview transcripts by RU and LLM; (2) review of codes and discussion between RU and LLM; and (3) subsequent review of codebook and discussion by the entire team; stated in text (methods section, pg. 7).

26.	Derivation of themes	Were themes identified in advance or derived from the data?	Derived from the data; analysis process discussed in text (methods section, pg. 7-8).
27.	Software	What software, if applicable, was used to manage the data?	Yes, NVivo; stated in text (methods section, pg. 7-8).
28.	Participant checking	Did participants provide feedback on the findings?	No.
Reporting			
29.	Quotations presented	Were participant quotations presented to illustrate the themes / findings? Was each quotation identified? <i>e.g. participant number</i>	Yes (results section, pg. 9-14).
30.	Data and findings consistent	Was there consistency between the data presented and the findings?	Yes.
31.	Clarity of major themes	Were major themes clearly presented in the findings?	Yes.
32.	Clarity of minor themes	Is there a description of diverse cases or discussion of minor themes?	Yes, minor themes are presented in both a table and figure, and discussed in brief in the discussion section.