


BMJ Open Professional roles and relationships during the COVID-19 pandemic: a qualitative study among US clinicians

Catherine R Butler ^{1,2}, Susan P Y Wong,^{1,2} Elizabeth K Vig,³ Claire S Neely,⁴ Ann M O'Hare^{1,2}

To cite: Butler CR, Wong SPY, Vig EK, *et al.* Professional roles and relationships during the COVID-19 pandemic: a qualitative study among US clinicians. *BMJ Open* 2021;**11**:e047782. doi:10.1136/bmjopen-2020-047782

► Prepublication history and additional material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-047782>).

Received 09 December 2020

Revised 09 March 2021

Accepted 11 March 2021



© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Catherine R Butler;
cathb@uw.edu

ABSTRACT

Objective The COVID-19 pandemic has transformed healthcare delivery in the USA, but there has been little empirical work describing the impact of these changes on clinicians. We conducted a study to address the following question: how has the pandemic impacted US clinicians' professional roles and relationships?

Design Inductive thematic analysis of semi-structured interviews.

Setting Clinical settings across the USA in April and May of 2020.

Participants Clinicians with leadership and/or clinical roles during the COVID-19 pandemic.

Measures Emergent themes related to professional roles and relationships.

Results Sixty-one clinicians participated in semi-structured interviews. Study participants were practising in 15 states across the USA, and the majority were White physicians from large academic centres. Three overlapping and inter-related themes emerged from qualitative analysis of interview transcripts: (1) disruption: boundaries between work and home life became blurred and professional identity and usual clinical roles were upended; (2) constructive adaptation: some clinicians were able to find new meaning in their work and described a spirit of collaboration, shared goals, open communication and mutual respect among colleagues; and (3) discord and estrangement: other clinicians felt alienated from their clinical roles and experienced demoralising work environments marked by division, value conflicts and mistrust.

Conclusions Clinicians encountered marked disruption of their professional roles, identities and relationships during the pandemic to which they and their colleagues responded in a range of different ways. Some described a spirit of collaboration and camaraderie, while others felt alienated by their new roles and experienced work environments marked by division, value conflicts and mistrust. Our findings highlight the importance of effective teamwork and efforts to support clinician well-being during the COVID-19 pandemic.

INTRODUCTION

The COVID-19 pandemic has challenged healthcare systems around the world in unprecedented ways, requiring large-scale and rapid alterations to healthcare delivery and exposing vulnerabilities, deficiencies and rigidities in existing healthcare systems,

Strengths and limitations of this study

- This study represents the perspectives of US clinicians working during the COVID-19 pandemic and suggests opportunities to better support clinicians and clinical teams as the pandemic continues.
- The main limitation of this study is that our results may not capture the perspectives of clinicians practising in other parts of the world or regions of the USA not included in our study or clinicians from demographic groups and clinical backgrounds not well represented in our study.
- The dynamic nature of the pandemic means that challenges faced by clinicians early in the pandemic might differ from those that they are currently facing.

policies and practices.^{1–3} Some US healthcare institutions have reported being able to successfully adapt their health delivery systems, care processes and clinical teams to meet the myriad challenges of the pandemic.^{4–9} Nonetheless, personal narratives in the popular press and medical literature^{10–12} and the results of surveys and qualitative studies^{13–16} suggest a high degree of strain and burnout among healthcare workers.

Existing guidelines for institutional emergency responses offer a theoretical framework for how to adapt healthcare delivery during a pandemic.^{17 18} However, there has been little empirical work to understand the real-world impact of the pandemic on clinicians and care processes.^{14–16 19} As the COVID-19 pandemic continues and many healthcare institutions are stretched to capacity,²⁰ a detailed understanding of how the pandemic has shaped clinicians' professional experience may be helpful in identifying unmet needs and opportunities to support clinicians and institutions going forward. We performed a qualitative study to learn about clinicians' professional roles and relationships during the pandemic.

METHODS

Participants

We conducted a qualitative study among US clinicians who had cared for patients and/or occupied healthcare leadership roles during the COVID-19 pandemic with the goal of eliciting their perspectives and experiences pertaining to clinical care, leadership and resource limitation. Herein, we describe emergent themes pertaining to clinicians' roles and relationships. Themes related to resource limitation are described elsewhere.¹⁹

We used purposive snowball sampling to select a group of clinicians with diverse work experiences. We began by recruiting clinicians practising in Seattle, Washington, then expanded recruitment to include clinicians practising at other locations around the USA. We intentionally recruited clinicians with a range of different clinical roles (eg, physicians, trainees, nurses and care coordinators), formal or informal leadership responsibilities—including participation in institutional pandemic response planning—and clinical backgrounds (eg, intensive care, nephrology and palliative care). Participants were invited to provide contact information for colleagues with relevant experience working during the pandemic.

Data collection

Interviews were conducted between 9 April and 26 May 2020. Clinicians completed one audio-recorded interview of 30–60 min with CRB (a senior nephrology fellow trained in qualitative methodology). All but one interview (for which two participants asked to be interviewed together) were conducted one-on-one. Two interviews were completed over two sittings to accommodate the participants' schedules. A semi-structured interview guide (online supplemental table 1) was developed by CRB, AMO, and SPYW (the latter two being academic nephrologists with experience in qualitative methodology) and included open-ended questions to elicit clinicians' perspectives and experiences pertaining to clinical care, professional interactions, institutional policies and resource limitation during the pandemic. The interview guide was iteratively refined throughout data collection and analysis by CRB with input from AMO and SPYW to allow for elaboration of emerging themes. Because of uncertainty about the course of the pandemic, we initially prioritised recruitment over analysis and ultimately interviewed more participants than needed to achieve thematic saturation. Interviews were recorded and transcribed verbatim. To protect confidentiality, participants were offered the opportunity to review their written transcripts for accuracy and to identify passages that they did not wish to have published. Participants were also asked to complete an online survey with questions about their demographic characteristics and clinical practice. At the beginning of the interview, clinicians were asked to list their clinical, administrative and/or leadership roles. Those with positions that included the terms director, chief, head, leader and/or manager were considered to have a formal leadership role. Information on the size of

the primary hospital with which participants were affiliated or for which they volunteered during the pandemic was obtained from institutional websites.

Qualitative analysis

Two investigators (CRB and AMO) independently reviewed and openly coded interview transcripts line-by-line until reaching thematic saturation (ie, the point at which no new concepts were identified).^{21–23} This occurred after reviewing 30 transcripts intentionally sampled to support saturation including a range of interview dates, participant locations and participant backgrounds. One of these coauthors (CRB) coded all of the remaining transcripts to ensure congruence with emerging themes and to identify additional exemplar quotations. Throughout the analysis, the two investigators reviewed codes across transcripts, collapsing codes into groups with related meanings and relationships, developing broader thematic categories and returning frequently to the transcripts to ensure that emergent themes were well grounded in the data.^{22–24} All coauthors (including EKV, a palliative care physician and bioethicist, and CSN, a paediatrician with expertise in healthcare teams and leadership) reviewed draft tables containing exemplar quotations and themes and all authors worked together to refine the final thematic schema. We used Atlas.ti V.8 (Scientific Software Development GmbH) to organise and store text and codes.

We report details of our methods using the Consolidated Criteria for Reporting Qualitative Research reporting guideline (online supplemental table 2).²⁵

RESULTS

We approached a total of 97 clinicians by email, of whom 75 (77%) agreed to participate. Of these, we purposively sampled 61 clinicians representing a range of perspectives and experiences to participate in semi-structured interviews. All except one participant completed the online survey. Participants' mean age was 46 (± 11) years and most were White (39, 65%), were attending physicians (45, 75%) and were primarily practising at large academic centres (table 1). Participants were located in 15 different US states, with the majority practising in areas most heavily impacted by COVID-19 at the time of the study (eg, Seattle, New York City).

Three overlapping and inter-related themes pertaining to professional roles and relationships emerged from thematic analysis of clinician interviews: (1) disruption, (2) constructive adaptation, and (3) discord and estrangement. Exemplar quotations (from 39 different participants) are referenced in parentheses in the text and listed in tables 2–4.

Theme 1: disruption

Clinicians experienced marked disruption in their personal and professional lives, and their usual clinical roles and practices were upended.

Table 1 Participant characteristics

Characteristic	Participants (N=60*)
Age, years (mean (SD))	45.8 (11.1)
Gender (%)	
Woman	38 (63.3)
Man	22 (36.6)
Race (%)	
Asian or South Asian	15 (25.0)
Black or African-American	2 (3.3)
White	39 (65.0)
More than one or other race	3 (5.0)
Prefer not to say	1 (1.7)
Ethnicity (%)	
Hispanic or Latino	1 (1.7)
Not Hispanic or Latino	58 (96.7)
Prefer not to say	1 (1.7)
Type of institution (%)	
Academic	46 (76.7)
Private	9 (15.0)
Other	5 (8.3)
Type of work† (%)	
Outpatient clinic	38 (63.3)
Inpatient acute care	41 (68.3)
Inpatient intensive care and/or emergency medicine	19 (31.7)
Non-clinical	2 (3.3)
Research	8 (13.3)
Formal leadership role (%)	27 (45.0)
Hospital size (%)	
<300 beds	5 (8.3)
300–499 beds	30 (50.0)
≥500 beds	21 (35.0)
Clinic or outpatient work only	4 (6.7)
Clinical role (%)	
Registered nurse	7 (11.7)
Nurse practitioner	3 (5.0)
Attending physician	45 (75.0)
Trainee physician	5 (8.3)
Experience in current role (years), (mean (SD))	17.9 (10.5)
US region (%)	
Pacific Coast; 3 states, 12 institutions	37 (61.7)
Midwest and Mountain West; 6 states, 6 institutions	6 (10.0)
Northeast; 4 states, 7 institutions	13 (21.7)
South; 3 states, 4 institutions	4 (6.7)
State deaths per 100 000 residents (before the end of data collection on 26 May 2020)‡ (%)	

Continued

Table 1 Continued

Characteristic	Participants (N=60*)
>50/100 000	13 (21.7)
10–50/100 000	35 (58.3)
<10/100 000	12 (20.0)

 This table is adapted from an earlier publication (Butler *et al*¹⁹).

*One participant did not complete the online survey, so demographic information was not included for this participant.

†Clinicians could choose multiple answers.

 ‡The number of deaths was calculated as of the end of data collection on 26 May 2020, per the Institute for Health Metrics and Evaluation (Institute for Health Metrics and Evaluation. COVID-19 Projections, accessed 30 July 2020. <https://COVID-19.healthdata.org/global?view=total-deaths&tab=trend>).

Blurred boundaries between work and home life

Clinical concerns—including providing medical care and minimising risk of infection—spilled over into clinicians' personal lives (1) and conversations with friends and family (2) such that home and social life no longer offered respite from work (3). Some clinicians voiced scepticism, cynicism or frustration with perceived inconsistencies between approaches to infection control across settings (4, 5). They also worried about the risk of exposing their families to the virus (6) and/or subjecting them to stigmatisation in their communities (7). For some, the profound impact of the pandemic on personal and family life (eg, child care obligations and concerns for family safety) could distract from or overshadow challenges at work (8).

Challenges to professional environment, roles and identity

Work environments (9, 10) and usual clinical practices (11, 12) were transformed during the pandemic. Several of the physicians with whom we spoke likened the high level of uncertainty and steep learning curve of practising during the pandemic to internship training (13).

Caring for young and otherwise healthy patients with severe complications of COVID-19 and seeing their colleagues become sick could make clinicians feel personally vulnerable. This sense of vulnerability prompted them to consider for the first time the risks involved in their work (14), and whether and how their own health issues should shape their professional roles and identity (15, 16).

The boundaries between the roles of patient and clinician also became blurred, as for example, when clinicians experienced first-hand what it was like to be seriously ill (17). The content of clinical encounters also tended to expand beyond strictly medical matters to include considerations of patients' general well-being (18). Visitation restrictions could mean that clinicians sometimes did their best to substitute for family members at the bedside of seriously ill patients (19).

**Table 2** Theme 1: disruption

Quotation number	Participant ID, US region	Exemplar quotation
Blurred boundaries between work and home life		
1	B, Pacific	I spent all day...in my COVID rooms wiping down counters, making sure everything is clean, coming in and out of PPE, and now I'm doing the same thing at home. So, I feel like I don't get that rest and that down time at home like I normally do. I'm surrounded by it...Dad comes out in his N-95 mask and is sitting at the breakfast table.
2	S, Northeast	We know what N-95s are, it's a part of our day-to-day life, but to hear people that are non-medical all of a sudden mentioning N-95s and BiPAP and CPAP and how you can rig a machine that's not a ventilator to operate like a ventilator, all of this medical stuff that's part of our world, that's not a part of society's thinking.
3	A, Pacific	That escape from the sort of everyday hospital life to your personal life, that line has been blurred...It's now a 24/7 thing...You don't have that release afterwards of normalcy.
4	I, Pacific	People have said, if you are ill, you isolate yourself for 7 days...What about me as a family member?...There's no guidance for a healthcare worker with a sick family member in terms of what you should do to reduce risk to others....I felt very confused.
5	C, Northeast	They're telling people to mask at our grocery stores, and that literally happened before they were telling people to mask coming into our hospital...How does that make sense?
6	BB, Pacific	I was just so distracted that my mind was going a thousand places...I'm still sitting at my desk, and I'm not able to finish my work...What am I getting myself into? I do have a child at home and then my mother-in-law was here and she is [in her] 70s, so just coming back to home and the fear of bringing something to your family. That was probably the most scary thing.
7	HH, Pacific	It's easy to feel that you're a little bit of a pariah...My daughter has a close friend that wants to spend time with her...[her friend's] parents don't want them together...I had this sense that part of it is because of me and what I do for a living.
8	L, Pacific	The actual clinical effects of the pandemic have not been super profound here. I would say the effects have been more personal with respect to like work/life stuff and dealing with kids at home all the time...The effect of this pandemic on parents of small children is just gigantic...You sort of take that [daycare] away, and it's like oh my God, this is really a disaster.
Challenges to professional environment, roles and identity		
9	L, Pacific	I get off of a 4-hour clinic session that I did all over Zoom, and I feel like someone hit me over the head. Which is not how I felt before with in-person visits...It's not what we signed up for.
10	B, Pacific	In the hot zone [COVID unit], there's this white curtain of plastic around the nursing station... Once you're in, you spend an hour and a half to 2 hours of time in full PPE...It's a little bit like a spaceship. You put on your gear, you're in there, and now you're in outer space.
11	AA, Northeast	Maybe I shouldn't tell you this, but we have not been carrying stethoscopes for like, for the past eight weeks! It's been completely different medicine than we were trained to do.
12	A, Pacific	A ventilator is part of my job...This is what we do. That was definitely a challenge...I had to be mindful of the others who might need it in my own hospital. And then having to go to my colleagues in the ER and say...'if they're stable enough to go somewhere else, we have to send them.' And that's not normal!
13	BB, Pacific	It kind of reminded me of intern year...Every day, every hour, I was learning something new and adapting to a change...There was no time for anything else in life. It was just that. And similarly, during the first week, it was just COVID! That's it. You are reading about COVID. You're learning about it. Your patients have to deal with it. How to protect yourself, the protocols, the protocol changes every hour.
14	K, Northeast	It's one of the few times in my career where I potentially felt unsafe...Hearing stories about people who are young and healthy...When you see colleagues or people similar to yourself getting sick and affected, it hits very close to home. It made me feel vulnerable.
15	J, Northeast	I said to [my colleague], 'You're an older person...Stay home.' Right? But meanwhile, the hospital wanted her to come in a couple of days a week...Her family was telling her to retire.

Continued

Table 2 Continued

Quotation number	Participant ID, US region	Exemplar quotation
16	F, Pacific	I knew it was serious and out in the community. But I didn't apply it to myself...I don't think of myself that way. I would think of myself as: I'm a nurse, I'm a healthcare provider, I should be working. I never would've thought, oh, I'm high risk, I can't work...It also felt like, am I also trying to cheat by not working?...My parents and my friends, they were like, 'you shouldn't be around all of these people all of the time.' And I was like, that's so strange, why do I not think that way?
17	JJ, Pacific	It's not hard to have empathy for people who can't breathe. But I had never experienced it myself. And I remember not being able to shower. I couldn't walk up the stairs. I would be turning the fan on to try to get air. It's the first time I've been really truly sick in my life.
18	LL, Pacific	I start all my visits off with patients asking, 'Do you have food? Are you able to get your prescriptions? Who's helping you?'...I feel like a lot of my patient interactions are less medical and more social or emotional support.
19	II, Pacific	It was just horrible. You know, I can tell myself she didn't die alone, and I can give her last message to her family, but it should never be that way. They should have been there. They should have been able to be there. Any other time they all would have been there for her.
Demands on leaders		
20	H, Pacific	It started off running a sprint, moving into a marathon, [now] it feels like an ultra without a finish line; with bursts of speed in between that need to be added on, when you don't really have the energy.
21	H, Pacific	It has been unparalleled in the amount of items that have come up from the surface and thrown at us from left, right, have fallen on us from above. Just when we feel that we have something under control...something else will have happened.
22	DD, Northeast	I explained to her [a nurse under the participant's supervision] that, you know, [this] is the hospital policy. They want you to use a surgical mask, not the N-95 mask...She was one of the persons that got sick...If I had stood more firmly with her against what the hospital was doing...[I have] a lot of remorse, guilt, I wish I could do it again.
23	Q, South	The worst thing has really been seeing what the nurses have gone through during this crisis. I've felt a lot of guilt, I guess, about sort of overworking them and putting them in harm's way.
24	KK, Pacific	My gut feeling all along was we should be masking, just because we didn't know. But I wanted to support the [healthcare] organization and to set a good example to other staff...trying to follow policies.
25	W, Pacific	If you come up with a policy it may...be well thought out and make a lot of sense, what you're doing. But how that gets perceived, communicated, all of those things are actually vitally important...The optics of fairness play a major role in some of these considerations.
26	C, Northeast	I've really been thinking about how a document like this [looks] in the light of day, how does it read, how it's interpreted. It makes sense to me, in my training, in my values and ethics, but does it make sense to potentially the folks it will be affecting?
27	H, Pacific	I tried pretty hard not to use the word 'frontline...Because frontline really implies war...You don't want staff to feel like they're on a war front, it's not like a battle every day that they're at work, it's their job and they're there to take care of people who really need them.
28	D, Pacific	I'm not used to having to project confidence for the sake of the team when I myself have a certain amount of uncertainty. And it's not dishonest, I think for the sake of them [the staff] and their daily ability to come to work and feel like they're supported and functional, I had to, a little bit, project more confidence than I had.
29	LL, Pacific	I think there's a lot of stress on healthcare workers during this time to be brave and to act like we know the answers, and to feel strong for those around us...That's sometimes a hard façade to keep up under a stressful and uncertain time, and I would feel emotionally exhausted at the end of the day.

BiPAP, bilevel positive airway pressure; CPAP, continuous positive airway pressure; ER, emergency room ; PPE, personal protective equipment.

Demands on leaders

Leadership roles could be especially challenging during the pandemic. One clinician leader compared her

experience to running 'an ultra (marathon) without a finish line' (20). In addition to the increased volume of work (21), clinician leaders could feel a substantial

Table 3 Theme 2: constructive adaptation

Quotation number	Participant ID, US region	Exemplar quotation
Meaning-making		
30	Z, Northeast	I have been a medical director of an outpatient home unit for several years, 8 years, and I've never in my life done a PD exchange...We'd go every morning with our carts and our bags, and prescriptions ...It felt different because you were in the thick of it, as the doctor, you were doing the therapy yourself...And we did save lives. I have to say, for the first time in my career it was very obvious that we saved lives.
31	P, Northeast	I like to be needed. I'm an ICU doctor because I want to be needed and I want to feel like I'm making an impact clinically. And this felt like that. Whereas, I haven't had that feeling in a while.
32	E, Pacific	I think there's a group of people that will think about how much they want to risk and then I think there's this other group of people that live for this, that have that sense of duty... Remember when you said you were going to go to med school and everyone said it was a sacrifice to be a physician? Well, this is one of them.
33	HH, Pacific	As a pulmonary critical care doctor who trained in and worked in an ARDS center, I feel like this is what I trained to do, taking care of these patients. This is my comfort zone. This is what my training is about.
34	EE, Northeast	It's like maybe not what you went to medical school to do. You're used to thinking about very complicated things and you're just sitting here sometimes making phone calls, just giving updates and reassurance. But it's just as important as our job.
Collaborating		
35	Z, Northeast	All of those lectures about coming together as an orchestra...I used to kind of poo-poo that and roll my eyes, and now I get it. So, in that way, I think I'm humbled and have a better appreciation of each person's role...I think, inadvertently...I was probably discouraging that kind of open collaboration before.
36	U, Northeast	It was really like you see in MASH...It's wartime medicine. And you do what's needed, what the immediate need is, what has to be done. You don't let egos get in the way. You don't get into big arguments. You do just what has to be done, and what's available to be done...In all my time in medicine I've never experienced anything like this.
37	J, Northeast	I dialyze every...person they ask for dialysis for...I certainly changed my attitude regarding my relationship with the ICU people...I did not want to argue with anybody. I wanted to be viewed as a cooperative and collaborative person...They're so adamant and dedicated, and interested, and motivated to do the right thing. Under those kinds of circumstances, it's kind of hard and I didn't want to spend time arguing, it's just kind of like, "ok, let's just do this, because we've got to get on to the next patient."
38	Z, Northeast	We also had a lot of help from our surgeon, who put in the Tenckhoff [peritoneal dialysis catheter]. We would just text him and literally, the Tenckhoff catheter would go in 2 hours later...We really came together, it was impressive. Never had I experienced that, being here for 20 years.
39	FF, Midwest/ Mountain West	The dialysis unit nursing advocate called me up and said I just don't have enough staff to get through everybody...My first initial reaction was anger. You know, like figure this out please! Why are you bothering me?...Why do I have to make these decisions? But then after I gave my mind a minute to think about what's going on around us, then I calmed down. I realized that it was much more important that we collaborate.
40	CC, Pacific	We're [nephrologists] kind of bit players. You know, this whole situation is largely under the control of the intensivists...Their priorities are really different...I didn't always agree but I had to respect it, the decision.
41	H, Pacific	We're all in it together. All of us, whether we're working for a 29-state large dialysis organization, for profit, vs a non-profit. A lot of us have to address the same day-to-day issues as chief medical officers.
42	AA, Northeast	One of the [dialysis shifts] was me, our division chief, and two fellows...My division chief did a great job sort of leading by doing. And not just sort of talking about it, but actually participating in it.

Continued

Table 3 Continued

Quotation number	Participant ID, US region	Exemplar quotation
43	S, Northeast	These are the people running the program and we're the ones doing the work, and that's the relationship, like a hierarchy. But I'd say it did feel, during the peak of the pandemic, a lot more collaborative, and less hierarchal, because they needed us. We're the ones on the ground... Our perspective became a lot more important when we're dealing with something that's changing and evolving so rapidly, that they need our input.
44	DD, Northeast	When decisions are made on anything, we have to do it together...I'm not at the bedside as much. These nurses are the ones at the bedside, and they really really know what's the best practice, and what's safe...I don't care how many books you read, experience will trump most things.
45	II, Pacific	The right people weren't always at the table at the right time. But I think that's what early on we figured out as colleagues. We're like okay, who gets it? Who understands what's happening? Who lives and breathes the hospital?...They're not always the people in direct leadership.
Building mutual respect and empathy		
46	B, Pacific	[Our hospitalists] were able to see what we were doing in the ICU firsthand and go around on rounds, which really helped. I think they have more respect for what we do. And you get to see them in a different role temporarily while they are not as comfortable. It does kind of even the playing field. Everyone's wearing blue scrubs, and we're all trying to help each other get through this.
47	AA, Northeast	When I got sick...I slept really late and there were like three missed calls from my division chief wondering if I was okay. So, I think there were a lot of people caring for each other...We sort of got together and became much closer than we would've otherwise.
48	MM, Pacific	I think if we have someone who is concerned about an aspect of the response, like the PPE they're wearing...You'd always like to talk to them face-to-face. It's just going to be more profitable. I think it puts people at ease...they know that it's not just some faceless, nameless email box.
49	H, Pacific	Of course [patients] were fearful; some people had anxiety attacks. But they weren't angry at us. They were thankful that we were willing to be tough and swallow whatever it is in terms of our own anxiety and sit with them and talk with them.
50	T, Pacific	A number of my patients who fell ill happened to come into the hospital while I was inpatient.... [I was] able to have that continuity and be there at some of the most harrowing and intimate times of their lives, and at a place and time where they couldn't be with family, they didn't have family.
51	A, Pacific	We always try to be strong for our patients and their families...It felt like it was either more frequent or that I noticed it more, that families, they were really grateful, and they acknowledged that it was hard for us too.

ARDS, acute respiratory distress syndrome; ICU, intensive care unit; MASH, mobile army surgical hospital; PD, peritoneal dialysis; PPE, personal protective equipment.

weight of responsibility for staff well-being while also being constrained in their ability to prioritise staff interests in the face of other organisational needs and priorities (22, 23).

Some of those in leadership roles felt compelled to present a united front and consistent message to staff even if they did not always agree with institutional policies (24). Many were also mindful of how their decisions and actions might be perceived by others (25, 26) and described needing to choose their words carefully (27) and to project more confidence and competence than they might be feeling (28, 29).

Theme 2: constructive adaptation

Some clinicians were able to find new meaning in their work during the pandemic and described a spirit of

collaboration, shared goals, open communication and mutual respect among colleagues.

Meaning-making

Many clinicians valued the opportunity to participate in direct patient care during the pandemic more than at other times in their careers and being able to make a tangible difference in patients' lives (30, 31). For some, work during the pandemic served as a reminder of why they had originally chosen a career in healthcare (32). Some clinicians, especially intensivists, appreciated the chance to put their specialised training to good use (33), while others embraced and found meaning in filling gaps in care even if this meant taking on tasks outside their specialised skill set (34).

Table 4 Theme 3: discord and estrangement

Quotation number	Participant ID, US region	Exemplar quotation
Alienation from clinical role		
52	M, Pacific	That's what I do as a doctor. Not being able to go in and listen to a patient or to actually talk face-to-face to a patient, that was very foreign to me, so I think that made me feel like we can't take care of patients...I felt like I wasn't actually totally seeing a person or totally evaluating a person because I couldn't talk to them face-to-face to actually listen to them.
53	K, Northeast	People come into the hospital to get help, right?...Even though everyone deserves help and we want to help everyone, that we're just physically not able to. And that's really like a wartime thought process, and I am not in the army. That is not how I approach medicine.
54	GG, Pacific	I usually have a target at the beginning of the day; things I want to accomplish and accomplish in a certain way. And if I come home and I hit the target, I feel good about myself...Now, even if I come home and I hit the target, I'm not actually sure if that was the target I should've been shooting for, as we try to balance differing, competing obligations.
55	X, Northeast	At the height of the pandemic, there were a lot of people that weren't that old. We usually say like these are 'salvageable' patients and we're going to try everything to keep them alive. But this was just a lot of times unsuccessful, like we're fighting hard and they would just die... It was difficult emotionally to deal with that amount of suffering and dying. And sort of the inability to prevent these people from dying...I would come home at night and feel really defeated. That was unique in the...20+years of ICU care, it never felt like that.
56	G, Pacific	I know it sounds really morbidly weird, but I was a little disappointed because I was looking forward to being busy, being productive and holding peoples' hands and contributing to just doctoring...Here I was less busy than I'd ever been because patients weren't showing up to clinic...[I was] feeling guilty that other people were working so hard while my schedule is easier than ever...Here's my chance to make a difference and to help people during this period and I saw like 3 COVID patients.
57	R, Pacific	To minimize COVID exposure, or to minimize PPE...The attendings have been going to see the patients on their own...I feel almost guilty about that. There's always the sense that the trainees should be doing most of the work.
Interprofessional power differentials		
58	MM, Pacific	We have a structure, we have an ordering and responsibility hierarchy. Well holy cow, in academic medicine, it's got to be the least hierarchical...I think that cultural shift into, 'We appreciate you, you're brilliant, but you're going to do it this way.' That is not our way. We are not a military institution.
59	P, Northeast	As an ICU doctor who's used to having the whole patient to themselves...I'm used to being able to have the final say. I'll take input from everybody, but I'm deciding. And the triage team was taking over that role.
60	II, Pacific	[I said] 'this is what this patient needs. Let's talk about how were going to get it.' And there was no discussion, it was just like, 'nope, not gonna happen'...Here we are, we're defining a new disease process, we're having an emerging evolving pandemic...I really feel like I'm pretty rational about this, and you haven't told me anything, it's sort of like arguing with a toddler.
61	V, Northeast	Nephrology should absolutely have a say in CRRT vs not. And what was told to us was that, well it's really going to be the ICU teams that are driving these decisions. And we were like well, how does that work, it's not their specialty...It feels weird to not be an integral part of that decision...We understand that this is critical care, this is critical care space, but we should be a part of those decisions.
62	II, Pacific	I get it now, that infection prevention is like, we have to sit on these resources and we have to guard them and use them wisely. But again, that's where the messaging wasn't there. The messaging was just "No"...So it did feel more of an us-against-them. Like are we really on the same team? Are we really working toward the same end point of keeping our staff safe and treating the patient?
63	Q, South	Particularly as a consulting physician, a nephrologist, you kind of have the luxury of doing everything remotely. I really think that the nurses have taken the brunt during all of this.

Continued

Table 4 Continued

Quotation number	Participant ID, US region	Exemplar quotation
64	C, Northeast	COVID is highlighting the potential tensions that might already exist between nurses and physicians...Power dynamics or what have you. My colleague felt empowered in some ways to say, 'This is how I'm going to change my practice.' Our dialysis staff probably don't have that power to say, 'this is how I'm going to do my nursing practice.'
65	B, Pacific	There's no housekeeping allowed in patient rooms in the hot zone. So, nursing...has been doing all the tasks like wiping down the rooms twice a day, cleaning out the bathroom...So, there's a lot more basic tasks put on nursing.
Exposing value conflicts		
66	JJ, Pacific	You think you can kind of say this is how all pulmonary critical care docs behave, is how all physicians behave...Actually, some people, what makes them happy is taking care of patients and going home at the end of the day. Then I have to think about what my expectations are for people.
67	G, Pacific	People had been shamed for wearing masks a few weeks ago, and then I wondered if it was some kind of, 'I'm not going to use PPE,' like it was just for weak people. I'm not sure. But I was really shocked...They were all sitting around talking, and I walked by with a mask, and it almost seemed like they kind of looked at me funny.
68	BB, Pacific	There was this incident about one of the physicians at the hospital being reported about wearing a mask by the nurses...The hospital administrators felt like he was giving a message that this is more serious than it is and everybody should be masked. So, it was a big thing that the physician had to justify why he was wearing a mask...I felt better wearing a mask...It's better for my mental health,...but I did feel guilty about it.
69	G, Pacific	The patient is probably very scared, and if they look up and see me too scared to come in the room to see them, then what kind of doctoring is that?...At the beginning it had to do with conserving PPE, that we weren't going in. But [now] there's plenty of PPE...So I'm kind of surprised that we're not, at least once, physically seeing each patient.
70	N, Northeast	Everybody else was not seeing patients...I would go back to my office and everybody treated me like a disease. Everybody freaked out when they saw me, in my scrubs and with my little baggie of PPE. They all like backed away from me, and I'm like, 'Ok, we work together you guys, c'mon...What do you think? It's going to hop off of me and go onto you?' And they said 'yes!'
71	J, Northeast	I've known these people forever...A couple of people just said, 'my doctor said I have asthma, I can't work for the next 6 weeks'...I'm disappointed, I mean, I feel like she let us down.
72	JJ, Pacific	There were members of our group who were really afraid, and really freaking out, and really like, 'I have a two year-old, I can't do this.' Which is normal, but also when you have a small group [of colleagues] it's not helpful. People are having their own anxiety and you kind of need everyone on board, you signed up for this, you kinda have to get over it.
73	AA, Northeast	If you're not going to go into the room, how are you gonna go ask your nurse to go sit in there for 2 hours. I just think that's not right.
74	C, Northeast	She sent out an email to let the dialysis staff, the whole team know that she'd be rounding virtually. It was interpreted as, 'you're on your own, dialysis nurses. I am supposed to be the leader here in my role as a physician, and I don't have your back.'
Mistrust of leadership		
75	Y, Pacific	Where I heard the most, I don't know, complaints or staff unhappiness, was with the unit that was not as aggressive with PPE...Even though [the institution] was following the [CDC] guidelines. But I think that it just made the staff feel better...I think they felt like maybe they weren't being cared for and as appreciated as they should be.
76	N, Northeast	I just felt like it wasn't transparent. I mean, communication issues have always been a problem, especially in big organizations. I've brought it up before. People were in denial about it. It's a leadership problem. I personally don't trust my leadership...I've been working in this hospital for a long [enough] time that I slowly started to understand that peoples' motivations aren't good in healthcare...People were kind of motivated by their own self-interests and by greed.

Continued



Table 4 Continued

Quotation number	Participant ID, US region	Exemplar quotation
77	Q, South	We asked multiple times if there was a triage command centre or a plan for what would occur if we got to the point where we had to triage resources. They said there was, but they wouldn't provide it to us...What is it? Where is it? I just felt a total lack of support from the administration.
78	F, Pacific	Something that you used to make me use for my safety and the patient's safety [masks], and suddenly you're like, you don't need it anymore...You have these policies in place because they're evidence-based, and a bunch of people sat down and thought about it and said this is the safest way to provide care for people. And then suddenly you're like, you don't need to do that because we don't have enough. And it really isn't that we don't need to do it, it's really that you should, but we don't have the supplies, so we can't do it. If they had explained it like that, not that that's any better, but it's at least being honest. I feel like they're downplaying a lot of things.
79	B, Pacific	Universal vs not universal masking. That one has been a little harder for most of us to understand...Why were we making it optional a few weeks ago and now it's becoming a universal protocol? I think I understand what the rationale is, especially with a higher incidence of staff infections. But I think it's hard to go from...where we were kind of lenient before, to something that's not so lenient with everybody on board. And I think since there's been such an emphasis on resource allocation and not using up limited PPE, some people are concerned that this is going to use up a lot of PPE.
80	O, Midwest/ Mountain West	She was reprimanded by the VP for Medical Affairs because she was wearing a mask...You're a physician administrator who doesn't have any patient contact, so you're the last person who should be giving advice.
81	JJ, Pacific	I think physicians everywhere were wanting to help and be helpful. A lot of it was coming from hospital administrators being nervous about what this would mean for their hospital and wanting to protect their own beds so in case they have their own surge.

CDC, Centers for Disease Control and Prevention; CRRT, continuous renal replacement therapy; ICU, intensive care unit; PPE, personal protective equipment; VP, vice president.

Collaboration

Many clinicians described a spirit of collaboration among colleagues that they would not have thought possible before the pandemic (35, 36). Some made conscious efforts to be more responsive to colleagues' requests for help (37-39) and more accepting of their clinical decisions (40). A similar dynamic could occur at the organisational level, with competing institutions setting aside differences and working together toward a common goal (41).

Many clinicians voiced appreciation for more collaborative leadership styles and expressed admiration for leaders who led by doing (42) and were responsive to the concerns of practising clinicians (43). This sentiment was mirrored by comments from some leaders emphasising the importance of incorporating the first-hand experience of frontline clinicians in institutional planning and policy-making (44, 45).

Building mutual respect and empathy

Clinicians described a shared sense of uncertainty and vulnerability, which could help build camaraderie and mutual respect among colleagues with diverse backgrounds and skill sets (46). Expressions of concern for personal well-being (47) and face-to-face interactions (48) could help to strengthen collegial relationships.

Clinician-patient relationships could also be enriched by shared challenges (49, 50) and expressions of concern for one another's well-being (51).

Theme 3: discord and estrangement

Some clinicians felt alienated from their clinical roles and described demoralising work environments marked by division, value conflicts and mistrust.

Alienation from clinical role

Some clinicians described feeling alienated from new clinical practices and roles that did not align with their professional values (52, 53) and questioned the value and purpose of their work during the pandemic (54). Many experienced feelings of defeat and powerlessness when faced with the enormous loss of life among seriously ill patients with COVID-19 (55). Others less directly involved in caring for patients with the infection described feeling ineffectual and guilty about not doing more to help (56, 57).

Interprofessional power differentials

For some clinicians, more centralised institutional decision-making processes during the pandemic could feel unfamiliar or restrictive (58, 59). Several clinicians

offered concrete examples of how inflexible, top-down policies had adversely impacted patient care (60).

The pandemic could create, expose and/or widen power differentials between staff with differing clinical roles. Intensivists sometimes assumed greater decision-making authority, which might leave other specialists feeling sidelined (61, 62). Nurses generally had less power than physicians to control their work environment and to limit exposure to the virus (63, 64) and were often expected to fill a wide range of different gaps in care (65).

Exposing value conflicts

The pandemic also exposed divergent values and beliefs about professional obligations among clinicians (66). Differences in how individual clinicians prioritised and operationalised competing concerns could be a source of conflict, especially when institutional guidelines were unclear or evolving. Heterogeneity in the relative value placed on obligations such as preserving limited health-care resources, protecting oneself, limiting viral spread and directly examining patients with COVID-19 could provoke moral judgements (67-69). Some clinicians who were seeing patients in person felt unsupported and even ostracised by colleagues (70) and could perceive these colleagues to be prioritising their own safety over the needs of patients and other clinicians (71, 72). Physicians could also be critical of colleagues who they felt were insufficiently protective or unsupportive of nurses (73, 74).

Mistrust of leadership

Clinicians did not always trust that institutional leadership had their best interests at heart (75). Legacy concerns about the trustworthiness of those in leadership roles could be magnified during the pandemic (76), particularly when communication was poor (77) or when there was a lack of transparency or apparent inconsistencies in new policies (78, 79). Several clinicians described being more trusting of leaders with active clinical roles as opposed to 'administrators' without clinical backgrounds, who were seen to be out of touch with clinicians' needs (80) and more likely to place institutional interests above those of patients and staff (81).

DISCUSSION

During the first few months of the COVID-19 pandemic, US clinicians experienced significant disruptions to their professional identities, roles and relationships. How individual clinicians and clinical teams responded to these challenges varied markedly. Some found new meaning in their work and described a spirit of collaboration, mutual respect, and shared goals among colleagues. Others felt alienated from their clinical roles and described a demoralising work environment marked by widening power differentials, value conflicts and mistrust.

The pandemic not only disrupted clinicians' usual work environments and practices but also raised existential

questions about professional identity and required them to re-evaluate core values.²⁶ Many grappled with competing priorities in their home and work lives and encountered value conflicts with colleagues. Those in leadership positions often had to juggle conflicting obligations to protect their staff and to uphold institutional policies and mandates while also being mindful of optics and how their actions would be interpreted by others. In the midst of this personal and professional upheaval, some clinicians were able to find meaning in their work, while others felt alienated from their new roles. This kind of challenging mental work likely contributes to the emotional fatigue and psychological trauma that has been observed among clinicians during the pandemic.^{13 27 28}

A team-based approach can be especially valuable when responding to complex and unpredictable disruption in clinical practice and care delivery.^{7 9 29} Key tenets of effective team-based care include collaboration, open communication, shared goals and vision and mutual respect and trust.^{30 31} Our findings suggest that some but not all clinical teams and organisations were able to capitalise on these strategies to support effective teamwork during the pandemic. Many of those with whom we spoke experienced a strong team mentality grounded in mutual respect, concern and empathy,^{32 33} in which they were able to collaborate effectively with colleagues to accomplish common goals. However, others described work environments marked by divergent priorities and ineffective communication that likely worked against a team-based approach.³⁴ While some clinicians remarked on inclusive and collaborative styles of leadership, others encountered more rigid and hierarchical approaches in which leaders appeared less responsive to the concerns of frontline clinicians and offered few opportunities for them to help shape institutional policies. This kind of top-down approach might undermine trust and contribute to a sense of powerlessness and demoralisation among clinicians.³⁵

These early experiences of US clinicians during the COVID-19 pandemic highlight the different ways in which clinicians and clinical teams responded to the challenges of the pandemic and may be helpful in guiding institutional responses as the pandemic continues. In addition to improving patient care, an effective team-based approach can help clinicians to find meaning and adapt to new kinds of work.³⁶ While effective collaboration may sometimes occur spontaneously, explicit efforts to promote and cultivate practices that are conducive to effective teamwork may be especially important at times of disruption and crisis.³⁷ Available literature on teamwork suggests that deliberate efforts to establish a shared vision and common goals, reinforce core values guiding practice, and promote open and honest communication among all team members can help to build the kind of trust and understanding needed to support flexible adaptation to change.^{38 39} Attention to clinicians' personal well-being and emotional health through structured institutional programmes,^{27 40 41} along with informal

demonstrations of caring and respect from leaders and colleagues, can also be important in building trusting relationships, monitoring for fatigue³⁸ and maintaining personal resilience.^{38 42}

Our results may not capture the experiences and perspectives of clinicians practising in other parts of the world, of clinicians working in regions of the USA not included in our study, or in settings, specialties or demographic groups not well represented in our study. Specifically, although we included clinicians from private practice and rural settings, the majority of participants were non-Hispanic White physicians practising at academic centres. We also recognise that participants may not have always felt comfortable sharing their perspectives and experiences on sensitive topics. Leadership roles were identified when participants reported formal titles, but many clinicians took on informal leadership roles that we do not capture in our report of participant characteristics. Finally, the dynamic nature of the pandemic means that our analysis of clinicians' experiences early on may not reflect present or future challenges.

Clinicians' professional roles, identities and relationships were profoundly disrupted and reshaped during the pandemic. Our findings illuminate marked heterogeneity in how clinicians and clinical teams responded to these challenges. Some clinicians were able to find new meaning in their work and experienced a spirit of collaboration, mutual respect and shared vision among colleagues. However, others felt alienated from their new roles and described work environments marred by division, value conflicts and mistrust. These findings highlight the importance of intentional efforts to support clinician well-being and promote effective teamwork during the pandemic.

Author affiliations

¹Department of Medicine, Division of Nephrology and the Kidney Research Institute, University of Washington, Seattle, Washington, USA

²Department of Hospital and Specialty Medicine, Nephrology Section and Health Services Research & Development, Seattle-Denver Center of Innovation, Veterans Affairs Puget Sound Health Care System, Seattle, Washington, USA

³Department of Hospital and Specialty Medicine, Geriatrics and Extended Care Section, Veterans Affairs Puget Sound Health Care System, Seattle, Washington, USA

⁴Institute for Clinical Systems Improvement, Bloomington, Minnesota, USA

Twitter Catherine R Butler @KateButler and Ann M O'Hare @annmohare

Acknowledgements The authors thank the many clinicians who volunteered their time to participate in this work and also appreciate the help of Mr Ross Burnside in contributing to interview transcription.

Contributors CRB designed the study and analysed the data, drafted the initial manuscript and made the tables and figures, contributed to the interpretation and presentation of data, revised the manuscript and approved the final version of the manuscript for submission. SPYW, EKV and CSN contributed to the interpretation and presentation of data, revised the manuscript and approved the final version of the manuscript for submission. AMO designed the study and analysed the data, contributed to the interpretation and presentation of data, revised the manuscript and approved the final version of the manuscript for submission.

Funding This work is supported by the National Institutes of Health (NIH), National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) (5T32DK007467-33, CRB and 1K23DK107799-01A1, SPYW), the University of Washington Institute

of Translational Health Sciences (small project award, CRB) and the University of Washington, Division of Nephrology (faculty funds, AMO). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the NIH or NIDDK. The funder had no role in the design and conduct of the study; collection, management, analysis and interpretation of the data; preparation, review or approval of the manuscript; or decision to submit the manuscript for publication.

Competing interests None declared.

Patient consent for publication Not required.

Ethics approval The University of Washington Institutional Review Board approved this study and authorised verbal in lieu of written consent (study ID: STUDY00009894).

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No additional data available.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Catherine R Butler <http://orcid.org/0000-0001-9174-8038>

REFERENCES

- Blumenthal D, Fowler EJ, Abrams M, *et al*. Covid-19 - Implications for the Health Care System. *N Engl J Med* 2020;383:1483-8.
- King JS. Covid-19 and the need for health care reform. *N Engl J Med* 2020;382:e1104.
- Sharma GD, Talan G, Srivastava M, *et al*. A qualitative enquiry into strategic and operational responses to Covid-19 challenges in South Asia. *J Public Aff* 2020:e2195.
- Hasan Z, Narasimhan M. Preparing for the COVID-19 pandemic: our experience in New York. *Chest* 2020;157:1420-2.
- Sourial MY, Sourial MH, Dalsan R, *et al*. Urgent peritoneal dialysis in patients with COVID-19 and acute kidney injury: a single-center experience in a time of crisis in the United States. *Am J Kidney Dis* 2020;76:401-6.
- Fisher M, Prudhvi K, Brogan M, *et al*. Providing care to patients with AKI and COVID-19 infection: experience of front line nephrologists in New York. *Kidney360* 2020;1:544-8.
- Natale JE, Boehmer J, Blumberg DA, *et al*. Interprofessional/interdisciplinary teamwork during the early COVID-19 pandemic: experience from a children's Hospital within an academic health center. *J Interprof Care* 2020;34:682-6.
- Zuckerman AD, Patel PC, Sullivan M, *et al*. From natural disaster to pandemic: a health-system pharmacy rises to the challenge. *Am J Health Syst Pharm* 2020;77:1986-93. doi:10.1093/ajhp/zxaa180
- Jassar AS, Perkins KE, Sundt TM. Teamwork in the time of coronavirus: an MGH experience. *J Card Surg* 2020. doi:10.1111/jocs.15036. [Epub ahead of print: 08 Oct 2020].
- Cunningham CO, Diaz C, Slawek DE. COVID-19: the worst days of our careers. *Ann Intern Med* 2020;172:764-5.
- Yong E. 'No one is listening to us'. *The Atlantic*, 2020. Available: <https://www.theatlantic.com/health/archive/2020/11/third-surge-breaking-healthcare-workers/617091/>
- Jacobs A. A parallel pandemic hits health care workers: trauma and exhaustion. *New York Times*, 2021. Available: <https://www.nytimes.com/2021/02/04/health/health-care-workers-burned-out-quitting.html>
- Matsuo T, Kobayashi D, Taki F, *et al*. Prevalence of health care worker burnout during the coronavirus disease 2019 (COVID-19) pandemic in Japan. *JAMA Netw Open* 2020;3:e2017271.

- 14 Hennein R, Lowe S. A hybrid inductive-abductive analysis of health workers' experiences and wellbeing during the COVID-19 pandemic in the United States. *PLoS One* 2020;15:e0240646.
- 15 Ohta R, Matsuzaki Y, Itamochi S. Overcoming the challenge of COVID-19: a grounded theory approach to rural nurses' experiences. *J Gen Fam Med* 2020. doi:10.1002/jgf2.410. [Epub ahead of print: 29 Nov 2020].
- 16 Sterling MR, Tseng E, Poon A, *et al.* Experiences of home health care workers in New York City during the coronavirus disease 2019 pandemic: a qualitative analysis. *JAMA Intern Med* 2020. doi:10.1001/jamainternmed.2020.3930. [Epub ahead of print: 04 Aug 2020].
- 17 Christian MD, Devereaux AV, Dichter JR, *et al.* Introduction and executive summary: care of the critically ill and injured during pandemics and disasters: chest consensus statement. *Chest* 2014;146:8s–34.
- 18 Committee on Guidance for Establishing Crisis Standards of Care for Use in Disaster Situations, Institute of Medicine. *Crisis standards of care: a systems framework for catastrophic disaster response*. Washington, D.C.: National Academies Press, 2012.
- 19 Butler CR, Wong SPY, Wightman AG, *et al.* Us clinicians' experiences and perspectives on resource limitation and patient care during the COVID-19 pandemic. *JAMA Netw Open* 2020;3:e2027315.
- 20 Madrigal AC. Hospitals can't go on like this: 22 percent of American hospitals don't have enough workers right now. *The Atlantic*, 2020. Available: <https://www.theatlantic.com/science/archive/2020/11/third-surge-hospitals-staffing-shortage/617128/>
- 21 Birks M, Mills J. *Grounded theory: a practical guide. 2nd ED.* Thousand Oaks, California: Sage Publications Inc, 2015.
- 22 Giacomini MK, Cook DJ, Evidence-Based Medicine Working Group. Users' guides to the medical literature: XXIII. qualitative research in health care A. are the results of the study valid? *JAMA* 2000;284:357–62.
- 23 Charmaz K. *Constructing grounded theory: a practical guide through qualitative analysis. Chapter 3: coding in grounded theory practice.* London, UK: Sage Publications, 2006.
- 24 Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;3:77–101.
- 25 Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care* 2007;19:349–57.
- 26 Anderson-Shaw LK, Zar FA. COVID-19, moral conflict, distress, and dying alone. *J Bioeth Inq* 2020;17:777–82.
- 27 Shanafelt T, Ripp J, Trockel M. Understanding and addressing sources of anxiety among health care professionals during the COVID-19 pandemic. *JAMA* 2020;323:2133.
- 28 West CP, Dyrbye LN, Sinsky C, *et al.* Resilience and burnout among physicians and the general us working population. *JAMA Netw Open* 2020;3:e209385.
- 29 Alliger GM, Cerasoli CP, Tannenbaum SI, *et al.* Team resilience: how teams flourish under pressure. *Organizational Dynamics* 2015;44:176–84.
- 30 Mitchell PH, Wynia M, Golden R. Core principles and values of effective team-based health care, 2012 Institute of Medicine. Available: <https://nam.edu/perspectives-2012-core-principles-values-of-effective-team-based-health-care/>
- 31 Choi BCK, Pak AWP, Multidisciplinarity PAW. Multidisciplinarity, interdisciplinarity, and transdisciplinarity in health research, services, education and policy: 2. promoters, barriers, and strategies of enhancement. *Clin Invest Med* 2007;30:224–32.
- 32 Choi BCK, Pak AWP, Multidisciplinarity PAW. Multidisciplinarity, interdisciplinarity and transdisciplinarity in health research, services, education and policy: 1. definitions, objectives, and evidence of effectiveness. *Clin Invest Med* 2006;29:351–64.
- 33 Campelia G, Tate T. Empathetic practice: the struggle and virtue of Empathizing with a patient's suffering. *Hastings Cent Rep* 2019;49:17–25.
- 34 Skitka LJ, Bauman CW, Sargis EG. Moral conviction: another contributor to attitude strength or something more? *J Pers Soc Psychol* 2005;88:895–917.
- 35 Reuben DB. Sideline guilt. *JAMA Intern Med* 2020;180:1150–1.
- 36 Hartzband P, Groopman J. Physician burnout, interrupted. *N Engl J Med* 2020;382:2485–7.
- 37 Gilmartin HM, Battaglia C, Warsavage T, *et al.* Practices to support relational coordination in care transitions: observations from the Va rural transitions nurse program. *Health Care Manage Rev* 2020. doi:10.1097/HMR.0000000000000300. [Epub ahead of print: 11 Nov 2020].
- 38 Tannenbaum SI, Traylor AM, Thomas EJ, *et al.* Managing teamwork in the face of pandemic: evidence-based tips. *BMJ Qual Saf* 2021;30:59–63.
- 39 Shanafelt TD, Makowski MS, Wang H, *et al.* Association of burnout, professional fulfillment, and self-care practices of physician leaders with their independently Rated leadership effectiveness. *JAMA Netw Open* 2020;3:e207961.
- 40 Schwartz R, Sinsky JL, Anand U, *et al.* Addressing postpandemic clinician mental health : a narrative review and conceptual framework. *Ann Intern Med* 2020;173:981–8.
- 41 Dzau VJ, Kirch D, Nasca T. Preventing a parallel pandemic - a national strategy to protect clinicians' well-being. *N Engl J Med* 2020;383:513–5.
- 42 Adams JG, Walls RM. Supporting the health care workforce during the COVID-19 global epidemic. *JAMA* 2020;323:1439–40.

Supplementary Table 1: Sample semi-structured interview guide

Questions*	Prompt
First, can you tell me a little about yourself and your clinical role?	
What has it been like for you taking care of patients during the COVID-19 pandemic?	Can you give me some examples of situations that have been particularly challenging? Any situations that have gone well? In what ways have your practices changed?
How has the pandemic shaped your clinical practices and how you care for patients?	What was most difficult for you? What worked well? Can you give me some specific examples?
Have you encountered any situations in which medical resources were limited or you had difficulty getting patients the treatments they needed during the pandemic? What was that like for you?	Can you give me some examples?
Have you talked to patients or family about how their care might be different during the pandemic? What has that been like?	Can you give me some examples? What was that like for you?
Have you helped to develop new institutional policies during the pandemic? What has this been like?	Can you give me some examples? What has been difficult? What has worked well?
Is there anything else that we have not covered that you would like to bring up?	

*The interview guide was adapted throughout the study in response to emerging concepts and in order to promote thematic saturation.

Supplementary Table 2. Consolidated Criteria for Reporting Qualitative Research Guidelines

(COREQ) checklist

Item	Guide questions/description	Location in manuscript
Domain 1: Research team and reflexivity		
<i>Personal Characteristics</i>		
1. Interviewer/facilitator	Which author/s conducted the interview or focus group?	Methods, Paragraph 2
2. Credentials	What were the researcher's credentials? E.g. PhD, MD	Author list
3. Occupation	What was their occupation at the time of the study?	Methods, Paragraph 2
4. Gender	Was the researcher male or female?	Methods, Paragraph 2
5. Experience and training	What experience or training did the researcher have?	Methods, Paragraph 2
<i>Relationship with participants</i>		
6. Relationship established	Was a relationship established prior to study commencement?	Methods, paragraph 1
7. Participant knowledge of the interviewer	What did the participants know about the researcher? e.g. personal goals, reasons for doing the research	The intention of the research (to better understand clinician experience during the pandemic) was included in written information materials.
8. Interviewer characteristics	What characteristics were reported about the interviewer/facilitator? e.g. Bias, assumptions, reasons and interests in the research topic	Methods, paragraph 2
Domain 2: Study design		
<i>Theoretical framework</i>		
9. Methodological orientation and Theory	What methodological orientation was stated to underpin the study? e.g. grounded theory, discourse analysis, ethnography, phenomenology, content analysis	Methods, paragraph 3.
<i>Participant selection</i>		
10. Sampling	How were participants selected? e.g. purposive, convenience, consecutive, snowball	Methods, paragraph 1
11. Method of approach	How were participants approached? e.g. face-to-face, telephone, mail, email	Methods, paragraph 1
12. Sample size	How many participants were in the study?	Results, paragraph 1
13. Non-participation	How many people refused to participate or dropped out? Reasons?	Results, paragraph 1
<i>Setting</i>		
14. Setting of data collection	Where was the data collected? e.g. home, clinic, workplace	Methods, paragraph 2
15. Presence of non-participants	Was anyone else present besides the participants and researchers?	No.

16. Description of sample	What are the important characteristics of the sample? e.g. demographic data, date	Results, paragraph 1
<i>Data collection</i>		
17. Interview guide	Were questions, prompts, guides provided by the authors? Was it pilot tested?	Appendix, Table 1
18. Repeat interviews	Were repeat interviews carried out? If yes, how many?	Methods, paragraph 2
19. Audio/visual recording	Did the research use audio or visual recording to collect the data?	Methods, paragraph 1
20. Field notes	Were field notes made during and/or after the interview or focus group?	Yes.
21. Duration	What was the duration of the interviews or focus group?	Methods, paragraph 1
22. Data saturation	Was data saturation discussed?	Methods, paragraph 3
23. Transcripts returned	Were transcripts returned to participants for comment and/or correction?	Methods, paragraph 2
Domain 3: Analysis and findings		
<i>Data analysis</i>		
24. Number of data coders	How many data coders coded the data?	Methods, paragraph 3
25. Description of the coding tree	Did authors provide a description of the coding tree?	Method not used
26. Derivation of themes	Were themes identified in advance or derived from the data?	Methods, paragraph 3
27. Software	What software, if applicable, was used to manage the data?	Methods, paragraph 3
28. Participant checking	Did participants provide feedback on the findings?	Method not used
<i>Reporting</i>		
29. Quotations presented	Were participant quotations presented to illustrate the themes/findings? Was each quotation identified? e.g. participant number	Table 2-4
30. Data and findings consistent	Was there consistency between the data presented and the findings?	Results, Tables 2-4
31. Clarity of major themes	Were major themes clearly presented in the findings?	Results, Paragraph 1
32. Clarity of minor themes	Is there a description of diverse cases or discussion of minor themes?	Results, throughout

Based on Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care*. 2007;19(6):349-357