BMJ Open Measuring research capacity development in healthcare workers: a systematic review

Davide Bilardi ^{1,2} Elizabeth Rapa ³ Sarah Bernays ^{4,5} Trudie Lang ¹

To cite: Bilardi D, Rapa E, Bernays S, *et al.* Measuring research capacity development in healthcare workers: a systematic review. *BMJ Open* 2021;**11**:e046796. doi:10.1136/bmjopen-2020-046796

► Prepublication history for this paper is available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-046796>).

Received 12 November 2020
Accepted 14 June 2021

© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Nuffield Department of Medicine, University of Oxford Centre for Tropical Medicine and Global Health, Oxford, UK

²Fondazione Penta Onlus, Padova, Italy

³Department of Psychiatry, University of Oxford, Oxford, UK

⁴School of Public Health, University of Sydney—Sydney Medical School Nepean, Sydney, New South Wales, Australia

⁵Public Health and Policy, London School of Hygiene & Tropical Medicine, London, UK

Correspondence to

Dr Davide Bilardi;
davide.bilardi@gtc.ox.ac.uk

ABSTRACT

Objectives A key barrier in supporting health research capacity development (HRCD) is the lack of empirical measurement of competencies to assess skills and identify gaps in research activities. An effective tool to measure HRCD in healthcare workers would help inform teams to undertake more locally led research. The objective of this systematic review is to identify tools measuring healthcare workers' individual capacities to conduct research.

Design Systematic review and narrative synthesis using Preferred Reporting Items for Systematic Reviews and Meta-Analyses checklist for reporting systematic reviews and narrative synthesis and the Critical Appraisals Skills Programme (CASP) checklist for qualitative studies.

Data sources 11 databases were searched from inception to 16 January 2020. The first 10 pages of Google Scholar results were also screened.

Eligibility criteria We included papers describing the use of tools/to measure/assess HRCD at an individual level among healthcare workers involved in research. Qualitative, mixed and quantitative methods were all eligible. Search was limited to English language only.

Data extraction and synthesis Two authors independently screened and reviewed studies using Covidence software, and performed quality assessments using the extraction log validated against the CASP qualitative checklist. The content method was used to define a narrative synthesis.

Results The titles and abstracts for 7474 unique records were screened and the full texts of 178 references were reviewed. 16 papers were selected: 7 quantitative studies; 1 qualitative study; 5 mixed methods studies; and 3 studies describing the creation of a tool. Tools with different levels of accuracy in measuring HRCD in healthcare workers at the individual level were described. The Research Capacity and Culture tool and the 'Research Spider' tool were the most commonly defined. Other tools designed for ad hoc interventions with good generalisability potential were identified. Three papers described health research core competency frameworks. All tools measured HRCD in healthcare workers at an individual level with the majority adding a measurement at the team/organisational level, or data about perceived barriers and motivators for conducting health research.

Conclusions Capacity building is commonly identified with pre/postintervention evaluations without using a specific tool. This shows the need for a clear distinction between measuring the outcomes of training activities in a team/organisation, and effective actions promoting

Strengths and limitations of this study

- Thoroughly conducted systematic review collecting data from all major existing databases and grey literature.
- Topic not previously addressed in other reviews searching for tools to measure health research capacity building at individual level.
- Brief overview of the identified tools to measure health research capacity building at individual level highlighting strengths and weaknesses of them.
- Complex identification of relevant studies due to the lack of clarity on a common definition and terminology to identify health research capacity development.
- None of the studies use the standard reporting procedures for qualitative or quantitative research.

HRCD. This review highlights the lack of globally applicable comprehensive tools to provide comparable, standardised and consistent measurements of research competencies.

PROSPERO registration number CRD42019122310.

INTRODUCTION

In 2004, the Global Forum for Health Research highlighted the challenge for low and middle-income countries to have the capacity to perform effective and locally led health research which address the major health problems affecting their own populations.^{1–3} Twenty years later, low and middle-income countries still carry 90% of the global disease burden, but only 10% of global funding for health research is devoted to addressing these persistent health challenges.⁴ Health research capacity development (HRCD) for healthcare workers has been recognised as a critical element to overcoming global health challenges, especially in low and middle-income countries.⁵ For too long HRCD in low and middle-income countries has been documented through training programmes which enable local teams to participate in externally sponsored trials, creating a false appearance of growth and generating dependence on foreign support.^{6,7}

The process of progressive empowerment is usually referred to as capacity development.⁸ This term has been used in multiple areas and applied in different sectors to develop new or existing competencies, skills and strategies at a macro or individual level.⁹ In the field of health, research capacity development should support healthcare workers in generating local evidence-based results to inform policy and improve population health. The three health-related Millennium Development Goals, and more recently the targets 'B' and 'C' of the Sustainable Development Goals, all support the adoption of new strategies to strengthen the capacity of healthcare workers in all countries in performing their job and engaging in research.^{10–12} One of the critical barriers in supporting HRCd is the lack of empirical measurement of competencies in relation to the performance of research activities. Existing frameworks and tools have been developed for a particular purpose in a particular context.^{13 14} Others have identified barriers that healthcare workers encounter in engaging in research or have monitored and evaluated targeted training activities.¹⁵ This systematic review aims to identify tools to measure individual healthcare workers' capacities to conduct research.

METHODS

The Preferred Reporting Items for Systematic Reviews and Meta-Analyses checklist¹⁶ for reporting systematic reviews and narrative synthesis and Critical Appraisals Skills Programme (CASP) checklist¹⁷ on critical appraisal for qualitative studies were used to design this systematic review and to refine the extraction log according to recognised guidelines.

Inclusion and exclusion criteria

The aim of the systematic review was to identify existing tools which measure individual capacities in conducting research in healthcare workers. The inclusion and exclusion criteria were defined in advance and documented using an adapted version of a SPIDER table (table 1). The primary population of interest were all health-related professionals or healthcare workers involved in research activities. Healthcare workers delivering health services when research was not considered as the focus of the study were excluded. Occupational health research was excluded. Studies about volunteers, defined as people offering their services to support health activities with no specific training as health professionals, were also excluded. Initially, only healthcare workers working in low and middle-income

Table 1 SPIDER diagram— inclusion and exclusion criteria

SPIDER	Inclusion	Exclusion
Sample (population involved)	Healthcare workers involved in research defined as: health professionals involved in research activities at every step of research and with any health-related professional profile working in health centres.	Healthcare workers who delivered health services when research is not considered. People involved in occupational health research. Volunteers defined as people offering their services to support health activities with no specific training as health professionals.
Phenomenon of Interest	Broadly; assessed health research capacity development. Specifically; analysed tools, frameworks and templates to assess and measure health research capacity development/building/strengthening. Keywords: tool, framework, assess, measure, give evidence, capacity development, capacity building, capacity strengthening, competency improvement, professional development, mentoring.	Included specific components that could be considered as aiming to assess, measure and give evidence to research capacity development, but not presented in any capacity development context. Non-health-related capacity development research such as 'air pollution', 'financial capacity', 'tobacco' or other areas unrelated to health research emerging from the search refining.
Design (nature of the intervention described)	Qualitative literature including interview, focus groups, surveys, grounded theory, ethnography, interpretative phenomenological analysis, content analysis, thematic analysis. Quantitative literature including score systems, competencies measurement. Mixed methods papers combining qualitative and quantitative approach.	Studies that did not meet the inclusion criteria for design.
Evaluation	Acceptable: met high and moderate scores in Effective Public Health Practice Project Quality Assessment Tool (EPHPP) and measured qualitative validity with COREQ evaluation method if applicable.	Studies that did not meet the inclusion criteria for evaluation.
Research type	Qualitative, mixed and quantitative methods.	Did not have English language abstract.

COREQ, Consolidated criteria for Reporting Qualitative research.

countries were included, but this limitation was removed to identify any tool measuring HRCD in any setting. The Phenomenon of Interest was defined as: assessing HRCD; or identifying tools, frameworks and templates designed to assess HRCD. A comprehensive range of terms including synonyms for 'assess', 'tool' or 'development' was used. Studies were excluded which mentioned components that could be considered to assess, measure and 'give evidence to' research capacity development, but were not presented in any capacity development context. In addition, since the concept of capacity development is widely applied to different settings, studies on areas unrelated to health, such as 'air pollution', 'financial capacity' or 'tobacco', were also excluded. The study design criteria were broad to include qualitative, quantitative and mixed methods papers. Further criteria of eligibility included in the SPIDER table refer to the quality of the study (Evaluation) and the Research type.

Information sources and search strategy

Eleven databases were searched from inception to 16 January 2020: Ovid MEDLINE; Ovid Embase; Ovid PsycINFO; Ovid Global Health; EBSCO CINAHL; ProQuest Applied Social Sciences Index & Abstracts (ASSIA); ProQuest Sociological Abstracts; ProQuest Dissertations & Theses Global; Scopus; Web of Science Core Collection; and the WHO Global Index Medicus Regional Libraries. The first 10 pages of results from Google Scholar were also screened. The search strategies used free text terms and combinations of the relevant thesaurus terms, limited to English language publications only, to combine terms for capacity building, measuring and health research. The 'NOT' command was used to exclude papers about students, postgraduate students, tobacco, air pollution and a variety of other concepts to minimise the number of irrelevant results (see [box 1](#) for a full set of search strategies).

Study selection

Two researchers, DB and ER, independently screened and reviewed studies using the Covidence systematic review software.¹⁸ In case of disagreement, DB and ER discussed the abstracts in question. After consensus on inclusion was reached, the full texts of all included studies were rechecked for inclusion by DB and confirmed by ER.

Study analysis procedure

Data from selected papers were extracted, and quality assessments performed using an extraction log created and validated against the CASP checklist¹⁷ on critical appraisal for qualitative studies. Macro areas of interest in the log were: general information on the paper such as author and title, main focus and study design. The source of funding, conflict of interests and ethics approval were also recorded. A separate section of the extraction log recorded the characteristics of the tool used or described in each selected paper ([figure 1](#)). The extraction log also included specific sections considering the study design, the methodology and the main findings of each paper. Furthermore, a dedicated section of the log collected data on the quality of

Box 1 Search strategy

Database: MEDLINE (Ovid MEDLINE Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE Daily and Ovid MEDLINE) 1946 to present

1. Capacity Building/ (1965)
2. (capacit* adj2 build*).ti,ab. (5789)
3. (capacit* adj2 develop*).ti,ab. (3591)
4. (capacit* adj2 strengthen*).ti,ab. (924)
5. (competenc* adj2 improv*).ti,ab. (1460)
6. ((professional* adj2 develop*) and (competenc* or capacit*)).ti,ab. (1747)
7. 1 or 2 or 3 or 4 or 5 or 6 (13649)
8. Mentoring/ (820)
9. mentor*.ti,ab. (13369)
10. (assess* or measur* or evaluat* or analys* or tool* or equip*).ti,ab. (9653076)
11. "giv* evidence".ti,ab. (3814)
12. framework*.ti,ab. (231138)
13. 8 or 9 or 10 or 11 or 12 (9763562)
14. Research/ (196782)
15. clinical.ti,ab. (3158817)
16. (health* and research*).ti,ab. (337604)
17. 14 or 15 or 16 (3588891)
18. 7 and 13 and 17 (3433)
19. 18 (3433)
20. limit 19 to English language (3346)
21. (student* or graduate or graduates or postgraduate* or "post graduate*" or volunteer* or communit* or tobacco or "climate change" or "air pollution" or occupational or "financial capacity" or informatics or "IT system" or "information system" or transport or "cultural competenc*" or disabili* or trauma).ti,ab. (1828113)
22. 20 not 21 (1673)

Google Scholar—screen the first 10 pages of results

Sorted by relevance:

("capacit* build*"|"build* capacit*"|"capacit* develop*"|"develop* capacit*"|"capacit* strengthen*"|"strengthen* capacit*"|"professional* develop*"|"competenc* improv*"|"improv* competenc*")("health* research*"|clinical) [https://scholar.google.co.uk/scholar?q=\(%22capacit*+build*%22%7C%22build*+capacit*%22%7C%22capacit*+develop*%22%7C%22develop*+capacit*%22%7C%22capacit*+strengthen*%22%7C%22strengthen*+capacit*%22%7C%22professional*+develop*%22%7C%22competenc*+improv*%22%7C%22improv*+competenc*%22\)%22health*+research*%22%7Cclinical\)&hl=en&as_sdt=0,5](https://scholar.google.co.uk/scholar?q=(%22capacit*+build*%22%7C%22build*+capacit*%22%7C%22capacit*+develop*%22%7C%22develop*+capacit*%22%7C%22capacit*+strengthen*%22%7C%22strengthen*+capacit*%22%7C%22professional*+develop*%22%7C%22competenc*+improv*%22%7C%22improv*+competenc*%22)%22health*+research*%22%7Cclinical)&hl=en&as_sdt=0,5)

each study, analysing selection biases and a critical appraisal derived from the CASP checklist. If a definition of capacity development was given, the definition was collected. Some of these sections of the extraction log are not present in [figure 1](#) since it focuses on the description of the identified tool. The content method was used to define a narrative, described in the Discussion section.

Patient and public involvement

Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

General information				Tool specification		Level of measurement	Validation of the tool	Study population	Number of participants (registered and completed)	Year of data collection	Definitions	
Author/s	Year	Title	Journal	Type of tool	Variant defined (CR, CD)						Definition given	
Akerjordet, K., Løide, K., Severinsen, E.	2012	Clinical nurses' research capacity in a Norwegian university hospital: part 2	Journal of Nursing Management	Questionnaire from Australian experience (Gething et al. 2001). 50 questions rated with five-point Likert scale + open-ended questions.	7 AREAS: exploratory, literature review, design, preparation for action, action, data analysis and writing-up.	Individual	No	nurses	364 out of 600 participants (61% response rate)	2011	n/a	Not given
Alison, J., Zafraopoulos, B., Heard, R.	2017	Key factors influencing allied health research capacity in a large Australian metropolitan health district	Journal of Multidisciplinary Healthcare	Research Capacity in Context Tool (RCCT) - validated survey. Three domains - contains 18 questions for the organization domain, 19 questions for team domain, and 14 questions for the individual domain. Rate on a 5-point Likert-style scale of the organization, the team, or the individual have success or skills in the features described in each item (where 1=no success/skill and 5=highest success/skill).	RCCT survey measures research capacity and culture across three domains: organization, team, and individual with the following AREAS: 1) skills or success in research at the organization, team (or department), and individual levels; 2) barriers and motivators to research; 3) individual research activities completed in the past 12 months; 4) basic information regarding the individual's work role, qualifications (e.g., certificate, undergraduate, postgraduate, and PhD), and involvement in higher degree study (yes/no) or other professional development related to research.	Individual, team and organization levels	Yes	Allied health professionals working within the Sydney Local Health District (SLHD)	278 out of 514 contacted returned surveys giving a response rate of 54%	Between November 2015 and May 2016	Capacity Building (CB) + reflection also of research culture and research capacity	Research capacity building describes a process of individual or institutional development which leads to a higher level of skill, with a greater ability to perform research that promotes the health of individuals and communities.
Ekonoma, A. J., Kinnah, T., Shafiq, R., McConan, M., Hill, A.	2014	Building reproductive health care skills and audit capacity and activity in the Pacific Islands (BRACAP) study: methods, rationale and baseline results.	BMC Medical Education	'Characteristic Questionnaire'. The questionnaire was developed using a slightly modified tool that was validated in Australia and used as applicable to the Pacific clinicians. 19 score questions + several open-ended questions.	The questionnaire sought demographic professional and personal data that will inform of the participants' research experience, their current qualifications, work role and research expectations, and what they perceived to be barriers to and enablers of research in their setting. Specific question on audit skills are included. The questionnaire was piloted and could be completed comfortably within 30 minutes with responses collected thematically.	Individual + barriers	The tool was tested using cognitive interviewing of five clinicians	Reproductive Health Clinicians	The 28 participants included 9 nurses/midwives, 17 medical doctors of whom 8 were specialists in reproductive health and 2 other health workers	From Feb 2013 to August 2014	CB	Not given
Holden, L., Payer, S., Golek, K., Wang, R. S.	2012	Validation of the research capacity and culture (RCCT) tool: measuring RCCT at individual, team and organization levels.	Australian Journal of Primary Health	The research capacity and culture (RCCT) tool: 35 questions for individual level (Table 7). Respondents rate on a scale of 1-5.	Measure indicators of research capacity at individual, team and organization levels. It contains a series of statements relevant to these three domains that respondents rate on a scale of 1-5, with one being lowest skill or success level and 5 being highest possible skill or success level. Items are scored separately for each domain. In addition to the scored items described above, additional questions provide contextual information to assist in the interpretation of the outcome scores. For example, current work role, professional qualification and resources available to support staff when their role description includes research. Additional questions are also included for needs assessment purposes to explore barriers and enablers to research at both individual and team levels.	Individual, team and organization levels	Face validity: entire RCCT tool was assessed by an relevant expert to ensure all relevant aspects were included and measured appropriately. Face validity was further examined by a group of 12 university staff, both academic and administrative, who were asked to complete the survey and provide feedback. 1. + see methodology since validation was the main aim of this study.	Allied health professional	The RCCT tool was administered to a sample of 134 allied health professionals. Approximately 1000 allied health workers were emailed.	Not specified but before 2010	CB + definition also of research culture	Research capacity building (RCB) is defined as a process of developing sustainable abilities and skills enabling individuals and organizations to perform high quality research (Troste 1992/Auria 2000).
Joly, A., Fortado, T., Rogers, L., Loggember, F., van Baling, V., Vahedi, M., Lanois, P., Lang, T.	2017	Developing a globally applicable evidence-informed competency framework to support capacity strengthening in clinical research.	BMC Global Health	Special Programme for Research and Training in Tropical Diseases (TBRI) Global Competency Framework for Clinical Research.	50 distinct competencies, which can be grouped into five balanced categories: Ethics, Quality and Risk Management; Study and Site Management; Research Operations; Scientific Thinking; and Professional Skills.	Individual	In line with Lucas and Loggember's recommendations for the validation of competency frameworks, 21 pilot testing	Applicable to all research roles	n/a	n/a	Capacity Development (CD)	Not given
Matus, J., Worke, R., Hughes, L., Mikan, S.	2019	Evaluation of the research capacity and culture of health professionals in a large regional public health service.	Journal of Multidisciplinary Healthcare	Research Capacity and Culture (RCCT) tool - Individual (12 questions). Each question uses a 5-point numeric scale format where 1 is the lowest possible level of skill or success. There is also an option of 'unsure' (3 minutes) to complete.	The tool includes 52 questions that examine participants' self-perceived success or skill in a range of areas related to research capacity or culture across three domains, including the Organization (12 questions), Team (12 questions), and Individual (12 questions). The RCCT tool also includes questions about perceived barriers to and motivators for undertaking research. Participants can indicate which of the RCCT tool's 18 barriers or motivators apply to them as individuals and within their team and to add any other items that are not included in this list. Finally, the tool includes questions about participants' demographics, work role, professional qualifications, and formal research experience and what research activities are required and supported in their current work role.	Individual, team and organization levels	Face validity of entire RCCT tool was assessed by an international expert to ensure all relevant aspects were included and measured appropriately. Face validity was further examined by a group of 12 university staff, both academic and administrative, who were asked to complete the survey and provide feedback. 1. + see methodology since validation was the main aim of this study.	All 275 ARS and 97 allied health assistants employed by Gold Coast Health (GCH) were invited to participate in a survey consisting of the RCCT tool. Students and non-ARHS including medical and nursing staff were excluded.	A total of 369 ARHS accessed the survey during the data collection period. Of them, four did not consent to participate in the survey, 63 provided consent but did not answer any of the questions, 44 completely answered the questions, and 258 completed the entire survey. In total, data from 302 ARHS were available for analysis, which represents 90% of the estimated total allied health workforce within our health service.	April 2017	CB	Capacity building defined as a process of individual and institutional development which leads to higher levels of skills and greater ability to perform useful research (Troste 1992).
Nijelants, J., Doozemee, R., Palmer, T., Smith, H., Kudso, B., Bokarie, M., Bates, L.	2014	A Systematic Approach to Capacity Strengthening of Laboratory Systems for Control of Neglected Tropical Diseases in Ghana, Kenya, Malawi and Sri Lanka.	PLoS Neglected Tropical Diseases	Questionnaire for laboratory managers, a semi-structured interview guide for use with laboratory stakeholders, a capacity gap checklist for use with the laboratory manager and laboratory staff, and a checklist for ISO 15189 to be used for on-site observations.	n/a	Individual, organizations levels	We recruited 160 nurses after their implementation in each country by conducting a retrospective analysis of the office the nurses contributed or not to the awareness phase in the recruitment process for the research and evaluating a health research capacity-building programme that guided the design of our capacity strengthening tool.	Laboratory scientists, laboratory assistants, research staff, WHO staff, ministry representatives, students, human resource and financial staff, donors, and senior academics.	62 semi-structured interviews were conducted, 17 in Malawi, 15 in Ghana, 16 in Kenya, and 15 in Sri Lanka.	2012	CD	Capacity development defined as the ability of individuals, organisations or systems to perform appropriate research (Troste 1992/Auria 2001).
Petersen, M., Pahn, T., Fernando, M.	2019	Building Allied Health Research Capacity at a Regional Australian Hospital: A follow-up study.	Internet Journal of Allied Health Research & Practice	Cross sectional electronic survey - 14 areas of expertise responses were set out on 5-point Likert scales.	The original survey was modified to capture additional information regarding motivations for participating in research. The data collected included demographic variables (age, gender, work-place characteristics), and level of research experience and support needs. Participants were also asked to rate the benefits of research and barriers to research activities. All responses were set out on 5-point Likert scales.	Individual + motivation + barriers	n/a	Allied health professionals	The response rate for the 2011 survey was 43% (n=248) while the 2015 response rate was 37% response rate (n=234) out of 615 ARH in the (HHS).	The baseline survey was conducted in 2011 which was compared to the 2015 survey in March 2015	CB	n/a
Raghavan, R., Kupfer, L.	2009	Tracking trainees to success.	N/A	Web-based trainee tracking tool - CareerTrac	FIC grantees enter both qualitative and quantitative information about their trainees including: name, gender, country of origin, contact information, 1-3 training accomplishments such as fellowships, awards, L1, publications, funding received, and posters at scientific conferences, Career highlights, leadership, post-training completion funding, presentations and consultations at scientific meeting, that are related to FIC training. This first of all kind system developed as a tool for FIC staff to evaluate the effectiveness and impact of its health research training programs - FIC grantees to track their trainees and use the information in progress reports and when applying for other grants.	Individual	n/a	FIC trainees	About 3500 trainees in CareerTrac	The CareerTrac application has been operational since December 2008.	n/a	n/a
Ried, K., Farmer, E. A., Weston, K. M.	2006	Setting directions for measuring research capacity building in primary care: a survey of a research network.	BMC Family Practice	Research spider tool - 10 areas of research with individual level of competence measure with a five-point scale ranging from 1 (no experience or interest) to 5 (high experience or interest).	Part three of the survey sought to ascertain the level of research experience using the visual 'research spider', a simple instrument for self-evaluation of knowledge. The 'research spider' was used to collect information on individual research experience and knowledge. The RCCT tool development in ten core areas. These include 'writing a research protocol', using quantitative research methods, 'publishing research', 'conducting research', and 'applying for research funding' (all ten core areas are displayed in Figure 2). In each area, the level of experience was measured on a five-point scale, from 1 (no experience) to 5 (high experience).	Individual	Smith H, Wright S, Morgan S, Dunaway T. The 'Research Spider' a simple method of assessing research experience. Primary Health Care Research and Development 2002, 3:139-140.	Primary health care. The majority of respondents (55%) worked in allied health and general practice. 'Allied health' included consumer/community health, aged care, child, youth and women's health, chronic illness, mental health, nutrition, occupational therapy, pharmacy. General practice included divisional staff. Other professional areas were nursing, health services including coordination, managers and information technologists, medical specialists, and academics.	A total of 60 members of 229 members (60% of all first year members) participated in the survey. More female health professionals joined SLHD in 2002/03, and accordingly represented the majority of respondents (70%). The median age of all respondents was 40, ranging from 21 to 62 years.	The baseline survey was conducted in 2011 which was compared to the 2015 survey in March 2015	CB	Capacity building defined as a whole system approach which promotes participation of new researchers through to more experienced practitioners.
Ried, K., Farmer, E. A., Weston, K. M.	2007	Bursaries, writing grants and fellowships: a strategy to develop research capacity in primary health care.	BMC Family Practice	Semi-structured 40 minute telephone interview conducted by an external and independent interviewer. A copy of the research spider was available to grant holders during the telephone interview. Grant holders were asked to rate their perceived skill level from 1+ 'no experience' to 5+ 'very experienced' prior to and after their research activity. Grant recipients were asked to rate the impact of the research activity on their capacity and confidence to participate in or initiate a research project, their confidence to seek critical support for research collaboration, and their general interest in doing future research. Impact was measured on a 5-point scale, with a score of 1 reflecting 'no impact', and a score of 5 reflecting 'substantial impact'.	Feedback was sought on acquisition of research skills, publication outcomes, the impact on confidence, and interest in pursuing research in the future in relation to the PHCED funding project. In total 18 areas where research 'gains' or 'losses' were noted and used to assess grant holders' research experience before and after the supported research activity. The level of experience was measured using a five-point scale ranging from 1 (no experience) to 5 (very experienced).	Individual + motivation + barriers	Smith H, Wright S, Morgan S, Dunaway T. The 'Research Spider' a simple method of assessing research experience. Primary Health Care Research and Development 2002, 3:139-140.	Most of the grant holders were allied health professionals (47%). A smaller number were general practitioners (21%). Division of General Practice staff (16%), and nursing professionals, medical and primary health care students, and one consumer organisation.	Thirty-four (80%) grant holders participated in the evaluation of 38 PHCED funding holders who had completed their projects by early 2006. 21 of 24 bursary holders (88%), 10 of 11 writing grant holders (91%), and 3 of 3 research fellows (100%). The majority of FICs PHCED funding recipients lived in metropolitan Adelaide (71.5%), were female (74%), and between 35 and 54 years of age (79%).	2006	n/a	n/a
Sarre, G., Cooke, J.	2009	Developing indicators for measuring research capacity development in primary care organisations: consensus approach using a nominal group technique.	Health & Social Care in the Community	Indicators to measure RCCT in institutions. Starting from Cooke 2005 - Nominal group technique use to improve and test the list.	9 Principles: The number of indicators agreed by consensus for each principle ranged from 22 indicators for infrastructure to only four indicators each for those relating to research culture and continuity, and sustainability. Principles are: infrastructure, linkages and partnerships, dissemination, skills development, research activity, Code to practice, Leadership, Continuity and sustainability, Research Culture.	Institutional and individual	No	Stage 1: NHS Trust R&D managers. Stage 2: Purposeful sample includes new participants comprised three R&D managers, two research facilitators, two research practitioners (one allied health professional and one general practitioner), one RDSU member with mentoring and capacity-building experience in primary care and one Primary Care Research Fellow.	Stage 1: over 200 participants who included NHS Trust R&D managers. Stage 2: 9 out of 12 invited experts with experience of research capacity building, two research practitioners and two who had been on the receiving end of research capacity-building initiatives.	The study was undertaken between March 2005 and April 2006.	CD	Research capacity development is 'a process of individual and institutional development which leads to higher levels of skills and greater ability to perform useful research' (Troste 1992, p. 1321).
Santosa, S. A., Namerak Browner, R. L., Cook, W. J., Aldinger, C., Berber, B. E., Jones, C. T.	2018	Leaving the Joint Task Force Core Competencies for Clinical Research Professionals.	Therapeutic Innovation and Regulatory Science	Joint Task Force for Clinical Trial Competency (JTF) Core Competencies Framework 2.0. Use 3 levels of competencies. They are (1) Fundamental 'Can perform at an essential or fundamental level may require some coaching or supervision', (2) Skilled 'Can perform task or skill independently, consistently, accurately, and has a moderate level of expertise. Efficient and high-quality work, able to independently navigate resources and uses tools well', and (3) Advanced 'Demonstrates advanced skills and knowledge and the ability to teach, coach, or supervise others. Consistently applies critical thinking and problem solving'.	The JTF Framework is composed of 8 Domains (Figure 1) - Scientific Concepts and Research Design 2- Ethical and Participant Safety Consideration 3- Investigational Products Development and Regulation 4- Study Operations (Good Clinical Practice) 5- Study and Site Management 6- Data Management and Informatics 7- Leadership and Professionalism 8- Communications and Teamwork. All of core competency statements that were aligned and harmonized utilizing published statements of core competency requirements to encompass the entire clinical research enterprise.	Individual	Ultimately, the profession of clinical research was recognized by the Commission on Accreditation of Allied Health Education Programs (CAAHEP) academic programs in clinical research are now eligible for CAAHEP accreditation based on JTF core competency-informed educational standards.	Applicable to all research roles	n/a	2016	CB	n/a
Swenson-Britt, E., Berndt, A.	2013	Development and Psychometric Testing of the Nursing Research Self-Efficacy Scale (NRSES).	Journal of Nursing Measurement	Nursing Research Self-Efficacy Scale (NRSES) is a 38-item instrument using a 5-point Likert scale format ranging from 1 (very little to 5 (quite a lot). Time to complete the NRSES instrument would be about 15 min.	Measure individual nurses' degree of research self-efficacy and their perceptions regarding their unit's collective support of research use. The NRSES is a 38-item Likert scale instrument developed through original instrument validation that included content validation and exploratory and confirmatory analyses. The instrument contained 8 subscales including obtaining science-based knowledge resources, critically reading and evaluating quantitative research literature, critically reading and evaluating qualitative research literature, understanding and applying theory, and collecting research evidence.	Individual	An innovative construct of research capacity, synthesizing organizational culture and leadership. This model is presented as a theoretical subscription using a modified SBIR Framework (McIntyre & Campbell, 1997). Nurses (n=2004) with social cognitive theory (Bandura, 1997) was the basis for this instrument development.	Nurses from multiple hospitals.	The total sample included 687 nurses who responded to the survey of these nurses, 649 completed all phases between the 2000 contacted.	4 phases between 2005 and 2008	Research Self-Efficacy	Swenson-Britt & Berndt, (2009) used the term research self-efficacy to describe the extent to which practicing nurses expressed confidence in their ability to understand and use research findings. Specifically, RSE measured the extent to which practicing nurses could: (a) obtain research resources; (b) understand theory; (c) evaluate quantitative research; (d) evaluate qualitative research; and (e) apply research findings in their practice.
Torres, G. C. S., Estrada, M. G., Sumita, E. J. R., Macaluso, J. R., B. Maravilla, S. N., Hestrich, C.	2017	Assessment of Research Capacity Among Nursing Faculty in a Clinical Research in the Philippines.	Nursing Forum	Modified University of Memphis (UM) questionnaire contained 30 items to measure the ability and motivation to do research among faculty members and reportedly took about 15 min to complete. Of the original 40 items some items were revised, and non-relevant deleted. Lastly, the study team added new items to include self-assessment of knowledge and skill on the research process, including research designs, and items to assess perceived resources and barriers in conducting research at UST-CON. Perceived levels of research capacity were assessed using a Likert scale, with 1 as the lowest possible score and 5 as the highest.	5 AREAS: 0-subarea: subject demographics; 1-Conceptualization phase (1 subarea); 2- Design and planning phase (1 subarea); 3- Empirical phase (5 sub) 4- Analytic phase (5 sub) 5- Dissemination phase (4 sub)	Individual	Meyers, A., & Bartis, R. (2013). University of Memphis. Participants accessed the online self-assessment tool. Retrieved October 21, 2014, from http://www.memphis.edu/researchsupport/rsr/researcha_parity_assessment.pdf	Clinical and nonclinical faculty members who had a regular teaching assignment at UST-CON.	Of the 82 faculty at UST-CON, 66 participants (80.49%) in the study. Thirty faculty (45.45%) completed the survey electronically, while the rest chose the pen-and-paper method, faculty members.	The survey was conducted from August to October 2015.	Research capacity	Research capacity is the capability to conduct high-quality research understandings and is crucial toward building the knowledge base for evidence based nursing practice (Sergott, Mowry, & Green, 2006).
Williams, C., Miyazaki, K., Borkowski, D., McKinstry, C., Cooke, M., Haines, T.	2015	Research capacity and culture of the Victorian public health allied health workforce is influenced by key research support staff and location	Australian Health Review	The research capacity and culture (RCCT) tool: 35 questions for individual level (Table 4). Each item used a 5-point numeric rating scale response format with 1 being the lowest and 5 being the highest success or skill level.	The tool contains 53 items examining participants' self-perceived skills or success in a range of areas related to research capacity or culture at the individual, team or organisational level. Each item used a 5-point numeric rating scale response format with 1 being the lowest and 5 being the highest success or skill level. A forced response format was used throughout the questionnaire to reduce missing data and the 'don't know' option was removed.	Individual, team and organization levels	SELECTED PAPER ABOVE: Holden L, Payer S, Golek K, Wang R. Validation of the research capacity and culture (RCCT) tool: measuring RCCT at individual, team and organization levels. Australian Journal of Primary Health 2012; 18: 62-7. doi:10.1071/PJ10081	Allied health professionals invited to participate were dietetic, drug and alcohol workers, exercise physiologists, music therapy, occupational therapy, oral health (not dentistry), orthotics and prosthetics, physiotherapy, play therapy, psychology, psychology, social work, speech pathology, audiology, orthotics, pathology, pharmacy, radiation therapy, radiography and sonography.	Of the 539 allied health professionals who completed the online survey, 520 fully completed the survey.	The survey was open from 10 April to 3 June 2014.	n/a	n/a

Figure 1 Extraction log.

Table 2 Search results

	Search dates: 20–21 December 2018	Search date: 16 January 2020
Ovid MEDLINE (searched on 20 December 2018)	1673	1937
Ovid Embase (searched on 20 December 2018)	2344	2721
Ovid PsycINFO (searched on 20 December 2018)	597	619
Ovid Global Health (searched on 20 December 2018)	566	676
EBSCO CINAHL (searched on 20 December 2018)	1376	1663
ProQuest Sociological Abstracts (searched on 20 December 2018)	305	371
ProQuest ASSIA (searched on 20 December 2018)	1463	2036
ProQuest Dissertations & Theses Global (searched on 20 December 2018)	279	312
Scopus (searched on 21 December 2018)	2230	2575
Web of Science Core Collection (searched on 21 December 2018)	1900	2195
WHO Global Index Medicus (searched on 21 December 2018)	531	670
Total	13 264	15 775
Total after deduplication	6359	7469
16 January 2020: unique to databases since 20–21 December 2018		1118
Total to screen		7477

RESULTS

Database search and results screening

In December 2018, the first round of the search was performed in 11 different databases and in Google Scholar using the search strategy described in [box 1](#). A total of 13 264 suitable records were found. A total of 6905 duplicates were removed, resulting in 6359 unique records for inclusion screening by title and abstract ([table 2](#)), which was performed throughout 2019. In January 2020, an additional search for papers published or included in publication databases in 2019 was performed using the same search strategy and resulted in 15 775 papers and after removal of duplications, a total of 1118 papers were found. These papers were then added to the 6359 papers identified from the first search. A total of 7474 unique papers were included for title and abstract inclusion screening (three duplicate records were removed in the Covidence software).

The 7474 unique relevant studies identified were uploaded to the Covidence systematic review software. Two researchers, DB and ER, independently screened the studies, including or excluding according to the criteria in the SPIDER table ([table 1](#)). A total of 7280 studies were considered irrelevant. The full-text papers for the remaining 178 references were reviewed. Reasons for exclusion were identified by streamlining the SPIDER table criteria into three main criteria: wrong setting, irrelevant study design and wrong focus of the study. A reason for exclusion was assigned to each paper. All 178 studies described some form of activity to measure the competencies related to performing health research. Thirty were excluded because they were literature reviews on a different aspect of health research or because they

described a general perspective on the topic of health capacity development without offering any specific measurement or without reference to research. In addition, 42 studies were excluded because of the wrong setting, since competencies were measured at the level of research institutions or within a specific network. An additional 90 studies were excluded because the study design did not match the inclusion criteria: 38 studies described the use of a measurement tool tailored to the context (eg, specific profession, intervention or setting) and not at the individual level; the remaining 34 studies were excluded because there was no mention of a specific tool to measure HRCD. The final 18 papers reported the use of an evaluation tool, but the tool was an ad hoc pre/postintervention questionnaire with low potential of applicability in a context different from the one described in the paper. A total of 162 studies were therefore excluded, leaving 16 studies for this review ([figure 2](#)).

Analysis of the findings across the selected papers

A total of 16 studies met the inclusion criteria set for this systematic review.^{19–34} The 16 articles were analysed using the extraction log created and validated against the CASP qualitative checklist.

The results are summarised in [table 2](#). None of the papers were published before 2006 and only nine of them were published after 2014.^{20 21 23–26 31 33 34} The majority (n=13) applied a tool in high-income settings.^{19 20 22–24 26–32 34} Seven papers described the use of tools in Australia,^{20 22 24 26 28 29 34} three in low and middle-income countries (one in Ghana, Kenya, Malawi, Sri Lanka,²⁵ one in the Pacific Islands²¹ and one in the Philippines³³), one in Europe (Norway),¹⁹ one in the USA³² and one measured HRCD in a group

Figure 2 Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) screening diagram.

linked to a specific intervention located in multiple areas of the world. Three of them described the creation of a tool without applying it to any specific context,^{23 30 31} but they were all designed by research groups in high-income countries (one in the USA and two in the UK).

All of the selected studies applied quantitative, qualitative and mixed methods analyses. The preferred approach (n=7) was to generate quantitative data using an HRCD tool.^{20 24 26–28 33 34} One-third of the studies (n=5) used a mixed methods approach^{19 21 22 25 29}; quantitative tools were associated with semistructured interviews, or in some cases qualitative questions were added to the questionnaire. The three studies describing the creation of a tool were not analysed under this methodological category.

Of the 16 selected studies, three used the term ‘capacity development’,^{23 25 30} and two included a definition of the concept.^{25 30} Seven papers used ‘capacity building’,^{20–22 24 26 28 31} of which four also included a definition.^{20 22 24 28} In two papers, the capacity building definition was associated with the definition of ‘research culture’.^{20 22} Two additional papers used alternative generic terms like ‘research capacity’³³ or ‘research self-efficacy’.³² Four papers did not refer to any specific term and therefore no definition was given.^{19 27 29 34}

Five of the 16 selected papers openly declared no conflict of interests.^{22–24 28 31} Eight stated the source of funding used to carry out the activities described.^{19 21 23 27–31} The number of participants in the studies varied from 28 enrolled participants for a qualitative study²¹ to 3500 users of an online measurement tool.²⁷

Analysis of the tools from the selected papers

The tools described or used in the 16 selected papers varied in nature, length and applicability. In general, even when there were similarities, each paper described a different perspective on the use of a tool. Four papers applied a questionnaire-type tool to assess research competencies and skills.^{19 21 25 33} The length of these questionnaires varied from 19²¹ to 59¹⁹ health research capacity-related questions, with the addition of open-ended qualitative questions in two studies,^{19 21} and a structured interview in another study.²⁵

Three studies^{22 24 34} used, with a range of adaptations, the Research Capacity and Culture tool and one study²⁰ revised this tool into a Research Capacity and Context tool referencing Research Capacity and Culture tool as a primary source. Another recurrence in the papers was the use of the ‘Research Spider’ tool.^{28 29} Again, the original tool had been adapted to the context, and in one case,²⁹

the tool was used as a base for qualitative research on HRCD. Two additional papers described tools designed ad hoc to measure the impact of an intervention (Career-Trac²⁷ and Cross-Sectional Electronic Survey²⁶). These last two papers were not excluded under pre/postintervention since the action was wider, at a programme level and the tool used to measure HRCD was the main focus of the paper. Furthermore, another paper described a tool for a specific category of healthcare workers (Nursing Research Self-Efficacy Scale—NURSES).³² Three papers^{23 30 31} focused on the creation of a new tool and described the process of identifying a set of competencies required to run health research. The outcome of two of them was defined as a 'core competency framework'.^{23 31} The third defined the outcome of the analysis as a 'set of indicators'.³⁰

In terms of the target population, the identified tools aimed to measure HRCD in a range of different healthcare worker professions. One-third of the papers (n=5) focused on measuring HRCD on allied health professionals (AHPs).^{20 22 24 26 34} Nurses were the main focus in two other studies,^{19 32} and four studies applied a tool to a range of health professions (ranging from laboratory scientists to data managers).^{21 25 28 29} Two other papers focused on groups linked to a specific intervention.^{27 33} All 16 papers included, alongside healthcare workers, representatives of technical professions in health such as managers, directors, faculty members and consumer organisation representatives. In the case of the three papers describing the creation of a new tool, they suggest that these tools would be applicable to all research roles.^{23 30 31}

As per inclusion criteria, the main level of measurement of the tools was at the individual level. Seven papers only measured HRCD at the individual level.^{19 23 28 29 31–33} Three papers added to the individual level of measurement by including information on the perceived barriers in performing health research^{21 26 29}; of these three, two also focused on understanding what motivates healthcare workers to become involved in health research.^{26 29} The five studies, which used the Research Capacity and Culture tool and its variants, included the measurement of HRCD at the individual level, and at the team and organisational level.^{20 22 24 25 34} One paper described the creation of a tool designed to be used at the organisational level, but embedded a measurement of HRCD at the individual level as well.³⁰

The most common way a selected tool was validated was by referencing the main paper that described the selected tool and its validation process (n=6).^{23 28 29 32–34} This was the case for some of the ad hoc questionnaires,^{23 33 34} of the 'Research Spider' tool^{28 29} and of the NURSES tool.³² Papers which described an original process or used modified versions of an original tool validated the tool through a contextual validation process described in the paper.^{21 22 24 25 31} These validation processes included a consultation of a panel of experts^{22 24 31} or a reiterative process of validity.^{21 25} One paper stated that the tool used

was a validated tool without referencing the process or tool.²⁰

Overall, only two papers^{23 31} focused specifically on tools to measure HRCD on a wider level, without linking the measurement to a specific group or a geographical area which was done in the majority of papers.^{19 24 25 28 29 33} In four cases, the tools described were adapted to identify determinants or barriers of HRCD in a defined setting^{20 30 34} or to promote HRCD in relation to a specific disease or research topic.²¹ In other cases, the papers focused on a tool aiming to assess the impact of specific interventions or programmes on HRCD.^{26 27}

DISCUSSION

Summary of evidence

This systematic review aimed to identify tools which measure individual capacities in conducting research in healthcare workers; the 16 included articles^{19–34} which demonstrated that tools to measure HRCD in healthcare workers are available, even if they are limited in number. In most cases, the identified tools do not originate from the need to measure and foster HRCD as a necessary strategy to promote research capacity. There is, therefore, a need to design more comprehensive tools which are globally applicable and able to provide comparable, standardised and consistent measurements of research competencies.

The importance of measuring HRCD has only been recognised recently.¹⁵ As the date of publication of the identified papers shows, the appreciation of the contribution that health research can offer in capacity development at a personal level only began in the first decade of this new millennium. Almost half of the selected papers (n=7) refer to studies whose data have been collected after 2014.^{20 21 24 26 31 33 34} Of note is the high number of new publications which were retrieved from the academic databases (1118 papers) when the search strategy was rerun in 2020.

Questionnaires were the most commonly used method for assessing research skills and competencies. Almost two-thirds of the papers (n=10)^{19 20 22 24 26 28 29 32–34} based the measuring system of different research skills at a personal level using a 5-point Likert scale (n=6)^{19 26 28 29 32 33} or a 10-point scale (n=4).^{20 22 24 34} This choice highlights the need for a validated quantitative tool based on a set of competency-related questions that can bring standardisation, comparability and consistency across different roles and contexts. However, the extensive use of mixed methods, combining quantitative questionnaires with other qualitative instruments, reflects that HRCD depends on a complex series of components that need to be identified both qualitatively and quantitatively.

By not limiting the selection of articles for this review to those tools used in low and middle-income countries, this review has revealed that most of the tools identified were used in high-income settings. It is important to note that excluding pre/postintervention assessments significantly

reduced the inclusion of studies performed in low and middle-income countries. This finding highlights that although health systems in low and middle-income countries may benefit from providing evidence for HRCD,⁵ they are rarely the focus of the HRCD literature. Most of the measurements of HRCD in lower income settings appear, in fact, to be narrowly linked to the measurement of the effectiveness of training offered for a specific study or limited to a particular disease. Even when the perspective is broader than a particular study, it is mostly limited to the evaluation and sustainability of training programmes and not linked to a plan of career progression and research competency acquisition. More attention should therefore be given in creating tools which are able to measure, support and promote long-lasting research capabilities in the perspective of professional growth for healthcare workers.

Three essential findings of this systematic review support a change in the perception of HRCD and the tools needed to measure it. First, many of the excluded papers (42 out of 162 excluded papers from the last round of analysis) focused exclusively on the institutional level of measuring research capacity. This is mostly because training interventions are designed to prepare a team to run a study and rarely to promote individual HRCD.^{1 35 36} In some cases, the measurement via a tool is also an exercise to demonstrate the investment in training activities for reporting purposes.^{37 38} It is therefore important to start promoting a more effective research culture which is independent of specific diseases or roles. This progression could be achieved by championing systems which measure the changes in research capacities at a team and personal level using a globally applicable tool. Most of the tools excluded were evaluation tools designed for, or used in, a specific setting and thus not suitable for a comparable, standardised and consistent analysis of long-term research competency acquisition strategies.

Second, papers that focused on measuring HRCD at the individual level confirmed that research is seen as an opportunity to learn the cross-cutting skills needed in healthcare. A defined set of standardised competencies required to conduct research could be used to measure an individual, team and organisation's abilities. This was the focus of two papers^{23 31} which identified a framework of core competencies. Most of the tools (n=7) were designed to be applied to a wider variety of health professions.^{21 23 25 28–31} HRCD can be accessed at different entry points depending on the specific job title, but the set of skills acquired is common and shared among the research team.¹ The approach on assessing these inter-related competencies should therefore be global and not role or disease based.³⁹ The measurement at an individual level is essential to promote a consistent and coherent career progression for each person and role.⁴⁰ However, the overall capability in running research programmes should be measured at a team level where all roles and competencies complement each other, skills are made visible, and measurable as a whole against an

overall competency framework. Individual and institutional/team levels are therefore two aspects of HRCD that grow together supported by a common comparable, standardised and consistent tool.

Third, the lack of a standard definition for HRCD can lead to post-training evaluations being categorised as HRCD activities. Although pre/post-training evaluations are important, it might be helpful to define what a 'structured action' is to promote HRCD. As previously mentioned, the term 'capacity development' is not universally used, with many synonyms such as 'research capacity' or 'capacity strengthening', creating the possibility of different interpretations. Furthermore, inconsistent terminology was found in describing activities in support of HRCD that in reality were very similar (eg, workshop, training, course). Steinert *et al*⁴¹ suggest that there should be a standard definition in the context of educational capacity development. This suggestion, alongside a common taxonomy to describe health professions, would support the identification of HRCD as a defined process with specific characteristics and not with a general effort for research training.

The most common tool identified in this review was the Research Capacity and Culture tool.^{20 22 24 34} The Research Capacity and Culture tool consists of 52 questions that examine participants' self-reported success or skill in a range of areas related to research capacity or culture across three domains including the organisation (18 questions), team (19 questions) and individual (15 questions). The Research Capacity and Culture tool includes questions on perceived barriers and motivators for undertaking research. The respondents of the Research Capacity and Culture tool are asked to rate a series of statements relevant to these three domains on a scale of 1–10, with 1 being the lowest and 10 being the highest possible skill or success level. It represents a good example of a comprehensive tool. As confirmed by the review findings, a potential limitation is its application mainly in an Australian context and almost exclusively to measure HRCD in AHPs.^{22 24 34} The generalisability of the tool should thus be confirmed. Nevertheless, the Research Capacity and Culture tool represents a strong example of how having a tool refined around a context, and a specific health profession can be an incentive in measuring HRCD.

Another tool highlighted by this review was the 'Research Spider' tool.^{28 29 42} This tool collects information on individual research experience and interest in research skill development in 10 core areas. These include 'writing a research protocol', 'using quantitative research methods', 'publishing research', 'finding relevant literature' and 'applying for research funding'. In each area, the level of experience is measured on a 5-point Likert scale, from 1 (no experience) to 5 (high experience). The primary aim of the 'Research Spider' is to be a flexible tool. This flexibility is confirmed in two studies^{28 29} which used the 'Research Spider', with one²⁸ using it as the main measurement, and the other²⁹ as a quantitative

base for qualitative semistructured interviews. The advantage of this tool is that it provides a visual overview of personal research competencies. However, although the limited number of measurement areas ($n=10$) makes the tool a good initial evaluation instrument, it does not offer a specification of the subskills of each area.

A critical mention should be reserved for the two papers which described the creation of a comprehensive research core competency framework.^{23 31} Despite no specific tool being described and the competency scores being visualised by using a spider diagram, these studies present the most accurate overview of the skills required in running research programmes related to health. As mentioned before, a tool which applies a scoring system to the list of competencies identified by these frameworks has the potential of being widely applicable and reliable. This wide applicability and the absence of explicit biases in measuring research skills improvement can foster a more robust approach to research in health. The measurement of HRCD unrelated to specific interventions would maximise the benefit of research at every level. At a personal level, it would clarify a potential career progression path highlighting possible gaps; at the team level, it would support a multidisciplinary approach to health challenges; and at an institutional level, the measurement of HRCD would make the know-how generated by the international scientific community accessible to a broader group of local health workers. Overall, health practice at a global scale would benefit from the incentive of getting involved in research derived from measuring the impact of it on improving competencies. Thus positive outcomes of measuring HRCD could place the issue of universal transferability, and applicability of research methodology and results at a higher level of priority in the design of health research projects.

Limitations of the systematic review

Methodological limitations are recognised for this systematic review. First, there is a lack of clarity on a common definition and terminology to identify HRCD which complicates the search strategy. A long reiteration process was necessary when developing the search strategies for the databases to try and include all the possible variants used to define 'tool', 'capacities' and 'development'. Despite this effort, some studies may have been missed. Second, there was a lack of studies which referenced a standard reporting procedure, despite the presence of standards available for reporting qualitative or quantitative research^{43–45} as well as for mixed methods research.⁴⁶ Other limitations typical for reviews may also apply. Third, while this review has attempted to be as comprehensive as possible, some sources might not have been detected due to the challenge in finding all the relevant grey literature, and the restriction to English language sources only. Finally, it was not possible to analyse the psychometric aspects of each identified tool due to inconsistent reporting.

CONCLUSIONS

Sixteen studies using or describing tools to measure HRCD were identified and analysed in this systematic review.^{19–34} Identifying capacity development with pre/postintervention evaluations or to generically evaluate capacity development without using a tool was common. There is a need for a clear distinction between simply measuring training activity outcomes in healthcare workers and effective action promoting HRCD for healthcare workers.

The most recurrent tools described were the Research Capacity and Culture tool^{20 22 24 34} and the 'Research Spider' tool.^{28 29} A variety of other tools, mostly questionnaire based, were identified, and in most cases, a broader applicability than described in the specific context of the paper may be possible. Two frameworks systematising research core competencies were identified.^{23 31} The potential of tools derived from these frameworks could be significant. The applicability of each tool depends on the context and on the level of accuracy needed. Such tools could be routinely incorporated into standard personal development reviews in order to consistently support capacity development in research studies and organisations.

Future directions for HRCD include the design of a standardised, comparable and consistent tool to measure individual HRCD not linked to training evaluation, but support a long-term research competencies acquisition strategy. In addition, the harmonisation of definitions and terminologies used in identifying HRCD actions and processes could facilitate standardisation and comparability of HRCD strategies.

Acknowledgements Authors are sincerely thankful for the immense and competent support of Elinor Harriss, Librarian of the Bodleian Health Care Libraries; Rebekah Burrow who instructed on the different steps and tool needed to perform the present systematic review; and Filippo Bianchi, first DPhil colleague who provided the basic knowledge on systematic reviews.

Contributors DB and ER designed and conducted the systematic review. DB wrote the draft of the systematic review and revised it according to the commentaries of ER, SB and TL. DB provided the final version of the manuscript. ER critically reviewed the manuscript and substantially contributed to the final version of the manuscript. SB critically reviewed both the design of the systematic review and the manuscript, and was involved in the development of meaningful inclusion criteria. TL critically reviewed the design of the study, made important suggestions for improvement, critically reviewed the manuscript and substantially contributed to the final version of the manuscript. All authors approved the final version of the manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data are available upon reasonable request. All data relevant to the study are included in the article. The complete data set generated by the systematic review and included in the extraction log is available upon request.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made

indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Davide Bilardi <http://orcid.org/0000-0002-8765-7384>

Elizabeth Rapa <http://orcid.org/0000-0001-8818-8148>

Sarah Bernays <http://orcid.org/0000-0001-7628-8408>

Trudie Lang <http://orcid.org/0000-0003-2273-5975>

REFERENCES

- 1 Franzen SRP, Chandler C, Lang T. Health research capacity development in low and middle income countries: reality or rhetoric? A systematic meta-narrative review of the qualitative literature. *BMJ Open* 2017;7:e012332.
- 2 Davey S. *The 10/90 report on health research 2003-2004*. Geneva: Global Forum for Health Research, 2004.
- 3 Research GFH, editor. *The 10/90 report on health research*. Geneva: Global Forum for Health Research, 2001.
- 4 Lang T. Plug COVID-19 research gaps in detection, prevention and care. *Nature* 2020;583:7816.
- 5 Huber J, Bauer D, Hoelscher M, et al. Evaluation of health research capacity strengthening trainings on individual level: validation of a questionnaire. *J Eval Clin Pract* 2014;20:390-5.
- 6 Gulland A. Plan to stimulate research in developing countries is put on hold. *BMJ* 2012;344:e3771.
- 7 Laabes EP, Desai R, Zawedde SM, et al. How much longer will Africa have to depend on Western nations for support of its capacity-building efforts for biomedical research? *Trop Med Int Health* 2011;16:258-62.
- 8 Lusthaus C, Adrien M-H, Perstinger M. Capacity development: definitions, issues and implications for planning, monitoring and evaluation. *Universalia occasional paper* 1999;35:1-21.
- 9 Labin SN, Duffy JL, Meyers DC, et al. A research synthesis of the evaluation capacity building literature. *Am J Eval* 2012;33:307-38.
- 10 Lansang MA, Dennis R. Building capacity in health research in the developing world. *Bull World Health Organ* 2004;82:764-70.
- 11 Nations U. Millennium development goals and beyond 2015. Retrieved from United Nations, 2009. Available: <https://www.un.org/millenniumgoals/maternal.shtml>
- 12 UN General Assembly. Transforming our world : the 2030 Agenda for Sustainable Development; 2015. <https://www.refworld.org/docid/57b6e3e44.html> [Accessed 26 June 2021].
- 13 Bates I, Boyd A, Smith H, et al. A practical and systematic approach to organisational capacity strengthening for research in the health sector in Africa. *Health Res Policy Syst* 2014;12:11.
- 14 Cooke J. A framework to evaluate research capacity building in health care. *BMC Fam Pract* 2005;6:44.
- 15 Huber J, Nepal S, Bauer D, et al. Tools and instruments for needs assessment, monitoring and evaluation of health research capacity development activities at the individual and organizational level: a systematic review. *Health Res Policy Syst* 2015;13:80.
- 16 Liberati A et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *Ann Intern Med* 2009;151:W-W-94.
- 17 The Critical Appraisal Skills Programme UK. Casp Qualitative studies checklists, 2018. Available: <https://casp-uk.net/casp-tools-checklists/> [Accessed 23 June 2021].
- 18 Babineau J. Product review: Covidence (systematic review software). *J Can Health Libr Assoc* 2014;35:68-71.
- 19 Akerjordet K, Lode K, Severinsson E. Clinical nurses' research capacity in a Norwegian university hospital: Part 2. *J Nurs Manag* 2012;20:824-32.
- 20 Alison JA, Zafiroopoulos B, Heard R. Key factors influencing allied health research capacity in a large Australian metropolitan health district. *J Multidiscip Healthc* 2017;10:277-91.
- 21 Ekeroma AJ, Kenealy T, Shulruf B, et al. Building reproductive health research and audit capacity and activity in the Pacific islands (BRRACAP) study: methods, rationale and baseline results. *BMC Med Educ* 2014;14:121.
- 22 Holden L, Pager S, Golenko X, et al. Validation of the research capacity and culture (RCC) tool: measuring RCC at individual, team and organisation levels. *Aust J Prim Health* 2012;18:62-7.
- 23 Julé A, Furtado T, Boggs L, et al. Developing a globally applicable evidence-informed competency framework to support capacity strengthening in clinical research. *BMJ Glob Health* 2017;2:e000229.
- 24 Matus J, Wenke R, Hughes I, et al. Evaluation of the research capacity and culture of allied health professionals in a large regional public health service. *J Multidiscip Healthc* 2019;12:83-96.
- 25 Njelesani J, Dacombe R, Palmer T, et al. A systematic approach to capacity strengthening of laboratory systems for control of neglected tropical diseases in Ghana, Kenya, Malawi and Sri Lanka. *PLoS Negl Trop Dis* 2014;8:8.
- 26 Petersen M, Pain T, Fernando M. Building allied health research capacity at a regional Australian Hospital: a follow-up study. *Internet Journal of Allied Health Sciences & Practice* 2018;16:1-10.
- 27 Raghavan R, Kupfer L. *Tracking trainees to success*. Atlanta, Georgia: Georgia Institute of Technology, 2009.
- 28 Ried K, Farmer EA, Weston KM. Setting directions for capacity building in primary health care: a survey of a research network. *BMC Fam Pract* 2006;7:8.
- 29 Ried K, Farmer EA, Weston KM. Bursaries, writing grants and fellowships: a strategy to develop research capacity in primary health care. *BMC Fam Pract* 2007;8:19.
- 30 Sarre G, Cooke J. Developing indicators for measuring research capacity development in primary care organizations: a consensus approach using a nominal group technique. *Health Soc Care Community* 2009;17:244-53.
- 31 Sonstein SA, Namenek Brouwer RJ, Gluck W, et al. Leveling the joint Task force core competencies for clinical research professionals. *Ther Innov Regul Sci* 2020;54:1-20.
- 32 Swenson-Britt E, Berndt A. Development and psychometric testing of the nursing research self-efficacy scale (nurses). *J Nurs Meas* 2013;21:4-22.
- 33 Torres GCS, Estrada MG, Sumile EFR, et al. Assessment of research capacity among nursing faculty in a clinical intensive university in the Philippines. *Nurs Forum* 2017;52:244-53.
- 34 Williams C, Miyazaki K, Borkowski D, et al. Research capacity and culture of the Victorian public health allied health workforce is influenced by key research support staff and location. *Aust Health Rev* 2015;39:303-11.
- 35 Lang T, Siribaddana S. Clinical trials have gone global: is this a good thing? *PLoS Med* 2012;9:e1001228.
- 36 Jones N, Bailey M, Lyytikäinen M. *Research capacity strengthening in Africa: trends, gaps and opportunities*. London: Overseas Development Institute, 2007.
- 37 Franzen SRP, Chandler C, Siribaddana S, et al. Strategies for developing sustainable health research capacity in low and middle-income countries: a prospective, qualitative study investigating the barriers and enablers to locally led clinical trial conduct in Ethiopia, Cameroon and Sri Lanka. *BMJ Open* 2017;7:e017246:10.
- 38 Ijsselmuiden C, Marais DL, Becerra-Posada F, et al. Africa's neglected area of human resources for health research - the way forward. *S Afr Med J* 2012;102:228-33.
- 39 Dye C, Reeder JC, Terry RF. Research for universal health coverage. *Sci Transl Med* 2013;5:199ed13.
- 40 Gezmu M, DeGruttola V, Dixon D, et al. Strengthening biostatistics resources in sub-Saharan Africa: research collaborations through U.S. partnerships. *Stat Med* 2011;30:695-708.
- 41 Steinert Y, Mann K, Centeno A, et al. A systematic review of faculty development initiatives designed to improve teaching effectiveness in medical education: BEME guide No. 8. *Med Teach* 2006;28:497-526.
- 42 Smith H, Wright D, Morgan S, et al. The 'Research Spider': a simple method of assessing research experience. *Prim Health Care Res Dev* 2002;3:139-40.
- 43 Rossi PH, Lipsey MW, Henry GT. *Evaluation: a systematic*. Approach: SAGE Publications, 2018.
- 44 Downing SM. Validity: on meaningful interpretation of assessment data. *Med Educ* 2003;37:830-7.
- 45 Mays N, Pope C. Assessing quality in qualitative research. *Bmj* 2000;320:50-2.
- 46 Frambach JM, van der Vleuten CPM, Durning SJ. Am last page. quality criteria in qualitative and quantitative research. *Acad Med* 2013;88:552.