BMJ Open Exploring digital health interventions to support community health workers in low-and-middle-income countries during the COVID-19 pandemic: a scoping review protocol

Anam Shahil Feroz ^{1,2} Komal Valliani ³ Hajra Khwaja,¹ Sehrish Karim⁴

To cite: Feroz AS, Valliani K, Khwaja H, *et al.* Exploring digital health interventions to support community health workers in low-and-middle-income countries during the COVID-19 pandemic: a scoping review protocol. *BMJ Open* 2021;**11**:e053871. doi:10.1136/bmjopen-2021-053871

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-053871>).

ASF and KV are joint first authors.

Received 29 May 2021

Accepted 03 September 2021

© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Anam Shahil Feroz;
anam.shahil@mail.utoronto.ca

ABSTRACT

Introduction COVID-19 has significantly affected community health workers' (CHWs) performance as they are expected to perform pandemic-related tasks along with routine essential healthcare services. A plausible way to optimise CHWs' functioning during this pandemic is to couple the efforts of CHWs with digital tools. So far, no systematic evidence is available on the use of digital health interventions to support CHWs in low-middle-income countries (LMICs) amid the COVID-19 pandemic. The article describes a protocol for a scoping review of primary research studies that aim to map evidence on the use of unique digital health interventions to support CHWs during COVID-19 in LMICs.

Methods and analysis Our methodology has been adapted from scoping review guidelines provided by Arksey and O'Malley, Levac *et al.* and the Joanna Briggs Institute. Our search strategy has been developed for the following four main electronic databases: Excerpta Medica Database, Medical Literature Analysis and Retrieval System Online, Cochrane Central Register of Controlled Trials and Cumulated Index to Nursing and Allied Health Literature. Google Scholar and reference tracking will be used for supplementary searches. Each article will be screened against eligibility criteria by two independent researchers at the title and abstract and full-text level. The review will include studies that targeted digital health interventions at CHWs' level to provide support in delivering COVID-19-related and other essential healthcare services. A date limit of 31 December 2019 to the present date will be placed on the search and English language articles will be included.

Ethics and dissemination Formal ethical approval is not required, as primary data will not be collected in this study. The results from our scoping review will provide valuable insight into the use of digital health interventions to optimise CHWs' functioning and will reveal current knowledge gaps in research. The results will be disseminated through journal publications and conference presentations.

BACKGROUND

Community health workers (CHWs) play an integral role in improving health outcomes at

Strengths and limitations of this study

- This will be the first scoping review to explore the unique digital health interventions that have been used to support community health workers (CHWs) in low-middle-income countries (LMICs) during the pandemic.
- This protocol outlines a rigorous design that includes an established research framework, a search strategy and a selection process.
- The search strategy includes four different databases with peer-reviewed literature as well as supplementary search from Google Scholar and reference tracking.
- Our review will not include reviews, meta-analyses, letters to editors, commentaries, viewpoints, news articles, abstracts and books, which will allow us to map original research on the use of digital health interventions to support CHWs in LMICs.

the community level due to their proximity to households, communities and the primary healthcare system.^{1 2} However, several CHW programmes have failed in the past because of unrealistic expectations, poor planning and an underestimation of the effort and input required to make them work. With the advent of COVID-19, maintaining the credibility of the CHW concept is even more daunting as healthcare systems across low-middle-income countries (LMICs) are overwhelmed due to the COVID-19 outbreak.³

In the wake of COVID-19, the CHWs are playing a significant role in preventing the transmission of COVID-19,⁴ through promoting physical distancing and other precautionary measures like hand washing, wearing masks, contact tracing, recognising early signs of COVID-19, referring individuals for testing, providing isolation and quarantine guidance and COVID-19 vaccination.^{4 5} With

the prevention, detection and management of COVID-19 cases, CHWs are also expected to deliver mental health services at the community level to address issues of stress, anxiety, anger, grief and depression, which are rising because of the pandemic.⁶ Despite being a vital part of the COVID-19 pandemic response, CHWs in LMICs are not well-supported and equipped with resources such as personal protective equipment to contain the spread of COVID-19. This has caused stress and anxiety among CHWs across LMICs. Some CHWs are apprehensive of becoming vectors of spreading COVID-19 in communities while others are concerned about contracting COVID-19 during household visits and transmitting it to their family members.⁷

The pandemic has significantly affected the regular duties of CHWs which include the provision of antenatal and postnatal care, child immunisation and community case management of pneumonia, malaria, tuberculosis and diarrhoea. Assigning new COVID-19-related tasks to CHWs, within the scope of existing roles, pose the question of whether these COVID-19-related tasks will produce significant population health benefits and outweigh the risks posed to CHWs. Feroz *et al*¹ argue that public health departments, NGOs and social enterprises operating CHW programmes need to devise innovative solutions to strike the right balance between COVID-19-related tasks and other essential services as it makes little sense to divert all CHWs for COVID-19 response and vaccination at the expense of other essential services.

Prior to the pandemic, digital health technologies have been used by CHWs in LMICs to address a range of health issues related to maternal and child health, sexual and reproductive health, family planning, HIV/AIDS, general health, acute respiratory infections, infectious diseases and injury and trauma.^{8–10} There is an opportunity to couple the efforts of CHWs with digital tools to optimise CHWs' functioning during this pandemic. Evidence suggests that CHWs equipped with digital tools can serve as a valuable lifeline to support the public-health response to COVID-19 worldwide, including population surveillance, information sharing, case identification, contact tracing, decision support, training and evaluation of interventions based on mobility data and communication with the public.^{11–19} In LMICs, CHWs reportedly used a range of digital health interventions during the pandemic for remote data collection and health assessments, health education through short message service (SMS) and voice message, behaviour change through the use of digital megaphones and digital contact tracing using mobile-based tracking systems.²⁰ Numerous digital tools have been operationalised to optimise CHWs' functioning for COVID-19-related tasks and other essential health services including Living Goods' Smart Health app, DiMagi's CommCare, mHero and Medic Mobile's Community Health Toolkit.^{21–23}

Bhaumik *et al*²⁰ conducted a rapid evidence synthesis on CHWs' role in the COVID-19 pandemic in response to a request from National Health Systems Resource Centre,

a public agency in India. The review identified 36 articles, mainly from LMICs, which highlighted that CHW roles and tasks have been changed substantially during the pandemic and the most common additional activities were community awareness, engagement and sensitisation. CHW roles and tasks also changed considerably for countering stigma and contact tracing.²⁰ However, the review did not mention the use of digital health interventions to support CHWs' functioning during COVID-19. So far, no systematic evidence is available on the use of digital health interventions to support CHWs in LMIC during the COVID-19 pandemic. This gap highlights the need to explore unique digital health interventions to support CHWs in LMICs during pandemic response. This review aims to systematically explore the available literature on evidence-based digital health interventions presently being used to support CHWs' performance during COVID-19.

METHODS

A scoping review method was selected as a method to outline different types of evidence on the use of digital health interventions for supporting CHWs during the pandemic and to fill in the gaps for further research. Our scoping review will use 'Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews' (PRISMA) to guide the design and reporting of results.²⁴ The review has been registered in the Open Science Framework—Center for Open Science on 19 May 2021 (registration link: <https://osf.io/eu5yb/>). The review will be guided by the methodological framework by Levac *et al*,²⁵ Arksey and O'Malley²⁶ and the Joanna Briggs Institute Tricco *et al*²⁷ to examine studies describing the use of digital health interventions to support CHWs in LMICs amid pandemic. Following five steps will be followed in this scoping review: (1) identifying the research question, (2) identifying relevant studies, (3) selection of eligible studies, (4) charting the data and (5) collating and summarising the results. As this review aims to explore the general scope of research conducted on the area of interest, quality appraisal of studies will not be conducted.

Step 1: identifying the research question

The main research question for this scoping review is: What is known in the literature about the use of digital health interventions to support CHWs in LMICs during the COVID-19 pandemic response?

The research subquestions are as follows:

- ▶ What types of digital health interventions have been used by CHWs at the community level for providing essential health services and COVID-19 additional tasks?
- ▶ What are the barriers and facilitators associated with the use of new digital health interventions for providing essential health services and COVID-19 additional tasks?

- ▶ How has the use of digital health interventions supported CHWs, in terms of reducing workload and improving their performance through training, in LMICs during the pandemic?

Step 2: identifying relevant studies

To identify relevant studies that would inform our research questions, we first operationalised the following two key concepts within our study: CHWs and digital health interventions. We then outlined the search strategy and decided on the types of studies that would be the most relevant to include in our scoping review.

Operational definitions

For this scoping review, we used widely accepted definition of CHWs which was proposed by the WHO: 'Community health workers should be members of the communities where they work, should be selected by the communities, should be answerable to the communities for their activities, should be supported by the health system but not necessarily a part of its organization, and have shorter training than professional workers'.²⁸

This review will focus on all kinds of digital health interventions that supported CHWs for providing essential health services and carrying out additional COVID-19 tasks. In particular, the review will include original papers that focused on the use of digital health interventions to support CHWs in activities defined in Sections 2.1–2.7, client identification and registration, client health records healthcare provider decision support, telemedicine, healthcare provider communication, referral coordination, and health worker activity planning and scheduling, in the WHO's Classification of Digital Health Interventions.²⁹ For this review, the digital health interventions will include wearable devices, predictive models operationalised through clinical applications, health information technologies, health management systems and other innovations related to mobile health, telehealth and telemedicine that can guide diagnosis, monitoring and treatment.³⁰

Search strategy development

We developed comprehensive search strategies with the assistance of an expert librarian specialising in health services research at Aga Khan University. The search strategies were developed for the following four main electronic databases: Excerpta Medica Database, Medical Literature Analysis and Retrieval System Online, Cochrane Central Register of Controlled Trials and Cumulated Index to Nursing and Allied Health Literature. The databases were selected based on subject area coverage and functionality. Additionally, guidelines provided by Goossen *et al*.³¹ and Bramer *et al*.³² were applied to inform the database selection. A date limit of 31 December 2019, to the present date will be placed on the search given that the first case of COVID-19 was reported from Wuhan, China, on 31 December 2019. The search strategy included the following four main concepts

of interest: target population (CHWs), disease condition (COVID-19), intervention (digital health interventions) and settings (LMICs). The search strategies used a combination of text words, keywords and subject headings such as MeSH and Emtree for each concept (online supplemental file 1). Before importing results into Covidence for screening, a systematic review software programme that supports the screening and management of citations by multiple reviewers,³³ all citations from the databases will be exported into EndNote X9 (Clarivate Analytics) for deduplication.³²

Type of studies

As we aim to summarise a comprehensive and diverse collection of literature on evidence-based digital health interventions presently being used to support CHWs during the pandemic, it will primarily include original and primary research studies, including experimental studies (eg, randomised controlled trials and quasi-experimental studies), observational studies (eg, cohort, case-control, cross-sectional and qualitative studies) and study protocols. All types of reviews, meta-analyses, letters to editors, commentaries, viewpoints, news articles, abstracts and books will be excluded.

Supplementary searching

To enhance our search, a supplementary search will be conducted using the first seven pages of Google Scholar to identify relevant peer-reviewed literature on the use of digital health interventions to support CHWs during the COVID-19 pandemic. The supplementary search will help identify relevant studies that were not acknowledged during the database searches. The reference lists of relevant systematic reviews and final included articles will also be hand-searched to find pertinent studies. Potentially relevant articles will be selected and sent for abstract and full-text screening.

Step 3: selection of eligible studies

The inclusion and exclusion criteria for study selection (box 1) were developed iteratively by the research team based on the previously mentioned operational definitions and search strategy.

A predefined screening guide has been developed by the primary author (ASF) with feedback from the research team, which will be used to determine whether the eligibility criteria have been met. A total of four researchers (ASF, KV, SK and HK) will independently perform the pilot testing of the screening guide with a test sample of 100 abstracts to ensure the inter-rater reliability of screened articles. Based on the pilot test, results will be discussed, and modifications to the screening form will be made. The research team will also be provided with an example of an included and an excluded study.

A two-stage screening process will be implemented; once the screening guide is formulated, a pilot-testing is completed. The first stage of study selection will require two reviewers (SK and HK) to independently screen each

Box 1 Eligibility criteria

Inclusion criteria for study selection

Types of participants

- ▶ Primary research studies involving community health workers (CHWs) at which evidence-based digital health interventions were targeted for improving the functioning of CHWs during COVID-19 pandemic.

Concept

- ▶ Primary research studies on the use of digital health interventions to support CHWs in low-middle-income countries (LMICs) during COVID-19 pandemic.
- ▶ Original papers focused on digital health interventions to support CHWs in activities defined in Sections 2.1–2.7, client identification and registration, client health records healthcare provider decision support, telemedicine, healthcare provider communication, referral coordination, and health worker activity planning and scheduling, in the WHO's Classification of Digital Health Interventions.
- ▶ Original papers focused on digital health interventions use for CHWs' training to optimise workers functioning during the pandemic.

Context

- ▶ All health system settings in LMICs. LMICs were selected according to the World Bank's (WB) Country Classification lists for the current 2022 fiscal year.³⁷ According to WB, LMICs are those with a Gross National Income per capita between US\$1046 and US\$4095.³⁷

Types of evidence

- ▶ Original and primary research studies, including experimental studies (eg, randomised controlled trials and quasi-experimental studies), observational studies (eg, cohort, case-control, cross-sectional and qualitative studies) and study protocols.

Exclusion criteria for study selection

Types of participants

- ▶ Original studies that describe the use of digital health interventions to support clinicians and other healthcare providers at the secondary and tertiary hospital levels instead of CHWs as described within our inclusion criteria.

Concept

- ▶ Original studies that do not explicitly focus on the use of digital health interventions to support CHWs during COVID-19 pandemic.

Context

- ▶ Studies focused on high-income countries.

Types of evidence

- ▶ Literature reviews, including systematic reviews, meta-analyses, scoping reviews, realist reviews and critical interpretive syntheses.
- ▶ Opinion papers, commentaries, editorial reviews, and letters to the editor, conference abstracts/proceedings.

article by title and abstract using Covidence software. Reviewers will meet regularly to discuss any challenges related to study selection and refine the inclusion and exclusion criteria as needed. Any disagreement between the two reviewers will be resolved by a third reviewer (KV) in a consensus meeting or through a group discussion. The second stage of study selection will involve the screening of the full-text articles, shortlisted in the first stage of study selection, to determine their eligibility for inclusion. All the full-text articles will be reviewed independently by the two reviewers (SK and HK) to their eligibility for inclusion. In case of disagreement between two reviewers, a third reviewer (KV) will be involved to resolve

conflict through discussion with the research team. At each stage of study selection, a strong justification for article exclusion will be provided by each reviewer. The study selection procedure will be recorded according to the PRISMA flow diagram (figure 1).

Step 4: charting the data

A customised data extraction sheet has been developed by the primary author (ASF), which will be pilot-tested on two eligible studies by the four reviewers (ASF, KV, SK and HK) to evaluate the consistency and comprehensiveness of the data extraction form in capturing relevant data (online supplemental file 2). Subsequently, modifications will be made to the form through team discussions after comparing pilot test results. Previously published articles on this research area have been reviewed to decide items of the data extraction form.

Identification of the fields for the extraction is grounded on the articles used for developing a search strategy. Extraction fields include the following: (1) review identifiers (article title, authors, date of publication, country of origin, type of study and study objectives); (2) type of digital intervention used by the CHWs; (3) study population and setting (the demographic characteristics of the study participants and the geographical setting where the intervention was implemented); (4) key study outcome (improvement in the CHW performance working in the LMIC); (5) barriers encountered during implementation and adoption of digital health interventions and (6) the reported strategies for improving implementation of digital health interventions.

To ensure the inter-rater reliability of the identified key findings, a sample (20%) of the included studies will be reviewed and compared. Discrepancies will be discussed till consensus is attained or through the involvement of the third reviewer, if required.

Step 5: collating, summarising and reporting the results

Our review will synthesise the gathered data narratively using a qualitative descriptive approach. We will identify common features of the included studies to descriptively analyse study characteristics including, study type, objectives, study setting, participants, sampling technique, sample size, study methodology, data analysis technique and key study outcome. In keeping with established scoping review guidelines, our review will not conduct a quality appraisal of the included studies. Two of the team members will independently read each included article. An exploratory and inductive analysis approach will be considered as a critical process to thematically organise and summarise the results from the included articles to explore our research question. The extracted results from each article will be read several times to identify similarities, recurring patterns, differences and group-related results. The focus of the emergent concepts will revolve around the use of digital health interventions to support CHWs in providing COVID-19-related and routine health services in LMIC. Major themes and subthemes arising from the included studies will be summarised with a focus on the

Figure 1 Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews flow diagram for database search of studies. CINAHL, Cumulated Index to Nursing and Allied Health Literature; EMBASE, Excerpta Medica Database; LMIC, low-middle-income country; MEDLINE, Medical Literature Analysis and Retrieval System Online.

type of digital health intervention, the role of CHW in the study, improvement in CHWs performance, barriers encountered in implementation and adoption of digital health interventions at the level of CHWs amid COVID-19 and associated strategies. All the reviewers will discuss the results and agree on the final groupings of the results.

On the contrary, subgroup analysis will be carried out for the quantitative studies under the different categories of digital health interventions. Measures of associations, for example, relative risk, ORs and prevalence ratios will be calculated for associations between digital interventions and CHWs' performance. This study will also state confounder or effect modifiers adjusted in quantitative studies to highlight the significance of independent digital intervention to improve the CHWs' performance during the pandemic.

Patient and public involvement

As digital health interventions are essential to improve CHWs' functioning during the COVID-19 pandemic, CHWs and the primary healthcare system will eventually benefit from the body of knowledge this review contributes to. However, specific interests of CHWs have not been examined. CHWs have not been involved in the design nor the conduct of the study. As this concerns a review, this study has no participants.

RESULTS

Our scoping review is currently in the protocol development phase. The study selection phase will begin on 1 June 2021. The electronic database search works will be completed on 30 June 2021. All database search works

will undergo title and abstract screening to identify relevant studies meeting the eligibility criteria. The final included studies will undergo a full-text review which will be followed by data synthesis. The authors anticipate that the results of this study will be submitted for publication in December 2021.

DISCUSSION

Protocol overview

The immense physical, psychological and emotional burden on CHWs during the COVID-19 pandemic has highlighted the urgent need to critically examine the use of digital health interventions to support CHWs in delivering their assigned tasks. Although technology-driven innovations in healthcare generally aim to improve access, quality and health outcomes, it is also possible for these interventions to benefit CHWs via remote data collection and health assessments, contact tracing and health education using SMS, voice message, digital megaphones and digital tracking systems. To the best of our knowledge, this is the first scoping review to explore the unique digital health interventions that have been used to support CHWs in LMICs during the pandemic.

Limitations

A potential limitation of this study is the lack of quality assessment for included studies. Although a quality appraisal of included studies is not required in scoping reviews,^{26 27 34} we hope to improve the quality and rigour of our approach by limiting our search to original and primary research studies with well-established methodologies (randomised controlled trials, quasi-experimental studies, cohort, case-control, cross-sectional, qualitative studies and study protocols). We recognise that our focus on primary research studies may exclude relevant review-level evidence. However, since the review-level evidence on the use of digital health interventions to support CHWs during the pandemic is limited, our focus on primary studies will allow us to capture the range of digital health interventions and their associated barriers for adoption and use among CHWs in LMICs. In addition, operationalising the term 'CHWs' in our search was challenging since CHWs are known by many different names in different countries. Bhattacharyya *et al*³⁵ and Gilroy and Winch list altogether 36 different terms by which CHWs are known in different countries, which is not exhaustive.³⁶

Several in-depth discussions and a careful review of the literature were performed to inform our operational definition of 'CHWs'. We hope that our choice of search terms is purposefully broad enough to identify relevant digital health interventions being used to support CHWs in different LMICs during the pandemic. Future research should be considered to assess the effectiveness of these digital health interventions being implemented to support CHWs in carrying out assigned tasks in LMICs during the COVID-19 and beyond the pandemic period.

ETHICS AND DISSEMINATION

Formal ethical approval is not required, as primary data will not be collected in this study. By identifying the unique digital health interventions and their associated barriers and facilitators for use and adoption among CHWs, our findings will offer providers, CHWs, health system leaders, and policymakers' evidence-informed recommendations on the use of digital health interventions to optimise CHWs' functioning for the delivery of COVID-19-related tasks and other essential healthcare services at the community level and reveal current knowledge gaps in research. The findings will eventually increase the use of digital health interventions among CHWs and strengthen the public health response to COVID-19. The findings of this scoping review will be published in a peer-reviewed journal and circulated through relevant mailing lists and social media platforms. The findings will also be disseminated through conference presentations, seminars and policy briefs for key stakeholders and partners.

Author affiliations

¹Community Health Sciences, Aga Khan University, Karachi, Pakistan

²Dalla Lana School of Public Health, University of Toronto Institute of Health Policy Management and Evaluation, Toronto, Ontario, Canada

³Aga Khan Development Network Digital Health Resource Centre, Aga Khan University, Karachi, Pakistan

⁴Department of Paediatrics and Child Health, Aga Khan University, Karachi, Pakistan

Contributors Design of protocol: ASF. Draft of the manuscript: ASF, KV, HK, SK. Final approval of the manuscript: ASF, KV, HK and SK.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Anam Shahil Feroz <http://orcid.org/0000-0003-0180-0213>

Komal Valliani <http://orcid.org/0000-0002-0427-1794>

REFERENCES

- 1 Feroz AS, Khoja A, Saleem S. Equipping community health workers with digital tools for pandemic response in LMICs. *Arch Public Health* 2021;79:1-4.
- 2 Hartzler AL, Tuzzio L, Hsu C, *et al*. Roles and functions of community health workers in primary care. *Ann Fam Med* 2018;16:240-5.
- 3 The Lancet. COVID-19: too little, too late? *Lancet* 2020;395:755.

- 4 Wiah SO, Subah M, Varpilah B. Prevent, detect, respond: rapidly expanding healthcare teams through community health workers in the fight against COVID-19. *Bull World Health Organ* 2020;94:551.
- 5 Ballard M, Bancroft E, Nesbit J, *et al*. Prioritising the role of community health workers in the COVID-19 response. *BMJ Glob Health* 2020;5:e002550.
- 6 Waters R. Community workers Lend human connection to COVID-19 response. *Health Aff* 2020;39:1112–7.
- 7 Gray DM, Joseph JJ, Olayiwola JN. Strategies for digital care of vulnerable patients in a COVID-19 world—keeping in touch. *JAMA Health Forum* 2020;1:e200734.
- 8 Arnaert A, Ponzoni N, Debe Z, *et al*. Experiences of women receiving mhealth-supported antenatal care in the village from community health workers in rural Burkina Faso, Africa. *Digital Health* 2019;5:205520761989275.
- 9 Pfaffmann Zambruni J, Rasanathan K, Hipgrave D, *et al*. Community health systems: allowing community health workers to emerge from the shadows. *Lancet Glob Health* 2017;5:e866–7.
- 10 Braun R, Catalani C, Wimbush J, *et al*. Community health workers and mobile technology: a systematic review of the literature. *PLoS One* 2013;8:e65772.
- 11 Budd J, Miller BS, Manning EM, *et al*. Digital technologies in the public-health response to COVID-19. *Nat Med* 2020;26:1183–92.
- 12 Pérez Sust P, Solans O, Fajardo JC, *et al*. Turning the crisis into an opportunity: digital health strategies deployed during the COVID-19 outbreak. *JMIR Public Health Surveill* 2020;6:e19106.
- 13 Crawford A, Serhal E, EJJomir S. Digital health equity and COVID-19: the innovation curve cannot reinforce the social gradient of health. *J Med Internet Res* 2020;22:e19361.
- 14 Scott BK, Miller GT, Fonda SJ, *et al*. Advanced digital health technologies for COVID-19 and future emergencies. *Telemedicine and e-Health* 2020;26:1226–33.
- 15 Alwashmi MF. The use of digital health in the detection and management of COVID-19. *Int J Environ Res Public Health* 2020;17:2906.
- 16 Inkster B, O'Brien R, Selby E, *et al*. Digital health management during and beyond the COVID-19 pandemic: opportunities, barriers, and recommendations. *JMIR Ment Health* 2020;7:e19246.
- 17 Fagherazzi G, Goetzing C, Rashid MA, *et al*. Digital health strategies to fight COVID-19 worldwide: challenges, recommendations, and a call for papers. *J Med Internet Res* 2020;22:e19284.
- 18 Maciel FBM, Santos HLPCD, Carneiro RAdAS, *et al*. Community health workers: reflections on the health work process in Covid-19 pandemic times. *Cien Saude Colet* 2020;25:4185–95.
- 19 Peretz PJ, Islam N, Matiz LA. Community health workers and Covid-19 - addressing social determinants of health in times of crisis and beyond. *N Engl J Med* 2020;383:e108.
- 20 Bhaumik S, Moola S, Tyagi J, *et al*. Community health workers for pandemic response: a rapid evidence synthesis. *BMJ Glob Health* 2020;5:e002769.
- 21 Asif Akram CA, Koepsell J. Frontline health workers coalition, 2020. Available: <https://www.frontlinehealthworkers.org/blog/digital-health-20-getting-tools-and-services-people-who-need-them-most>
- 22 Consortium M. Supporting community health workers in Mozambique to respond to COVID-19: adapting the upSCALE digital platform, 2020. Available: <https://www.malariaconsortium.org/media-downloads/1345/Supporting%20community%20health%20workers%20in%20Mozambique%20to%20respond%20to%20COVID-19%20Adapting%20the%20upSCALE%20digital%20platform>
- 23 World Health Organization. Digital health and COVID-19. *Bull World Health Organ* 2020.
- 24 Tricco AC, Lillie E, Zarin W, *et al*. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467–73.
- 25 Levac D, Colquhoun H, O'Brien KK, KJIs O'Brien. Scoping studies: advancing the methodology. *Implementation Sci* 2010;5:69.
- 26 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 27 Peters MDJ, Godfrey C, McInerney P. Scoping reviews (2020 version). In: Aromataris EMZ, ed. *JB1 manual for evidence synthesis*. 2020. Adelaide, Australia: JBI, 2020.
- 28 World Health Organization. Community health workers: what do we know about them? 2007. Available: https://www.who.int/hrh/documents/community_health_workers_brief.pdf?ua=1
- 29 World Health Organization. *Classification of digital health interventions V1. 0: a shared language to describe the uses of digital technology for health*. Geneva: World Health Organization, 2018.
- 30 Guo C, Ashrafian H, Ghafur S, *et al*. Challenges for the evaluation of digital health solutions—A call for innovative evidence generation approaches. *NPJ Digit Med* 2020;3:1–14.
- 31 Goossen K, Hess S, Lunny C, *et al*. Database combinations to retrieve systematic reviews in overviews of reviews: a methodological study. *BMC Med Res Methodol* 2020;20:1–15.
- 32 Bramer WM, Rethlefsen ML, Kleijnen J, *et al*. Optimal database combinations for literature searches in systematic reviews: a prospective exploratory study. *Syst Rev* 2017;6:1–12.
- 33 Covidence. Better systematic review management, 2021. Available: <https://www.covidence.org/>
- 34 Colquhoun HL, Levac D, O'Brien KK, *et al*. Scoping reviews: time for clarity in definition, methods, and reporting. *J Clin Epidemiol* 2014;67:1291–4.
- 35 Bhattacharyya K, Winch P, LeBan K. *Community health worker incentives and disincentives*. Virginia: USAID-BASICS II, 2001.
- 36 World Health Organization. *Management of sick children by community health workers: intervention models and programme examples*. Geneva: World Health Organization, 2006.
- 37 World Bank. *World Bank Country and Lending Groups. Lower-middle-income economies (\$1,046 TO \$4,095*. Geneva: World Bank, 2021.