

# BMJ Open Towards a framework for patient-centred care coordination: a scoping review protocol

Aishwarya Khanna ,<sup>1,2</sup> Gemmae M Fix,<sup>3,4</sup> Ekaterina Anderson,<sup>1,5</sup> Rendelle E Bolton,<sup>1,6</sup> Barbara G Bokhour,<sup>3,5</sup> Marva Foster,<sup>4,7</sup> Jason G Smith,<sup>8</sup> Varsha G Vimalananda<sup>3,9</sup>

**To cite:** Khanna A, Fix GM, Anderson E, *et al.* Towards a framework for patient-centred care coordination: a scoping review protocol. *BMJ Open* 2022;**12**:e066808. doi:10.1136/bmjopen-2022-066808

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-066808>).

Received 21 July 2022

Accepted 31 October 2022

## ABSTRACT

**Introduction** Patient-centred care and care coordination are each key priority areas for delivering high quality healthcare. However, the intersection between these two concepts is poorly characterised. We theorise that greater advancements in healthcare quality could be realised when care is organised in a way that aligns with patients' preferences, needs and values across every level of the healthcare system. There is currently no published review that describes the intersection of patient-centred care and care coordination. We will undertake a scoping review that will be foundational to the development of a conceptual framework for patient-centred care coordination that integrates and synthesises the overlap between these two concepts and describe how it manifests across levels of the healthcare system.

**Methods and analysis** A multidisciplinary team of reviewers will conduct a scoping review of published and grey literature to identify and synthesise key concepts at the intersection of patient-centred care and care coordination, following Preferred Reporting Items for Systematic Reviews and Meta-analyses extension for Scoping Reviews guidance for scoping reviews. Databases we will use in our search include PubMed, CINAHL, Embase, Social Sciences Abstracts, Nursing and Allied Health Premium, Health and Medical Collection, and PsycINFO. Articles will be included that are English-language; published during or after 2001; describe a theory, conceptual model, theoretical framework or definition that addresses both patient-centred care and care coordination. Articles will be excluded if they do not address the intersection of patient-centred care and care coordination; discuss a patient-centred medical home without discussion on patient-centred care concepts; or discuss a paediatric, inpatient or palliative care setting. A data extraction template will facilitate qualitative thematic analysis and findings will be synthesised into a conceptual framework.

**Ethics and dissemination** This work does not require ethics approval. A preliminary framework will be presented to a group of patient stakeholders for refinement before dissemination through a peer-reviewed journal and conference presentations.

## STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ A scoping review approach is well suited to our research as it is an effective, rigorous and systematic method for synthesising key concepts, types of evidence and research gaps related to a relatively unexplored area.
- ⇒ The review will be conducted by a multidisciplinary team with expertise in research in patient-centred care, care coordination and scoping reviews, as well as in clinical care.
- ⇒ Patient stakeholders will contribute to interpretation of results to inform subsequent development of a conceptual framework of patient-centred care coordination.
- ⇒ The review may miss relevant grey literature or models implemented in practice but not described in the current literature.
- ⇒ This scoping review is limited to descriptions of out-patient adult healthcare.

## INTRODUCTION

In 2001, in response to mounting concerns about insufficient quality of care in the nation, the Institute of Medicine (now the National Academy of Medicine) made an urgent call to fundamentally change how healthcare is delivered in the US. Their seminal Crossing the Quality Chasm report<sup>1</sup> identified patient-centred care as one of six top priorities to achieve quality care. Concurrently, care coordination was identified as a cross-cutting priority area by the Institute of Medicine and the National Quality Strategy.<sup>2</sup> These calls to action energised the already-ongoing grassroots efforts to improve patient-provider relationships, enhance health outcomes and satisfaction with care, and decrease healthcare costs.

In research and practice alike, patient-centred care and care coordination are often treated as separate entities, yet this approach has limitations. Patient-centred care is typically understood as care consistent



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

### Correspondence to

Dr Varsha G Vimalananda;  
varsha.vimalananda@va.gov



with the patients' preferences, needs and values.<sup>1</sup> While providing a useful starting point, such definitions generally do not attend to the wider continuum of healthcare delivery, focusing instead on the patient–clinician dyad.<sup>3</sup> By contrast, care coordination definitions emphasise the organisational dimension. For example, the original definition by the US Agency for Healthcare Research and Quality defines care coordination as 'deliberately organising patient care activities and sharing information among all of the participants concerned with a patient's care to achieve safer and more effective care'.<sup>4</sup> While explicitly referencing safety and effectiveness, this conceptualisation overlooks patient-centredness, that is, integrating patient preferences, needs and values into the development, execution and coordination of care plans. A few models integrate patient-centred care concepts into care coordination and vice versa.<sup>5–7</sup> Yet a preliminary search of the literature yielded no published review describing the concept of patient-centred care coordination as a single construct.

Despite the recommendations outlined in the Institute of Medicine report, healthcare quality in the USA continues to lag behind its counterparts.<sup>8</sup> The USA spends more on healthcare than other high-income nations yet demonstrates lower scores on several key health measures including life expectancy, chronic disease burden, hospitalisations and deaths from preventable causes,<sup>9</sup> and patient satisfaction. Care coordination<sup>10 11</sup> and patient-centred approaches<sup>12 13</sup> have each been shown to improve such outcomes. Even greater advances might be achieved when care is organised across the health system in a way that aligns with patients' preferences, needs and values; that is, when patient-centred care coordination occurs at every level of the healthcare system.

We aim to draw across existing frameworks that include both patient-centred care and care coordination concepts, to develop a single construct that can span multiple levels of healthcare delivery. Until that is done, we cannot know what will be required to achieve patient-centred care coordination nor what the outcomes of good patient-centred care are. In this paper, we describe the protocol of a scoping review that will clarify and develop the concept of patient-centred care coordination. Our results will serve as the foundation of a new conceptual framework for *patient-centred* care coordination, which will describe how patient-centred care coordination manifests at the patient–clinician level, between the patient and their healthcare team, between care teams and at the organisational level.

### Study objectives

Our objectives are to: (1) describe the relationships between patient-centred care and care coordination; and (2) develop a conceptual framework for patient-centred care coordination at the patient–clinician level, patient–healthcare team level, between care teams and at the organisational level. In this work, our goal is to articulate how the overlap between patient-centred care and care

coordination can be understood as a single construct. We believe that a framework that describes patient-centred care and care coordination as a single construct may help to target research and quality improvement efforts that may improve the quality of care.

## METHODS AND ANALYSIS

### Study design

We will conduct a scoping review of the literature. A scoping review is an effective, rigorous and systematic method for synthesising key concepts, types of evidence and research gaps related to a relatively unexplored area.<sup>14 15</sup> This type of review is an especially useful approach to provide clarity on concepts, develop working definitions and to inform future research, policy and practice.<sup>16–19</sup> This methodology is an excellent fit for our objective of developing a conceptual framework for the intersection of patient-centred care and care coordination and mapping it to the different levels of care.

Our methodology will be guided by the widely recognised evidence-based framework for scoping reviews outlined by Arksey and O'Malley,<sup>19</sup> Levac *et al*<sup>20</sup> and the Joanna Briggs Institute.<sup>18 21–23</sup> This review will also follow the Preferred Reporting Items for Systematic Reviews and Meta-analyses extension for Scoping Reviews (PRISMA-ScR) criteria.<sup>24</sup> A preliminary search of the literature yielded no published review describing the concept of patient-centred care coordination at each level of care. Below, we detail the five-stage protocol for our scoping review that will address this gap in research.

### Stage 1: identifying the research questions

The two questions that will guide this scoping review are:

1. In what ways are patient-centred care and care coordination related concepts?
2. How is the intersection of patient-centred care and care coordination manifested at the levels of patient–clinician, patient–healthcare team, between care teams and patient–organisation?

### Stage 2: identifying relevant studies

We based our search strategy on established scoping review methodologies.<sup>18–20 23</sup> We will identify both published and grey literature to ensure that we are including a broad range of contexts for our search. 'Patient-centred care' and 'care coordination' are both terms with multiple definitions and constructs that may make it difficult to elucidate the intersection between the two concepts. We will address this challenge by using key terms used to inform previous systematic reviews of patient-centred care or care coordination. We will only include articles that explicitly outline theories, models or frameworks pertinent to both concepts. This approach will allow us to capture all sources that explicitly engage with the concepts at hand, while also keeping the review scope manageable. An experienced research librarian (JGS) will assist us in

searching databases and will provide input on our three-step search strategy.

### Search strategy

The first step in our search will be to complete an initial search of the PubMed and Embase indexes to identify titles and abstracts of studies that include key terms related to both patient-centred care and care coordination. In consultation with our librarian, we selected PubMed and Embase to conduct our initial search as these indexes are high-yield databases. In this preliminary search, we will use key terms previously used in existing systematic reviews that define patient-centred care and care coordination as unique concepts.<sup>6 25–32</sup> These key terms include those that are related to either patient-centred care or care coordination (eg, integrated care, patient-centred medical home, multidisciplinary team). As patient-centred care and care coordination have been widely discussed in the literature with inconsistent use of terminology, using a wide range of terms will allow us to capture relevant literature. In this first step, we will identify any additional key terms or search criteria to be incorporated in a subsequent and more comprehensive search.

Consistent with established scoping review methodology, we will then search a broader range of electronic databases for published literature. Since patient-centred care and care coordination have been conceptualised across a variety of disciplines, the databases we search will include multidisciplinary research. Databases we will use in our search include PubMed, Embase, CINAHL, Proquest Health and Medical Collection, SocINDEX with Full Text, and PsycINFO. Online supplemental appendix file 1 details the proposed search syntax we will use for each database. Resulting articles and citations will be imported into a web-based platform called Covidence<sup>33</sup> to facilitate organisation of articles, team collaboration, ease of review and agreement with the PRISMA-ScR criteria.<sup>24</sup>

The last step in our search strategy will be to supplement our database search with grey literature. We will search the websites of agencies and foundations known by our author group to have published relevant content. These websites were selected for our search as they are frequently comment on patient-centred care or care coordination and may offer an improved understanding of patient-centred care coordination.

### Stage 3: study selection

We will screen titles and abstracts of articles resulting from our search followed by a full-text screening to identify articles for inclusion in our review.

### Inclusion and exclusion criteria

Inclusion and exclusion criteria will be iteratively developed to guide our scoping review. These proposed criteria will be used in our search strategy and in study selection. For manageability and relevancy, we will include articles published during or after the year 2001 that are focused on routine outpatient care for adult populations. The

year 2001 was selected as our search start date to align with the release of the Institute of Medicine's Crossing the Quality Chasm report. Articles will be included in the next step of full-text screening if they meet the following inclusion criteria:

- ▶ Article describes a theory, conceptual model, theoretical framework or definition for patient-centred care or care coordination.
- ▶ Article is published in English.
- ▶ The focus of the article discusses both patient-centred care and care coordination. This means that the article discusses patient preferences, needs and values alongside care coordination or a related term (eg, integrated care).

Articles will be excluded if they:

- ▶ Do not address the intersection of patient-centred care and care coordination at any level of care.
- ▶ Discuss a patient-centred medical home without including a discussion on patient-centred care concepts (ie, shared decision-making, patient-provider relationships, or patient goals, preferences or priorities for care). The patient-centred medical home is a model of healthcare that is not inherently focused on patient-centred care, though it is important.
- ▶ Base discussion on a paediatric population, inpatient setting or palliative care setting, since these have different conceptualisations of patient-centred care and care coordination.<sup>34 35</sup>

### Screening abstracts and titles

Two lead reviewers (GF and VV) will screen a random sample of 20 titles and abstracts using the above criteria and refine if necessary. These 20 articles will serve as a pilot to evaluate inter-rater reliability in selecting articles for full text screening. Screening decisions will undergo a consensus building process, whereby all articles with disagreement will be reviewed and consensus will be reached to include or exclude in full-text screening.

Following this pilot screening, eight members of the research team will screen the remaining titles and abstracts in pairs. The two lead reviewers will demonstrate how to apply the inclusion and exclusion criteria to a sample of 10 articles. This will help reviewers become familiar with how the criteria should be applied in abstract/title screening. Reviewers will then screen 30 articles each. Each article will be screened by two randomly assigned reviewers. The lead reviewers will hold meetings with the full team will meet to resolve conflicts and ensure fidelity to the screening criteria. Reviewers will screen the remaining articles in randomly assigned pairs, with regular team meetings to ensure that discrepant decisions undergo a consensus discussion and that decisions are made consistently.

### Screening full-text articles

Two members of the research team will independently screen the same 10 full-text articles for eligibility.

Discrepancies will be resolved in a consensus discussion. Then, six reviewers will work in pairs to screen full texts of articles and determine whether inclusion criteria are met. Ten per cent of articles will be checked by lead reviewers to ensure fidelity to eligibility criteria. Articles that are retained in the review will undergo data extraction (step 4 below).

A PRISMA-ScR flow chart<sup>24</sup> will be used to outline the screening decision process and track the number of studies that are included at each phase of our study selection. The PRISMA-ScR flow chart and finalised inclusion/exclusion criteria will be included in a manuscript detailing the results of our final scoping review.

#### Stage 4: data extraction

A data extraction form developed by the research team will be tested independently by two reviewers on 10 randomly selected articles.<sup>17 20</sup> Initial data items to be included will be study characteristics (eg, first author, year of publication, journal, title, type of article, aims/purpose, methods) and key content that relates to the research questions of interest. The data extraction form will be revised iteratively as needed.

#### Stage 5: data summary and synthesis of results

Findings from our scoping review will be presented in a table and summarised in narrative form. Articles will undergo a frequency analysis for quantitative description of relevant literature to capture characteristic such as the number of articles, types of articles, discipline, figures and other visual representations of patient-centred care coordination. We will also conduct a thematic analysis for qualitative description of relevant literature<sup>19 20 36</sup> to highlight how the intersection of patient-centred care and care coordination have been described at each level (patient–clinician, patient–healthcare team, between care teams and patient-organisation).

#### Stage 6: consultation with patient stakeholders

We will consult with patients as part of developing a framework for patient-centred care coordination. Inherent in the definition of patient-centred care is having patients at the centre. Patient feedback will inform this review. Further, the US Department of Veterans Affairs (VA) prioritises patient engagement in health services research, and provides financial and other structured opportunities to support Veteran engagement.<sup>37–39</sup> We will use the Veteran Stakeholder Council available at our VA research centre—the Centre for Healthcare Organisation and Implementation Research (CHOIR)—for feedback both on our proposed conceptual framework for patient-centred care coordination and dissemination plan. The Veteran Stakeholder Council meets regularly to provide ad hoc feedback on research projects across the centre. We will prepare a presentation for the quarterly Veteran Stakeholder Council that will cover the rationale underlying our scoping review, an overview of the literature and a preliminary model. We will then ask Council

members for feedback, including their interpretation of the findings and what elements we may have missed in the resulting conceptual framework. We will also ask stakeholders about additional grey literature or models of patient-centred care coordination that are implemented in practice of which they may be aware.

#### Patient and public involvement

Patients and the public were not involved in the design of this scoping review. We plan to elicit patient stakeholder feedback on our conceptual framework after conducting the review of the literature, which will be published in a subsequent manuscript.

#### ETHICS AND DISSEMINATION

This study does not require ethics approval, as data will be reviewed and collected from publicly available materials. A preliminary framework will be presented to a group of patient stakeholders for refinement before dissemination. Dissemination will occur through peer-reviewed journals, conferences and other channels, according to a plan to be cocreated with our Centre's Veteran stakeholder council.

#### DISCUSSION

Our protocol will use robust methods to review the literature. Further, engaging with patient stakeholders to develop our conceptual framework is a highly patient-centric approach to research,<sup>40</sup> which makes our study both theoretically grounded and highly relevant for practice and policy. Our multidisciplinary study team comprises researchers who have backgrounds in medicine, anthropology, psychology, health policy, public health, social work and nursing. A multidisciplinary team is strongly suited for this work as concepts pertinent to patient-centred care and care coordination are found across a range of social, behavioural and medical science fields.

Our protocol has some limitations. A common limitation with scoping reviews is the possibility that some literature may be missing relevant studies.<sup>41</sup> For our protocol in particular, this concern is most relevant for our search of the grey literature. Guidance on searching grey literature is not straightforward nor systematised, which may make it likely that grey literature is missed.<sup>42</sup> The websites we have selected to include in our search strategy publish a high volume of articles on patient-centred care and care coordination, but our internet search may not be comprehensive. A second limitation is that there may be current models of patient-centred care coordination that are implemented in practice, but that have not yet been published in the literature or grey literature and so will not be identified in our search.

Although decades of clinical practice and policy-making have yielded considerable advancements, the

US healthcare system is still plagued with high costs, quality deficits and disparities. Certainly, greater conceptual clarity around patient-centred care and care coordination alone will not solve this challenge. Yet, the conceptual framework for patient-centred care coordination to be yielded by this scoping review will fill a long-standing gap in the literature and shape future research, health policy and clinical practice guidelines that may contribute to advancements in healthcare quality in the USA and other nations.

#### Author affiliations

<sup>1</sup>VA Bedford Healthcare System Center for Healthcare Organization and Implementation Research, Bedford, Massachusetts, USA

<sup>2</sup>University of Massachusetts Chan Medical School, Worcester, Massachusetts, USA

<sup>3</sup>VA Center for Healthcare Organization & Implementation Research Bedford Campus, Bedford, Massachusetts, USA

<sup>4</sup>Department of General Internal Medicine, Boston University School of Medicine, Boston, Massachusetts, USA

<sup>5</sup>Department of Population and Quantitative Health Sciences, University of Massachusetts Chan Medical School, Worcester, Massachusetts, USA

<sup>6</sup>Brandeis University Heller School for Social Policy and Management, Waltham, Massachusetts, USA

<sup>7</sup>VA Center for Healthcare Organization and Implementation Research Boston Campus, Boston, Massachusetts, USA

<sup>8</sup>VA Boston Healthcare System, West Roxbury, Massachusetts, USA

<sup>9</sup>Department of Medicine, Boston University School of Medicine, Boston, Massachusetts, USA

**Twitter** Varsha G Vimalananda @varshavim

**Acknowledgements** This material is the result of work supported with resources and the use of facilities at the Bedford and Boston VA Medical Center. The content of this manuscript does not reflect the views of VA or the US government.

**Contributors** AK drafted and the manuscript, helped develop the protocol and helped refine the search criteria. VV developed the research questions, the protocol and helped refine the search criteria. GF, VV and BB conceived of the idea and helped develop the protocol. GF and VV contributed to the framing and major editing of this manuscript. GF, VV, RB, EA, MF and BB provided feedback and edits to the manuscript and situated this work within current literature. JGS conducted our literature search and contributed meaningfully to the development of our search criteria. All authors approved the final version of this manuscript.

**Funding** The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

**Competing interests** None declared.

**Patient and public involvement** Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

**Patient consent for publication** Not applicable.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

#### ORCID iD

Aishwarya Khanna <http://orcid.org/0000-0002-5664-6164>

#### REFERENCES

- Institute of Medicine (US) Committee on Quality of Health Care in America. *Crossing the quality chasm: a new health system for the 21st century*. Washington, DC: National Academies Pr, 2001.
- Leape LL. Setting Standards: The National Quality Forum. In: *Making healthcare safe: the story of the patient safety movement*. Cham: Springer International Publishing, 2021: 159–84.
- Mead N, Bower P. Patient-centredness: a conceptual framework and review of the empirical literature. *Soc Sci Med* 2000;51:1087–110.
- Care Coordination. Agency for healthcare research and quality, 2022. Available: <https://www.ahrq.gov/ncepcr/care/coordination.html> [Accessed 5 May 2022].
- Picker Institute. The Picker principles of person centred care, 2022. Available: <https://picker.org/who-we-are/the-picker-principles-of-person-centred-care/>
- Scholl I, Zill JM, Härter M, et al. An integrative model of patient-centeredness - a systematic review and concept analysis. *PLoS One* 2014;9:e107828.
- International foundation for integrated care, 2022. Available: <https://integratedcarefoundation.org/>
- Eric Schneider C C, Doty MM, Tikkanen R. Mirror, mirror 2021: reflecting poorly health care in the U.S. compared to other high-income countries The Commonwealth Fund; 2021. <https://www.commonwealthfund.org/publications/fund-reports/2021/aug/mirror-mirror-2021-reflecting-poorly> [Accessed 29 Nov 2021].
- Tikkanen R, Abrams MK. US health care from a global perspective, 2019: higher spending, worse outcomes The Commonwealth Fund; 2020.
- Bayliss EA, Ellis JL, Shoup JA, et al. Effect of continuity of care on hospital utilization for seniors with multiple medical conditions in an integrated health care system. *Ann Fam Med* 2015;13:123–9.
- Gallacher K, May CR, Montori VM, et al. Understanding patients' experiences of treatment burden in chronic heart failure using normalization process theory. *Ann Fam Med* 2011;9:235–43.
- Barrecheguren M, Bourbeau J. Self-Management strategies in chronic obstructive pulmonary disease: a first step toward personalized medicine. *Curr Opin Pulm Med* 2018;24:191–8.
- Schmutte T, Davidson L, O'Connell M. Improved sleep, diet, and exercise in adults with serious mental illness: results from a pilot self-management intervention. *Psychiatr Q* 2018;89:61–71.
- Kastner M, Tricco AC, Soobiah C, et al. What is the most appropriate knowledge synthesis method to conduct a review? protocol for a scoping review. *BMC Med Res Methodol* 2012;12:114.
- Rumrill PD, Fitzgerald SM, Merchant WR. Using scoping literature reviews as a means of understanding and interpreting existing literature. *Work* 2010;35:399–404.
- Colquhoun HL, Levac D, O'Brien KK, et al. Scoping reviews: time for clarity in definition, methods, and reporting. *J Clin Epidemiol* 2014;67:1291–4.
- Daudt HML, van Mossel C, Scott SJ. Enhancing the scoping study methodology: a large, inter-professional team's experience with Arksey and O'Malley's framework. *BMC Med Res Methodol* 2013;13:48.
- Peters MDJ, Godfrey CM, Khalil H, et al. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc* 2015;13:141–6.
- Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implement Sci* 2010;5:69.
- Jordan Z, Lockwood C, Aromataris E, et al. The updated JBI model for evidence-based healthcare. *The Joanna Briggs Institute* 2016:1–12.
- Pearson A, Wiechula R, Court A, et al. The JBI model of evidence-based healthcare. *Int J Evid Based Healthc* 2005;3:207–15.
- Aromataris E, Riitano D. Constructing a search strategy and searching for evidence. A guide to the literature search for a systematic review. *Am J Nurs* 2014;114:49–56.
- Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467–73.
- Weaver SJ, Che XX, Petersen LA, et al. Unpacking care coordination through a Multiteam system lens: a conceptual framework and systematic review. *Med Care* 2018;56:247–59.
- Constand MK, MacDermid JC, Dal Bello-Haas V, et al. Scoping review of patient-centered care approaches in healthcare. *BMC Health Serv Res* 2014;14:271.



- 27 Gabutti I, Mascia D, Cicchetti A. Exploring "patient-centered" hospitals: a systematic review to understand change. *BMC Health Serv Res* 2017;17:364.
- 28 Garvin LA, Pugatch M, Gurewich D, *et al.* Interorganizational care coordination of rural veterans by Veterans Affairs and community care programs: a systematic review. *Med Care* 2021;59:S259–69.
- 29 McMillan SS, Kendall E, Sav A, *et al.* Patient-Centered approaches to health care: a systematic review of randomized controlled trials. *Med Care Res Rev* 2013;70:567–96.
- 30 Peterson K, Anderson J, Bourne D, *et al.* Health care coordination theoretical frameworks: a systematic scoping review to increase their understanding and use in practice. *J Gen Intern Med* 2019;34:90–8.
- 31 Rathert C, Mittler JN, Lee YSH. Patient-Provider therapeutic connections to improve health care: conceptual development and systematic review of patient measures. *Health Care Manage Rev* 2022;47:317–29.
- 32 Tieman J, Mitchell G, Shelby-James T. Integration, coordination and multidisciplinary approaches in primary care: a systematic investigation of the literature.
- 33 software Csr. Veritas health innovation. Available: [www.covidence.org](http://www.covidence.org)
- 34 Zhao J, Gao S, Wang J, *et al.* Differentiation between two healthcare concepts: Person-centered and patient-centered care. *Int J Nurs Sci* 2016;3:398–402.
- 35 Coyne I, Holmström I, Söderbäck M. Centeredness in healthcare: a concept synthesis of Family-centered care, Person-centered care and child-centered care. *J Pediatr Nurs* 2018;42:45–56.
- 36 Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;3:77–101.
- 37 Wendleton LR, Martin LA, Stewart Steffensmeier KR, *et al.* Building sustainable models of Veteran-Engaged health services research. *J Humanist Psychol* 2019;13:002216781984553.
- 38 Knight SJ, Haibach JP, Hamilton AB, *et al.* Veteran engagement in health services research: a conceptual model. *J Gen Intern Med* 2022;37:94–8.
- 39 Merker VL, Hyde JK, Herbst A, *et al.* Evaluating the impacts of patient engagement on health services research teams: lessons from the veteran consulting network. *J Gen Intern Med* 2022;37:33–41.
- 40 Frank L, Forsythe L, Ellis L, *et al.* Conceptual and practical foundations of patient engagement in research at the patient-centered outcomes research Institute. *Qual Life Res* 2015;24:1033–41.
- 41 Pham MT, Rajić A, Greig JD, *et al.* A scoping review of scoping reviews: advancing the approach and enhancing the consistency. *Res Synth Methods* 2014;5:371–85.
- 42 Adams J, Hillier-Brown FC, Moore HJ, *et al.* Searching and synthesising 'grey literature' and 'grey information' in public health: critical reflections on three case studies. *Syst Rev* 2016;5:164.

## Patient Centered Care Coordination Search Terms

### **PubMed:**

((("Patient-centered Care"[All Fields] OR "patient focused care"[All Fields] OR "Patient-centered Care"[All Fields] OR "Patient centred care"[All Fields] OR "patient centeredness"[All Fields] OR "patient centredness"[All Fields] OR "client-centered care"[All Fields] OR "patient-centered care approach"[All Fields] OR "individualized care"[All Fields] OR "person centered"[All Fields] OR "patient focused"[All Fields] OR "progressive patient care model"[All Fields] OR "family-centered care"[All Fields] OR "individual-centered"[All Fields] OR "patient-centered medical homes"[All Fields] OR "patient-oriented medicine"[All Fields] OR "patient experience of care"[All Fields] OR "nurse-patient relations"[All Fields] OR "physician-patient relations"[All Fields] OR "professional-family relations"[All Fields] OR "relationship-centered care"[All Fields] OR "Coproduction"[All Fields] OR "Therapeutic alliance"[All Fields] OR "Doctor-patient alliance"[All Fields] OR "Patient-centered communication"[All Fields] OR "Trauma informed care"[All Fields]) AND ("Relational coordination"[All Fields] OR "Care coordination"[All Fields] OR "Dual care"[All Fields] OR "Interorganizational coordination"[All Fields] OR "Coordinated care"[All Fields] OR "Integrated care"[All Fields] OR "Care integration"[All Fields] OR "Multidisciplinary team"[All Fields] OR "Multiteam system"[All Fields] OR "coordination of care"[All Fields])) OR ("Patient aligned care team"[All Fields] OR "Patient-centered care coordination"[All Fields] OR ("patient centred"[All Fields] AND "care"[All Fields] AND ("coordinate"[All Fields] OR "coordinated"[All Fields] OR "coordinately"[All Fields] OR "coordinates"[All Fields] OR "coordinating"[All Fields] OR "coordination"[All Fields] OR "coordinations"[All Fields] OR "coordinative"[All Fields] OR "coordinatively"[All Fields] OR "coordinator"[All Fields] OR "coordinators"[All Fields] OR "coordinators"[All Fields])) OR "patient centered medical home"[All Fields] OR "patient centred medical home"[All Fields])) AND ((framework\*[Title/Abstract] OR model\*[Title/Abstract] OR theor\*[Title/Abstract])) AND ((2001:3000/12/12[pdat] AND (english[Filter])))

**Embase:**

- 1 ("Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproduction" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care").ti. or ("Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproduction" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care").ab.
- 2 ("Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care").ti. or ("Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care").ab.
- 3 ("Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home").ti. or ("Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home").ab.
- 4 (framework\* or model\* or theor\*).ti. or (framework\* or model\* or theor\*).ab.
- 5 1 and 2
- 6 3 or 5
- 7 4 and 6
- 8 limit 7 to (english and yr="2001 -Current" and (article or article in press or conference paper or "conference review" or "review"))

**CINAHL:**

S1 TI ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproductio" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" ) OR AB ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproductio" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S2 TI ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" ) OR AB ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S3 TI ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" ) OR AB ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S4 TI ( framework\* or model\* or theor\* ) AND AB ( framework\* or model\* or theor\* )  
Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S5 S1 AND S2 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S6 S3 OR S5 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S7 S4 AND S6 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

S8 S4 AND S6 Limiters - Published Date: 20010101-; Peer Reviewed; Publication Type: Journal Article, Meta Analysis, Meta Synthesis, Review, Systematic Review; Language: English

Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text

**Proquest Health and Medical Collection:**

((("Patient-centered Care" OR "patient focused care" OR "patient centered care" OR "Patient centred care" OR "patient centeredness" OR "patient centredness" OR "client-centered care" OR "patient-centered care approach" OR "individualized care" OR "person centered" OR "patient focused" OR "progressive patient care model" OR "family-centered care" OR "individual-centered" OR "patient-centered medical homes" OR "patient-oriented medicine" OR "patient experience of care" OR "nurse-patient relations" OR "physician-patient relations" OR "professional-family relations" OR "relationship-centered care" OR "Coproduction" OR "Therapeutic alliance" OR "Doctor-patient alliance" OR "Patient-centered communication" OR "Trauma informed care") OR ab("Patient-centered Care" OR "patient focused care" OR "patient centered care" OR "Patient centred care" OR "patient centeredness" OR "patient centredness" OR "client-centered care" OR "patient-centered care approach" OR "individualized care" OR "person centered" OR "patient focused" OR "progressive patient care model" OR "family-centered care" OR "individual-centered" OR "patient-centered medical homes" OR "patient-oriented medicine" OR "patient experience of care" OR "nurse-patient relations" OR "physician-patient relations" OR "professional-family relations" OR "relationship-centered care" OR "Coproduction" OR "Therapeutic alliance" OR "Doctor-patient alliance" OR "Patient-centered communication" OR "Trauma informed care")) AND (ti("Relational coordination" OR "Care coordination" OR "Dual care" OR "Interorganizational coordination" OR "Coordinated care" OR "Integrated care" OR "Care integration" OR "Multidisciplinary team" OR "Multiteam system" OR "coordination of care") OR ab("Relational coordination" OR "Care coordination" OR "Dual care" OR "Interorganizational coordination" OR "Coordinated care" OR "Integrated care" OR "Care integration" OR "Multidisciplinary team" OR "Multiteam system" OR "coordination of care")) OR (ti("Patient aligned care team" OR "Patient-centered care coordination" OR "Patient-centred care coordination" OR "patient centered medical home" OR "patient centred medical home") OR ab("Patient aligned care team" OR "Patient-centered care coordination" OR "Patient-centred care coordination" OR "patient centered medical home" OR "patient centred medical home")) AND (ti(framework\* OR model\* OR theor\*) OR ab(framework\* OR model\* OR theor\*))Limits applied

Databases:

Health & Medical Collection

Limited by:Peer reviewed

Date: After January 01 2001

Source type:Conference Papers & Proceedings, Scholarly Journals

Document type:5 types searched

Article, Conference Paper, Evidence Based Healthcare, Literature Review, Review

Language:English

**SocINDEX with Full Text:**

S1 TI ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproductio" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" ) OR AB ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproductio" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S2 TI ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" ) OR AB ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S3 TI ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" ) OR AB ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" ) Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S4 TI ( framework\* or model\* or theor\* ) AND AB ( framework\* or model\* or theor\* )  
Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S5 S1 AND S2 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S6 S3 OR S5 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S7 S4 AND S6 Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

S8 S4 AND S6 Expanders - Apply equivalent subjects

Narrow by Language: - english

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - SocINDEX with Full Text

**PsycINFO:**

S1

TI ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproduction" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" ) OR AB ( "Patient-centered Care" or "patient focused care" or "patient centered care" or "Patient centred care" or "patient centeredness" or "patient centredness" or "client-centered care" or "patient-centered care approach" or "individualized care" or "person centered" or "patient focused" or "progressive patient care model" or "family-centered care" or "individual-centered" or "patient-centered medical homes" or "patient-oriented medicine" or "patient experience of care" or "nurse-patient relations" or "physician-patient relations" or "professional-family relations" or "relationship-centered care" or "Coproduction" or "Therapeutic alliance" or "Doctor-patient alliance" or "Patient-centered communication" or "Trauma informed care" )

S2

TI ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" ) OR AB ( "Relational coordination" or "Care coordination" or "Dual care" or " Interorganizational coordination" or " Coordinated care" or "Integrated care" or "Care integration" or "Multidisciplinary team" or "Multiteam system" or "coordination of care" )

S3

TI ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" ) OR AB ( "Patient aligned care team" or "Patient-centered care coordination" or "Patient-centred care coordination" or "patient centered medical home" or "patient centred medical home" )

S4

TI ( framework\* or model\* or theor\* ) AND AB ( framework\* or model\* or theor\* )

S5

S1 AND S2

S6

S3 OR S5

S7

(S3 OR S5) AND (S4 AND S6)

S8

(S3 OR S5) AND (S4 AND S6)

Limiters - Published Date: 20010101-20220631; English

Expanders - Apply equivalent subjects

Search modes - Boolean/Phrase

**GREY LITERATURE TERMS:**

AHRQ:

“patient centered care coordination”

“patient centered medical home”

IHI:

ALL(patient centered care coordination)

ALL(patient centered medical home)

PCORI:

patient centered care coordination

patient centered medical home