









BMJ Open Effectiveness of educational interventions to develop patient safety knowledge, skills, behaviours and attitudes in undergraduate nursing students: a systematic review protocol

Helena De Rezende ¹, Aline Mirema F Vitorio ², Alexandre Souza Morais ³, Ana Claudia A Garzin ⁴, Andressa Garcia Nicole ³, Ellen Regina Sevilla Quadrado ⁵, Daniela Campos de Andrade Lourenção ⁶, Maristela Santini Martins ⁶

To cite: De Rezende H, Vitorio AMF, Morais AS, *et al*. Effectiveness of educational interventions to develop patient safety knowledge, skills, behaviours and attitudes in undergraduate nursing students: a systematic review protocol. *BMJ Open* 2022;**12**:e058888. doi:10.1136/bmjopen-2021-058888

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-058888>).

Received 04 November 2021
Accepted 14 February 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Helena De Rezende;
h.derezende@sgul.kingston.ac.uk

ABSTRACT

Introduction Patient safety is a healthcare discipline that aims to prevent and reduce patient harm, risks and errors during the provision of healthcare. Given the size of the nursing workforce in the healthcare system the inclusion of patient safety in the undergraduate nursing curriculum is necessary to enhance a safe culture in the daily work of their future careers. To this end, it is essential to apply effective teaching strategies to develop patient safety competencies. This review will aim to evaluate the effectiveness of educational interventions in developing patient safety knowledge, skills, behaviours and attitudes in undergraduate nursing students within the existing topic areas of the WHO Multi-professional Patient Safety Curriculum Guide.

Methods and analysis The databases Medline, CINAHL, Scopus, Education Research Complete, The Cochrane Central Register of Controlled Trials, LILACS, Medes and Grey literature such as ClinicalTrials.gov, Google Scholar, DART-Europe, ProQuest Dissertations, CAPES thesis and dissertations, The Virginia Henderson Global e-Repository, Mednar and Thesis Canada will be searched from July 2011 to January 2022. Two independent reviewers will conduct the search, extract the data and assess the risk of bias for the included studies, using standardised critical appraisal instruments from the Joanna Briggs Institute. The quality of the evidence will be assessed using the Grading of Recommendations, Assessment Development and Evaluation methodology. Studies will be pooled in the meta-analysis. Alternatively, the findings will be presented in narrative form, including tables and figures, to aid in data presentation.

Ethics and dissemination This study raises no ethical issues. The findings will be disseminated through presentations at professional conferences and publications in a peer-reviewed journal.

PROSPERO registration number CRD42021254965.

INTRODUCTION

Patient safety is a global and strategic priority in health systems and is defined as ‘a framework of organised activities that create cultures, processes, procedures,

Strengths and limitations of this study

- The review will adhere to the Joanna Briggs Institute Methodology for Systematic Reviews of Effectiveness and Preferred Reporting Items for Systematic Reviews, to ensure a rigorous and systematic approach to searching, screening and reporting.
- Grading of Recommendations Assessment, Development and Evaluation methodology will be used to assess the quality of evidence.
- Students from other health disciplines, such as medicine and allied health professions, will not be included in this review; this may affect the results.
- Due to heterogeneity of educational interventions, there may be a limitation to perform quantitative synthesis.

behaviours, technologies and environments in the healthcare that consistently and sustainably lower risks and reduce the occurrence of avoidable harm’¹(p1).

Regardless of all the efforts made in the last two decades to reduce and prevent errors, recent studies suggest that unsafe care is one of the leading causes of morbidity and mortality worldwide.^{2 3} Although patient safety has a greater focus on hospital settings, it has been a systemic issue since 20%–25% of the general population has experienced harm in primary and outpatient care settings.^{4 5}

Several studies have reported a broader impact of adverse events. Hospitalisations in low-income and middle-income countries cause 134 million adverse events each year, contributing to more than 2.5 million deaths annually.⁶ An analysis by

the Organisation for Economic Cooperation and Development has found that 15% of all hospital costs in its member states are due to patient harm caused by adverse events.⁷ Worldwide the social cost of patient harm can be valued at US\$1 trillion to 2 trillion a year.¹

To reduce the risks and the incidence of these avoidable incidents, making the error less likely and decreasing its impact, WHO considers the need for collaborative activities that create culture, behaviours, processes, procedures, technologies and environments towards patient safety.¹ Thus, it is essential to develop interventions that can incorporate patient safety topics in the training of health professionals to help them cultivate competencies for safe care.

Considerable importance should be given to nursing students, given the size of the nursing workforce in the most varied healthcare settings as well as their key position in the provision and coordination of care, and participation in organisational, quality, and safety structures with optimisation of patient outcomes.^{8–10}

Owing to these critical roles, undergraduate nursing education must develop future nurses' knowledge, skills, behaviours and attitudes that can help their adherence to patient safety principles¹¹ and improve the quality of healthcare systems.^{12 13}

Various initiatives have been established to support the development of these core dimensions and inform faculty resources designed to teach patient safety. In 2005, the Quality and Safety Education for Nurses project, proposed targets for quality and safety knowledge, skills and attitudes to be developed for undergraduate nursing programmes.^{14 15} In 2011, the WHO published the Patient Safety Curriculum Guide: Multi-professional Edition which provided a comprehensive curriculum designed to create a solid foundation of knowledge and skills to enable future healthcare professionals to present safe attitudes and behaviours in different healthcare settings.¹⁶ In addition, it addressed pedagogical principles and teaching strategies to contribute to implementing the subject and promoting meaningful student learning.¹⁶ More recently, in 2017, the Patient Safety Competency Framework for Nursing Students was developed in Australia to provide key patient safety competencies statements and significant knowledge and skills to nursing courses.¹⁷

Many nursing prelicensure education programmes use these frameworks. Despite the increasing interest in the necessary knowledge, skills, attitudes and behaviours surrounding patient safety, a considerable amount of literature has indicated that teaching patient safety is still inconsistent in nursing education.^{2 18–20} Furthermore, there is a lack of consensus on how patient safety contents should be effectively taught to preregistration nursing students and what teaching methods would be employed.^{21–24}

A preliminary search of the Cochrane Database of Systematic Reviews, Joanna Briggs Institute (JBI) Database of Systematic Reviews and Implementation Reports, PROSPERO and MEDLINE, revealed the existence of two systematic reviews published on this topic.^{25 26}

The rapid review published by Bianchi *et al*²⁵ has investigated the clinical learning environments that facilitate nursing students' development of patient safety competencies. However, it did not include teaching strategies in classroom environments that could enable these competencies; additionally, grey literature was not searched.

A recent review by Lee *et al*²⁶ aimed to identify tested patient safety interventions that are helpful in teaching nursing students. However, this study has some methodological limitations. The authors did not publish a protocol, search for reference lists or grey literature, and only articles in English were included. In addition, they did not evaluate the quality of the body of evidence. Because the authors had only explored the core concepts of patient safety, only four articles investigating nursing students have been published. Hence, they further included studies of pre-licensure nursing students, in addition to students from other disciplines.

Given these limitations, we present a protocol for a systematic review that aims to evaluate the effectiveness of educational interventions delivered in both clinical and university settings that can develop patient safety knowledge, skills, behaviours and attitudes in undergraduate nursing students. To have a wider picture of the effects of the teaching methods, we will include studies that have explored the teaching of any patient safety content within the existing topic areas of the WHO Multi-professional Patient Safety Curriculum Guide.¹⁶ The guide provides the most relevant evidence on the development and implementation of global patient safety education initiatives carried out by undergraduate healthcare students.

METHODS AND ANALYSIS

The protocol for this review was developed under the JBI Methodology for Systematic Reviews of Effectiveness²⁷ and Preferred Reporting Items for Systematic Reviews and Meta-Analyses Protocols (PRISMA).²⁸

If amendments to this protocol are required, these will be recorded in PROSPERO with a description of the change and its rationale.

Review question

How effective are educational interventions at developing patient safety knowledge, skills, behaviours and attitudes in undergraduate nursing students?

Inclusion criteria

The inclusion and exclusion criteria of the studies to be included in the review are detailed using the P:

Table 1 Description of inclusion and exclusion criteria

Criterion	Definition	Rationale
Papers include sufficient empirical data.	It is not a review, commentary, letter, editorial and conference paper or research report without the full text.	Primary studies with full data minimise the risk of bias and provide sufficient information for data extraction and quality assessment.
Participants include undergraduate nursing students.	Nursing students of any age or gender undertaking a full or part-time programme of study. All years of study will be included and, when applicable, all fields of nursing. It does not involve nursing associate students and mixed health students, even if it includes nursing students.	Undergraduate nursing students are the target population of this review.
Study involves an educational intervention.	Study reports an educational intervention offered to participants using any teaching methods ¹⁶ It is not a study involving new strategies without an educational intervention.	Explicit educational interventions are the focus of this review.
Educational intervention includes patient safety as a core content.	Educational intervention includes any patient safety content within the topic areas of the WHO Multi-professional Patient Safety Curriculum Guide: ¹⁶ Topic 1: What is patient safety? Topic 2: Why applying human factors is important for patient safety. Topic 3: Understanding systems and the effect of complexity on patient care. Topic 4: Being an effective team player. Topic 5: Learning from errors to prevent harm. Topic 6: Understanding and managing clinical risk. Topic 7: Using quality improvement methods to improve care. Topic 8: Engaging with patients and carers. Topic 9: Infection prevention and control. Topic 10: Patient safety and invasive procedures. Topic 11: Improving medication safety. It is not a study that assesses the development of specific knowledge, skills, attitudes, and behaviours that does not have the primary focus on patient safety.	Educational interventions teaching patient safety contents within the WHO Multi-Professional Patient Safety Curriculum Guide are the focus of this review.
Study includes an evaluation of the educational intervention	Intervention is evaluated with regards to at least one of the following outcomes: knowledge, skills, attitudes and behaviours related to patient safety ^{16 17 31} It is not a purely descriptive study.	Allows comparative analysis of the effectiveness of interventions where possible.

Population; I: Indicator/Intervention; C: Comparator; O: Outcome(s); S: Study design framework^{29 30} (table 1).

Population

This review will include undergraduate nursing students of any age or gender undertaking a full or part-time programme of study. All years of study will be included in the review and, when applicable, all fields of nursing.

Interventions

This review will consider studies that evaluate any educational intervention aimed at teaching patient safety contents within the existing topic areas of the WHO Multi-professional Patient Safety Curriculum Guide.¹⁶ This may employ the following teaching methods, but are not limited to, lectures, clinical placements, online activities, problem-based learning, simulations/skills

laboratories, tutorials, workshops, group discussions and other strategies.¹⁶

The intervention may take place in a tertiary education environment, clinical setting or both. No limitations will be applied to the programme duration or intensity.

Comparator

This review will include studies that compare educational interventions with alternative or different interventions or the absence of educational interventions.

Outcomes

This review will consider studies that described and evaluated at least one of the following outcomes: nursing students' knowledge, skills, attitudes and behaviours related to patient safety.^{16 17 31}

Study design

This review will consider experimental and quasi-experimental study designs, including randomised controlled trials, non-randomised controlled trials, before-and-after studies and interrupted time-series studies. Additionally, analytical observational studies, including prospective and retrospective cohort studies, case-control studies, and analytical cross-sectional studies, will be considered for inclusion.

Search strategy

A three-step search strategy will be applied to locate published and unpublished studies.³²

An initial limited search of MEDLINE (PubMed) and CINAHL (EBSCOhost) was undertaken to identify articles on the topic. The text words contained in the titles and abstracts of relevant articles and the index terms used to describe the papers were used to develop a full search strategy for MEDLINE (PubMed) (see online supplemental material appendix 1—Search Strategies). A second search, including all identified keywords and index terms, will be adapted for each included information source. Third, the reference lists of all studies selected for critical appraisal will be screened for additional studies. Studies published in English, Spanish and Portuguese will be included because they are the languages of the systematic review team. If there is an English translation available, studies in other languages will be included.

Studies published from July 2011 to January 2022 will be included. The rationale for the date of July 2011 was when the WHO National Patient Safety Curriculum Guide: a multi-professional edition¹⁶ was published.

The databases to be searched include MEDLINE (PubMed), CINAHL (EBSCOhost), Scopus (Elsevier), Education Research Complete (EBSCOhost), The Cochrane Central Register of Controlled Trials (CENTRAL), Latin American and Caribbean Health Sciences Literature (LILACS) and Medes (Spain).

Sources of unpublished studies and grey literature to be searched will include ClinicalTrials.gov, Google Scholar, DART-Europe, ProQuest Dissertations and Theses, Coordination for the Improvement of Higher Education

Personnel—Brazil (CAPES thesis and dissertations), The Virginia Henderson Global e-Repository, Mednar and Thesis Canada.

Study selection

Following the search, all identified citations will be collated and uploaded to EndNote online (Clarivate Analytics, Pennsylvania, USA), and duplicates will be removed.

Following a pilot test, titles and abstracts will be screened by two independent reviewers for assessment of the inclusion criteria for the review. Potentially relevant studies will be retrieved in full, and their citation details will be imported into the JBI System for the Unified Management, Assessment and Review of Information (JBI SUMARI; JBI, Adelaide, Australia).³³

The full text of the selected citations will be assessed in detail against the inclusion criteria by two independent reviewers. The reasons for excluding full-text studies that did not meet the inclusion criteria will be recorded and reported in the systematic review. Any disagreements between the reviewers at each stage of the study selection process will be resolved through discussion or by a third reviewer.

The search results, study selection and inclusion process will be reported in full in the final systematic review and presented in PRISMA flow diagram.²⁸

Assessment of methodological quality

Two independent reviewers will critically appraise eligible studies at the study level for methodological quality in the review using standardised critical appraisal instruments from JBI for experimental, quasi-experimental and observational studies (see online supplemental material appendix 2—Critical Appraisal Tools).²⁷ Authors of papers will be contacted to request missing or additional data for clarification, where required.

Any disagreements that arise will be resolved through discussion or with a third reviewer.

Regardless of methodological quality, all studies will undergo data extraction and synthesis (where possible). A table accompanying a narrative will report the results of critical appraisal.

Data extraction

Data will be extracted from studies included in the review by two independent reviewers using an adapted version of the JBI data extraction tool,²⁷ including specific information related to the characteristics of the intervention (see online supplemental material appendix 3—Extraction Tool). The data extract will also include specific details about the study author(s), country, characteristics of higher education institution, setting of the intervention, characteristics of participants (including year and field of study), study design, description of the intervention (including the type of educational method and duration of the intervention), outcomes of significance to the review question assessed (knowledge, skills, attitudes

and behaviours), follow-up time, main results, limitations and additional data when required. As recommended by Redd *et al*³⁴ the description and information on the reliability and validity of instruments used to evaluate the intervention will also be extracted.

Data synthesis

Literature has suggested that it is challenging to synthesise data from educational interventions owing to heterogeneities in interventions and studies methodologies.^{34 35} Therefore, data will be initially assessed for similarity or extent of variation in outcome measures, measurement scales and type of interventions before determining whether it is appropriate to enter into a meta-analysis. If it is considered suitable, data will be entered into a meta-analysis using JBI SUMARI.

Effect sizes will be expressed as either odds ratios (for dichotomous data) or weighted (or standardised) final postintervention mean differences (for continuous data), and their 95% CIs will be calculated for analysis. If meta-analysis can be conducted, heterogeneity will be assessed statistically using the standard χ^2 and I^2 tests. Statistical analyses will be performed using a random effects model³⁶ to allow generalisation.

To investigate potential sources of heterogeneity, subgroup analyses will be performed based on the year of the study, the field of nursing if applicable, intervention delivery (teaching method), the content of the intervention (patient safety topics), and the time frame of the intervention. Sensitivity analyses will be conducted to test decisions made regarding the effectiveness of interventions.

A funnel plot will be generated using RevMan V.5.3 (Copenhagen: The Nordic Cochrane Centre, Cochrane) to assess publication bias if ten or more studies are included in the meta-analysis. Statistical tests for funnel plot asymmetry (Egger test) will be performed where appropriate.

If there is significant variation in the data and statistical pooling is not possible, the findings will be presented in narrative form, including tables and figures to enhance data presentation.³⁷

Assessing certainty of findings

The Grading of Recommendations, Assessment Development and Evaluation (GRADE) approach for grading the certainty of evidence will be followed,³⁸ and a summary of findings will be created using GRADEpro GDT V.5 (McMaster University, ON, Canada).

The Summary of Findings will present the following information where appropriate: absolute risks for the treatment and control, estimates of relative risk and a ranking of the quality of the evidence based on the risk of bias, directness, heterogeneity, precision and risk of publication bias of the review results. The outcomes reported in the Summary of Findings will be knowledge, skills, attitudes and behaviours of undergraduate nursing students related to patient safety.

Patient and public involvement

There will be no patient or public involvement in the conduct or dissemination of the results of this study.

ETHICS AND DISSEMINATION

This review does not require ethical approval because the primary population data will not be collected. This protocol complies with PRISMA guidelines. The findings will be disseminated at professional conference presentations and publications in preprint and peer-reviewed open access journals.

Author affiliations

¹School of Nursing, Kingston University and St George's University of London, Kingston upon Thames, UK

²State Superintendence of the Ministry of Health in Goiás, Ministry of Health, Goiânia, Brazil

³Department of Health Sciences, Federal University of Espírito Santo, São Mateus, Brazil

⁴School of Nursing, São Camilo University Center, São Paulo, Brazil

⁵Quality and Safety in Nursing and Health Services Research Group, University of São Paulo, São Paulo, Brazil

⁶School of Nursing, University of São Paulo, São Paulo, Brazil

Contributors HDR conceptualised the study with inputs from ACAG and AGN. HDR designed and drafted the review protocol. ASM, AMFV, ACAG, AGN, ERSQ and DCdAL contributed to the protocol development. MSM provided critical revision of the drafts for important intellectual content. All authors provided input to the drafts of the manuscript and approved the final version of this manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Helena De Rezende <http://orcid.org/0000-0002-5689-1223>

Aline Mirema F Vitorio <http://orcid.org/0000-0002-1506-8214>

Alexandre Souza Morais <http://orcid.org/0000-0002-7833-7936>

Ana Claudia A Garzin <http://orcid.org/0000-0002-5090-5508>

Andressa Garcia Nicole <http://orcid.org/0000-0003-1791-0580>

Ellen Regina Sevilla Quadrado <http://orcid.org/0000-0003-2554-7961>

Daniela Campos de Andrade Lourenção <http://orcid.org/0000-0002-3050-0378>

Maristela Santini Martins <http://orcid.org/0000-0002-0730-3923>

REFERENCES

- 1 World Health Organization (WHO). Global patient safety action plan 2021–2030: towards eliminating avoidable harm in health care.



- Geneva, Switzerland: World Health organization, 2021. Available: <https://www.who.int/teams/integrated-health-services/patient-safety/policy/global-patient-safety-action-plan> [Accessed Jan 2021].
- 2 World Health Organization (WHO). Ten facts on patient safety, 2019. Available: <https://www.who.int/news-room/facts-in-pictures/detail/patient-safety> [Accessed Jul 2021].
 - 3 Wu AW, Busch IM. Patient safety: a new basic science for professional education. *GMS J Med Educ* 2019;36:Doc21.
 - 4 Bates DW, Singh H. Two Decades Since *To Err Is Human* : An Assessment Of Progress And Emerging Priorities In Patient Safety. *Health Aff* 2018;37:1736–43.
 - 5 Kuriakose R, Aggarwal A, Sohi RK, *et al*. Patient safety in primary and outpatient health care. *J Family Med Prim Care* 2020;9:7–11.
 - 6 National Academies of Sciences, Engineering, and Medicine- EAM. *Crossing the global quality chasm: improving health care worldwide*. Washington, DC: The National Academies Press, 2018.
 - 7 Slawomirski L, Auruana A, Klazinga N. The economics of patient safety: strengthening a value-based approach to reducing patient harm at national level. *OECD Health Working Papers* 2017;96.
 - 8 Aiken LH, Sloane DM, Bruyneel L, *et al*. Nurse staffing and education and hospital mortality in nine European countries: a retrospective observational study. *Lancet* 2014;383:1824–30.
 - 9 Oldland E, Botti M, Hutchinson AM, *et al*. A framework of nurses' responsibilities for quality healthcare — Exploration of content validity. *Collegian* 2020;27:150–63.
 - 10 World Health Organization (WHO). Nursing and midwifery, 2020. Available: <https://www.who.int/news-room/fact-sheets/detail/nursing-and-midwifery> [Accessed May 2021].
 - 11 Vaismoradi M, Tella S, A. Logan P, *et al*. Nurses' Adherence to Patient Safety Principles: A Systematic Review. *Int J Environ Res Public Health* 2020;17:2028.
 - 12 Mansour MJ, Al Shadafan SF, Abu-Sneineh FT, *et al*. Integrating patient safety education in the undergraduate nursing curriculum: a discussion paper. *Open Nurs J* 2018;12:125–32.
 - 13 Dimitriadou M, Merkouris A, Charalambous A, *et al*. The knowledge about patient safety among undergraduate nurse students in Cyprus and Greece: a comparative study. *BMC Nurs* 2021;20:110.
 - 14 QSEN Institute. Available: <https://qsen.org/> [Accessed Jul 2021].
 - 15 Cronenwett L, Sherwood G, Barnsteiner J, *et al*. Quality and safety education for nurses. *Nurs Outlook* 2007;55:122–31.
 - 16 World Health Organization (WHO). *WHO patient safety curriculum guide*. Multi-professional ed. Geneva, Switzerland: World Health Organization, 2011. https://apps.who.int/iris/bitstream/handle/10665/44641/9789241501958_eng.pdf
 - 17 Levett-Jones T, Dwyer T, Reid-Searl K. Patient safety competency framework (PSCF) for nursing students, 2017. Available: https://www.cqu.edu.au/_data/assets/pdf_file/0026/65780/PatientSafetyCompetencyFrameworkFINAL.pdf [Accessed Jul 2021].
 - 18 Murray M, Sundin D, Cope V. New graduate registered nurses' knowledge of patient safety and practice: a literature review. *J Clin Nurs* 2018;27:31–47.
 - 19 Garzin ACA, Melleiro MM. Safety in the training of health professionals. *Cienc Cuid Saude* 2019;18:e45780.
 - 20 Rebeschli LM. Perceived patient safety competence of baccalaureate nursing students: a descriptive comparative study. *SAGE Open Nurs* 2020;6:237796082093013.
 - 21 Tella S, Liukka M, Jamookeah D, *et al*. What do nursing students learn about patient safety? an integrative literature review. *J Nurs Educ* 2014;53:7–13.
 - 22 Usher K, Woods C, Conway J, *et al*. Patient safety content and delivery in PRE-REGISTRATION nursing curricula: a national cross-sectional survey study. *Nurse Educ Today* 2018;66:82–9.
 - 23 Kirwan M, Riklikiene O, Gotlib J, *et al*. Regulation and current status of patient safety content in pre-registration nurse education in 27 countries: Findings from the rationing - missed nursing care (RANCARE) COST action project. *Nurse Educ Pract* 2019;37:132–40.
 - 24 VanGraafeiland B, Sloand E, Silbert-Flagg J, *et al*. Academic-clinical service partnerships are innovative strategies to advance patient safety competence and leadership in prelicensure nursing students. *Nurs Outlook* 2019;67:49–53.
 - 25 Bianchi M, Bressan V, Cadorin L, *et al*. Patient safety competencies in undergraduate nursing students: a rapid evidence assessment. *J Adv Nurs* 2016;72:2966–79.
 - 26 Lee SE, Morse BL, Kim NW. Patient safety educational interventions: a systematic review with recommendations for nurse educators. *Nurs Open* 2021;00:1–13.
 - 27 Tufanaru C, Munn Z, Aromataris E. Chapter 3: Systematic reviews of effectiveness. In: Munn Z, ed. *JBI manual for evidence synthesis: JBI, 2020*. <https://synthesismanual.jbi.global/>
 - 28 Page MJ, McKenzie JE, Bossuyt PM, *et al*. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.
 - 29 McKenzie JE, Brennan SE, Ryan RE. Chapter 3: Defining the criteria for including studies and how they will be grouped for the synthesis. In: Higgins JPT, Thomas J, Chandler J, eds. *Cochrane Handbook for systematic reviews of interventions version 6.2 (updated February 2021)*. Cochrane, 2021. www.training.cochrane.org/handbook
 - 30 Stern C, Jordan Z, McArthur A. Developing the review question and inclusion criteria. *Am J Nurs* 2014;114:53–6.
 - 31 Yu A, Fontana G, Darzi A. Evaluation and training interventions for patient safety: a report by the centre for health policy at Imperial College London. An academic partner to health education England and the Commission on education and training for patient safety, 2016. Available: <https://www.hee.nhs.uk/sites/default/files/documents/Evaluation%20of%20Education%20and%20Training%20Interventions%20for%20Patient%20Safety%20-%20Imperial%20College%20London.pdf> [Accessed Jul 2021].
 - 32 Aromataris E, Munn Z. *JBI manual for evidence synthesis*. JBI, 2020. Available: <https://synthesismanual.jbi.global/> [Accessed Jun 2021].
 - 33 Munn Z, Aromataris E, Tufanaru C, *et al*. The development of software to support multiple systematic review types: the Joanna Briggs Institute system for the unified management, assessment and review of information (JBI SUMARI). *Int J Evid Based Healthc* 2019;17:36–43.
 - 34 Reed D, Price EG, Windish DM, *et al*. Challenges in systematic reviews of educational intervention studies. *Ann Intern Med* 2005;142:1080–9.
 - 35 Slavin RE. Perspectives on evidence-based research in education— What works? issues in synthesizing educational program evaluations. *Educ Res* 2008;37:5–14.
 - 36 Tufanaru C, Munn Z, Stephenson M, *et al*. Fixed or random effects meta-analysis? common methodological issues in systematic reviews of effectiveness. *Int J Evid Based Healthc* 2015;13:196–207.
 - 37 Campbell M, McKenzie JE, Sowden A, *et al*. Synthesis without meta-analysis (swim) in systematic reviews: reporting guideline. *BMJ* 2020;368:l6890.
 - 38 Guyatt G, Oxman AD, Akl EA, *et al*. Grade guidelines: 1. Introduction- GRADE evidence profiles and summary of findings tables. *J Clin Epidemiol* 2011;64:383–94.