Supplemental Material 7

Table S7.1: Shows which outcomes that will be assessed in which subgroups.

	All patients	Men	Women	Blunt multisystem	Penetrating	Shock	Severe traumatic brain injury	Elderly
All cause mortality within 30 days from the time of arrival to the emergency depart-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ment All cause mortality within 24 hours from the time of arrival to the emergency depart-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ment Time to all cause mortality during follow up.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cause- specific in-hospital mortality.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Adherence to the WHO trauma care	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
checklist. Fluids for resuscita- tion in first one hour in patients.	Yes	No	No	No	No	Yes	No	No

Table S7.1: Shows which outcomes that will be assessed in which subgroups. (continued)

	All patients	Men	Women	Blunt multisystem	Penetrating	Shock	Severe traumatic brain injury	Elderly
Massive transfusion, defined as four or more units of packed red blood cells, plasma or platelets transfused within the first 24 hours after arrival to the emergency	Yes	No	No	No	No	Yes	No	No
depart-								
ment. Time to first	Yes	No	No	No	No	Yes	No	No
surgery. Time to first intu- bation.	Yes	No	No	No	No	No	No	No
Time to	Yes	No	No	No	No	No	No	No
CT scan. Ventilator	Yes	No	No	No	No	No	No	No
free days. ICU free	Yes	No	No	No	No	No	No	No
days. Pulmonary complica-	Yes	No	No	No	No	No	No	No
tions. Septic shock.	Yes	No	No	No	No	No	No	No
Renal failure.	Yes	No	No	No	No	No	No	No
Coagulopathy	.Yes	No	No	No	No	No	No	No
Length of stay.	Yes	No	No	No	No	No	No	No
Quality of	Yes	No	No	No	No	No	No	No
life. Number of hospital- izations after the index admission during the follow up period.	Yes	No	No	No	No	No	No	No
Return to work.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No

Table S7.1: Shows which outcomes that will be assessed in which subgroups. (continued)

	All patients	Men	Women	Blunt multisystem	Penetrating	Shock	Severe traumatic brain injury	Elderly
Need for unplanned re-	Yes	No	No	No	No	No	No	No
exploration. Failure of non- operative manage-	Yes	No	No	No	No	No	No	No
ment. Patient satisfac-	Yes	Yes	Yes	Yes	No	No	No	No
tion. Out-of- pocked expendi- ture.	Yes	No	No	No	No	No	No	No
Self- ambulatory.	Yes	No	No	No	No	No	No	No