

BMJ Open

BMJ Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjopen.bmj.com>).

If you have any questions on BMJ Open's open peer review process please email info.bmjopen@bmj.com

BMJ Open

A survey to identify research priorities for primary care in Scotland following the Covid-19 pandemic

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2021-056817
Article Type:	Original research
Date Submitted by the Author:	01-Sep-2021
Complete List of Authors:	Hubbard, Gill; University of the Highlands and Islands, Nursing and Midwifery Grist, Fiona; University of the Highlands and Islands, nursing and midwifery Pope, Lindsey; University of Glasgow Cunningham, S ; Robert Gordon University Maxwell, Margaret; University of Stirling, Nursing, Midwifery and Allied Health Professions Research Unit Guthrie, Bruce; University of Edinburgh College of Medicine and Veterinary Medicine Mercer, Stewart; The University of Edinburgh, The Usher Institute of Population Health Sciences and Informatics
Keywords:	PRIMARY CARE, QUALITATIVE RESEARCH, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

TITLE

A survey to identify research priorities for primary care in Scotland following the Covid-19 pandemic

Authors

Hubbard, G^{1,*}

Grist, F¹

Pope, L²

Cunningham, S³

Maxwell, M⁴

Guthrie, B⁵

Mercer, SW⁵

1. Dept of nursing and midwifery, University of the Highlands and Islands, Centre for Health Sciences, Old Perth Road, Inverness, IV2, 3JH.
Email gill.hubbard@uhi.ac.uk

2. School of Medicine, Dentistry and Nursing, University of Glasgow, University Avenue, Glasgow, G12 9XW Email lindsey.pope@glasgow.ac.uk

3. School of Pharmacy & Life Sciences, Robert Gordon University, Garthdee Road, Aberdeen, AB10 7GJ.

4. The Nursing, Midwifery and Allied Health Professions Research Unit, University of Stirling, Stirling FK9 4LA.

5. The Usher Institute, University of Edinburgh, Teviot Place, Edinburgh EH8 9AG

*Corresponding author

1
2
3 **ABSTRACT** (290 words)
4

5 **Objectives:** To identify research priorities for primary care in Scotland following the Covid-19
6
7 pandemic.
8

9
10 **Design:** Modified James Lind Alliance methodology; respondents completed an on-line survey to
11
12 make research suggestions and rank research themes in order of priority.
13

14 **Setting:** Scotland primary care
15

16
17 **Participants:** Healthcare professionals in primary care in Scotland and members of primary care
18
19 Patient and Public Involvement (PPI) groups. 512 respondents provided research suggestions; 8%
20
21 (n=40) did not work in health or social care; of those who did work, 68.8% worked in primary care,
22
23 16.3% community care, 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could
24
25 select multiple options). Of those respondents who identified as healthcare professionals, 33% were
26
27 in nursing and midwifery professions, 25% were in Allied Health Professions (of whom, 45% were
28
29 occupational therapists and 35% were physiotherapists), 20% were in the medical profession and
30
31 10% were in the pharmacy profession.
32
33

34
35 **Main outcomes:** Suggestions for research for primary care made by respondents were categorised
36
37 into themes and sub-themes by researchers and ranked in order of priority by respondents.
38

39
40 **Results:** There were 1,274 research suggestions which were categorised under 12 themes and 30
41
42 sub-themes. One hundred and three (20%) respondents to the survey participated in ranking the list
43
44 of 12 themes in order of research priority. The five most highly ranked research priorities were:
45
46 disease and illness, health inequalities, access, workforce, and multi-disciplinary teams. The disease
47
48 and illness theme had the greatest number of suggestions for research and was scored the most
49
50 highly in the ranking exercise. The sub-theme ranked as the most important research priority in the
51
52 'disease and illness' theme was 'mental health'.
53

54
55 **Conclusions:** The themes and sub-themes identified in this study should inform research funders so
56
57 that the direction of primary healthcare is informed by evidence.
58
59
60

Strengths and limitations of this study

- This is the first comprehensive, primary care research priority setting exercise since the 2020 onset of the coronavirus pandemic.
- A transparent and systematic approach to identifying research priorities was used.
- The study included nurses, Allied Health Professionals and medical professionals and PPI group members.
- We do not know how many healthcare professionals received the survey which means that we are unable to report a response rate.
- We did not conduct a literature search to assess gaps in evidence relating to the research priorities.

Word count 3,195

INTRODUCTION

The Covid-19 pandemic has had a significant impact on primary care¹⁻³ and so it is timely to set research priorities in order to support recovery. Primary care is the foundation of equitable and affordable healthcare,⁴ especially in countries with universal coverage and a National Health Service (NHS) as in the United Kingdom (UK).⁵ Scotland, as a devolved nation, is responsible for the funding and planning of its healthcare system with high quality primary care at the heart of its vision.⁶ High quality primary care needs to be underpinned by high-quality research and evaluation.⁷ Primary care is usually a person's first point of contact with the NHS⁸ and it is where most patient contacts occur.⁶ In this study, we adopted the following definition of primary care that has been agreed by a range of professional organisations in Scotland:

“Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing”.⁹

Vertical (i.e. disease-specific) approaches to healthcare have been effective at reducing morbidity and mortality from specific conditions but have been criticized for detrimentally affecting the resources available to, and capacity of local primary care.¹⁰ Research priorities set from a generalist and multi-professional perspective are also important and of value to patients and carers.¹¹⁻¹⁴ The high and increasing prevalence of multimorbidity associated with population ageing means that there is an increasing need for care which focusses on supporting people with multiple conditions.¹⁵ Hence, there is a need to set both vertical (disease) and horizontal (generalist primary care) research

1
2
3 priorities in order to guide research investment and direct resource allocation that will ultimately
4
5 provide a robust evidence-base to underpin the development and delivery of primary care.
6
7
8
9

10 A number of previously published studies have identified primary care research priorities and the
11 reach of these studies has varied with research priorities variously being developed internationally,¹⁶
12 in low and middle income countries,¹⁷ in the European Union,¹⁸ or in single countries.¹⁹ An argument
13 for setting research priorities in one country, or a cluster of similar countries is because the
14 challenges faced by primary care in different countries vary due to factors such as population
15 characteristics (for example, an ageing population), diverse social cultures and norms, and different
16 healthcare systems (for example, public and private healthcare systems).¹⁸ Research priorities
17 identified in several previous research prioritisation exercises include how primary care should be
18 financed, organised and staffed,¹⁶⁻²⁰ the importance of implementation and translation of knowledge
19 and evidence into primary care,^{16 19} addressing multimorbidity,^{16 19 20} promoting health equity,^{16 19}
20 promoting healthy behaviours in the population,^{16 19} universal health coverage and health access,^{16 17}
21 digital delivery of primary care,^{16 19} and the involvement of patients in the design and delivery of
22 primary care.^{16 19}
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

41 The aim of this study was to identify primary care research priorities in Scotland and set a research
42 direction that will be relevant for patients, carers and generalist healthcare professionals in the
43 aftermath of the coronavirus pandemic. This is the first comprehensive, generalist health
44 professional project of primary care research priorities since the 2020 onset of the coronavirus
45 pandemic. It is designed to strengthen future evidence for primary care to improve health
46 outcomes.
47
48
49
50
51
52
53
54
55
56
57
58
59
60

METHODS

This study adapted the James Lind Alliance (JLA) methodology.²¹ The Steering Group for the project was the Scottish School of Primary Care (SSPC) Executive (<http://www.sspc.ac.uk>), which included an individual from a primary care Patient and Public Involvement (PPI) group, clinical academics and primary care researchers from Scottish universities. The following steps were taken to deliver the project:

Step 1&2: Identifying key partners and raising awareness of the study

'Key partner' organisations were identified through a process of peer knowledge and consultation, and through the Steering Group members' networks. Fifty-four key partner organisation agreed to participate by advertising the project and circulating the link to the survey to their members (Supplementary File 1: Key Partners).

Step 3: Identifying research priorities

The Steering Group administered an online survey via the key partner organisations for respondents to identify an initial set of research priorities (Supplementary File 2: Research priorities Survey).

Healthcare professionals in primary care in Scotland were eligible to participate in the identification and prioritisation of research for primary care. Members of primary care PPI groups were also invited, including members of the National Research Scotland Primary Care PPI group. A period of three months was given to complete the survey (4th December 2020 – 1st March 2021). Responses were solicited with the following open-ended query that was used in a previous international JLA primary care research priorities project: "Please suggest up to three important primary care research questions"¹⁶. Responses were anonymous (no names were requested during the survey).

Respondents were asked to provide an email if they were willing to participate in subsequent steps of the project, but these emails were stored separately from the submitted priorities. Results were downloaded from Online Survey to an Excel spreadsheet for the purposes of analysis in Step 4.

Step 4: Analysis and identifying research themes and sub-themes

Suggestions for research by respondents were grouped into themes and sub-themes by two members of the Steering Group (GH, FG) and were grouped into themes and sub-themes by two members of the Steering Group (GH, FG), with the theoretical framework developed iteratively over several meetings including involvement of a third member of the group (SM) to resolve disagreements. Suggestions for research were allowed to be categorised under more than one theme. If a group of suggestions on the same topic totalled <1 percent (i.e. ≤ 12 suggestions) of the total number of research suggestions then a theme was not created. Sub-themes were identified within a theme when approximately $\geq 10\%$ of suggestions were on a similar topic. Theme and sub-theme names were chosen from current policy and literature for example, sub-themes for the theme 'access' were drawn from a published definition of 'access' which included provision and availability of primary care services, equity of access, people's use of services and barriers to getting access as well as the dimension of effectiveness of using the service.²²

Step 5: Ranking themes and research prioritisation

The aim of the final stage of the priority setting process was to rank the primary care research themes in order of priority. The respondents in Step 3 who wished to participate in this step were invited by email to rank the list of the summary research themes and sub-themes in order of priority. This exercise was done using an online survey, which was open for 1 month. Respondents were asked to rank 12 research themes that had been identified in Step 4 in order of priority, and to rank all sub-themes.

Patient and Public Involvement and Engagement

Several meetings between GH and the National Research Scotland Primary Care Public Involvement Group were held so that patients could contribute towards developing the protocol for this study.

This group was also a key partner.

Ethical approval

Independent advice was sought from NHS Grampian Research Ethics Committee and University of Highlands and Islands Research Ethics Committee, who both advised that the project did not require research ethics review because the study was identifying research priorities and not conducting the research.

RESULTS

Respondent characteristics

There were 512 respondents. Eight percent (n=40) of respondent did not work in health or social care. Of those who did work, 68.8% worked in primary care, 16.3% community care, 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could select multiple options for place of work). Of those respondents who were healthcare professionals, 33% were in nursing and midwifery professions regulated by the Nursing and Midwifery Council, 25% in Allied Health Professions regulated by the Health and Care Profession Council (of whom, 45% were occupational therapists and 35% were physiotherapists), and 20% were in the medical profession regulated by the General Medical Council and 10% were in the pharmacy profession regulated by the General Pharmaceutical Council.

Research themes and sub-themes

The total number of research suggestions was 1,274. Research suggestions were categorised under 12 themes and 30 sub-themes (Table 1). The 12 themes and their associated sub-themes are

positioned in order of the quantity of suggestions for research. Five themes had over 100 suggestions for research; these were 'disease and illness', 'access', 'workforce', 'multidisciplinary teams' and 'integration'. Hence, based on the number of suggestions for research, these are the top five priorities for research.

Table 1: Themes and associated sub-themes in order of the quantity of research suggestions that were categorised under each theme and sub-theme

Theme	Number ^a	Sub-themes	Number ^a
Disease and illness	461	Mental health	168
		Covid-19	58
		Long-term conditions	42
		Obesity	27
		Diabetes	18
		Dementia	16
		Frailty	14
		Addiction	14
Access	202	Availability and presence of services	72
		Utilisation of services and barriers	61
		Relevance & effectiveness of services	43
		Equity	26
Workforce	164	Recruitment and retention	58
		Training and development	54
		Workload	31
		Mental health	22
		GMS contract	11
Multi-disciplinary teams (MDT)	143	-	-
Integration	108	Multi-agency working & collaboration	74
		Social prescribing	20
		Continuity of care	14
Digital healthcare	96	Remote consultations	56
		Remote care	23
		IT systems	12
		Telephone triage	5
Self-care	84	Lifestyle	44
Primary / secondary care interface	62	Communication	9
		Continuity of care	9
Medications	55	-	-
Health inequalities	30	Deprivation	15
Carers	19	-	-
Patient involvement	13	Research	7
		Care	6

1
2
3 a. number of research suggestions categorised under a theme and sub-theme. Not all suggestions made by
4 respondents were categorised under a theme or sub-theme.
5
6

7 The theme with the most suggestions for research was 'disease and illness'; the associated sub-
8 themes indicate multiple long-term conditions. The sub-theme with the most suggestions for
9 research under this theme was 'mental health'. The theme with the second most suggestions for
10 research was 'access' and included suggestions about the availability of primary care services,
11 utilisation of these services and barriers to access, the relevance and effectiveness of these services
12 and equity of access. 'Workforce' was the theme that had the third most suggestions for research
13 and included suggestions about recruitment and retention of primary care staff, training and
14 development, workload, staff mental health, and GMS Contract. 'Multi-disciplinary teams' (MDT)
15 was the theme that contained the fourth most suggestions for research. Twenty-eight percent of
16 suggestions did not specifically refer to a particular profession, 23% referred to nurses, 17%
17 occupational therapists, 13% Allied Health Professions, 8% pharmacists, 4% physiotherapists and 3%
18 psychologists. 'Integration' was the theme that had the fifth most suggestions for research;
19 associated sub-themes were multi-agency working and collaboration, social prescribing and
20 continuity of care. Examples of research suggestions for each theme can be found in Supplementary
21 File 3.
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43

44 **Ranking of research themes and sub-themes**

45 One hundred and three (20%) respondents to the survey (profession unknown) participated in
46 ranking the list of 12 themes in order of research priority (Table 2). The five most highly ranked
47 themes were as follows: 19.4% of respondents chose 'disease and illness', 17.4% chose 'health
48 inequalities', 14.5% chose 'access', 12.6% chose 'workforce' and 12.6% chose 'multi-disciplinary
49 team' as their number one top research priority. Hence, based on this ranking exercise, these are
50 the top five priorities for research.
51
52
53
54
55
56
57
58
59
60

Table 2: Themes ranked as the number one top research priority

Theme	Number of respondents ranking as top research priority
Disease and illness	20
Health inequalities	18
Access	15
Workforce	13
Multidisciplinary teams	13
Integration	6
Primary / secondary care interface	5
Digital healthcare	4
Self-care	4
Patient involvement	4
Medications	1
Care	0

Within the most highly ranked theme 'disease and illness', eight sub-themes were ranked. 'Mental health' was selected as the top priority by 37.9% of respondents followed by 23% of respondents choosing 'long-term conditions' as their top research priority under this theme. Four sub-themes were ranked in order of priority under the 'access' theme. Thirty-seven percent of respondents chose 'availability and presence of primary care services' as their top priority for research under this theme followed by 25% of respondents selecting 'relevance and effectiveness'. Four sub-themes were also ranked in order of priority within the 'workforce' theme. Twenty-nine percent of respondents chose 'recruitment and retention' as their top priority for research under this theme, followed by 23% of respondents selecting 'workload'. There was only one sub-theme identified during the survey for the main theme 'health inequalities' and no sub-themes for 'multidisciplinary teams' and so we did not ask respondents to conduct any further ranking under these themes.

DISCUSSION

The study illustrates the quantity and breadth of research topics suggested primarily by primary care healthcare professionals. The ranking of research themes in order of research priority identified the following top five priorities: 'disease and illness', 'access', 'workforce', 'multi-disciplinary teams' and 'health inequalities'. The theme 'integration' attracted many suggestions for research by respondents although only 6% of respondents ranked it as their number one priority for research in the ranking exercise. The theme 'health inequalities' was highly ranked although this theme attracted relatively few suggestions for research compared with other themes that made it into the top five priorities for research. Why the theme 'health inequalities' attracted relatively few suggestions for research could be a consequence of having a much smaller number of respondents participating in the ranking exercise compared to the number of respondents involved in providing suggestions for research (103 vs. 512) or it could be that people think and choose differently when given a pre-specified list of themes to rank in order of research priority.

The most highly ranked theme was 'disease and illness' and its sub-themes include the most common conditions treated in primary care, most of which are long-term conditions. For all the conditions listed, including mental health problems, it is more common for people to have multimorbidity (two or more conditions) than the single condition alone.¹⁵ What the suggestions for research categorised under this theme represent is recognition that the effective management in primary care of long-term conditions, either as a single chronic condition or multimorbidity, is going to be crucial for the nation's health. This focus on long-term conditions represents a shift in focus in research priorities for primary care. In a study conducted just over twenty years ago in Scotland, a key research priority for primary care was acute illness.²³

1
2
3 Not surprisingly, Covid-19 was one of the conditions recommended by respondents for research
4 because the study took place during the pandemic. Whether 'long-Covid' becomes classified as a
5 new long-term condition is yet to be seen but research about the prevalence, persistence,
6 management and long-term consequences of Covid-19 in primary care will be important to policy
7 and practice in the foreseeable future.
8
9
10
11
12
13
14
15

16 Mental health is one of the top 10 most common conditions for seeking a GP or practice nurse
17 consultation in primary care in Scotland⁸ and was the topic that received the most suggestions for
18 research. Again, mental health came to the fore during the global pandemic but was also a key
19 public health concern and was identified as a research priority beforehand in countries such as,
20 Scotland²³ and Australia.¹⁹ During the Covid-19 pandemic a specific mental health concern was
21 highlighted, which is primary care staff stress and burnout and its potential effects on recruitment
22 and retention. The Health and Care (Staffing) (Scotland) Act 2019²⁴, provides a statutory basis for the
23 provision of staffing, and highlights a duty by government to ensure that there are sufficient
24 numbers of appropriate staffing for the provision of safe and high-quality health care, appropriate
25 training, and the wellbeing of staff. The number of suggestions for research about the primary care
26 workforce that were provided in this study imply that there may be perceived challenges in fulfilling
27 this statutory duty. Staffing levels and work intensity also featured in a study identifying primary
28 care patient safety research priorities in the UK that was published in 2019,²⁰ which suggests that
29 workforce concerns are not just pertinent to the pandemic, although the pandemic may have
30 exacerbated workforce challenges.
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51

52 The previous research prioritization study in Scotland identified 'organisation of care' as a key theme
53 and gave reducing inequalities in access to health care and reducing inequalities in health as
54 examples under this theme. Twenty years on, access to primary care and health inequalities remain
55 important research priorities. Health inequalities and access to services are two themes that have
56
57
58
59
60

1
2
3 been identified as priorities in previous primary care research prioritisation exercises conducted in
4 other countries, which implies that these are persistent concerns of global interest that merit further
5 investigation.^{16 17 19} Communication and coordination between care providers for instance, was a top
6
7
8
9
10 10 research priority for primary care patient safety in the UK.²⁰ The study found that specific aspects
11
12 of organisation of care were important research priorities, namely 'multi-disciplinary teams' and
13
14 'integration'. The 'Health and Social Care integration: progress review'²⁵ published in 2019 stated
15
16 that the main reason for integration was so that care 'feels seamless' for patients. The vision for
17
18 primary care in Scotland is for an enhanced and expanded multi-disciplinary community,²⁶ including
19
20 general practitioners (GPs), alongside other health professionals such as, nurses, dentists,
21
22 pharmacists, and Allied Health Professionals.²⁷ Vaccination services, pharmacotherapy services,
23
24 community treatment and care services, urgent care services and additional professional services
25
26 including acute musculoskeletal physiotherapy services, community mental health services and
27
28 community link worker services were shifted from GP Contractors to the responsibility of other
29
30 professions, albeit with GPs maintaining a professional role in these services in their capacity as
31
32 expert medical generalists. Respondents suggestions for research and the ranking exercise reflect
33
34 these policy shifts with recommendations for future research to include a focus on multi-disciplinary
35
36 teams and integration. Health and social care organisations' response within the first six months of
37
38 the Covid-19 pandemic required multi-disciplinary effort across organizational boundaries in
39
40 Scotland.²⁸ Hence, future pandemics, as well as remobilisation and recovery phases of the current
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Strengths and limitations

The main strengths of this study are that we used an established transparent and systematic approach to identifying research priorities and it involved a large number of healthcare professionals. There were 512 respondents, which is the largest number of healthcare professionals engaging in a research prioritisation exercise about primary care research in Scotland and in other

1
2
3 countries.^{17 19 20} There are however a number of limitations. The study was reliant on the key
4
5 partners advertising the survey and we do not know how many healthcare professionals received
6
7 the survey, which means that we are unable to report a response rate. We did not explore
8
9 respondents' reasons for proposing research suggestions or ranking themes. We did not conduct a
10
11 systematic literature review to assess gaps in evidence, which is often used in research prioritisation
12
13 exercises to inform the final selection of top research priorities. Conducting robust literature reviews
14
15 in relation to the five prioritised themes in future research would be valuable. The study was
16
17 conducted during the Covid-19 pandemic when staff were already stretched to their limit by having
18
19 to make major changes to their patterns of work. The research priorities highlighted by respondents
20
21 must therefore be interpreted in this context. It is possible that a different set of priorities will
22
23 emerge in the future as the impact of COVID-19 evolves.
24
25
26
27
28
29

30 **Conclusion**

31
32 There is a need to set research priorities in order to guide research investment and direct resource
33
34 allocation that will ultimately provide a robust evidence-base to underpin the development and
35
36 delivery of relevant, quality services for patients in primary care. The findings of this research
37
38 prioritisation exercise can inform the future direction of research for primary care in Scotland. The
39
40 themes identified in this study may be used by a broad range of stakeholder groups including;
41
42 research funders, professional organisations, policy makers, charities and PPI groups to facilitate the
43
44 setting of the course of research for primary care.
45
46
47
48
49

50 **Funding statement**

51
52 This research received no specific grant from any funding agency in the public, commercial or not-
53
54 for-profit sectors. However, the Scottish School of Primary Care which led this study does receive a
55
56 grant from the Scottish Government.
57
58
59
60

Competing interests

None declared.

Authors contribution

All authors contributed to writing this manuscript and designing the study protocol by reviewing and commenting on drafts; FG administered the survey; FG, GH and SM analysed the data.

Data sharing statement

An anonymised dataset of all research suggestions is available upon reasonable request to the corresponding author.

Acknowledgements

We wish to thank all survey respondents. We also wish to thank the National Research Scotland Primary Care Patient Public Involvement Group for their input.

References

1. Lynch P, Wainwright D. Coronavirus: How GPs have stopped seeing most patients in person 2020 [Available from: <https://www.bbc.co.uk/news/uk-england-52216222> accessed 27 April 2020 2020.
2. Thornton J. Covid-19: how coronavirus will change the face of general practice forever. *BMJ (Clinical research ed)* 2020;368:m1279. doi: 10.1136/bmj.m1279
3. Pettigrew LM, Kumpunen S, Mays N. Primary care networks: the impact of covid-19 and the challenges ahead. *BMJ (Clinical research ed)* 2020;370:m3353. doi: 10.1136/bmj.m3353
4. Starfield B, Shi L, Macinko J. Contribution of primary care to health systems and health. *Milbank Q* 2005;83(3):457-502. doi: 10.1111/j.1468-0009.2005.00409.x [published Online First: 2005/10/06]
5. Berwick DM. A transatlantic review of the NHS at 60. *BMJ (Clinical research ed)* 2008;337:a838. doi: 10.1136/bmj.a838 [published Online First: 2008/07/22]
6. Scottish Parliament Information Centre. Primary Care in Scotland. Edinburgh, 2019.
7. Sullivan F, Hinds A, Pitkethly M, et al. Primary care research network progress in Scotland. *European Journal of General Practice* 2014;20(4):337-42. doi: 10.3109/13814788.2013.879116
8. The Scottish Parliament. The National Health Service in Scotland: SPICe Briefing. Edinburgh, 2016.
9. The future of primary care in Scotland: a view from the professions. [Available from: [https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20\(V2%20May%202017\).pdf](https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20(V2%20May%202017).pdf) accessed 17 May 2021 2021.
10. De Maeseneer J, van Weel C, Egilman D, et al. Funding for primary health care in developing countries. *BMJ (Clinical research ed)* 2008;336(7643):518-9. doi: 10.1136/bmj.39496.444271.80 [published Online First: 2008/03/08]

11. Chalmers I, Glasziou P. Avoidable waste in the production and reporting of research evidence. *Obstet Gynecol* 2009;114(6):1341-5. doi: 10.1097/AOG.0b013e3181c3020d [published Online First: 2009/11/26]
12. Lockery JE, Collyer TA, Abhayaratna WP, et al. Recruiting general practice patients for large clinical trials: lessons from the Aspirin in Reducing Events in the Elderly (ASPREE) study. *Med J Aust* 2019;210(4):168-73. doi: 10.5694/mja2.12060 [published Online First: 2019/03/06]
13. Gold R, Whitlock EP, Patnode CD, et al. Prioritizing research needs based on a systematic evidence review: a pilot process for engaging stakeholders. *Health Expect* 2013;16(4):338-50. doi: 10.1111/j.1369-7625.2011.00716.x [published Online First: 2011/08/16]
14. Crowe S, Giles C. Making patient relevant clinical research a reality. *BMJ (Clinical research ed)* 2016;355:i6627. doi: 10.1136/bmj.i6627 [published Online First: 2016/12/25]
15. Barnett K, Mercer SW, Norbury M, et al. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet* 2012;380(9836):37-43. doi: 10.1016/S0140-6736(12)60240-2 [published Online First: 2012/05/15]
16. O'Neill B, Aversa V, Rouleau K, et al. Identifying top 10 primary care research priorities from international stakeholders using a modified Delphi method. *PLoS One* 2018;13(10):e0206096. doi: 10.1371/journal.pone.0206096 [published Online First: 2018/10/26]
17. Goodyear-Smith F, Bazemore A, Coffman M, et al. Primary Care Research Priorities in Low-and Middle-Income Countries. *Ann Fam Med* 2019;17(1):31-35. doi: 10.1370/afm.2329 [published Online First: 2019/01/24]
18. Schafer W, Groenewegen PP, Hansen J, et al. Priorities for health services research in primary care. *Qual Prim Care* 2011;19(2):77-83. [published Online First: 2011/05/18]
19. Heal C, Roberts G. General practice research priority setting in Australia: Informing a research agenda to deliver best patient care. *Aust J Gen Pract* 2019;48(11):789-95. doi: 10.31128/AJGP-05-19-4928 [published Online First: 2019/11/15]
20. Morris RL, Stocks SJ, Alam R, et al. Identifying primary care patient safety research priorities in the UK: a James Lind Alliance Priority Setting Partnership. *BMJ Open* 2018;8(2):e020870. doi: 10.1136/bmjopen-2017-020870 [published Online First: 2018/03/02]
21. James Lind Alliance. The James Lind Alliance Guidebook. 9 ed. London, 2020.
22. Gulliford M, Figueroa-Munoz J, Morgan M, et al. What does 'access to health care' mean? *J Health Serv Res Policy* 2002;7(3):186-8. doi: 10.1258/135581902760082517 [published Online First: 2002/08/13]
23. Wyke S, Bond C, Morrison J, et al. Research priorities in primary care. A report from the CSO's primary care implementation committee. *Health Bull (Edinb)* 2000;58(5):426-33. [published Online First: 2003/06/20]
24. Scottish Government. Health and Care (Staffing) (Scotland) Act Edinburgh: Scottish Government, 2019.
25. Scottish Government. Health and Social Care integration: progress review. Edinburgh, 2019.
26. Scottish Government. National Health and Social Care Workforce Plan: part three. Edinburgh, 2018.
27. The Scottish Parliament. Primary Care in Scotland: SPICe Briefing. Edinburgh, 2019.
28. Scottish Government. Lessons Identified from the initial health and social care response to COVID-19 in Scotland. Edinburgh, 2021.

Key partners

1
2
3
4
5 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)
6 Advanced Practice Physiotherapy Network
7 Autism Network Scotland
8 Association of Advanced Practice Educators UK
9 BMA General Practitioners Committee Scotland
10 Chair of Directors of Pharmacy, NHS Boards
11 Chartered Society of Physiotherapy
12 Chest Heart & Stroke
13 Chief Nursing Officer
14 COSLA - Convention of Scottish Local Authorities
15 The Scottish Deep End Project
16 Defence Primary Health Care Scotland
17 Director of Postgraduate GP Education East
18 Edinburgh Community Health Forum
19 General Practice Nursing NHS Education Scotland
20 Healthcare Improvement Scotland
21 Health and Social Care Scotland (including Chief Officer Group and IJB Chairs & Vice Chairs Network)
22 International Foundation for Integrated Care (IFIC)
23 Mental Health Foundation
24 National Academy for Social Prescribing
25 NHS Board Chief Executives
26 NHS 24 Stakeholder Engagement and Insight
27 NHS National Services Scotland (NSS)
28 NRS Primary Care PPI
29 Penumbra -supporting mental health and wellbeing
30 PHC Lead Nurse at SG/Primary Care General Practice Nursing
31 Postgraduate Dean for Pharmacy NES
32 Programme Director Nursing NES
33 Public Health Scotland Primary Care Co-Cell Lead
34 Public Health Scotland
35 QNIS / Queen's Nursing Institute Scotland
36 RCGP Scotland
37 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions
38 RNIB Scotland
39 Royal College of General Practitioners
40 Royal College of Occupational Therapists
41 Royal College of Nursing Scotland
42 Royal Pharmaceutical Society (Scotland)
43 Scottish Ambulance Service, Medical Director
44 Scottish Community Development Centre/Community Health Exchange
45 Scottish Government - Division of Primary Care
46 Scotland's House of Care Programme
47 Scottish Physiotherapy Amputee Research Group (SPARG)
48 Scottish Practice Pharmacist and Prescribing Advisors group
49 Scottish Rural Health Partnership
50 Scottish Rural Medicine Collaborative
51 SIGN Scottish Intercollegiate Guidelines Network
52 Sight Action
53
54
55
56
57
58
59
60

1
2
3 SPIRE clinical lead
4 The Association of Chartered Physiotherapists in Sports and Exercise Medicine
5 The Health and Social Care Alliance
6 The Society and College of Radiographers
7 Voluntary Health Scotland
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only



Scottish School of Primary Care

Scotland Primary Care Research Prioritisation Exercise survey

We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. **Consent - Sorry you cannot proceed if you do not consent to take part.**

* *Required*

Before completing the survey please find some information about the study.

Scotland Primary Care Research Prioritisation Exercise

Our goal is to provide a clear direction for future primary care research so that it benefits the lives of individuals and families, and increases the amount of funding for the most important primary care research. We want to see research made even better with your input.

Purpose of the project

High-quality primary care is underpinned by high-quality research.

The disease COVID-19 that is caused by a new strain of coronavirus is likely to re-direct research priorities and shift research agendas in primary care.

1 The aim of this project is to reach a consensus for primary care research priorities in
2 Scotland where uncertainties remain and set a research direction that will be relevant for
3 patients, carers and generalist healthcare professionals for the next 5 years.

4
5 It is designed to strengthen future evidence about primary care to improve health
6 outcomes.
7

8 9 **Who should do the survey?**

10
11 Anyone living in Scotland who uses primary care services(patients and carers) or who
12 are healthcare professionals working in Scotland will be eligible to participate in the
13 identification and prioritisation of uncertainties.
14
15

16 17 **Who is leading the project?**

18
19 The project is led by the Scottish School of Primary Care. Our **key partners** are:

20 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)

21
22 Advanced Practice Physiotherapy Network

23
24 Autism Network Scotland

25
26 Association of Advanced Practice Educators UK

27
28 BMA General Practitioners Committee Scotland

29
30 Chair of Directors of Pharmacy

31
32 Chartered Society of Physiotherapy

33
34 Chest Heart & Stroke

35
36 Chief Nursing Officer

37
38 Community Pharmacy Scotland

39
40 COSLA – Convention of Scottish Local Authorities

41
42 Director of Postgraduate GP Education

43
44 Defence Primary Health Care Scotland

45
46 Edinburgh Community Health Forum

1 General Practice Nursing – NHS Education Scotland

2 Healthcare Improvement Scotland

3
4 Health and Social Care Partnerships

5
6
7 Health and Social Care Scotland (including Chief Officer Group and The IJB Chairs &
8 Vice Chairs Network)

9
10
11 International Foundation for Integrated Care (IFIC)

12
13
14 Mental Health Foundation

15
16 National Academy for Social Prescribing

17
18
19 NHS Chief Executives Board

20
21
22 NHS National Services Scotland (NSS)

23
24 NRS Primary Care Network PPI group

25
26
27 NRS Primary Care Network

28
29 Penumbra -supporting mental health and wellbeing

30
31
32 PHC Lead Nurse at SG/Primary Care General Practice Nursing

33
34
35 Postgraduate Dean for Pharmacy NES

36
37
38 Programme Director Nursing NES

39
40
41 Public Health Scotland Primary Care Co-Cell Lead

42
43
44 Public Health Scotland

45
46
47 Queen's Nursing Institute Scotland

48
49
50 RNIB Scotland

51
52
53 Royal College of General Practitioners

54
55
56 Royal College of Nursing Scotland

57
58
59 Royal College of Occupational Therapists

60
61
62 Royal Pharmaceutical Society (Scotland)

1 Scottish Ambulance Service

2 Scottish Community Development Centre / Community Health Exchange

3
4 Scottish Government - Division of Primary Care

5
6
7 Scotland's House of Care Programme

8
9
10 Scottish Physiotherapy Amputee Research Group (SPARG)

11
12 Scottish Practice Pharmacist and Prescribing Advisors group

13
14
15 Scottish Rural Medicine Collaborative

16
17
18 Scottish Rural Health Partnership

19
20 SIGN – Scottish Intercollegiate Guidelines Network

21
22
23 Sight Action

24
25 SPIRE clinical lead

26
27
28 The Association of Chartered Physiotherapists in Sports and Exercise Medicine

29
30
31 The Health and Social Care Alliance

32
33
34 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions

35
36
37 The Scottish Deep End Project

38
39
40 The Society and College of Radiographers

41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
Voluntary Health Scotland

Who is funding the project?

The Scottish Government financially supports the Scottish School of Primary Care.

What about confidentiality?

You can respond anonymously to this survey – you do not have to give your name or contact details. If you are a healthcare professional we will ask you what your occupation is.

Who do I contact for further information about the study?

Prof Gill Hubbard is leading this project. She is a co-deputy director of the Scottish School of Primary Care.

She can be contacted at the following address or by email:

Prof Gill Hubbard, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Email: gill.hubbard@uhi.ac.uk

What if I wish to complain about the study?

You can submit a written complaint about the study to: Prof Annetta Smith, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Or you can contact her by telephone on: 01851 708250

Or you can email her at: Annetta.Smith@uhi.ac.uk

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Scotland Primary Care Research Prioritisation Exercise survey

Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing.

About you: Where do you live most of the time?

Are you an unpaid carer? An unpaid carer is defined as someone who is caring but does not have a contract or doing it as voluntary work.

Please select exactly 1 answer(s).

Yes

No

Do you consider yourself to have a long-term condition?

Please select exactly 1 answer(s).

Yes

No

Do you work in health and / or social care?

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

Which sector do you work in?

What sector do you work in? (please tick all that apply)

- Community Care
- Government (local or national)
- Primary Care
- Secondary Care
- Third Sector
- University
- Other

If you selected Other, please specify:

What is your main profession? (please select one)

- Allied health profession regulated by Health & Care Profession Council (Please write it down)
- Dentistry regulated by General Dental Council
- Medicine regulated by General Medical Council
- Nursing or Midwifery regulated by Nursing & Midwifery Council
- Pharmacy regulated by General Pharmaceutical Council
- Social work regulated by Scottish Social Services Council
- Other

If you selected 'Allied Health Profession' or 'Other', please specify:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



For peer review only

BMJ Open: first published as 10.1136/bmjopen-2021-056817 on 3 May 2022. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

Research to Improve Primary Care

What topics, issues and concerns do you think are important to research to improve primary care for the next 5 years? Please suggest up to three (in any order)

Suggestion 1.

Suggestion 2.

Suggestion 3.

Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

Please provide email address:

For peer review only

What happens next..

You have been directed here if you did not consent to take part in the survey OR you have now completed the survey.

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Peer review only

Final page

Thank you for taking part in the survey.

Key for selection options

1 - We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. Consent - Sorry you cannot proceed if you do not consent to take part.

I consent to take part in the survey

I do not consent to take part

2 - About you: Where do you live most of the time?

Scotland

Not in Scotland

5 - Do you work in health and / or social care?

Yes

No

9 - Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

Yes

No

Theme 1 'Disease and illness' sub-theme 'mental health' examples

Topics	Suggestion examples
Children and young people	<ul style="list-style-type: none"> • Mental health services in children and adolescents • How can primary and secondary care better work together to care for children and young people with mental disorder, ranging from ADHD to anorexia nervosa. • Improving mental health services. There has been a huge increase in maternal mental health and child and adolescent mental health issues since the Covid 19 pandemic.
Management	<ul style="list-style-type: none"> • Development of mental health support for those with mental wellbeing difficulties presenting to primary care and being managed in primary care- support worker for self-help and counselling etc • Proactive management of anxiety and mental health - aiming to audit and address this growing unmet need within primary care. • Management plans. Social, spiritual, mental health, where and how you would like to die.
Access	<ul style="list-style-type: none"> • Improved access to mental well-being support • Mental health provision • Availability of mental health services for adults
Covid-19	<ul style="list-style-type: none"> • The impact of isolation to people's mental wellbeing during Covid • Deterioration in the mental health of people with Autism and learning difficulties during Covid
MDT	<ul style="list-style-type: none"> • Issue - lack of AHP particularly OT in primary care. Patients with mental health problems or complex comorbidity who do not meet the criteria for secondary care services cannot access OT services until they become very unwell. Goes against early intervention. • Why there are not more funded training places for people to deliver psychological interventions, i.e. psychologists, when demand greatly outweighs number of spaces currently available, and waiting lists are enormous.
Remote consultations	<ul style="list-style-type: none"> • Mental health services, particularly remote access
Self-care	<ul style="list-style-type: none"> • Eating well for your mental health
Early intervention	<ul style="list-style-type: none"> • Early access to mental health services in the community
Medication	<ul style="list-style-type: none"> • Inappropriately long durations of antidepressants
Carers	<ul style="list-style-type: none"> • The impact on the mental health of unpaid carers. Who is caring for the carers? What percentage of carers die before the cared for?
Equity	<ul style="list-style-type: none"> • The effect on the mental health of people who rely on charities to do their weekly shop

1
2
3 **Theme 1 'Disease and illness' sub-theme 'Covid-19' examples**

4 Topics Suggestion examples

5

6 Management

7 • Post Covid what the primary care consulting model will look like

8 and how patients will be triaged in the future with potential

9 infections

10

11 • Long Covid and its issues for patients- what should services look

12 like to support these patients?

13 • Interventions in the community for post-Covid care IT - suggested

14 assessments or interventions especially managing risk etc.

15 Lived experience

16 • Living with long Covid'

17 • Post Covid symptoms – long-term recovery and support

18 Mental health

19 • Long term effects of Covid-19 on anxiety, depression, especially in

20 young people

21 • Mental health - impact of Covid on patients

22 Vaccination

23 • Long term side effects of Covid immunisation and the overall effect

24 – how often will we need a vaccine and what's the longevity of the

25 antibodies?

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

Theme 1 'Disease and illness' sub-theme 'long-term conditions' examples

Topics	Suggestion examples
Management	<ul style="list-style-type: none">• Management of long-term conditions• Disparity over how we deliver long term condition management and how that affects outcomes• Long term condition monitoring, does it improve morbidity and mortality? If so, for which conditions and what is optimum review interval and requirements'
Self-care	<ul style="list-style-type: none">• Self-care of long-term conditions• Supporting patients living with long term conditions to take control of them with support from health care professionals
Remote consultations	<ul style="list-style-type: none">• Remote consultant in long term condition management• Use of remote consultation on management of long-term chronic conditions as this group have a high DNA rate for face to face appointments
Prevention	<ul style="list-style-type: none">• Primary prevention of long-term conditions. What would really work in the real world

Theme 1 'Disease and illness' sub-theme 'obesity' examples

Topics	Examples
Prevention	<ul style="list-style-type: none">• Better resources and treatments for prevention of obesity, once a patient has gained significant weight very difficult to remove and sustain.
Management	<ul style="list-style-type: none">• Weight management/exercise• Obesity management strategies that are accessible for all

For peer review only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Theme 1 'Disease and illness' sub-theme 'diabetes' examples

Topics	Examples
Prevention	<ul style="list-style-type: none">• Diabetes and Obesity at all ages. More needs to be done about healthy eating and life style• Type 2 Diabetes - lifestyle management & prevention of disease or disease progression
Medication	<ul style="list-style-type: none">• Cost benefits of GLP-1 receptor activators• Effects of lifestyle v drugs for Diabetes and CV disease and how to effectively deliver these
Lived experience	<ul style="list-style-type: none">• Pre-diabetes and progression to type 2 diabetes and the patients experience and what they feel could have been done differently

For peer review only

Theme 1 'Disease and illness' sub-theme 'dementia' examples

Topics	Examples
Management	<ul style="list-style-type: none">• Dementia service / resource• Alternatives to 24hr large group residential settings vs group houses or entire dementia communities to allow safeguarding and independence
Lived experience	<ul style="list-style-type: none">• Experience of persons with Dementia / L Disability in Inpatient acute care
Early intervention	<ul style="list-style-type: none">• Implementation of OT services for early intervention for people with a dementia diagnosis• More timely diagnosis and access to dementia support. Dementia assessment and treatment to be separate from Mental Health services.
Carers	<ul style="list-style-type: none">• Support for carers

For peer review only

Theme 1 'Disease and illness' sub-theme 'frailty' examples

Topics	Examples
Management	<ul style="list-style-type: none">• With an ageing population, a continued long-term strategy to address falls and fragility from cradle to grave• Approaches to frailty and last-years-of-life trajectories.
Mental health	<ul style="list-style-type: none">• Impact of COVID/Isolation on mental health within the frail elderly population
Early intervention	<ul style="list-style-type: none">• Early intervention for prevention in frailty
Lived experience	<ul style="list-style-type: none">• Frailty of people living in own homes

For peer review only

Theme 1 'Disease and illness' sub-theme 'addiction' examples

Topics	Examples
Management	<ul style="list-style-type: none">• The role of Occupational Therapy within addiction, recovery and treatment teams
Medication	<ul style="list-style-type: none">• Supporting people with alcohol and drug issues and polypharmacy
Lived experience	<ul style="list-style-type: none">• Recovery from Addictions
Mental health	<ul style="list-style-type: none">• Mental health services including drug and alcohol and children's services.
Early intervention	<ul style="list-style-type: none">• The effect of early intervention (beyond Brief Intervention) on those identified with harmful drinking levels - preventing progress onto Hazardous drinking

For peer review only

Theme 2 'Access' sub-theme 'availability and presence of services' examples

Topics	Examples
Provision	<ul style="list-style-type: none"> • Primary care access to psychological therapies and counselling • Access to primary care services • How to build in sustainable service developments, particularly that can become community assets
Care closer to home	<ul style="list-style-type: none"> • Management of mental health and service availability • Access to services in the community/ more funding for community-based hubs • Transfer of services to primary care so that care can be delivered closer to patients' homes, do centralised services such as care and treatment services improve patient care? • Impacts on rural communities in accessing healthcare with redesign to hub healthcare

For peer review only

Theme 2 'Access' sub-theme 'utilisation and service barriers' examples

Topics	Examples
Accessing healthcare professionals	<ul style="list-style-type: none"> • Access to nurse and GP appointments • Easy access for patients to GPs and other health professionals. Some may find it difficult to get appointments • Easier access to Medical Professionals' 'Patient access to the wider multidisciplinary team and breaking down barriers that are stopping this
Organisational barriers	<ul style="list-style-type: none"> • Patient access to GP face to face appointments • How to improve harder to reach patients accessing health services • Far better transport access to hospitals, either public or NHS
Waiting times	<ul style="list-style-type: none"> • Waiting times • Quicker access to primary care input to prevent escalation to secondary care services • What impact does a 2 year waiting list for psychological therapy have on mental health patients? • Impact of reduced time with the GP and longer waiting times on health outcomes
Patient understanding and expectations	<ul style="list-style-type: none"> • 'First contact physio service- need to improve patient understanding • Access to services - how to reduce inappropriate demand to improve available provision
Out of hours	<ul style="list-style-type: none"> • 7 day access to GP surgeries
Accessing during pandemic	<ul style="list-style-type: none"> • Impact of access challenges in immediate phase 1 of Covid on diagnosis of chronic conditions e.g. depression
Health literacy	<ul style="list-style-type: none"> • Addressing health literacy to improve outcomes

1
2
3
4 **Theme 2 'Access' sub-theme 'relevance and effectiveness of services' examples**

5
6

Topics	Examples
Right service	<ul style="list-style-type: none"> • How mental health services are meeting the needs of patients within primary care • How Primary care become more responsive to the needs of the community • Effects of 'long Covid' on patients and access to effective treatment • Evaluation of impact of changes to patient engagement with GP practices (including different models, like care navigation, GP first triaging etc
Right time	<ul style="list-style-type: none"> • Access to early intervention on Mental Health concerns before they worsen • Triage to improve access to the right the person at the right time • How can we improve care for the housebound (who now often end up with reactive care from random professionals

7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Theme 2 'Access' sub-theme 'equity' examples

Topics	Examples
Access for all	<ul style="list-style-type: none">• Ensuring that services are accessible, acceptable, available and high quality, in line with a rights-based approach to ensuring that services support our shared right to the highest attainable standard of health• Unwarranted variation in care and medicines use across Scotland
Rurality	<ul style="list-style-type: none">• The numbers of people living rurally, with no access to a car and miles from the nearest GP practice and the effect on their mental and physical health
Deprivation	<ul style="list-style-type: none">• Communication poverty to improve accessibility, participation and citizenship

For peer review only

Theme 3 'workforce' sub-theme examples

Sub-theme	Examples
Recruitment and retention	<ul style="list-style-type: none">• Encourage GPs in primary care• Staff shortages in district nursing
Training and development	<ul style="list-style-type: none">• Sharing of best practice and protocols for routine work• Sensory awareness and communication training for all primary care service staff
Workload	<ul style="list-style-type: none">• Looking at pay/ employment rights/ annual leave of all practice nurses across Scotland and standardising it• The patient contact workload of GPs and impact on GP workforce and safety
Mental health	<ul style="list-style-type: none">• Supporting staff's wellbeing when working from home• Burnout in the primary care workforce
GMS contract	<ul style="list-style-type: none">• Impact of the 2018 GP contract

For peer review only

1
2
3 **Theme 4 'multi-disciplinary team' examples**

4 Theme

Examples

5 MDT

- 6 • Added value of MDT in primary care?
- 7 • Primary care is becoming more of an MDT; patient
- 8 perspectives on this?
- 9 • Effectiveness of nurse-led clinics
- 10 • Unique contribution of occupational therapy service
- 11 provision in early intervention for prevention model of
- 12 service delivery within MDT in primary care setting
- 13
- 14
- 15 • What is the role of the General Practice Nurse in 2030?
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

For peer review only

Theme 5 'Integration' sub-theme examples

Sub-theme	Examples
Multi-agency working and collaboration	<ul style="list-style-type: none"> • Links with primary care and community rehabilitation teams • Impact of care at home through multi- agencies versus controlled agency commitment • Prioritisation in the context of health and social care need (not just health need) • Inclusive Communication Strategy across all primary care services
Continuity of care	<ul style="list-style-type: none"> • How Primary care can ensure continuity of care between themselves and the patient • Tools to measure continuity of care reliably
Social prescribing	<ul style="list-style-type: none"> • How to ensure the majority GPs to actively promote and utilise social prescribing • The extent to which community link workers in primary care practices are making measurable differences to patients' wellbeing and to health inequalities

For peer review only

1
2
3 **Theme 6 'health inequalities' examples**

4 Theme

Examples

5 Health inequalities

- 6 • What measurable impact will primary care make on
7 health inequalities across Scotland over the next 5
8 years?

9 Deprivation

- 10 • Poverty and the impact this has on health and wellbeing

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

BMJ Open

A survey to identify research priorities for primary care in Scotland during and following the Covid-19 pandemic

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2021-056817.R1
Article Type:	Original research
Date Submitted by the Author:	06-Jan-2022
Complete List of Authors:	Hubbard, Gill; University of the Highlands and Islands, Nursing and Midwifery Grist, Fiona; University of the Highlands and Islands, nursing and midwifery Pope, Lindsey; University of Glasgow Cunningham, S; Robert Gordon University Maxwell, Margaret; University of Stirling, Nursing, Midwifery and Allied Health Professions Research Unit Bennie, Marion; University of Strathclyde, Pharmaceutical Sciences Guthrie, Bruce; University of Edinburgh College of Medicine and Veterinary Medicine Mercer, Stewart; The University of Edinburgh, The Usher Institute of Population Health Sciences and Informatics
Primary Subject Heading:	General practice / Family practice
Secondary Subject Heading:	Evidence based practice, Health policy, Health services research
Keywords:	PRIMARY CARE, QUALITATIVE RESEARCH, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

TITLE

A survey to identify research priorities for primary care in Scotland during and following the Covid-19 pandemic

Authors

Hubbard, G^{1,*}

Grist, F¹

Pope, L²

Cunningham, S³

Maxwell, M⁴

Bennie, M⁵

Guthrie, B⁶

Mercer, SW⁶

1. Dept of nursing and midwifery, University of the Highlands and Islands, Centre for Health Sciences, Old Perth Road, Inverness, IV2, 3JH.
Email gill.hubbard@uhi.ac.uk

2. School of Medicine, Dentistry and Nursing, University of Glasgow, University Avenue, Glasgow, G12 9XW Email lindsey.pope@glasgow.ac.uk

3. School of Pharmacy & Life Sciences, Robert Gordon University, Garthdee Road, Aberdeen, AB10 7GJ.

4. The Nursing, Midwifery and Allied Health Professions Research Unit, University of Stirling, Stirling FK9 4LA.

5. Strathclyde Institute of Pharmacy and Biomedical Sciences, University of Strathclyde, Glasgow, G1 1XQ

6. The Usher Institute, University of Edinburgh, Teviot Place, Edinburgh EH8 9AG

*Corresponding author

ABSTRACT (290 words)

Objectives: To identify research priorities for primary care in Scotland following the Covid-19 pandemic.

Design: Modified James Lind Alliance methodology; respondents completed an on-line survey to make research suggestions and rank research themes in order of priority.

Setting: Scotland primary care

Participants: Healthcare professionals in primary care in Scotland and members of primary care Patient and Public Involvement (PPI) groups. 512 respondents provided research suggestions; 8% (n=40) did not work in health or social care; of those who did work, 68.8% worked in primary care, 16.3% community care, 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could select multiple options). Of those respondents who identified as healthcare professionals, 33% were in nursing and midwifery professions, 25% were in Allied Health Professions (of whom, 45% were occupational therapists and 35% were physiotherapists), 20% were in the medical profession and 10% were in the pharmacy profession.

Main outcomes: Suggestions for research for primary care made by respondents were categorised into themes and sub-themes by researchers and ranked in order of priority by respondents.

Results: There were 1,274 research suggestions which were categorised under 12 themes and 30 sub-themes. One hundred and three (20%) respondents to the survey participated in ranking the list of 12 themes in order of research priority. The five most highly ranked research priorities were: disease and illness, health inequalities, access, workforce, and multi-disciplinary teams. The disease and illness theme had the greatest number of suggestions for research and was scored the most highly in the ranking exercise. The sub-theme ranked as the most important research priority in the 'disease and illness' theme was 'mental health'.

Conclusions: The themes and sub-themes identified in this study should inform research funders so that the direction of primary healthcare is informed by evidence.

Strengths and limitations of this study

- This is the first comprehensive, primary care research priority setting exercise since the 2020 onset of the coronavirus pandemic.
- A transparent and systematic approach to identifying research priorities was used.
- The study included nurses, pharmacists, Allied Health Professionals and medical professionals and PPI group members.
- We do not know how many healthcare professionals received the survey which means that we are unable to report a response rate.
- We did not conduct a literature search to assess gaps in evidence relating to the research priorities.

Word count 3,195

INTRODUCTION

The Covid-19 pandemic has had a significant impact on primary care¹⁻³ and so it is timely to set research priorities in order to support recovery. Primary care is the foundation of equitable and affordable healthcare,⁴ especially in countries with universal coverage and a National Health Service (NHS) as in the United Kingdom (UK).⁵ Scotland, as a devolved nation, is responsible for the funding and planning of its healthcare system with high quality primary care at the heart of its vision.⁶ High quality primary care needs to be underpinned by high-quality research and evaluation.⁷ Primary care is usually a person's first point of contact with the NHS⁸ and it is where most patient contacts occur.⁶ In this study, we adopted the following definition of primary care that has been agreed by a range of professional organisations in Scotland:

"Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing".⁹

Vertical (i.e. disease-specific) approaches to healthcare have been effective at reducing morbidity and mortality from specific conditions but have been criticized for detrimentally affecting the resources available to, and capacity of local primary care.¹⁰ Research priorities set from a generalist and multi-professional perspective are also important and of value to patients and carers.¹¹⁻¹⁴ The high and increasing prevalence of multimorbidity associated with population ageing means that there is an increasing need for care which focusses on supporting people with multiple conditions.¹⁵ Hence, there is a need to set both vertical (disease) and horizontal (generalist primary care) research

1
2
3 priorities in order to guide research investment and direct resource allocation that will ultimately
4
5 provide a robust evidence-base to underpin the development and delivery of primary care.
6
7
8
9

10 A number of previously published studies have identified primary care research priorities and the
11 reach of these studies has varied with research priorities variously being developed internationally,¹⁶
12 in low and middle income countries,¹⁷ in the European Union,¹⁸ or in single countries.¹⁹ An argument
13
14 for setting research priorities in one country, or a cluster of similar countries is because the
15
16 challenges faced by primary care in different countries vary due to factors such as population
17
18 characteristics (for example, an ageing population), diverse social cultures and norms, and different
19
20 healthcare systems (for example, public and private healthcare systems).¹⁸ Research priorities
21
22 identified in several previous research prioritisation exercises include how primary care should be
23
24 financed, organised and staffed,¹⁶⁻²⁰ the importance of implementation and translation of knowledge
25
26 and evidence into primary care,^{16 19} addressing multimorbidity,^{16 19 20} promoting health equity,^{16 19}
27
28 promoting healthy behaviours in the population,^{16 19} universal health coverage and health access,^{16 17}
29
30 digital delivery of primary care,^{16 19} and the involvement of patients in the design and delivery of
31
32 primary care.^{16 19}
33
34
35
36
37
38
39
40

41 The aim of this study was to identify primary care research priorities in Scotland and set a research
42 direction that will be relevant for patients, carers and generalist healthcare professionals in the
43 aftermath of the coronavirus pandemic. This is the first comprehensive, generalist health
44
45 professional project of primary care research priorities since the 2020 onset of the coronavirus
46
47 pandemic. It is designed to strengthen future evidence for primary care to improve health
48
49 outcomes.
50
51
52
53
54
55
56
57
58
59
60

METHODS

This study adapted the James Lind Alliance (JLA) methodology.²¹ The Steering Group for the project was the Scottish School of Primary Care (SSPC) Executive (<http://www.sspc.ac.uk>), which included an individual from a primary care Patient and Public Involvement (PPI) group, clinical academics and primary care researchers from Scottish universities. The following steps were taken to deliver the project:

Step 1&2: Identifying key partners and raising awareness of the study

'Key partner' organisations were identified through a process of peer knowledge and consultation, and through the Steering Group members' networks. Fifty-four key partner organisation agreed to participate by advertising the project and circulating the link to the survey to their members (Supplementary File 1: Key Partners).

Step 3: Identifying research priorities

The Steering Group administered an online survey via the key partner organisations for respondents to identify an initial set of research priorities (Supplementary File 2: Research priorities Survey).

Healthcare professionals in primary care in Scotland were eligible to participate in the identification and prioritisation of research for primary care. Members of primary care PPI groups were also invited, including members of the National Research Scotland Primary Care PPI group. A period of three months was given to complete the survey (4th December 2020 – 1st March 2021). Responses were solicited with the following open-ended query that was used in a previous international JLA primary care research priorities project: "Please suggest up to three important primary care research questions"¹⁶. Responses were anonymous (no names were requested during the survey).

Respondents were asked to provide an email if they were willing to participate in subsequent steps of the project, but these emails were stored separately from the submitted priorities. Results were downloaded from Online Survey to an Excel spreadsheet for the purposes of analysis in Step 4.

Step 4: Analysis and identifying research themes and sub-themes

The submissions of all respondents were analysed collectively. Suggestions for research by respondents were grouped into themes and sub-themes by two members of the Steering Group (GH, FG), with the theoretical framework developed iteratively over several meetings including involvement of a third member of the group (SM) to resolve disagreements. Suggestions for research were allowed to be categorised under more than one theme. If a group of suggestions on the same topic totalled <1 percent (i.e. ≤ 12 suggestions) of the total number of research suggestions then a theme was not created. Sub-themes were identified within a theme when approximately $\geq 10\%$ of suggestions were on a similar topic. Theme and sub-theme names were chosen from current policy and literature for example, sub-themes for the theme 'access' were drawn from a published definition of 'access' which included provision and availability of primary care services, equity of access, people's use of services and barriers to getting access as well as the dimension of effectiveness of using the service.²²

The submissions of the sub-group who were not health and social care professionals (n=40) were included in the above exercise and also analysed separately to determine if there were any themes that were unique to this group.

Step 5: Ranking themes and research prioritisation

The aim of the final stage of the priority setting process was to rank the primary care research themes in order of priority. The respondents in Step 3 who wished to participate in this step were invited by email to rank the list of the summary research themes and sub-themes in order of priority. This exercise was done using an online survey, which was open for 1 month. Respondents

1
2
3 were asked to rank 12 research themes that had been identified in Step 4 in order of priority, and to
4
5 rank all sub-themes.
6
7
8
9

10 **Patient and Public Involvement and Engagement**

11
12 Several meetings between GH and the National Research Scotland Primary Care Public Involvement
13
14 Group were held so that patients could contribute towards developing the protocol for this study.
15
16 This group was also a key partner.
17
18
19
20

21 **Ethical approval**

22
23 Independent advice was sought from NHS Grampian Research Ethics Committee and University of
24
25 Highlands and Islands Research Ethics Committee, who both advised that the project did not require
26
27 research ethics review because the study was identifying research priorities and not conducting the
28
29 research.
30
31
32
33

34 **RESULTS**

35 **Respondent characteristics**

36
37 There were 512 respondents. Eight percent (n=40) of respondent did not work in health or social
38
39 care and therefore for the purposes of this study were regarded as patients, carers and members of
40
41 the general public. Of those who did work, 68.8% worked in primary care, 16.3% community care,
42
43 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could select multiple options
44
45 for place of work). Table 1 shows the health and social care professions of respondents (n=472).
46
47
48
49
50
51
52

53 **Table 1: Health and social care professions of respondents**

54 Profession	55 N = 472 (%)
----------------------	-----------------------

Allied health profession regulated by Health and Care Profession	120 (25.4%)
Dentistry regulated by General Dental Council	5 (11%)
Medicine regulated by General Medical Council	95 (20.1%)
Nursing or Midwifery regulated by Nursing & Midwifery Council	157 (33.3%)
Pharmacy regulated by General Pharmaceutical Council	49 (10.4%)
Social work regulated by Scottish Social Services Council	2 (0.4%)
Other	44 (9.3%)

Of those respondents who were healthcare professionals, 33% were in nursing and midwifery professions regulated by the Nursing and Midwifery Council, 25% in Allied Health Professions regulated by the Health and Care Profession Council (of whom, 45% were occupational therapists and 35% were physiotherapists), 20% were in the medical profession regulated by the General Medical Council and 10% were in the pharmacy profession regulated by the General Pharmaceutical Council.

Research themes and sub-themes

The total number of research suggestions was 1,274. Research suggestions were categorised under 12 themes and 30 sub-themes (Table 2). The 12 themes and their associated sub-themes are positioned in order of the quantity of suggestions for research. Five themes had over 100 suggestions for research; these were 'disease and illness', 'access', 'workforce', 'multidisciplinary teams' and 'integration'. Hence, based on the number of suggestions for research, these are the top five priorities for research.

Table 2: Themes and associated sub-themes in order of the quantity of research suggestions that were categorised under each theme and sub-theme (n=512 respondents)

Theme	Number ^a	Sub-themes	Number ^a
Disease and illness	461	Mental health	168
		Covid-19	58
		Long-term conditions	42
		Obesity	27
		Diabetes	18
		Dementia	16
		Frailty	14
		Addiction	14
Access	202	Availability and presence of services	72
		Utilisation of services and barriers	61
		Relevance & effectiveness of services	43
		Equity	26
Workforce	164	Recruitment and retention	58
		Training and development	54
		Workload	31
		Mental health	22
		GMS contract	11
Multi-disciplinary teams (MDT)	143	-	-
Integration	108	Multi-agency working & collaboration	74
		Social prescribing	20
		Continuity of care	14
Digital healthcare	96	Remote consultations	56
		Remote care	23
		IT systems	12
		Telephone triage	5
Self-care	84	Lifestyle	44
Primary / secondary care interface	62	Communication	9
		Continuity of care	9
Medications	55	-	-
Health inequalities	30	Deprivation	15
Carers	19	-	-
Patient involvement	13	Research	7
		Care	6

a. number of research suggestions categorised under a theme and sub-theme. Not all suggestions made by respondents were categorised under a theme or sub-theme.

The theme with the most suggestions for research was 'disease and illness'; the associated sub-themes indicate multiple long-term conditions. The sub-theme with the most suggestions for

1
2
3 research under this theme was 'mental health'. The theme with the second most suggestions for
4
5 research was 'access' and included suggestions about the availability of primary care services,
6
7 utilisation of these services and barriers to access, the relevance and effectiveness of these services
8
9 and equity of access. 'Workforce' was the theme that had the third most suggestions for research
10
11 and included suggestions about recruitment and retention of primary care staff, training and
12
13 development, workload, staff mental health, and GMS Contract. 'Multi-disciplinary teams' (MDT)
14
15 was the theme that contained the fourth most suggestions for research. Twenty-eight percent of
16
17 suggestions did not specifically refer to a particular profession, 23% referred to nurses, 17%
18
19 occupational therapists, 13% Allied Health Professions, 8% pharmacists, 4% physiotherapists and 3%
20
21 psychologists. 'Integration' was the theme that had the fifth most suggestions for research;
22
23 associated sub-themes were multi-agency working and collaboration, social prescribing and
24
25 continuity of care. Examples of research suggestions for each theme can be found in Supplementary
26
27 File 3.
28
29
30
31
32
33

34
35 Figure 1 shows the themes of respondents who were not a health and social care professional
36
37 (n=40). It shows that most research suggestions of this sub-group were categorised under the
38
39 themes 'disease and illness' and 'access.' These were the themes with the highest number of
40
41 research suggestions in the total group of respondents. The theme 'integration' had the third
42
43 highest number of research suggestions and the theme 'self-care' had the fourth highest number of
44
45 suggestions for research in this sub-group whereas these themes were fifth and seventh in the total
46
47 group of respondents.
48
49
50
51

52 **Insert Figure 1 here**

53
54
55
56
57 **Ranking of research themes and sub-themes**
58
59
60

One hundred and three (20%) respondents to the survey participated in ranking the list of 12 themes in order of research priority (Table 3). The five most highly ranked themes were as follows: 19.4% of respondents chose 'disease and illness', 17.4% chose 'health inequalities', 14.5% chose 'access', 12.6% chose 'workforce' and 12.6% chose 'multi-disciplinary team' as their number one top research priority. Hence, based on this ranking exercise, these are the top five priorities for research.

Table 3: Themes ranked as the number one top research priority (n=103 respondents)

Theme	Number of respondents ranking as top research priority
Disease and illness	20
Health inequalities	18
Access	15
Workforce	13
Multidisciplinary teams	13
Integration	6
Primary / secondary care interface	5
Digital healthcare	4
Self-care	4
Patient involvement	4
Medications	1
Care	0

Within the most highly ranked theme 'disease and illness', eight sub-themes were ranked. 'Mental health' was selected as the top priority by 37.9% of respondents followed by 23% of respondents choosing 'long-term conditions' as their top research priority under this theme. Four sub-themes were ranked in order of priority under the 'access' theme. Thirty-seven percent of respondents chose 'availability and presence of primary care services' as their top priority for research under this theme followed by 25% of respondents selecting 'relevance and effectiveness'. Four sub-themes were also ranked in order of priority within the 'workforce' theme. Twenty-nine percent of respondents chose 'recruitment and retention' as their top priority for research under this theme, followed by 23% of respondents selecting 'workload'. There was only one sub-theme identified during the survey for the main theme 'health inequalities' and no sub-themes for 'multidisciplinary

1
2
3 teams' and so we did not ask respondents to conduct any further ranking under these themes. No
4
5 sub-group analysis was conducted because we did not know which respondents (e.g. if they worked
6
7 in health and social care) from the survey participated in the ranking exercise.
8
9

10 11 12 **DISCUSSION**

13
14 The study illustrates the quantity and breadth of research topics suggested primarily by primary care
15
16 healthcare professionals. The study highlights that there are some differences between the themes
17
18 with the greatest number of suggestions for research (Table 2) and the themes scored highly in the
19
20 ranking exercise (Table 3); we therefore present both as a basis for research prioritization. The
21
22 ranking of research themes in order of research priority identified the following top five priorities:
23
24 'disease and illness', 'access', 'workforce', 'multi-disciplinary teams' and 'health inequalities'. The
25
26 theme 'integration' attracted many suggestions for research by respondents although only 6% of
27
28 respondents ranked it as their number one priority for research in the ranking exercise. The theme
29
30 'health inequalities' was highly ranked although this theme attracted relatively few suggestions for
31
32 research compared with other themes that made it into the top five priorities for research. Why the
33
34 theme 'health inequalities' attracted relatively few suggestions for research could be a consequence
35
36 of having a much smaller number of respondents participating in the ranking exercise compared to
37
38 the number of respondents involved in providing suggestions for research (103 vs. 512) or it could
39
40 be that people think and choose differently when given a pre-specified list of themes to rank in
41
42 order of research priority.
43
44
45
46
47
48
49

50 The study shows that the two top priorities for research – 'disease and illness' and 'access' for the
51
52 total group of respondents were also the top two priorities for research when the sub-group of
53
54 respondents who did not work in health and social care were analysed separately. However, there
55
56 were some differences in the number of research suggestions for other themes, which highlights
57
58 that research priorities may vary depending on which groups of the population are involved in the
59
60

1
2
3 prioritisation exercise. A strength of this study is that it presents priorities for research identified
4
5 across a wide range of professions.
6
7
8
9

10 The most highly ranked theme was 'disease and illness' and its sub-themes include the most
11
12 common conditions treated in primary care, most of which are long-term conditions. For all the
13
14 conditions listed, including mental health problems, it is more common for people to have
15
16 multimorbidity (two or more conditions) than the single condition alone.¹⁵ What the suggestions for
17
18 research categorised under this theme represent is recognition that the effective management in
19
20 primary care of long-term conditions, either as a single chronic condition or multimorbidity, is going
21
22 to be crucial for the nation's health. This focus on long-term conditions represents a shift in focus in
23
24 research priorities for primary care. In a study conducted just over twenty years ago in Scotland, a
25
26 key research priority for primary care was acute illness.²³
27
28
29
30
31

32 Not surprisingly, Covid-19 was one of the conditions recommended by respondents for research
33
34 because the study took place during the pandemic. Whether 'long-Covid' becomes classified as a
35
36 new long-term condition is yet to be seen but research about the prevalence, persistence,
37
38 management and long-term consequences of Covid-19 in primary care will be important to policy
39
40 and practice in the foreseeable future. It is perhaps surprising that Covid-19 vaccination
41
42 development, or at least its delivery in primary care, did not feature as a prominent suggestion for
43
44 research since the first vaccine was given on 8th December 2020 in the UK and this survey was open
45
46 between 4th December 2020 and 1st March 2021. A qualitative study exploring respondents'
47
48 rationales for their suggestions for research would provide a much richer understanding of
49
50 prioritization for research including reasons why certain topics are not prioritized.
51
52
53
54
55
56

57 Mental health is one of the top 10 most common conditions for seeking a GP or practice nurse
58
59 consultation in primary care in Scotland⁸ and was the topic that received the most suggestions for
60

1
2
3 research. Again, mental health came to the fore during the global pandemic but was also a key
4
5 public health concern and was identified as a research priority beforehand in countries such as,
6
7 Scotland²³ and Australia.¹⁹ During the Covid-19 pandemic a specific mental health concern has been
8
9 highlighted, which is primary care staff stress and burnout and its potential effects on recruitment
10
11 and retention.²⁴ The Health and Care (Staffing) (Scotland) Act 2019²⁵, provides a statutory basis for
12
13 the provision of staffing, and highlights a duty by government to ensure that there are sufficient
14
15 numbers of appropriate staffing for the provision of safe and high-quality health care, appropriate
16
17 training, and the wellbeing of staff. The number of suggestions for research about the primary care
18
19 workforce that were provided in this study imply that there may be perceived challenges in fulfilling
20
21 this statutory duty. Staffing levels and work intensity also featured in a study identifying primary
22
23 care patient safety research priorities in the UK that was published in 2019,²⁰ which suggests that
24
25 workforce concerns are not just pertinent to the pandemic, although the pandemic may have
26
27 exacerbated workforce challenges.
28
29
30
31
32
33

34
35 The previous research prioritization study in Scotland identified 'organisation of care' as a key theme
36
37 and gave reducing inequalities in access to health care and reducing inequalities in health as
38
39 examples under this theme. Twenty years on, access to primary care and health inequalities remain
40
41 important research priorities. Health inequalities and access to services are two themes that have
42
43 been identified as priorities in previous primary care research prioritisation exercises conducted in
44
45 other countries, which implies that these are persistent concerns of global interest that merit further
46
47 investigation.^{16 17 19} Communication and coordination between care providers for instance, was a top
48
49 10 research priority for primary care patient safety in the UK.²⁰ The study found that specific aspects
50
51 of organisation of care were important research priorities, namely 'multi-disciplinary teams' and
52
53 'integration'. The 'Health and Social Care integration: progress review'²⁶ published in 2019 stated
54
55 that the main reason for integration was so that care 'feels seamless' for patients. The vision for
56
57 primary care in Scotland is for an enhanced and expanded multi-disciplinary community,²⁷ including
58
59
60

1
2
3 general practitioners (GPs), alongside other health professionals such as, nurses, dentists,
4
5 pharmacists, and Allied Health Professionals.²⁸ Vaccination services, pharmacotherapy services,
6
7 community treatment and care services, urgent care services and additional professional services
8
9 including acute musculoskeletal physiotherapy services, community mental health services and
10
11 community link worker services were shifted from GP Contractors to the responsibility of other
12
13 professions, albeit with GPs maintaining a professional role in these services in their capacity as
14
15 expert medical generalists. Respondents suggestions for research and the ranking exercise reflect
16
17 these policy shifts with recommendations for future research to include a focus on multi-disciplinary
18
19 teams and integration. Health and social care organisations' response within the first six months of
20
21 the Covid-19 pandemic required multi-disciplinary effort across organizational boundaries in
22
23 Scotland.²⁹ Hence, future pandemics, as well as remobilisation and recovery phases of the current
24
25 pandemic, may benefit from research to inform a multi-disciplinary approach to care.
26
27
28
29
30
31

32 **Strengths and limitations**

34 The main strengths of this study are that we used an established transparent and systematic
35
36 approach to identifying research priorities and it involved a large number of healthcare professionals
37
38 in Scotland. There were 512 respondents, of which 472 were health and social care professionals;
39
40 this is the largest number of healthcare professionals engaging in a research prioritisation exercise
41
42 about primary care research in Scotland and in other countries.^{17 19 20} There are however a number
43
44 of limitations. The study was reliant on the key partners advertising the survey and we do not know
45
46 how many healthcare professionals received the survey, which means that we are unable to report a
47
48 response rate. We did not explore respondents' reasons for proposing research suggestions or
49
50 ranking themes. We were not able to describe which respondents (e.g. if they worked in health and
51
52 social care and their profession) from the survey participated in the ranking exercise. We did not
53
54 conduct a systematic literature review to assess gaps in evidence, which is often used in research
55
56 prioritisation exercises to inform the final selection of top research priorities. Conducting robust
57
58
59
60

1
2
3 literature reviews in relation to the five prioritised themes in future research would be valuable. The
4
5 study was conducted during the second wave (September 2020 – April 2021)³⁰ of the pandemic
6
7 when staff were already stretched to their limit by having to make major changes to their patterns
8
9 of work. The research priorities highlighted by respondents must therefore be interpreted in this
10
11 Scottish context. It is possible that a different set of priorities will emerge in the future as the impact
12
13 of COVID-19 evolves.
14
15
16
17
18

19 **Conclusion**

20
21 There is a need to set research priorities in order to guide research investment and direct resource
22
23 allocation that will ultimately provide a robust evidence-base to underpin the development and
24
25 delivery of relevant, quality services for patients in primary care. The findings of this research
26
27 prioritisation exercise can inform the future direction of research for primary care in Scotland. The
28
29 themes identified in this study may be used by a broad range of stakeholder groups including;
30
31 research funders, professional organisations, policy makers, charities and PPI groups to facilitate the
32
33 setting of the course of research for primary care.
34
35
36
37
38

39 **Funding statement**

40
41 This research received no specific grant from any funding agency in the public, commercial or not-
42
43 for-profit sectors. However, the Scottish School of Primary Care which led this study does receive a
44
45 grant from the Scottish Government.
46
47
48
49

50 **Competing interests**

51
52 None declared.
53
54
55
56

57 **Authors contribution**

1
2
3 (1) GH, LP, SC, MM, MB, BG, SM conceived and designed the study; FG administered the survey; GH,
4
5 FG, SM conducted the analysis and interpreted the data; (2) GH, LP, SC, MM, BG, SM, FG, MB drafted
6
7 the manuscript and revised it critically for important intellectual content, and (3) gave final approval
8
9 of the version of the manuscript to be published; (4) GH, LP, SC, MM, BG, SM, FG, MB agree to be
10
11 accountable for all aspects of the work.
12
13
14
15
16

17 **Data sharing statement**

18 An anonymised dataset of all research suggestions is available upon reasonable request to the
19
20 corresponding author.
21
22
23
24
25

26 **Acknowledgements**

27 We wish to thank all survey respondents. We also wish to thank the National Research Scotland
28
29 Primary Care Patient Public Involvement Group for their input.
30
31
32
33
34


35 **References**

- 36
37 1. Lynch P, Wainwright D. Coronavirus: How GPs have stopped seeing most patients in
38 person 2020 [Available from: <https://www.bbc.co.uk/news/uk-england-52216222>
39 accessed 27 April 2020 2020.
40
41 2. Thornton J. Covid-19: how coronavirus will change the face of general practice forever.
42 *BMJ (Clinical research ed)* 2020;368:m1279. doi: 10.1136/bmj.m1279
43
44 3. Pettigrew LM, Kumpunen S, Mays N. Primary care networks: the impact of covid-19 and
45 the challenges ahead. *BMJ (Clinical research ed)* 2020;370:m3353. doi:
46 10.1136/bmj.m3353
47
48 4. Starfield B, Shi L, Macinko J. Contribution of primary care to health systems and health.
49 *Milbank Q* 2005;83(3):457-502. doi: 10.1111/j.1468-0009.2005.00409.x [published
50 Online First: 2005/10/06]
51
52 5. Berwick DM. A transatlantic review of the NHS at 60. *BMJ (Clinical research ed)*
53 2008;337:a838. doi: 10.1136/bmj.a838 [published Online First: 2008/07/22]
54
55 6. Scottish Parliament Information Centre. Primary Care in Scotland. Edinburgh, 2019.
56
57 7. Sullivan F, Hinds A, Pitkethly M, et al. Primary care research network progress in Scotland.
58 *European Journal of General Practice* 2014;20(4):337-42. doi:
59 10.3109/13814788.2013.879116
60
61 8. The Scottish Parliament. The National Health Service in Scotland: SPICe Briefing.
62 Edinburgh, 2016.

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
 - 24
 - 25
 - 26
 - 27
 - 28
 - 29
 - 30
 - 31
 - 32
 - 33
 - 34
 - 35
 - 36
 - 37
 - 38
 - 39
 - 40
 - 41
 - 42
 - 43
 - 44
 - 45
 - 46
 - 47
 - 48
 - 49
 - 50
 - 51
 - 52
 - 53
 - 54
 - 55
 - 56
 - 57
 - 58
 - 59
 - 60
9. The future of primary care in Scotland: a view from the professions. [Available from: [https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20\(V2%20May%202017\).pdf](https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20(V2%20May%202017).pdf) accessed 17 May 2021 2021.
10. De Maeseneer J, van Weel C, Egilman D, et al. Funding for primary health care in developing countries. *BMJ (Clinical research ed)* 2008;336(7643):518-9. doi: 10.1136/bmj.39496.444271.80 [published Online First: 2008/03/08]
11. Chalmers I, Glasziou P. Avoidable waste in the production and reporting of research evidence. *Obstet Gynecol* 2009;114(6):1341-5. doi: 10.1097/AOG.0b013e3181c3020d [published Online First: 2009/11/26]
12. Lockery JE, Collyer TA, Abhayaratna WP, et al. Recruiting general practice patients for large clinical trials: lessons from the Aspirin in Reducing Events in the Elderly (ASPREE) study. *Med J Aust* 2019;210(4):168-73. doi: 10.5694/mja2.12060 [published Online First: 2019/03/06]
13. Gold R, Whitlock EP, Patnode CD, et al. Prioritizing research needs based on a systematic evidence review: a pilot process for engaging stakeholders. *Health Expect* 2013;16(4):338-50. doi: 10.1111/j.1369-7625.2011.00716.x [published Online First: 2011/08/16]
14. Crowe S, Giles C. Making patient relevant clinical research a reality. *BMJ (Clinical research ed)* 2016;355:i6627. doi: 10.1136/bmj.i6627 [published Online First: 2016/12/25]
15. Barnett K, Mercer SW, Norbury M, et al. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet* 2012;380(9836):37-43. doi: 10.1016/S0140-6736(12)60240-2 [published Online First: 2012/05/15]
16. O'Neill B, Aversa V, Rouleau K, et al. Identifying top 10 primary care research priorities from international stakeholders using a modified Delphi method. *PLoS One* 2018;13(10):e0206096. doi: 10.1371/journal.pone.0206096 [published Online First: 2018/10/26]
17. Goodyear-Smith F, Bazemore A, Coffman M, et al. Primary Care Research Priorities in Low-and Middle-Income Countries. *Ann Fam Med* 2019;17(1):31-35. doi: 10.1370/afm.2329 [published Online First: 2019/01/24]
18. Schafer W, Groenewegen PP, Hansen J, et al. Priorities for health services research in primary care. *Qual Prim Care* 2011;19(2):77-83. [published Online First: 2011/05/18]
19. Heal C, Roberts G. General practice research priority setting in Australia: Informing a research agenda to deliver best patient care. *Aust J Gen Pract* 2019;48(11):789-95. doi: 10.31128/AJGP-05-19-4928 [published Online First: 2019/11/15]
20. Morris RL, Stocks SJ, Alam R, et al. Identifying primary care patient safety research priorities in the UK: a James Lind Alliance Priority Setting Partnership. *BMJ Open* 2018;8(2):e020870. doi: 10.1136/bmjopen-2017-020870 [published Online First: 2018/03/02]
21. James Lind Alliance. The James Lind Alliance Guidebook. 9 ed. London, 2020.
22. Gulliford M, Figueroa-Munoz J, Morgan M, et al. What does 'access to health care' mean? *J Health Serv Res Policy* 2002;7(3):186-8. doi: 10.1258/135581902760082517 [published Online First: 2002/08/13]
23. Wyke S, Bond C, Morrison J, et al. Research priorities in primary care. A report from the CSO's primary care implementation committee. *Health Bull (Edinb)* 2000;58(5):426-33. [published Online First: 2003/06/20]

- 1
- 2
- 3
- 4 24. House of Commons Health and Social Care Committee. Workforce burnout and
- 5 resilience in the NHS and social care,. London: House of Commons,, 2021.
- 6 25. Scottish Government. Health and Care (Staffing) (Scotland) Act Edinburgh: Scottish
- 7 Government, 2019.
- 8 26. Scottish Government. Health and Social Care integration: progress review. Edinburgh,
- 9 2019.
- 10 27. Scottish Government. National Health and Social Care Workforce Plan: part three.
- 11 Edinburgh, 2018.
- 12 28. The Scottish Parliament. Primary Care in Scotland: SPICe Briefing. Edinburgh, 2019.
- 13 29. Scottish Government. Lessons Identified from the initial health and social care response
- 14 to COVID-19 in Scotland. Edinburgh, 2021.
- 15 30. Office for National Statistics. Coronavirus (COVID-19) Infection Survey technical article:
- 16 waves and lags of COVID-19 in England, June 2021 London: ONS; 2021 [cited 2021 14
- 17 December 2021]. Available from:
- 18 <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19infectionsurveytechnicalarticle/waveandlagssofcovid19inenglandjune2021> accessed 14 December 2021 2021.
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

1
2
3 **Figure 1: Themes of respondents who were not health and social care professionals (n=40**
4 **respondents)**
5
6



Key partners

1
2
3
4
5 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)
6 Advanced Practice Physiotherapy Network
7 Autism Network Scotland
8 Association of Advanced Practice Educators UK
9 BMA General Practitioners Committee Scotland
10 Chair of Directors of Pharmacy, NHS Boards
11 Chartered Society of Physiotherapy
12 Chest Heart & Stroke
13 Chief Nursing Officer
14 COSLA - Convention of Scottish Local Authorities
15 The Scottish Deep End Project
16 Defence Primary Health Care Scotland
17 Director of Postgraduate GP Education East
18 Edinburgh Community Health Forum
19 General Practice Nursing NHS Education Scotland
20 Healthcare Improvement Scotland
21 Health and Social Care Scotland (including Chief Officer Group and IJB Chairs & Vice Chairs Network)
22 International Foundation for Integrated Care (IFIC)
23 Mental Health Foundation
24 National Academy for Social Prescribing
25 NHS Board Chief Executives
26 NHS 24 Stakeholder Engagement and Insight
27 NHS National Services Scotland (NSS)
28 NRS Primary Care PPI
29 Penumbra -supporting mental health and wellbeing
30 PHC Lead Nurse at SG/Primary Care General Practice Nursing
31 Postgraduate Dean for Pharmacy NES
32 Programme Director Nursing NES
33 Public Health Scotland Primary Care Co-Cell Lead
34 Public Health Scotland
35 QNIS / Queen's Nursing Institute Scotland
36 RCGP Scotland
37 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions
38 RNIB Scotland
39 Royal College of General Practitioners
40 Royal College of Occupational Therapists
41 Royal College of Nursing Scotland
42 Royal Pharmaceutical Society (Scotland)
43 Scottish Ambulance Service, Medical Director
44 Scottish Community Development Centre/Community Health Exchange
45 Scottish Government - Division of Primary Care
46 Scotland's House of Care Programme
47 Scottish Physiotherapy Amputee Research Group (SPARG)
48 Scottish Practice Pharmacist and Prescribing Advisors group
49 Scottish Rural Health Partnership
50 Scottish Rural Medicine Collaborative
51 SIGN Scottish Intercollegiate Guidelines Network
52 Sight Action
53
54
55
56
57
58
59
60

1
2
3 SPIRE clinical lead
4 The Association of Chartered Physiotherapists in Sports and Exercise Medicine
5 The Health and Social Care Alliance
6 The Society and College of Radiographers
7 Voluntary Health Scotland
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only



Scottish School of Primary Care

Scotland Primary Care Research Prioritisation Exercise survey

We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. **Consent - Sorry you cannot proceed if you do not consent to take part.**

* *Required*

Before completing the survey please find some information about the study.

Scotland Primary Care Research Prioritisation Exercise

Our goal is to provide a clear direction for future primary care research so that it benefits the lives of individuals and families, and increases the amount of funding for the most important primary care research. We want to see research made even better with your input.

Purpose of the project

High-quality primary care is underpinned by high-quality research.

The disease COVID-19 that is caused by a new strain of coronavirus is likely to re-direct research priorities and shift research agendas in primary care.

1 The aim of this project is to reach a consensus for primary care research priorities in
2 Scotland where uncertainties remain and set a research direction that will be relevant for
3 patients, carers and generalist healthcare professionals for the next 5 years.

4
5 It is designed to strengthen future evidence about primary care to improve health
6 outcomes.
7

8 **Who should do the survey?**

9
10
11 Anyone living in Scotland who uses primary care services(patients and carers) or who
12 are healthcare professionals working in Scotland will be eligible to participate in the
13 identification and prioritisation of uncertainties.
14
15

16 **Who is leading the project?**

17
18
19 The project is led by the Scottish School of Primary Care. Our **key partners** are:

20 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)

21
22
23 Advanced Practice Physiotherapy Network

24
25
26 Autism Network Scotland

27
28
29 Association of Advanced Practice Educators UK

30
31
32 BMA General Practitioners Committee Scotland

33
34
35 Chair of Directors of Pharmacy

36
37
38 Chartered Society of Physiotherapy

39
40
41 Chest Heart & Stroke

42
43
44 Chief Nursing Officer

45
46
47 Community Pharmacy Scotland

48
49
50 COSLA – Convention of Scottish Local Authorities

51
52
53 Director of Postgraduate GP Education

54
55
56 Defence Primary Health Care Scotland

57
58
59 Edinburgh Community Health Forum
60

1 General Practice Nursing – NHS Education Scotland

2 Healthcare Improvement Scotland

3
4 Health and Social Care Partnerships

5
6
7 Health and Social Care Scotland (including Chief Officer Group and The IJB Chairs &
8 Vice Chairs Network)

9
10
11 International Foundation for Integrated Care (IFIC)

12
13
14 Mental Health Foundation

15
16 National Academy for Social Prescribing

17
18
19 NHS Chief Executives Board

20
21
22 NHS National Services Scotland (NSS)

23
24 NRS Primary Care Network PPI group

25
26
27 NRS Primary Care Network

28
29 Penumbra -supporting mental health and wellbeing

30
31
32 PHC Lead Nurse at SG/Primary Care General Practice Nursing

33
34
35 Postgraduate Dean for Pharmacy NES

36
37
38 Programme Director Nursing NES

39
40
41 Public Health Scotland Primary Care Co-Cell Lead

42
43
44 Public Health Scotland

45
46
47 Queen's Nursing Institute Scotland

48
49
50 RNIB Scotland

51
52
53 Royal College of General Practitioners

54
55
56 Royal College of Nursing Scotland

57
58
59 Royal College of Occupational Therapists

60
61
62 Royal Pharmaceutical Society (Scotland)

1 Scottish Ambulance Service

2 Scottish Community Development Centre / Community Health Exchange

3
4 Scottish Government - Division of Primary Care

5
6
7 Scotland's House of Care Programme

8
9
10 Scottish Physiotherapy Amputee Research Group (SPARG)

11
12 Scottish Practice Pharmacist and Prescribing Advisors group

13
14
15 Scottish Rural Medicine Collaborative

16
17
18 Scottish Rural Health Partnership

19
20 SIGN – Scottish Intercollegiate Guidelines Network

21
22
23 Sight Action

24
25 SPIRE clinical lead

26
27
28 The Association of Chartered Physiotherapists in Sports and Exercise Medicine

29
30
31 The Health and Social Care Alliance

32
33
34 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions

35
36
37 The Scottish Deep End Project

38
39
40 The Society and College of Radiographers

41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
Voluntary Health Scotland

Who is funding the project?

The Scottish Government financially supports the Scottish School of Primary Care.

What about confidentiality?

You can respond anonymously to this survey – you do not have to give your name or contact details. If you are a healthcare professional we will ask you what your occupation is.

Who do I contact for further information about the study?

Prof Gill Hubbard is leading this project. She is a co-deputy director of the Scottish School of Primary Care.

She can be contacted at the following address or by email:

Prof Gill Hubbard, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Email: gill.hubbard@uhi.ac.uk

What if I wish to complain about the study?

You can submit a written complaint about the study to: Prof Annetta Smith, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Or you can contact her by telephone on: 01851 708250

Or you can email her at: Annetta.Smith@uhi.ac.uk

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Scotland Primary Care Research Prioritisation Exercise survey

Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing.

About you: Where do you live most of the time?

Are you an unpaid carer? An unpaid carer is defined as someone who is caring but does not have a contract or doing it as voluntary work.

Please select exactly 1 answer(s).

Yes

No

Do you consider yourself to have a long-term condition?

Please select exactly 1 answer(s).

Yes

No

Do you work in health and / or social care?

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

Which sector do you work in?

What sector do you work in? (please tick all that apply)

- Community Care
- Government (local or national)
- Primary Care
- Secondary Care
- Third Sector
- University
- Other

If you selected Other, please specify:

What is your main profession? (please select one)

- Allied health profession regulated by Health & Care Profession Council (Please write it down)
- Dentistry regulated by General Dental Council
- Medicine regulated by General Medical Council
- Nursing or Midwifery regulated by Nursing & Midwifery Council
- Pharmacy regulated by General Pharmaceutical Council
- Social work regulated by Scottish Social Services Council
- Other

If you selected 'Allied Health Profession' or 'Other', please specify:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



For peer review only

BMJ Open: first published as 10.1136/bmjopen-2021-056817 on 3 May 2022. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

Research to Improve Primary Care

What topics, issues and concerns do you think are important to research to improve primary care for the next 5 years? Please suggest up to three (in any order)

Suggestion 1.

Suggestion 2.

Suggestion 3.

Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Please provide email address:

For peer review only

What happens next..

You have been directed here if you did not consent to take part in the survey OR you have now completed the survey.

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Peer Review Only

Final page

Thank you for taking part in the survey.

Key for selection options

1 - We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. Consent - Sorry you cannot proceed if you do not consent to take part.

I consent to take part in the survey

I do not consent to take part

2 - About you: Where do you live most of the time?

Scotland

Not in Scotland

5 - Do you work in health and / or social care?

Yes

No

9 - Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

Yes

No

Theme 1 'Disease and illness' sub-theme 'mental health' examples

Topics	Suggestion examples
Children and young people	<ul style="list-style-type: none"> • Mental health services in children and adolescents • How can primary and secondary care better work together to care for children and young people with mental disorder, ranging from ADHD to anorexia nervosa. • Improving mental health services. There has been a huge increase in maternal mental health and child and adolescent mental health issues since the Covid 19 pandemic.
Management	<ul style="list-style-type: none"> • Development of mental health support for those with mental wellbeing difficulties presenting to primary care and being managed in primary care- support worker for self-help and counselling etc • Proactive management of anxiety and mental health - aiming to audit and address this growing unmet need within primary care. • Management plans. Social, spiritual, mental health, where and how you would like to die.
Access	<ul style="list-style-type: none"> • Improved access to mental well-being support • Mental health provision • Availability of mental health services for adults
Covid-19	<ul style="list-style-type: none"> • The impact of isolation to people's mental wellbeing during Covid • Deterioration in the mental health of people with Autism and learning difficulties during Covid
MDT	<ul style="list-style-type: none"> • Issue - lack of AHP particularly OT in primary care. Patients with mental health problems or complex comorbidity who do not meet the criteria for secondary care services cannot access OT services until they become very unwell. Goes against early intervention. • Why there are not more funded training places for people to deliver psychological interventions, i.e. psychologists, when demand greatly outweighs number of spaces currently available, and waiting lists are enormous.
Remote consultations	<ul style="list-style-type: none"> • Mental health services, particularly remote access
Self-care	<ul style="list-style-type: none"> • Eating well for your mental health
Early intervention	<ul style="list-style-type: none"> • Early access to mental health services in the community
Medication	<ul style="list-style-type: none"> • Inappropriately long durations of antidepressants
Carers	<ul style="list-style-type: none"> • The impact on the mental health of unpaid carers. Who is caring for the carers? What percentage of carers die before the cared for?
Equity	<ul style="list-style-type: none"> • The effect on the mental health of people who rely on charities to do their weekly shop

Theme 1 'Disease and illness' sub-theme 'Covid-19' examples

Topics	Suggestion examples
Management	<ul style="list-style-type: none">• Post Covid what the primary care consulting model will look like and how patients will be triaged in the future with potential infections• Long Covid and its issues for patients- what should services look like to support these patients?• Interventions in the community for post-Covid care IT - suggested assessments or interventions especially managing risk etc.
Lived experience	<ul style="list-style-type: none">• Living with long Covid'• Post Covid symptoms – long-term recovery and support
Mental health	<ul style="list-style-type: none">• Long term effects of Covid-19 on anxiety, depression, especially in young people• Mental health - impact of Covid on patients
Vaccination	<ul style="list-style-type: none">• Long term side effects of Covid immunisation and the overall effect – how often will we need a vaccine and what's the longevity of the antibodies?

Theme 1 'Disease and illness' sub-theme 'long-term conditions' examples

Topics	Suggestion examples
Management	<ul style="list-style-type: none">• Management of long-term conditions• Disparity over how we deliver long term condition management and how that affects outcomes• Long term condition monitoring, does it improve morbidity and mortality? If so, for which conditions and what is optimum review interval and requirements'
Self-care	<ul style="list-style-type: none">• Self-care of long-term conditions• Supporting patients living with long term conditions to take control of them with support from health care professionals
Remote consultations	<ul style="list-style-type: none">• Remote consultant in long term condition management• Use of remote consultation on management of long-term chronic conditions as this group have a high DNA rate for face to face appointments
Prevention	<ul style="list-style-type: none">• Primary prevention of long-term conditions. What would really work in the real world

1
2
3 **Theme 1 'Disease and illness' sub-theme 'obesity' examples**

4 Topics	5 Examples
6 Prevention	7 • Better resources and treatments for prevention of obesity, once a 8 patient has gained significant weight very difficult to remove and 9 sustain.
10 Management	11 • Weight management/exercise 12 • Obesity management strategies that are accessible for all

13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

Theme 1 'Disease and illness' sub-theme 'diabetes' examples

Topics	Examples
Prevention	<ul style="list-style-type: none">• Diabetes and Obesity at all ages. More needs to be done about healthy eating and life style• Type 2 Diabetes - lifestyle management & prevention of disease or disease progression
Medication	<ul style="list-style-type: none">• Cost benefits of GLP-1 receptor activators• Effects of lifestyle v drugs for Diabetes and CV disease and how to effectively deliver these
Lived experience	<ul style="list-style-type: none">• Pre-diabetes and progression to type 2 diabetes and the patients experience and what they feel could have been done differently

For peer review only

Theme 1 'Disease and illness' sub-theme 'dementia' examples

Topics	Examples
Management	<ul style="list-style-type: none"> • Dementia service / resource • Alternatives to 24hr large group residential settings vs group houses or entire dementia communities to allow safeguarding and independence
Lived experience	<ul style="list-style-type: none"> • Experience of persons with Dementia / L Disability in Inpatient acute care
Early intervention	<ul style="list-style-type: none"> • Implementation of OT services for early intervention for people with a dementia diagnosis • More timely diagnosis and access to dementia support. Dementia assessment and treatment to be separate from Mental Health services.
Carers	<ul style="list-style-type: none"> • Support for carers

For peer review only

Theme 1 'Disease and illness' sub-theme 'frailty' examples

Topics	Examples
Management	<ul style="list-style-type: none">• With an ageing population, a continued long-term strategy to address falls and fragility from cradle to grave• Approaches to frailty and last-years-of-life trajectories.
Mental health	<ul style="list-style-type: none">• Impact of COVID/Isolation on mental health within the frail elderly population
Early intervention	<ul style="list-style-type: none">• Early intervention for prevention in frailty
Lived experience	<ul style="list-style-type: none">• Frailty of people living in own homes

For peer review only

Theme 1 'Disease and illness' sub-theme 'addiction' examples

Topics	Examples
Management	<ul style="list-style-type: none">• The role of Occupational Therapy within addiction, recovery and treatment teams
Medication	<ul style="list-style-type: none">• Supporting people with alcohol and drug issues and polypharmacy
Lived experience	<ul style="list-style-type: none">• Recovery from Addictions
Mental health	<ul style="list-style-type: none">• Mental health services including drug and alcohol and children's services.
Early intervention	<ul style="list-style-type: none">• The effect of early intervention (beyond Brief Intervention) on those identified with harmful drinking levels - preventing progress onto Hazardous drinking

For peer review only

Theme 2 'Access' sub-theme 'availability and presence of services' examples

Topics	Examples
Provision	<ul style="list-style-type: none"> • Primary care access to psychological therapies and counselling • Access to primary care services • How to build in sustainable service developments, particularly that can become community assets • Management of mental health and service availability
Care closer to home	<ul style="list-style-type: none"> • Access to services in the community/ more funding for community-based hubs • Transfer of services to primary care so that care can be delivered closer to patients' homes, do centralised services such as care and treatment services improve patient care? • Impacts on rural communities in accessing healthcare with redesign to hub healthcare

For peer review only

Theme 2 'Access' sub-theme 'utilisation and service barriers' examples

Topics	Examples
Accessing healthcare professionals	<ul style="list-style-type: none"> • Access to nurse and GP appointments • Easy access for patients to GPs and other health professionals. Some may find it difficult to get appointments • Easier access to Medical Professionals' 'Patient access to the wider multidisciplinary team and breaking down barriers that are stopping this
Organisational barriers	<ul style="list-style-type: none"> • Patient access to GP face to face appointments • How to improve harder to reach patients accessing health services • Far better transport access to hospitals, either public or NHS
Waiting times	<ul style="list-style-type: none"> • Waiting times • Quicker access to primary care input to prevent escalation to secondary care services • What impact does a 2 year waiting list for psychological therapy have on mental health patients? • Impact of reduced time with the GP and longer waiting times on health outcomes
Patient understanding and expectations	<ul style="list-style-type: none"> • 'First contact physio service- need to improve patient understanding • Access to services - how to reduce inappropriate demand to improve available provision
Out of hours	<ul style="list-style-type: none"> • 7 day access to GP surgeries
Accessing during pandemic	<ul style="list-style-type: none"> • Impact of access challenges in immediate phase 1 of Covid on diagnosis of chronic conditions e.g. depression
Health literacy	<ul style="list-style-type: none"> • Addressing health literacy to improve outcomes

1
2
3
4 **Theme 2 'Access' sub-theme 'relevance and effectiveness of services' examples**

5
6

Topics	Examples
Right service	<ul style="list-style-type: none"> • How mental health services are meeting the needs of patients within primary care • How Primary care become more responsive to the needs of the community • Effects of 'long Covid' on patients and access to effective treatment • Evaluation of impact of changes to patient engagement with GP practices (including different models, like care navigation, GP first triaging etc
Right time	<ul style="list-style-type: none"> • Access to early intervention on Mental Health concerns before they worsen • Triage to improve access to the right the person at the right time • How can we improve care for the housebound (who now often end up with reactive care from random professionals

7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Theme 2 'Access' sub-theme 'equity' examples

Topics	Examples
Access for all	<ul style="list-style-type: none">• Ensuring that services are accessible, acceptable, available and high quality, in line with a rights-based approach to ensuring that services support our shared right to the highest attainable standard of health• Unwarranted variation in care and medicines use across Scotland
Rurality	<ul style="list-style-type: none">• The numbers of people living rurally, with no access to a car and miles from the nearest GP practice and the effect on their mental and physical health
Deprivation	<ul style="list-style-type: none">• Communication poverty to improve accessibility, participation and citizenship

For peer review only

Theme 3 'workforce' sub-theme examples

Sub-theme	Examples
Recruitment and retention	<ul style="list-style-type: none">• Encourage GPs in primary care• Staff shortages in district nursing
Training and development	<ul style="list-style-type: none">• Sharing of best practice and protocols for routine work• Sensory awareness and communication training for all primary care service staff
Workload	<ul style="list-style-type: none">• Looking at pay/ employment rights/ annual leave of all practice nurses across Scotland and standardising it• The patient contact workload of GPs and impact on GP workforce and safety
Mental health	<ul style="list-style-type: none">• Supporting staff's wellbeing when working from home• Burnout in the primary care workforce
GMS contract	<ul style="list-style-type: none">• Impact of the 2018 GP contract

1
2
3 **Theme 4 ‘multi-disciplinary team’ examples**

4 Theme

Examples

5 MDT

- 6 • Added value of MDT in primary care?
- 7 • Primary care is becoming more of an MDT; patient
- 8 perspectives on this?
- 9 • Effectiveness of nurse-led clinics
- 10 • Unique contribution of occupational therapy service
- 11 provision in early intervention for prevention model of
- 12 service delivery within MDT in primary care setting
- 13
- 14
- 15 • What is the role of the General Practice Nurse in 2030?
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

For peer review only

Theme 5 'Integration' sub-theme examples

Sub-theme	Examples
Multi-agency working and collaboration	<ul style="list-style-type: none"> • Links with primary care and community rehabilitation teams • Impact of care at home through multi- agencies versus controlled agency commitment • Prioritisation in the context of health and social care need (not just health need) • Inclusive Communication Strategy across all primary care services
Continuity of care	<ul style="list-style-type: none"> • How Primary care can ensure continuity of care between themselves and the patient • Tools to measure continuity of care reliably
Social prescribing	<ul style="list-style-type: none"> • How to ensure the majority GPs to actively promote and utilise social prescribing • The extent to which community link workers in primary care practices are making measurable differences to patients' wellbeing and to health inequalities

1
2
3 **Theme 6 'health inequalities' examples**

4 Theme

Examples

5 Health inequalities

- What measurable impact will primary care make on health inequalities across Scotland over the next 5 years?

6
7
8
9
10 Deprivation

- Poverty and the impact this has on health and wellbeing

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

BMJ Open

A survey to identify research priorities for primary care in Scotland during and following the Covid-19 pandemic

Journal:	<i>BMJ Open</i>
Manuscript ID	bmjopen-2021-056817.R2
Article Type:	Original research
Date Submitted by the Author:	01-Apr-2022
Complete List of Authors:	Hubbard, Gill; University of the Highlands and Islands, Nursing and Midwifery Grist, Fiona; University of the Highlands and Islands, nursing and midwifery Pope, Lindsey; University of Glasgow Cunningham , S ; Robert Gordon University Maxwell, Margaret; University of Stirling, Nursing, Midwifery and Allied Health Professions Research Unit Bennie, Marion; University of Strathclyde, Pharmaceutical Sciences Guthrie, Bruce; University of Edinburgh College of Medicine and Veterinary Medicine Mercer, Stewart; The University of Edinburgh, The Usher Institute of Population Health Sciences and Informatics
Primary Subject Heading:	General practice / Family practice
Secondary Subject Heading:	Evidence based practice, Health policy, Health services research
Keywords:	PRIMARY CARE, QUALITATIVE RESEARCH, Health policy < HEALTH SERVICES ADMINISTRATION & MANAGEMENT

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

TITLE

A survey to identify research priorities for primary care in Scotland during and following the Covid-19 pandemic

Authors

Hubbard, G^{1,*}

Grist, F¹

Pope, L²

Cunningham, S³

Maxwell, M⁴

Bennie, M⁵

Guthrie, B⁶

Mercer, SW⁶

1. Dept of nursing and midwifery, University of the Highlands and Islands, Centre for Health Sciences, Old Perth Road, Inverness, IV2, 3JH.
Email gill.hubbard@uhi.ac.uk

2. School of Medicine, Dentistry and Nursing, University of Glasgow, University Avenue, Glasgow, G12 9XW Email lindsey.pope@glasgow.ac.uk

3. School of Pharmacy & Life Sciences, Robert Gordon University, Garthdee Road, Aberdeen, AB10 7GJ.

4. The Nursing, Midwifery and Allied Health Professions Research Unit, University of Stirling, Stirling FK9 4LA.

5. Strathclyde Institute of Pharmacy and Biomedical Sciences, University of Strathclyde, Glasgow, G1 1XQ

6. The Usher Institute, University of Edinburgh, Teviot Place, Edinburgh EH8 9AG

*Corresponding author

ABSTRACT (290 words)

Objectives: To identify research priorities for primary care in Scotland following the Covid-19 pandemic.

Design: Modified James Lind Alliance methodology; respondents completed an on-line survey to make research suggestions and rank research themes in order of priority.

Setting: Scotland primary care

Participants: Healthcare professionals in primary care in Scotland and members of primary care Patient and Public Involvement (PPI) groups. 512 respondents provided research suggestions; 8% (n=40) did not work in health or social care; of those who did work, 68.8% worked in primary care, 16.3% community care, 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could select multiple options). Of those respondents who identified as healthcare professionals, 33% were in nursing and midwifery professions, 25% were in Allied Health Professions (of whom, 45% were occupational therapists and 35% were physiotherapists), 20% were in the medical profession and 10% were in the pharmacy profession.

Main outcomes: Suggestions for research for primary care made by respondents were categorised into themes and sub-themes by researchers and ranked in order of priority by respondents.

Results: There were 1,274 research suggestions which were categorised under 12 themes and 30 sub-themes. The following five themes received the most suggestions for research: disease and illness (n=461 suggestions) access (n=202), workforce (n=164), MDT (n=143) and integration (n=108). One hundred and three (20%) respondents to the survey participated in ranking the list of 12 themes in order of research priority. The five most highly ranked research priorities were: disease and illness, health inequalities, access, workforce, and multi-disciplinary teams. The disease and illness theme had the greatest number of suggestions for research and was scored the most highly in the ranking exercise. The sub-theme ranked as the most important research priority in the disease and illness theme was 'mental health'.

1
2
3 **Conclusions:** The themes and sub-themes identified in this study should inform research funders so
4
5 that the direction of primary healthcare is informed by evidence.
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

Strengths and limitations of this study

- A transparent and systematic Delphi approach was used to identify research priorities.
- The methods used provide a shared understanding of research priorities for primary care among nurses, pharmacists, Allied Health Professionals and medical professionals and PPI group members.
- We do not know how many healthcare professionals received the survey which means that we are unable to report a response rate; however, this study included fifty-four key partner organisations representing the range of primary care professions.
- We did not conduct a literature search to assess gaps in evidence relating to the research priorities.

Word count 3,195

INTRODUCTION

The Covid-19 pandemic has had a significant impact on primary care¹⁻³ and so it is timely to set research priorities in order to support recovery. Primary care is the foundation of equitable and affordable healthcare,⁴ especially in countries with universal coverage and a National Health Service (NHS) as in the United Kingdom (UK).⁵ Scotland, as a devolved nation, is responsible for the funding and planning of its healthcare system with high quality primary care at the heart of its vision.⁶ High quality primary care needs to be underpinned by high-quality research and evaluation.⁷ Primary care is usually a person's first point of contact with the NHS⁸ and it is where most patient contacts occur.⁶ In this study, we adopted the following definition of primary care that has been agreed by a range of professional organisations in Scotland:

“Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing”.⁹

Vertical (i.e. disease-specific) approaches to healthcare have been effective at reducing morbidity and mortality from specific conditions but have been criticized for detrimentally affecting the resources available to, and capacity of local primary care.¹⁰ Research priorities set from a generalist and multi-professional perspective are also important and of value to patients and carers.¹¹⁻¹⁴ The high and increasing prevalence of multimorbidity associated with population ageing means that there is an increasing need for care which focusses on supporting people with multiple conditions.¹⁵ Hence, there is a need to set both vertical (disease) and horizontal (generalist primary care) research

1
2
3 priorities in order to guide research investment and direct resource allocation that will ultimately
4
5 provide a robust evidence-base to underpin the development and delivery of primary care.
6
7
8
9

10 A number of previously published studies have identified primary care research priorities and the
11 reach of these studies has varied with research priorities variously being developed internationally,¹⁶
12 in low and middle income countries,¹⁷ in the European Union,¹⁸ or in single countries.¹⁹ An argument
13
14 for setting research priorities in one country, or a cluster of similar countries is because the
15
16 challenges faced by primary care in different countries vary due to factors such as population
17
18 characteristics (for example, an ageing population), diverse social cultures and norms, and different
19
20 healthcare systems (for example, public and private healthcare systems).¹⁸ Research priorities
21
22 identified in several previous research prioritisation exercises include how primary care should be
23
24 financed, organised and staffed,¹⁶⁻²⁰ the importance of implementation and translation of knowledge
25
26 and evidence into primary care,^{16 19} addressing multimorbidity,^{16 19 20} promoting health equity,^{16 19}
27
28 promoting healthy behaviours in the population,^{16 19} universal health coverage and health access,^{16 17}
29
30 digital delivery of primary care,^{16 19} and the involvement of patients in the design and delivery of
31
32 primary care.^{16 19}
33
34
35
36
37
38
39
40

41 The aim of this study was to identify primary care research priorities in Scotland and set a research
42 direction that will be relevant for patients, carers and generalist healthcare professionals in the
43 aftermath of the coronavirus pandemic. This is the first comprehensive, generalist health
44
45 professional project of primary care research priorities since the 2020 onset of the coronavirus
46
47 pandemic. It is designed to strengthen future evidence for primary care to improve health
48
49 outcomes.
50
51
52
53
54
55
56
57
58
59
60

METHODS

This study adapted the James Lind Alliance (JLA) methodology.²¹ The Steering Group for the project was the Scottish School of Primary Care (SSPC) Executive (<http://www.sspc.ac.uk>), which included an individual from a primary care Patient and Public Involvement (PPI) group, clinical academics and primary care researchers from Scottish universities. The following steps were taken to deliver the project:

Step 1&2: Identifying key partners and raising awareness of the study

'Key partner' organisations were identified through a process of peer knowledge and consultation, and through the Steering Group members' networks. Fifty-four key partner organisation agreed to participate by advertising the project and circulating the link to the survey to their members (Supplementary File 1: Key Partners).

Step 3: Identifying research priorities

The Steering Group administered an online survey via the key partner organisations for respondents to identify an initial set of research priorities (Supplementary File 2: Research priorities Survey).

Healthcare professionals in primary care in Scotland were eligible to participate in the identification and prioritisation of research for primary care. Members of primary care PPI groups were also invited, including members of the National Research Scotland Primary Care PPI group. A period of three months was given to complete the survey (4th December 2020 – 1st March 2021). Responses were solicited with the following open-ended query that was used in a previous international JLA primary care research priorities project: "Please suggest up to three important primary care research questions"¹⁶. Responses were anonymous (no names were requested during the survey).

Respondents were asked to provide an email if they were willing to participate in subsequent steps of the project, but these emails were stored separately from the submitted priorities. Results were downloaded from Online Survey to an Excel spreadsheet for the purposes of analysis in Step 4.

Step 4: Analysis and identifying research themes and sub-themes

The submissions of all respondents were analysed collectively. Suggestions for research by respondents were grouped into themes and sub-themes by two members of the Steering Group (GH, FG), with the theoretical framework developed iteratively over several meetings including involvement of a third member of the group (SM) to resolve disagreements. Suggestions for research were allowed to be categorised under more than one theme. If a group of suggestions on the same topic totalled <1 percent (i.e. ≤ 12 suggestions) of the total number of research suggestions then a theme was not created. Sub-themes were identified within a theme when approximately $\geq 10\%$ of suggestions were on a similar topic. Theme and sub-theme names were chosen from current policy and literature for example, sub-themes for the theme 'access' were drawn from a published definition of 'access' which included provision and availability of primary care services, equity of access, people's use of services and barriers to getting access as well as the dimension of effectiveness of using the service.²²

The submissions of the sub-group who were not health and social care professionals (n=40) were included in the above exercise and also analysed separately to determine if there were any themes that were unique to this group.

Step 5: Ranking themes and research prioritisation

The aim of the final stage of the priority setting process was to rank the primary care research themes in order of priority. The respondents in Step 3 who wished to participate in this step were invited by email to rank the list of the summary research themes and sub-themes in order of priority. This exercise was done using an online survey, which was open for 1 month. Respondents

1
2
3 were asked to rank 12 research themes that had been identified in Step 4 in order of priority, and to
4
5 rank all sub-themes.
6
7
8
9

10 **Patient and Public Involvement and Engagement**

11
12 Several meetings between GH and the National Research Scotland Primary Care Public Involvement
13
14 Group were held so that patients could contribute towards developing the protocol for this study.
15
16 This group was also a key partner.
17
18
19
20

21 **Ethical approval**

22
23 Independent advice was sought from NHS Grampian Research Ethics Committee and University of
24
25 Highlands and Islands Research Ethics Committee, who both advised that the project did not require
26
27 research ethics review because the study was identifying research priorities and not conducting the
28
29 research.
30
31
32
33

34 **RESULTS**

35 **Respondent characteristics**

36
37 There were 512 respondents. Eight percent (n=40) of respondent did not work in health or social
38
39 care and therefore for the purposes of this study were regarded as patients, carers and members of
40
41 the general public. Of those who did work, 68.8% worked in primary care, 16.3% community care,
42
43 11.7% secondary care, 4.5% third sector, 4.2% university (respondents could select multiple options
44
45 for place of work). Table 1 shows the health and social care professions of respondents (n=472).
46
47
48
49
50
51
52

53 **Table 1: Health and social care professions of respondents**

54 Profession	55 N = 472 (%)
56	56
57	57
58	58
59	59
60	60

Allied health profession regulated by Health and Care Profession	120 (25.4%)
Dentistry regulated by General Dental Council	5 (11%)
Medicine regulated by General Medical Council	95 (20.1%)
Nursing or Midwifery regulated by Nursing & Midwifery Council	157 (33.3%)
Pharmacy regulated by General Pharmaceutical Council	49 (10.4%)
Social work regulated by Scottish Social Services Council	2 (0.4%)
Other	44 (9.3%)

Of those respondents who were healthcare professionals, 33% were in nursing and midwifery professions regulated by the Nursing and Midwifery Council, 25% in Allied Health Professions regulated by the Health and Care Profession Council (of whom, 45% were occupational therapists and 35% were physiotherapists), 20% were in the medical profession regulated by the General Medical Council and 10% were in the pharmacy profession regulated by the General Pharmaceutical Council.

Research themes and sub-themes

The total number of research suggestions was 1,274. Research suggestions were categorised under 12 themes and 30 sub-themes (Table 2). The 12 themes and their associated sub-themes are positioned in order of the quantity of suggestions for research. Five themes had over 100 suggestions for research; these were 'disease and illness', 'access', 'workforce', 'multidisciplinary teams' and 'integration'. Hence, based on the number of suggestions for research, these are the top five priorities for research.

Table 2: Themes and associated sub-themes in order of the quantity of research suggestions that were categorised under each theme and sub-theme (n=512 respondents)

Theme	Number ^a	Sub-themes	Number ^a
Disease and illness	461	Mental health	168
		Covid-19	58
		Long-term conditions	42
		Obesity	27
		Diabetes	18
		Dementia	16
		Frailty	14
		Addiction	14
Access	202	Availability and presence of services	72
		Utilisation of services and barriers	61
		Relevance & effectiveness of services	43
		Equity	26
Workforce	164	Recruitment and retention	58
		Training and development	54
		Workload	31
		Mental health	22
		GMS contract	11
Multi-disciplinary teams (MDT)	143	-	-
Integration	108	Multi-agency working & collaboration	74
		Social prescribing	20
		Continuity of care	14
Digital healthcare	96	Remote consultations	56
		Remote care	23
		IT systems	12
		Telephone triage	5
Self-care	84	Lifestyle	44
Primary / secondary care interface	62	Communication	9
		Continuity of care	9
Medications	55	-	-
Health inequalities	30	Deprivation	15
Carers	19	-	-
Patient involvement	13	Research	7
		Care	6

a. number of research suggestions categorised under a theme and sub-theme. Not all suggestions made by respondents were categorised under a theme or sub-theme.

The theme with the most suggestions for research was 'disease and illness'; the associated sub-themes indicate multiple long-term conditions. The sub-theme with the most suggestions for

1
2
3 research under this theme was 'mental health'. The theme with the second most suggestions for
4
5 research was 'access' and included suggestions about the availability of primary care services,
6
7 utilisation of these services and barriers to access, the relevance and effectiveness of these services
8
9 and equity of access. 'Workforce' was the theme that had the third most suggestions for research
10
11 and included suggestions about recruitment and retention of primary care staff, training and
12
13 development, workload, staff mental health, and GMS Contract. 'Multi-disciplinary teams' (MDT)
14
15 was the theme that contained the fourth most suggestions for research. Twenty-eight percent of
16
17 suggestions about MDTs did not specifically refer to a particular profession, 23% referred to nurses,
18
19 17% occupational therapists, 13% Allied Health Professions, 8% pharmacists, 4% physiotherapists
20
21 and 3% psychologists. Forty-five percent of pharmacists (n=22) provided a suggestion categorised
22
23 under the theme MDT, followed by 42% (n=51) of AHPs, 23% (n=22) of medical professionals, 22%
24
25 (n=35) of nurses, and 20% (n=1) of dentists. 'Integration' was the theme that had the fifth most
26
27 suggestions for research; associated sub-themes were multi-agency working and collaboration,
28
29 social prescribing and continuity of care. Examples of research suggestions for each theme can be
30
31 found in Supplementary File 3.
32
33
34
35
36
37
38

39 Figure 1 shows the themes of respondents who were not a health and social care professional
40
41 (n=40). It shows that most research suggestions of this sub-group were categorised under the
42
43 themes 'disease and illness' and 'access.' These were the themes with the highest number of
44
45 research suggestions in the total group of respondents. The theme 'integration' had the third
46
47 highest number of research suggestions and the theme 'self-care' had the fourth highest number of
48
49 suggestions for research in this sub-group whereas these themes were fifth and seventh in the total
50
51 group of respondents.
52
53
54
55
56

57 **Insert Figure 1 here**
58
59
60

Ranking of research themes and sub-themes

One hundred and three (20%) respondents to the survey participated in ranking the list of 12 themes in order of research priority (Table 3). The five most highly ranked themes were as follows: 19.4% of respondents chose 'disease and illness', 17.4% chose 'health inequalities', 14.5% chose 'access', 12.6% chose 'workforce' and 12.6% chose 'multi-disciplinary team' as their number one top research priority. Hence, based on this ranking exercise, these are the top five priorities for research.

Table 3: Themes ranked as the number one top research priority (n=103 respondents)

Theme	Number of respondents ranking as top research priority
Disease and illness	20
Health inequalities	18
Access	15
Workforce	13
Multidisciplinary teams	13
Integration	6
Primary / secondary care interface	5
Digital healthcare	4
Self-care	4
Patient involvement	4
Medications	1
Care	0

Within the most highly ranked theme 'disease and illness', eight sub-themes were ranked. 'Mental health' was selected as the top priority by 37.9% of respondents followed by 23% of respondents choosing 'long-term conditions' as their top research priority under this theme. Four sub-themes were ranked in order of priority under the 'access' theme. Thirty-seven percent of respondents chose 'availability and presence of primary care services' as their top priority for research under this theme followed by 25% of respondents selecting 'relevance and effectiveness'. Four sub-themes were also ranked in order of priority within the 'workforce' theme. Twenty-nine percent of respondents chose 'recruitment and retention' as their top priority for research under this theme, followed by 23% of respondents selecting 'workload'. There was only one sub-theme identified

1
2
3 during the survey for the main theme 'health inequalities' and no sub-themes for 'multidisciplinary
4 teams' and so we did not ask respondents to conduct any further ranking under these themes. No
5
6
7 sub-group analysis was conducted because we did not know which respondents (e.g. if they worked
8
9
10 in health and social care) from the survey participated in the ranking exercise.
11
12
13

14 **DISCUSSION**

15
16 The study illustrates the quantity and breadth of research topics suggested primarily by primary care
17
18 healthcare professionals. The study highlights that there are some differences between the themes
19
20 with the greatest number of suggestions for research (Table 2) and the themes scored highly in the
21
22 ranking exercise (Table 3); we therefore present both as a basis for research prioritization. The
23
24 ranking of research themes in order of research priority identified the following top five priorities:
25
26 'disease and illness', 'access', 'workforce', 'multi-disciplinary teams' and 'health Inequalities'. The
27
28 theme 'integration' attracted many suggestions for research by respondents although only 6% of
29
30 respondents ranked it as their number one priority for research in the ranking exercise. The theme
31
32 'health inequalities' was highly ranked although this theme attracted relatively few suggestions for
33
34 research compared with other themes that made it into the top five priorities for research. Why the
35
36 theme 'health inequalities' attracted relatively few suggestions for research could be a consequence
37
38 of having a much smaller number of respondents participating in the ranking exercise compared to
39
40 the number of respondents involved in providing suggestions for research (103 vs. 512) or it could
41
42 be that people think and choose differently when given a pre-specified list of themes to rank in
43
44 order of research priority.
45
46
47
48
49
50
51

52 The study shows that the two top priorities for research – 'disease and illness' and 'access' - for the
53
54 total group of respondents were also the top two priorities for research when the sub-group of
55
56 respondents who did not work in health and social care were analysed separately. However, there
57
58 were some differences in the number of research suggestions for other themes, which highlights
59
60

1
2
3 that research priorities may vary depending on which groups of the population are involved in the
4
5 prioritisation exercise.
6
7
8
9

10 The study shows that priorities for research may vary by profession. We show for instance, that a
11
12 higher proportion of respondents in the pharmacy profession and AHPs made suggestions for
13
14 research about MDTs compared to medical professionals and nurses. However, a strength of this
15
16 study is that it presents priorities for research identified across a wide range of professions.
17
18
19

20
21 The most highly ranked theme was 'disease and illness' and its sub-themes include the most
22
23 common conditions treated in primary care, most of which are long-term conditions. For all the
24
25 conditions listed, including mental health problems, it is more common for people to have
26
27 multimorbidity (two or more conditions) than the single condition alone.¹⁵ What the suggestions for
28
29 research categorised under this theme represent is recognition that the effective management in
30
31 primary care of long-term conditions, either as a single chronic condition or multimorbidity, is going
32
33 to be crucial for the nation's health. This focus on long-term conditions represents a shift in focus in
34
35 research priorities for primary care. In a study conducted just over twenty years ago in Scotland, a
36
37 key research priority for primary care was acute illness.²³
38
39
40
41
42

43 Not surprisingly, Covid-19 was one of the conditions recommended by respondents for research
44
45 because the study took place during the pandemic. Whether 'long-Covid' becomes classified as a
46
47 new long-term condition is yet to be seen but research about the prevalence, persistence,
48
49 management and long-term consequences of Covid-19 in primary care will be important to policy
50
51 and practice in the foreseeable future. It is perhaps surprising that Covid-19 vaccination
52
53 development, or at least its delivery in primary care, did not feature as a prominent suggestion for
54
55 research since the first vaccine was given on 8th December 2020 in the UK and this survey was open
56
57 between 4th December 2020 and 1st March 2021. A qualitative study exploring respondents'
58
59
60

1
2
3 rationales for their suggestions for research would provide a much richer understanding of
4
5 prioritization for research including reasons why certain topics are not prioritized.
6
7
8
9

10 Mental health is one of the top 10 most common conditions for seeking a GP or practice nurse
11
12 consultation in primary care in Scotland⁸ and was the topic that received the most suggestions for
13
14 research. Again, mental health came to the fore during the global pandemic but was also a key
15
16 public health concern and was identified as a research priority beforehand in countries such as,
17
18 Scotland²³ and Australia.¹⁹ During the Covid-19 pandemic a specific mental health concern has been
19
20 highlighted, which is primary care staff stress and burnout and its potential effects on recruitment
21
22 and retention.²⁴ The Health and Care (Staffing) (Scotland) Act 2019²⁵, provides a statutory basis for
23
24 the provision of staffing, and highlights a duty by government to ensure that there are sufficient
25
26 numbers of appropriate staffing for the provision of safe and high-quality health care, appropriate
27
28 training, and the wellbeing of staff. The number of suggestions for research about the primary care
29
30 workforce that were provided in this study imply that there may be perceived challenges in fulfilling
31
32 this statutory duty. Staffing levels and work intensity also featured in a study identifying primary
33
34 care patient safety research priorities in the UK that was published in 2019,²⁰ which suggests that
35
36 workforce concerns are not just pertinent to the pandemic, although the pandemic may have
37
38 exacerbated workforce challenges.
39
40
41
42
43
44

45 The previous research prioritization study in Scotland identified 'organisation of care' as a key theme
46
47 and gave reducing inequalities in access to health care and reducing inequalities in health as
48
49 examples under this theme. Twenty years on, access to primary care and health inequalities remain
50
51 important research priorities. Health inequalities and access to services are two themes that have
52
53 been identified as priorities in previous primary care research prioritisation exercises conducted in
54
55 other countries, which implies that these are persistent concerns of global interest that merit further
56
57 investigation.^{16 17 19} Communication and coordination between care providers for instance, was a top
58
59
60

1
2
3 10 research priority for primary care patient safety in the UK.²⁰ The study found that specific aspects
4
5 of organisation of care were important research priorities, namely 'multi-disciplinary teams' and
6
7 'integration'. The 'Health and Social Care integration: progress review'²⁶ published in 2019 stated
8
9 that the main reason for integration was so that care 'feels seamless' for patients. The vision for
10
11 primary care in Scotland is for an enhanced and expanded multi-disciplinary community,²⁷ including
12
13 general practitioners (GPs), alongside other health professionals such as, nurses, dentists,
14
15 pharmacists, and Allied Health Professionals.²⁸ Vaccination services, pharmacotherapy services,
16
17 community treatment and care services, urgent care services and additional professional services
18
19 including acute musculoskeletal physiotherapy services, community mental health services and
20
21 community link worker services were shifted from GP Contractors to the responsibility of other
22
23 professions, albeit with GPs maintaining a professional role in these services in their capacity as
24
25 expert medical generalists. Respondents suggestions for research and the ranking exercise reflect
26
27 these policy shifts with recommendations for future research to include a focus on multi-disciplinary
28
29 teams and integration. Health and social care organisations' response within the first six months of
30
31 the Covid-19 pandemic required multi-disciplinary effort across organizational boundaries in
32
33 Scotland.²⁹ Hence, future pandemics, as well as remobilisation and recovery phases of the current
34
35 pandemic, may benefit from research to inform a multi-disciplinary approach to care.
36
37
38
39
40
41
42
43

44 **Strengths and limitations**

45
46 The main strengths of this study are that we used an established transparent and systematic
47
48 approach to identifying research priorities and it involved a large number of healthcare professionals
49
50 in Scotland. There were 512 respondents, of which 472 were health and social care professionals;
51
52 this is the largest number of healthcare professionals engaging in a research prioritisation exercise
53
54 about primary care research in Scotland and in other countries.^{17 19 20} There are however a number
55
56 of limitations. The study was reliant on the key partners advertising the survey and we do not know
57
58 how many healthcare professionals received the survey, which means that we are unable to report a
59
60

1
2
3 response rate. We did not explore respondents' reasons for proposing research suggestions or
4 ranking themes. We were not able to describe which respondents (e.g. if they worked in health and
5 social care and their profession) from the survey participated in the ranking exercise. We did not
6 conduct a systematic literature review to assess gaps in evidence, which is often used in research
7 prioritisation exercises to inform the final selection of top research priorities. Conducting robust
8 literature reviews in relation to the five prioritised themes in future research would be valuable. The
9 study was conducted during the second wave (September 2020 – April 2021)³⁰ of the pandemic
10 when staff were already stretched to their limit by having to make major changes to their patterns
11 of work. The research priorities highlighted by respondents must therefore be interpreted in this
12 Scottish context. It is possible that a different set of priorities will emerge in the future as the impact
13 of COVID-19 evolves.

30 **Conclusion**

31
32 There is a need to set research priorities in order to guide research investment and direct resource
33 allocation that will ultimately provide a robust evidence-base to underpin the development and
34 delivery of relevant, quality services for patients in primary care. The findings of this research
35 prioritisation exercise can inform the future direction of research for primary care in Scotland. The
36 themes identified in this study may be used by a broad range of stakeholder groups including;
37 research funders, professional organisations, policy makers, charities and PPI groups to facilitate the
38 setting of the course of research for primary care.

List of figures

Figure 1: Themes of respondents who were not health and social care professionals (n=40 respondents)

Funding statement

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors. However, the Scottish School of Primary Care which led this study does receive a grant from the Scottish Government.

Competing interests

None declared.

Authors contribution

(1) GH, LP, SC, MM, MB, BG, SM conceived and designed the study; FG administered the survey; GH, FG, SM conducted the analysis and interpreted the data; (2) GH, LP, SC, MM, BG, SM, FG, MB drafted the manuscript and revised it critically for important intellectual content, and (3) gave final approval of the version of the manuscript to be published; (4) GH, LP, SC, MM, BG, SM, FG, MB agree to be accountable for all aspects of the work.

Data sharing statement

An anonymised dataset of all research suggestions is available upon reasonable request to the corresponding author.

Acknowledgements

We wish to thank all survey respondents. We also wish to thank the National Research Scotland Primary Care Patient Public Involvement Group for their input.


References

1. Lynch P, Wainwright D. Coronavirus: How GPs have stopped seeing most patients in person 2020 [Available from: <https://www.bbc.co.uk/news/uk-england-52216222> accessed 27 April 2020 2020.
2. Thornton J. Covid-19: how coronavirus will change the face of general practice forever. *BMJ (Clinical research ed)* 2020;368:m1279. doi: 10.1136/bmj.m1279
3. Pettigrew LM, Kumpunen S, Mays N. Primary care networks: the impact of covid-19 and the challenges ahead. *BMJ (Clinical research ed)* 2020;370:m3353. doi: 10.1136/bmj.m3353
4. Starfield B, Shi L, Macinko J. Contribution of primary care to health systems and health. *Milbank Q* 2005;83(3):457-502. doi: 10.1111/j.1468-0009.2005.00409.x [published Online First: 2005/10/06]
5. Berwick DM. A transatlantic review of the NHS at 60. *BMJ (Clinical research ed)* 2008;337:a838. doi: 10.1136/bmj.a838 [published Online First: 2008/07/22]
6. Scottish Parliament Information Centre. Primary Care in Scotland. Edinburgh, 2019.
7. Sullivan F, Hinds A, Pitkethly M, et al. Primary care research network progress in Scotland. *European Journal of General Practice* 2014;20(4):337-42. doi: 10.3109/13814788.2013.879116
8. The Scottish Parliament. The National Health Service in Scotland: SPICe Briefing. Edinburgh, 2016.
9. The future of primary care in Scotland: a view from the professions. [Available from: [https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20\(V2%20May%202017\).pdf](https://www.rpharms.com/Portals/0/The%20future%20of%20primary%20care%20in%20Scotland%20final%20(V2%20May%202017).pdf) accessed 17 May 2021 2021.
10. De Maeseneer J, van Weel C, Egilman D, et al. Funding for primary health care in developing countries. *BMJ (Clinical research ed)* 2008;336(7643):518-9. doi: 10.1136/bmj.39496.444271.80 [published Online First: 2008/03/08]
11. Chalmers I, Glasziou P. Avoidable waste in the production and reporting of research evidence. *Obstet Gynecol* 2009;114(6):1341-5. doi: 10.1097/AOG.0b013e3181c3020d [published Online First: 2009/11/26]
12. Lockery JE, Collyer TA, Abhayaratna WP, et al. Recruiting general practice patients for large clinical trials: lessons from the Aspirin in Reducing Events in the Elderly (ASPREE) study. *Med J Aust* 2019;210(4):168-73. doi: 10.5694/mja2.12060 [published Online First: 2019/03/06]
13. Gold R, Whitlock EP, Patnode CD, et al. Prioritizing research needs based on a systematic evidence review: a pilot process for engaging stakeholders. *Health Expect* 2013;16(4):338-50. doi: 10.1111/j.1369-7625.2011.00716.x [published Online First: 2011/08/16]
14. Crowe S, Giles C. Making patient relevant clinical research a reality. *BMJ (Clinical research ed)* 2016;355:i6627. doi: 10.1136/bmj.i6627 [published Online First: 2016/12/25]

15. Barnett K, Mercer SW, Norbury M, et al. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet* 2012;380(9836):37-43. doi: 10.1016/S0140-6736(12)60240-2 [published Online First: 2012/05/15]
16. O'Neill B, Aversa V, Rouleau K, et al. Identifying top 10 primary care research priorities from international stakeholders using a modified Delphi method. *PLoS One* 2018;13(10):e0206096. doi: 10.1371/journal.pone.0206096 [published Online First: 2018/10/26]
17. Goodyear-Smith F, Bazemore A, Coffman M, et al. Primary Care Research Priorities in Low-and Middle-Income Countries. *Ann Fam Med* 2019;17(1):31-35. doi: 10.1370/afm.2329 [published Online First: 2019/01/24]
18. Schafer W, Groenewegen PP, Hansen J, et al. Priorities for health services research in primary care. *Qual Prim Care* 2011;19(2):77-83. [published Online First: 2011/05/18]
19. Heal C, Roberts G. General practice research priority setting in Australia: Informing a research agenda to deliver best patient care. *Aust J Gen Pract* 2019;48(11):789-95. doi: 10.31128/AJGP-05-19-4928 [published Online First: 2019/11/15]
20. Morris RL, Stocks SJ, Alam R, et al. Identifying primary care patient safety research priorities in the UK: a James Lind Alliance Priority Setting Partnership. *BMJ Open* 2018;8(2):e020870. doi: 10.1136/bmjopen-2017-020870 [published Online First: 2018/03/02]
21. James Lind Alliance. The James Lind Alliance Guidebook. 9 ed. London, 2020.
22. Gulliford M, Figueroa-Munoz J, Morgan M, et al. What does 'access to health care' mean? *J Health Serv Res Policy* 2002;7(3):186-8. doi: 10.1258/135581902760082517 [published Online First: 2002/08/13]
23. Wyke S, Bond C, Morrison J, et al. Research priorities in primary care. A report from the CSO's primary care implementation committee. *Health Bull (Edinb)* 2000;58(5):426-33. [published Online First: 2003/06/20]
24. House of Commons Health and Social Care Committee. Workforce burnout and resilience in the NHS and social care,. London: House of Commons,, 2021.
25. Scottish Government. Health and Care (Staffing) (Scotland) Act Edinburgh: Scottish Government, 2019.
26. Scottish Government. Health and Social Care integration: progress review. Edinburgh, 2019.
27. Scottish Government. National Health and Social Care Workforce Plan: part three. Edinburgh, 2018.
28. The Scottish Parliament. Primary Care in Scotland: SPICe Briefing. Edinburgh, 2019.
29. Scottish Government. Lessons Identified from the initial health and social care response to COVID-19 in Scotland. Edinburgh, 2021.
30. Office for National Statistics. Coronavirus (COVID-19) Infection Survey technical article: waves and lags of COVID-19 in England, June 2021 London: ONS; 2021 [cited 2021 14 December 2021]. Available from: <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19infectionsurveytechnicalarticle/wave sandlagsofcovid19inenglandjune2021> accessed 14 December 2021 2021.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 1: Themes of respondents who were not health and social care professionals (n=40 respondents)



Peer review only

Key partners

1 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)
2
3
4
5
6 Advanced Practice Physiotherapy Network
7
8 Autism Network Scotland
9
10 Association of Advanced Practice Educators UK
11
12 BMA General Practitioners Committee Scotland
13
14 Chair of Directors of Pharmacy, NHS Boards
15
16 Chartered Society of Physiotherapy
17
18 Chest Heart & Stroke
19
20 Chief Nursing Officer
21
22 COSLA - Convention of Scottish Local Authorities
23
24 The Scottish Deep End Project
25
26 Defence Primary Health Care Scotland
27
28 Director of Postgraduate GP Education East
29
30 Edinburgh Community Health Forum
31
32 General Practice Nursing NHS Education Scotland
33
34 Healthcare Improvement Scotland
35
36 Health and Social Care Scotland (including Chief Officer Group and IJB Chairs & Vice Chairs Network)
37
38 International Foundation for Integrated Care (IFIC)
39
40 Mental Health Foundation
41
42 National Academy for Social Prescribing
43
44 NHS Board Chief Executives
45
46 NHS 24 Stakeholder Engagement and Insight
47
48 NHS National Services Scotland (NSS)
49
50 NRS Primary Care PPI
51
52 Penumbra -supporting mental health and wellbeing
53
54 PHC Lead Nurse at SG/Primary Care General Practice Nursing
55
56 Postgraduate Dean for Pharmacy NES
57
58 Programme Director Nursing NES
59
60 Public Health Scotland Primary Care Co-Cell Lead
61
62 Public Health Scotland
63
64 QNIS / Queen's Nursing Institute Scotland
65
66 RCGP Scotland
67
68 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions
69
70 RNIB Scotland
71
72 Royal College of General Practitioners
73
74 Royal College of Occupational Therapists
75
76 Royal College of Nursing Scotland
77
78 Royal Pharmaceutical Society (Scotland)
79
80 Scottish Ambulance Service, Medical Director
81
82 Scottish Community Development Centre/Community Health Exchange
83
84 Scottish Government - Division of Primary Care
85
86 Scotland's House of Care Programme
87
88 Scottish Physiotherapy Amputee Research Group (SPARG)
89
90 Scottish Practice Pharmacist and Prescribing Advisors group
91
92 Scottish Rural Health Partnership
93
94 Scottish Rural Medicine Collaborative
95
96 SIGN Scottish Intercollegiate Guidelines Network
97
98 Sight Action
99
100

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

SPIRE clinical lead
The Association of Chartered Physiotherapists in Sports and Exercise Medicine
The Health and Social Care Alliance
The Society and College of Radiographers
Voluntary Health Scotland

For peer review only



Scotland Primary Care Research Prioritisation Exercise survey

We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. **Consent - Sorry you cannot proceed if you do not consent to take part.**

* *Required*

Before completing the survey please find some information about the study.

Scotland Primary Care Research Prioritisation Exercise

Our goal is to provide a clear direction for future primary care research so that it benefits the lives of individuals and families, and increases the amount of funding for the most important primary care research. We want to see research made even better with your input.

Purpose of the project

High-quality primary care is underpinned by high-quality research.

The disease COVID-19 that is caused by a new strain of coronavirus is likely to re-direct research priorities and shift research agendas in primary care.

1 The aim of this project is to reach a consensus for primary care research priorities in
2 Scotland where uncertainties remain and set a research direction that will be relevant for
3 patients, carers and generalist healthcare professionals for the next 5 years.

4
5 It is designed to strengthen future evidence about primary care to improve health
6 outcomes.
7

8 9 **Who should do the survey?**

10
11 Anyone living in Scotland who uses primary care services(patients and carers) or who
12 are healthcare professionals working in Scotland will be eligible to participate in the
13 identification and prioritisation of uncertainties.
14
15

16 17 **Who is leading the project?**

18
19 The project is led by the Scottish School of Primary Care. Our **key partners** are:

20 Academy of Medical Royal Colleges and Faculties in Scotland (the Scottish Academy)

21
22 Advanced Practice Physiotherapy Network

23
24 Autism Network Scotland

25
26 Association of Advanced Practice Educators UK

27
28 BMA General Practitioners Committee Scotland

29
30 Chair of Directors of Pharmacy

31
32 Chartered Society of Physiotherapy

33
34 Chest Heart & Stroke

35
36 Chief Nursing Officer

37
38 Community Pharmacy Scotland

39
40 COSLA – Convention of Scottish Local Authorities

41
42 Director of Postgraduate GP Education

43
44 Defence Primary Health Care Scotland

45
46 Edinburgh Community Health Forum

1 General Practice Nursing – NHS Education Scotland

2 Healthcare Improvement Scotland

3
4 Health and Social Care Partnerships

5
6
7 Health and Social Care Scotland (including Chief Officer Group and The IJB Chairs &
8 Vice Chairs Network)

9
10
11 International Foundation for Integrated Care (IFIC)

12
13
14 Mental Health Foundation

15
16 National Academy for Social Prescribing

17
18
19 NHS Chief Executives Board

20
21
22 NHS National Services Scotland (NSS)

23
24 NRS Primary Care Network PPI group

25
26
27 NRS Primary Care Network

28
29 Penumbra -supporting mental health and wellbeing

30
31
32 PHC Lead Nurse at SG/Primary Care General Practice Nursing

33
34
35 Postgraduate Dean for Pharmacy NES

36
37
38 Programme Director Nursing NES

39
40
41 Public Health Scotland Primary Care Co-Cell Lead

42
43
44 Public Health Scotland

45
46
47 Queen's Nursing Institute Scotland

48
49
50 RNIB Scotland

51
52
53 Royal College of General Practitioners

54
55
56 Royal College of Nursing Scotland

57
58
59 Royal College of Occupational Therapists

60
61
62 Royal Pharmaceutical Society (Scotland)

1 Scottish Ambulance Service

2 Scottish Community Development Centre / Community Health Exchange

3
4 Scottish Government - Division of Primary Care

5
6
7 Scotland's House of Care Programme

8
9
10 Scottish Physiotherapy Amputee Research Group (SPARG)

11
12 Scottish Practice Pharmacist and Prescribing Advisors group

13
14
15 Scottish Rural Medicine Collaborative

16
17
18 Scottish Rural Health Partnership

19
20 SIGN – Scottish Intercollegiate Guidelines Network

21
22
23 Sight Action

24
25 SPIRE clinical lead

26
27
28 The Association of Chartered Physiotherapists in Sports and Exercise Medicine

29
30
31 The Health and Social Care Alliance

32
33
34 The Richmond Group of Charities, on behalf of the Taskforce on Multiple Conditions

35
36
37 The Scottish Deep End Project

38
39
40 The Society and College of Radiographers

41
42
43 Voluntary Health Scotland

44 45 **Who is funding the project?**

46
47
48 The Scottish Government financially supports the Scottish School of Primary Care.

49 50 **What about confidentiality?**

51
52
53 You can respond anonymously to this survey – you do not have to give your name or
54 contact details. If you are a healthcare professional we will ask you what your occupation
55 is.
56

Who do I contact for further information about the study?

Prof Gill Hubbard is leading this project. She is a co-deputy director of the Scottish School of Primary Care.

She can be contacted at the following address or by email:

Prof Gill Hubbard, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Email: gill.hubbard@uhi.ac.uk

What if I wish to complain about the study?

You can submit a written complaint about the study to: Prof Annetta Smith, Department of Nursing, University of the Highlands and Islands, Highland Campus, Centre for Health Science, Old Perth Road, Inverness, IV2 3JH.

Or you can contact her by telephone on: 01851 708250

Or you can email her at: Annetta.Smith@uhi.ac.uk

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Scotland Primary Care Research Prioritisation Exercise survey

Primary care is provided by generalist health professionals, working together in multidisciplinary and multiagency networks across sectors, with access to the expertise of specialist colleagues. All primary care professionals work flexibly using local knowledge, clinical expertise and a continuously supportive and enabling relationship with the person to make shared decisions about their care and help them to manage their own health and wellbeing.

About you: Where do you live most of the time?

Are you an unpaid carer? An unpaid carer is defined as someone who is caring but does not have a contract or doing it as voluntary work.

Please select exactly 1 answer(s).

Yes

No

Do you consider yourself to have a long-term condition?

Please select exactly 1 answer(s).

Yes

No

Do you work in health and / or social care?

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

BMJ Open: first published as 10.1136/bmjopen-2021-056817 on 3 May 2022. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

Which sector do you work in?

What sector do you work in? (please tick all that apply)

- Community Care
- Government (local or national)
- Primary Care
- Secondary Care
- Third Sector
- University
- Other

If you selected Other, please specify:

What is your main profession? (please select one)

- Allied health profession regulated by Health & Care Profession Council (Please write it down)
- Dentistry regulated by General Dental Council
- Medicine regulated by General Medical Council
- Nursing or Midwifery regulated by Nursing & Midwifery Council
- Pharmacy regulated by General Pharmaceutical Council
- Social work regulated by Scottish Social Services Council
- Other

If you selected 'Allied Health Profession' or 'Other', please specify:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For peer review only

BMJ Open: first published as 10.1136/bmjopen-2021-056817 on 3 May 2022. Downloaded from <http://bmjopen.bmj.com/> on April 19, 2024 by guest. Protected by copyright.

Research to Improve Primary Care

What topics, issues and concerns do you think are important to research to improve primary care for the next 5 years? Please suggest up to three (in any order)

Suggestion 1.

Suggestion 2.

Suggestion 3.

Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

Please provide email address:

What happens next..

You have been directed here if you did not consent to take part in the survey OR you have now completed the survey.

What will happen with the results?

Outputs will include academic papers, lay reports, infographics and social media feeds.

The project results could be used by funding bodies and decision-makers to influence the types of studies that are conducted by an array of researchers who are typically engaged in primary care research including general practitioners, nurses, pharmacists, psychologists, sociologists, anthropologists, statisticians, health economists, and health services researchers.

Peer review only

Final page

Thank you for taking part in the survey.

Key for selection options

1 - We are asking you to complete a short survey (3 questions that will take about 5 minutes to complete) that will ultimately lead to a Top Ten list of priorities for primary care research in Scotland. Before completing the survey please find some information about the study. Please only complete the survey if you live or work in Scotland. Consent - Sorry you cannot proceed if you do not consent to take part.

I consent to take part in the survey

I do not consent to take part

2 - About you: Where do you live most of the time?

Scotland

Not in Scotland

5 - Do you work in health and / or social care?

Yes

No

9 - Would you be willing to be involved in the next stage where you will be asked to rank a list of research questions in order of priority then please provide your email address:

Yes

No

Theme 1 'Disease and illness' sub-theme 'mental health' examples

Topics	Suggestion examples
Children and young people	<ul style="list-style-type: none"> • Mental health services in children and adolescents • How can primary and secondary care better work together to care for children and young people with mental disorder, ranging from ADHD to anorexia nervosa. • Improving mental health services. There has been a huge increase in maternal mental health and child and adolescent mental health issues since the Covid 19 pandemic.
Management	<ul style="list-style-type: none"> • Development of mental health support for those with mental wellbeing difficulties presenting to primary care and being managed in primary care- support worker for self-help and counselling etc • Proactive management of anxiety and mental health - aiming to audit and address this growing unmet need within primary care. • Management plans. Social, spiritual, mental health, where and how you would like to die.
Access	<ul style="list-style-type: none"> • Improved access to mental well-being support • Mental health provision • Availability of mental health services for adults
Covid-19	<ul style="list-style-type: none"> • The impact of isolation to people's mental wellbeing during Covid • Deterioration in the mental health of people with Autism and learning difficulties during Covid
MDT	<ul style="list-style-type: none"> • Issue - lack of AHP particularly OT in primary care. Patients with mental health problems or complex comorbidity who do not meet the criteria for secondary care services cannot access OT services until they become very unwell. Goes against early intervention. • Why there are not more funded training places for people to deliver psychological interventions, i.e. psychologists, when demand greatly outweighs number of spaces currently available, and waiting lists are enormous.
Remote consultations	<ul style="list-style-type: none"> • Mental health services, particularly remote access
Self-care	<ul style="list-style-type: none"> • Eating well for your mental health
Early intervention	<ul style="list-style-type: none"> • Early access to mental health services in the community
Medication	<ul style="list-style-type: none"> • Inappropriately long durations of antidepressants
Carers	<ul style="list-style-type: none"> • The impact on the mental health of unpaid carers. Who is caring for the carers? What percentage of carers die before the cared for?
Equity	<ul style="list-style-type: none"> • The effect on the mental health of people who rely on charities to do their weekly shop

Theme 1 'Disease and illness' sub-theme 'Covid-19' examples

Topics	Suggestion examples
Management	<ul style="list-style-type: none">• Post Covid what the primary care consulting model will look like and how patients will be triaged in the future with potential infections• Long Covid and its issues for patients- what should services look like to support these patients?• Interventions in the community for post-Covid care IT - suggested assessments or interventions especially managing risk etc.
Lived experience	<ul style="list-style-type: none">• Living with long Covid'• Post Covid symptoms – long-term recovery and support
Mental health	<ul style="list-style-type: none">• Long term effects of Covid-19 on anxiety, depression, especially in young people• Mental health - impact of Covid on patients
Vaccination	<ul style="list-style-type: none">• Long term side effects of Covid immunisation and the overall effect – how often will we need a vaccine and what's the longevity of the antibodies?

Theme 1 'Disease and illness' sub-theme 'long-term conditions' examples

Topics	Suggestion examples
Management	<ul style="list-style-type: none">• Management of long-term conditions• Disparity over how we deliver long term condition management and how that affects outcomes• Long term condition monitoring, does it improve morbidity and mortality? If so, for which conditions and what is optimum review interval and requirements'
Self-care	<ul style="list-style-type: none">• Self-care of long-term conditions• Supporting patients living with long term conditions to take control of them with support from health care professionals
Remote consultations	<ul style="list-style-type: none">• Remote consultant in long term condition management• Use of remote consultation on management of long-term chronic conditions as this group have a high DNA rate for face to face appointments
Prevention	<ul style="list-style-type: none">• Primary prevention of long-term conditions. What would really work in the real world

Theme 1 'Disease and illness' sub-theme 'obesity' examples

Topics	Examples
Prevention	<ul style="list-style-type: none">• Better resources and treatments for prevention of obesity, once a patient has gained significant weight very difficult to remove and sustain.
Management	<ul style="list-style-type: none">• Weight management/exercise• Obesity management strategies that are accessible for all

For peer review only

Theme 1 'Disease and illness' sub-theme 'diabetes' examples

Topics	Examples
Prevention	<ul style="list-style-type: none">• Diabetes and Obesity at all ages. More needs to be done about healthy eating and life style• Type 2 Diabetes - lifestyle management & prevention of disease or disease progression
Medication	<ul style="list-style-type: none">• Cost benefits of GLP-1 receptor activators• Effects of lifestyle v drugs for Diabetes and CV disease and how to effectively deliver these
Lived experience	<ul style="list-style-type: none">• Pre-diabetes and progression to type 2 diabetes and the patients experience and what they feel could have been done differently

For peer review only

Theme 1 'Disease and illness' sub-theme 'dementia' examples

Topics	Examples
Management	<ul style="list-style-type: none">• Dementia service / resource• Alternatives to 24hr large group residential settings vs group houses or entire dementia communities to allow safeguarding and independence
Lived experience	<ul style="list-style-type: none">• Experience of persons with Dementia / L Disability in Inpatient acute care
Early intervention	<ul style="list-style-type: none">• Implementation of OT services for early intervention for people with a dementia diagnosis• More timely diagnosis and access to dementia support. Dementia assessment and treatment to be separate from Mental Health services.
Carers	<ul style="list-style-type: none">• Support for carers

For peer review only

Theme 1 'Disease and illness' sub-theme 'frailty' examples

Topics	Examples
Management	<ul style="list-style-type: none">• With an ageing population, a continued long-term strategy to address falls and fragility from cradle to grave• Approaches to frailty and last-years-of-life trajectories.
Mental health	<ul style="list-style-type: none">• Impact of COVID/Isolation on mental health within the frail elderly population
Early intervention	<ul style="list-style-type: none">• Early intervention for prevention in frailty
Lived experience	<ul style="list-style-type: none">• Frailty of people living in own homes

For peer review only

Theme 1 'Disease and illness' sub-theme 'addiction' examples

Topics	Examples
Management	<ul style="list-style-type: none">• The role of Occupational Therapy within addiction, recovery and treatment teams
Medication	<ul style="list-style-type: none">• Supporting people with alcohol and drug issues and polypharmacy
Lived experience	<ul style="list-style-type: none">• Recovery from Addictions
Mental health	<ul style="list-style-type: none">• Mental health services including drug and alcohol and children's services.
Early intervention	<ul style="list-style-type: none">• The effect of early intervention (beyond Brief Intervention) on those identified with harmful drinking levels - preventing progress onto Hazardous drinking

For peer review only

Theme 2 'Access' sub-theme 'availability and presence of services' examples

Topics	Examples
Provision	<ul style="list-style-type: none"> • Primary care access to psychological therapies and counselling • Access to primary care services • How to build in sustainable service developments, particularly that can become community assets • Management of mental health and service availability
Care closer to home	<ul style="list-style-type: none"> • Access to services in the community/ more funding for community-based hubs • Transfer of services to primary care so that care can be delivered closer to patients' homes, do centralised services such as care and treatment services improve patient care? • Impacts on rural communities in accessing healthcare with redesign to hub healthcare

For peer review only

Theme 2 'Access' sub-theme 'utilisation and service barriers' examples

Topics	Examples
Accessing healthcare professionals	<ul style="list-style-type: none"> • Access to nurse and GP appointments • Easy access for patients to GPs and other health professionals. Some may find it difficult to get appointments • Easier access to Medical Professionals' 'Patient access to the wider multidisciplinary team and breaking down barriers that are stopping this
Organisational barriers	<ul style="list-style-type: none"> • Patient access to GP face to face appointments • How to improve harder to reach patients accessing health services • Far better transport access to hospitals, either public or NHS
Waiting times	<ul style="list-style-type: none"> • Waiting times • Quicker access to primary care input to prevent escalation to secondary care services • What impact does a 2 year waiting list for psychological therapy have on mental health patients? • Impact of reduced time with the GP and longer waiting times on health outcomes
Patient understanding and expectations	<ul style="list-style-type: none"> • 'First contact physio service- need to improve patient understanding • Access to services - how to reduce inappropriate demand to improve available provision
Out of hours	<ul style="list-style-type: none"> • 7 day access to GP surgeries
Accessing during pandemic	<ul style="list-style-type: none"> • Impact of access challenges in immediate phase 1 of Covid on diagnosis of chronic conditions e.g. depression
Health literacy	<ul style="list-style-type: none"> • Addressing health literacy to improve outcomes

Theme 2 'Access' sub-theme 'relevance and effectiveness of services' examples

Topics	Examples
Right service	<ul style="list-style-type: none"> • How mental health services are meeting the needs of patients within primary care • How Primary care become more responsive to the needs of the community • Effects of 'long Covid' on patients and access to effective treatment • Evaluation of impact of changes to patient engagement with GP practices (including different models, like care navigation, GP first triaging etc
Right time	<ul style="list-style-type: none"> • Access to early intervention on Mental Health concerns before they worsen • Triage to improve access to the right the person at the right time • How can we improve care for the housebound (who now often end up with reactive care from random professionals

Theme 2 'Access' sub-theme 'equity' examples

Topics	Examples
Access for all	<ul style="list-style-type: none">• Ensuring that services are accessible, acceptable, available and high quality, in line with a rights-based approach to ensuring that services support our shared right to the highest attainable standard of health• Unwarranted variation in care and medicines use across Scotland
Rurality	<ul style="list-style-type: none">• The numbers of people living rurally, with no access to a car and miles from the nearest GP practice and the effect on their mental and physical health
Deprivation	<ul style="list-style-type: none">• Communication poverty to improve accessibility, participation and citizenship

For peer review only

Theme 3 'workforce' sub-theme examples

Sub-theme	Examples
Recruitment and retention	<ul style="list-style-type: none">• Encourage GPs in primary care• Staff shortages in district nursing
Training and development	<ul style="list-style-type: none">• Sharing of best practice and protocols for routine work• Sensory awareness and communication training for all primary care service staff
Workload	<ul style="list-style-type: none">• Looking at pay/ employment rights/ annual leave of all practice nurses across Scotland and standardising it• The patient contact workload of GPs and impact on GP workforce and safety
Mental health	<ul style="list-style-type: none">• Supporting staff's wellbeing when working from home• Burnout in the primary care workforce
GMS contract	<ul style="list-style-type: none">• Impact of the 2018 GP contract

For peer review only

Theme 4 'multi-disciplinary team' examples

Theme

Examples

MDT

- Added value of MDT in primary care?
- Primary care is becoming more of an MDT; patient perspectives on this?
- Effectiveness of nurse-led clinics
- Unique contribution of occupational therapy service provision in early intervention for prevention model of service delivery within MDT in primary care setting
- What is the role of the General Practice Nurse in 2030?

For peer review only

Theme 5 'Integration' sub-theme examples

Sub-theme	Examples
Multi-agency working and collaboration	<ul style="list-style-type: none"> • Links with primary care and community rehabilitation teams • Impact of care at home through multi- agencies versus controlled agency commitment • Prioritisation in the context of health and social care need (not just health need) • Inclusive Communication Strategy across all primary care services
Continuity of care	<ul style="list-style-type: none"> • How Primary care can ensure continuity of care between themselves and the patient • Tools to measure continuity of care reliably
Social prescribing	<ul style="list-style-type: none"> • How to ensure the majority GPs to actively promote and utilise social prescribing • The extent to which community link workers in primary care practices are making measurable differences to patients' wellbeing and to health inequalities

For peer review only

Theme 6 'health inequalities' examples

Theme	Examples
Health inequalities	<ul style="list-style-type: none">• What measurable impact will primary care make on health inequalities across Scotland over the next 5 years?
Deprivation	<ul style="list-style-type: none">• Poverty and the impact this has on health and wellbeing

For peer review only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60STROBE Statement—Checklist of items that should be included in reports of *cross-sectional studies*

	Item No	Recommendation	page
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	1
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	2
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	5-6
Objectives	3	State specific objectives, including any prespecified hypotheses	6
Methods			
Study design	4	Present key elements of study design early in the paper	7
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	7
Participants	6	(a) Give the eligibility criteria, and the sources and methods of selection of participants	7
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	-
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	-
Bias	9	Describe any efforts to address potential sources of bias	-
Study size	10	Explain how the study size was arrived at	-
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	8
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	8
		(b) Describe any methods used to examine subgroups and interactions	8-
		(c) Explain how missing data were addressed	
		(d) If applicable, describe analytical methods taking account of sampling strategy	-
		(e) Describe any sensitivity analyses	-
Results			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	9
		(b) Give reasons for non-participation at each stage	-
		(c) Consider use of a flow diagram	-
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	9
		(b) Indicate number of participants with missing data for each variable of interest	-
Outcome data	15*	Report numbers of outcome events or summary measures	-
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	-

		(b) Report category boundaries when continuous variables were categorized	-
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	-
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	-
Discussion			
Key results	18	Summarise key results with reference to study objectives	9-14
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	17-18
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	14-17
Generalisability	21	Discuss the generalisability (external validity) of the study results	17
Other information			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	18

*Give information separately for exposed and unexposed groups.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.