


BMJ Open Effectiveness of interventions on healthcare professionals' understanding and use of conscience: a systematic review protocol

Christina Lamb ^{1,2}, Megan Kennedy,³ Alex Clark,¹ Edith Pituskin,⁴ Ken Kirkwood,⁵ Yolanda Babenko-Mould⁶

To cite: Lamb C, Kennedy M, Clark A, *et al*. Effectiveness of interventions on healthcare professionals' understanding and use of conscience: a systematic review protocol. *BMJ Open* 2022;**12**:e053880. doi:10.1136/bmjopen-2021-053880

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-053880>).

Received 27 May 2021

Accepted 02 February 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Faculty of Health Disciplines, Athabasca University, Athabasca, Alberta, Canada

²CCBI, St. Michael's College in the University of Toronto, Toronto, Ontario, Canada

³John W. Scott Health Sciences Library, University of Alberta, Edmonton, Alberta, Canada

⁴Faculty of Nursing, University of Alberta, Edmonton, Alberta, Canada

⁵School of Health Studies, Western University, London, Ontario, Canada

⁶Arthur Labatt Family School of Nursing, Western University, London, Ontario, Canada

Correspondence to

Christina Lamb;
clamb@athabascau.ca

ABSTRACT

Introduction Conscience is central to moral decision making. In the context of morally pluralistic workplaces today, healthcare professionals' conscience may prompt them to make moral decisions to refrain from providing services they morally disagree with. However, such decisions are largely viewed as contentious, giving rise to polarising arguments for and against healthcare professionals' freedom of conscience. Yet, little work has been done to understand and support healthcare professionals' conscience. Instead, the rising polarity related to healthcare professionals' freedom of conscience stems from a central lack of understanding of what conscience is and the relevance it holds for healthcare professionals' clinical practice. Therefore, the degree and extent to which healthcare professionals are supported to understand and use their conscience is unknown. The objective of this review is to critically analyse the scholarly evidence available to ascertain the effectiveness of interventions that support healthcare professionals to understand and use their conscience in care practice.

Methods and analyses At least two reviewers will systematically review 10 interdisciplinary, scholarly databases to examine qualitative, quantitative and mixed-methods studies including clinical trials pertaining to interventions related to conscience for healthcare professionals. Databases to be searched include: the Cochrane Controlled Register of Trials, Medline, EMBASE, PsycINFO, Cumulative Index for Nursing and Allied Health Literature (CINAHL), Academic Search Complete, ATLA Religion Database, Religion and Philosophy Collection, PhilPapers and Scopus. Databases were searched in May 2021. Study screening, selection, extraction and risk of bias assessments on each study using the Mixed Methods Appraisal Tool will be independently conducted by independent reviewers. Descriptive data synthesis will be carried out. Statistical analysis and meta-analysis will be conducted as relevant, based on homogeneity of findings. The quality of the aggregate evidence will be assessed using the Grading of Recommendations, Assessment, Development and Evaluations criteria.

Ethics and dissemination Ethical approval is not required for this review. This protocol will not involve individual patient information endangering participant rights. The results will be reported in a peer-reviewed journal and disseminated at conferences.

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ This study aims to examine interventions used to enhance healthcare professionals' understanding and use of conscience.
- ⇒ Study selection, data extraction and risk of bias assessments will be done independently by two to four reviewers.
- ⇒ Studies included in this review will be limited to English language articles, which may lead to a risk for publication bias.
- ⇒ The strength of evidence in this study will be evaluated according to the Grading of Recommendations, Assessment, Development and Evaluations criteria.
- ⇒ Inclusion of mixed-methods interventions may not allow for statistical analysis of findings, which might lead to inconsistent reporting of outcomes.

PROSPERO registration number CRD42021256943.

INTRODUCTION

Conscience is a fundamental human freedom and an essential concept for bioethics and the health sciences.¹⁻³ Conscience is the ability to make decisions based on information derived from moral knowledge in order to choose to do something that is ethical or refrain from doing something unethical.^{4 5} As such, conscience is central to ethical healthcare in which healthcare professionals (HCPs) are regularly required to make moral decisions to engage in practice that is ethical and beneficial for their patients.

However, in bioethics and the health sciences today, little attention has been paid to the meaning of conscience as it pertains to HCPs' moral decision making. Instead, issues around conscience, such as conscientious objection, are becoming increasingly polarised in today's morally pluralistic societies and healthcare communities owing to the lack of agreement that may occur in pluralistic contexts.⁶⁻⁸ Subsequently, disagreement



on how HCPs express their issues of conscience is also increasing owing to the lack of understanding regarding what conscience is in the first place.⁶ This knowledge gap is problematic because the scholarly literature is fraught with academic dispute over how to handle HCP's issues of conscience.⁶⁻⁸ Amidst this debate, little attention is being given to HCPs with respect to expressing their issues of conscience and what conscience and issues of conscience mean to them. As an initial effort to address this gap, a systematic review (SR) is needed to assess the state of the literature on how HCPs are being supported to both understand and use their conscience. Namely, identifying and assessing what interventions exist to do so and how effective they are.

While many HCP groups exist today, for the purpose of focus of scope and feasibility for this review, HCPs will consist of physicians, nurses and midwives who have all been documented in the scholarly literature as having to make ethical decisions in the course of their practice which involves the use of their conscience.⁹⁻¹¹ Additionally, international organisations such as the World Medical Association, the International Council of Nurses and the International Confederation of Midwives stipulate that conscience and the human right to freedom of conscience are relevant to medicine, nursing and midwifery.^{2 3 12} It is anticipated that this initial review will inform subsequent reviews that will involve other HCP groups.

The research that has been done on the meaning of conscience for HCPs indicates that physicians, nurses and midwives alike voice that conscience is important to their ability to make moral meaning of their ethical practice.^{9 10 13} Importantly, conscience is well taken up in the philosophical and theological literature. Within this scholarly space, conscience has a long-standing conceptual history.^{1 13 14} In this body of literature, conscience has emerged as a necessary component for being a moral person.^{15 16} More recently, empirical work in moral psychology is revealing compelling empirical evidence that morality is central to human behaviour.¹⁷⁻¹⁹ Philosophy and theology are also taken up in bioethics, which is an interdisciplinary discipline devoted to asking essential life questions that support healthcare providers and patients alike to make ethical decisions in the context of healthcare.^{20 21} Owing to the traction that conscience has in these interdisciplinary disciplines, we will use an interdisciplinary approach to answer our research questions: (1) what interventions exist to support HCPs' use and understanding of conscience in bioethics, clinical education and practice? (2) how effective are these interventions? (3) is there an intervention that draws on an interdisciplinary approach to conscience to inform and support these interventions?; (4) how effective did HCPs find these interventions?

Supporting HCPs to use their conscience and increasing an awareness of the significance that conscience holds for ethical decision making might start to address the gap related to understanding the relevance of conscience in bioethics and healthcare communities today. It may

also offer a morally inclusive way to support HCPs' moral decision making in practice. Advancing more understanding in relation to conscience and the role it holds in the human experience across healthcare contexts has the potential for global impact given that freedom of conscience is a universal, human right. This review might generate further empirical ethical research to benefit HCPs' ethical practice and the patient populations they care for.

To start to address this knowledge gap related to HCPs' understanding and use of conscience, we will conduct an SR of the interdisciplinary, scholarly literature about interventions used to support HCPs' understanding and use of conscience. Disciplines that will be considered as previously mentioned are: nursing, medicine, midwifery, bioethics, philosophy, theology, religious studies and moral psychology.

To answer the research questions the primary objectives of this review study are:

1. To review the evidence about the interventions that were used.
2. To determine whether the interventions were effective in providing or improving HCPs' understanding and use of conscience.
3. To explore the effectiveness of these interventions as they pertain to the physician, nursing and midwife subgroups and to assess if there is any difference in the effectiveness of the interventions among them.

METHODS

Research design and methodology

We will conduct an SR of the published, scholarly, interdisciplinary literature to examine and explore the effectiveness of interventions used to support HCP's understanding and use of conscience in healthcare practice. To initiate the SR study, we will follow this review protocol. The review will be reported in adherence to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) 2020 statement for standardised reporting guidelines, the PRISMA extension checklist for searches (PRISMA-S) and the PRISMA 2020 statement for writing abstracts.²²⁻²⁴ The PRISMA-S checklist will be used to report and document the literature search.²³ This protocol was generated following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses Protocols checklist²⁴ (online supplemental file 1).

Eligibility criteria

Inclusion criteria

To isolate eligible studies, we will follow the Population, Intervention, Comparators, Outcomes and Study design (PICOS) framework as stipulated in the PRISMA (2020) statement as follows:

Population: HCPs who engage in clinical practice across any practice setting as identified across the subgroups of physicians, nurses and midwives. *Interventions:* interventions that will be examined are those that aim to improve

HCPs' use and understanding of conscience. Possible interventions are, but not limited to: experiments, education and quality improvement initiatives; interventions by leadership teams to enhance and foster HCPs' use and understanding of conscience; interviews; focus groups; policies, regulations and practices aimed at changing how HCPs use their conscience in practice settings; experiential inquiries and narrative studies as well as studies that include trials and prepost-test datasets to examine how effective the interventions are. *Sample interventions:* studies and papers to be included are those that use primary data and aim to support, enhance, show and address the use and understanding and use of conscience for HCPs. This may occur through terms closely related to conscience such as conscientious objection. For instance, studies involving the Stress of Conscience Questionnaire and the Perception of Conscience Questionnaire as part of an intervention will be included since they directly relate to the research questions of this SR.^{25 26}

Comparators: studies that included controls or comparators of interventions. *Outcomes:* the types of outcomes that will be sought from the data are the: (1) findings that identify what interventions exist that aim to support HCPs to understand and use their conscience; (2) reports on how HCPs felt supported to use and/or understand their conscience; (3) effects of HCPs being able to voice their issues of conscience in healthcare practice across the subgroups; (4) what effects that support for conscience has on HCPs across these subgroups in relation to the quality of care they provide to patients, in relation to themselves, working with colleagues and in their professions and (5) how effective these interventions were. *Study designs:* studies involving interventions may include experimental, quasi-experimental and non-experimental studies consisting of clinical trials, qualitative, quantitative and mixed-methods studies.

Exclusion criteria

For this initial protocol review articles predating 2000 are ineligible owing to the limited empirical research about interventions specifically related to HCPs' use and understanding of conscience prior to this date. Unpublished articles including theses and dissertations will not be included. Papers that use secondary datasets such as protocols and reviews are also ineligible.

Search strategy

This review will be reported in adherence to the PRISMA statement with methodological guidance from the Cochrane Handbook of Systematic Reviews of Interventions.^{22 27} Furthermore, a systematic search will be developed and conducted by an experienced health sciences librarian (MK), reported in adherence to the PRISMA-S extension.²³

A preliminary search using the database, Medline, was conducted in April 2021 by MK to determine the feasibility of the review and inform the systematic search strategy (see [box 1](#) for full search strategy). The search strategy

Box 1 Search strategy for Medline(R) ALL via OVID (1946–26 April 2021)

Date of search: 27 April 2021
 1 conscience/1574
 2 (conscience? or "conscientious* object*").mp. 3707
 3 "empirical ethics".mp. 151
 4 1 or 2 or 3 3857
 5 health personnel/or exp nurses/or exp nurse practitioners/or exp nurse specialists/or exp nurses, pediatric/or exp physicians/ 278 364
 6 (doctor* or physician* or "general practitioner*" or GP or surgeon* or anesthesiologist* or cardiologist* or dermatologist* or radiologist* or internist* or geneticist* or neurologist* or obstetrician* or gyn?ecologist* OBGYN or OB-GYN or ophthalmologist* or pathologist* or p?ediatrician* or psychiatrist* or oncologist* or urologist* or allergist* or endocrinologist* or gastroenterologist* or geriatrician* or hospitalist* or nephrologist* or pulmonologist* or rheumatologist* or clinician* or nurse* or midwife* or midwives or ((healthcare or "health care" or health or medical or nursing) adj3 (professional* or personnel or practitioner* or provider*))).mp. 1 905 235
 7 5 or 6 1 907 349
 8 (intervention* or train* or educat* or workshop* or seminar* or curricular* or coach* or mentor* or experiment* or tool* or interview* or "focus group" or review* or screening or questionnaire* or survey* or perception* or implication* or barrier* or facilitat* or obstacle* or encourag* or impediment* or impede* or challeng* or obstruct* or hurdle or experience* or perceive* or perspective* or perception* or "self-report" or trial* or test* or "quality improvement*" or "quality assurance" or "patient safety").mp. 14 879 880
 9 ((QI or "quality improvement*") adj6 (intervention* or initiative* or strateg* or program* or campaign* or implement*)).mp. 18 223
 10 ((Practice or behavior* or organizational) adj3 chang*).mp. 88 479
 11 education/or curriculum/or education, distance/or exp education, professional/or exp education, continuing/or exp education, graduate/or exp education, medical/or exp education, nursing/or exp inservice training/or mentoring/ 368 239
 12 focus groups/or interviews as topic/or "surveys and questionnaires" or health care surveys/or self report/ 617 218
 13 Quality Improvement/ 27 360
 14 (((research or knowledge or evidence) adj2 (uptake or "use" or diffus\$ or disseminat\$ or utiliz\$ or utilis\$ or transfer\$ or translat\$ or implement\$ or adopt\$)) or (innovation\$ adj2 adopt\$) or (innovation\$ adj2 disseminat\$) or "research into practice" or "evidence into practice" or "knowledge to action" or "know do gap" or (knowledge adj (mobilization or exchange)) or "translational science" or "implementation science").ti,ab. 70 172
 15 exp "Diffusion of Innovation"/or Organizational Innovation/ 43 888
 16 (evidence-informed adj (healthcare or health care or decision making)).ti,ab. 241
 17 (guideline* adj2 (introduc* or issu* or impact or effect* or distribut* or adher* or compl* or utiliz* or utilis* or "use" or uptake or diffuse* or transfer* or implement* or translat* or disseminat* or adopt*)).ti,ab. 20 497
 18 exp *Evidence-Based Practice/or Information dissemination/or Knowledge management/or Health Knowledge, Attitudes, Practice/ 166 249
 19 or/8–18 14 952 921
 20 4 and 7 and 19 893
 21 ("systematic* review" or "scoping review" or "synthesis review" or "realist review" or "integrative review" or "meta-anal*" or "metanal* meta-synthes?s" or metasynthes?s or meta-narrative or metanarrative

Continued

**Box 1 Continued**

or “umbrella review” or hta or “health technology assessment”).ti. or systematic review/or meta-analysis.pt. or technology assessment, bio-medical/or biomedical technology assessment/or review.pt. 2 950 266 22 20 not 21 762 23 limit 22 to (english language and yr=“2000 -Current”) 510

was derived from three main concepts: (1) conscience; (2) HCPs, specifically physicians (including specialists), nurses and midwives; (3) interventions, assessment and quality improvement. Systematic, scoping and other types of synthesis reviews and their protocols were removed from the results. Date limitations will be removed, and SRs will be included in the updated search for the full-scale review.

In order to enhance the quality of the systematic search, the preliminary search strategy for Medline was evaluated by an external health sciences librarian using Peer Review of Electronic Search Strategies (PRESS) guidelines.²⁸ No major revisions were required following the PRESS evaluation but the following recommendations were made: (1) strategy for capturing synthesis reviews was refined to make it more precise for exclusion purposes; (2) additional terminology related to knowledge translation were added to the intervention concept (see online supplemental file 2). The search strategy was revised to include these recommendations and in total, 510 articles were identified from the preliminary search. Out of these results, 30 were deemed relevant for inclusion and confirmed the feasibility of this review.

To identify all relevant published studies, the following databases will be searched:

- ▶ Medline via OVID (1946–present).
- ▶ EMBASE via OVID (1974–present).
- ▶ PsycINFO via OVID (1806–present).
- ▶ CINAHL via EBSCOhost (1936–present).
- ▶ Academic Search Complete via EBSCOhost (1887–present).
- ▶ ATLA Religion Database via EBSCOhost (13th C.–present).
- ▶ Religion and Philosophy Collection via EBSCOhost (1911–present).
- ▶ PhilPapers via Philosophical Research Online (2001–present).
- ▶ Scopus via Elsevier (1976–present).
- ▶ Cochrane Controlled Register of Trials (CENTRAL) via Wiley (1993–present).

These databases will be searched using a combination of natural language vocabulary (keywords) and controlled terms (subject headings) wherever they are available, based on the previously identified search concepts. Records identified through database searches will be exported in complete batches and duplicates will automatically be removed on import to the SR management software, Covidence.²⁹ An update of the searches is planned for 6 months after search results are exported or

1 month prior to manuscript submission for publication, whichever is sooner. There is no patient or public involvement in this study.

Screening

Articles will be screened by at least two, independent reviewers related to the eligibility criteria. Prior to screening, the reviewers will generate screening questions related to both title and abstract and full screening processes which will be done through Covidence software. To facilitate the screening process, a minimum of two reviewers will independently screen all records by title and abstract and retain articles that meet the eligibility and screening question criteria. Included articles for full-text review will again be screened in full by a minimum of two, independent reviewers. Prior to each step in the screening process, reviewers will initially screen approximately 10 records and meet to discuss the process to flesh out any questions or disagreements and before carrying out the full screening process. Reviewers will meet throughout each screening process to discuss progress and any conflicts that arise. Throughout the screening and data extraction processes, the principal investigator (PI) will be responsible for resolving disagreements if consensus is not reached among the researchers. Full articles that meet the eligibility criteria will be extracted for data corresponding to variables predetermined by the research team. The screening and selection process will be shown in a PRISMA flow chart.

Data extraction

Data from included, full-text articles will be extracted by a minimum of two independent reviewers according to preset headings developed by the research team. Data headings will comprise the following variables in relation to the research questions, PICOS criteria as well as primary objectives: full reference of the articles; region and country the study was conducted in; research objectives; study design and methods (sample size, comparison types); population under study including subgroups; description of the intervention and control interventions (where applicable); effects of the intervention (whether the study supported HCPs to understand and use their conscience and how, as well as to what extent) in relation to the study outcomes listed in the PICOS criteria which will be captured as significant findings in terms of outcomes, effects of outcomes and limitations. Extracted data will be entered into Word or Excel documents under the data extraction headings to be tabulated for ease of data synthesis and reporting.

Critical appraisal: assessing risk of bias

Since mixed-methods studies will be included in this SR, extracted data will be critically appraised for methodological quality using the Mixed Methods Appraisal Tool (MMAT).³⁰ At least two independent researchers will perform this assessment in each individual study. The MMAT is a critical appraisal tool aimed at assessing

the quality of studies included in SRs. All studies are appraised against five categories of criteria for validity and rigour in relation to study designs comprising either qualitative, quantitative (randomised trials, non-randomised and descriptive studies) and mixed-methods papers. Reviewers capture their assessments according to core criteria across study designs by either responding 'yes', 'no' or 'cannot tell'. Two independent reviewers will appraise each study using the MMAT and resolve any discrepancies with a third reviewer or the PI. Assessments for each study will be tabulated and presented for data synthesis.

Data synthesis

It is expected that the studies identified will have high methodological heterogeneity—featuring a mix of qualitative, quantitative and mixed-methods studies. Accordingly, extracted data will be synthesised descriptively according to relevance of interventions by effect (whether they aimed to support HCPs in understanding and/or using their conscience). The data will be discussed in text and tables to summarise and describe the characteristics and relationship of findings across the included studies.²² Findings will be reported according to fixed categories including: the study year, purpose, design and setting, population, intervention and effect, primary outcome and limitations. Since this SR will include non-quantitative studies, the heterogeneity of the findings will determine whether there is sufficient data to conduct statistical meta-analysis via pooling of outcomes data from sufficiently similar intervention studies. If this is possible, given the wide likely variability across studies, a random effects model will be used for the meta-analysis. If statistical analysis is not applicable, all data will be reported through a narrative descriptive analysis. Quality of the included studies will be assessed using the appropriate checklist tools from the Critical Appraisal Skills Programme, with mixed-methods studies assessed using the MMAT.^{30 31}

Confidence in cumulative evidence assessment

The Grading of Recommendations, Assessment, Development and Evaluations tool will be used to evaluate the strength of the evidence of the included studies.³²

Quality assurance

The proposed SR study will follow the PRISMA (2020) format for reporting SRs.

DISCUSSION

This study will review current, interdisciplinary research studies explicating interventions that were used to understand and/or support HCP's use of conscience. The results of this SR will be useful in identifying what concrete supports exist in relation to moral inclusion of HCP's freedom of conscience. Additional gaps may be identified leading to further empirical ethics research

necessary to support HCP populations to navigate today's morally complex healthcare context.

Acknowledgements We thank the second research librarian for their PRESS review of the initial Medline search. The PI thanks her colleague, Dr. Matthias Hoben, for his review of the initial manuscript.

Contributors CL conceptualised, drafted and revised the protocol. MK and CL created the search strategy. MK conducted the initial Medline search, had the search strategy peer-reviewed and searched the databases. AC provided statistical support. AC, EP and KK contributed to the development of the search criteria and conceptualisation of the protocol. KK contributed to the assessment of ROB tools. YB-M contributed to the assessment of the strengths and limitations of the research methods. All authors read, provided feedback or approved the manuscript for submission.

Funding This work was supported by the PI's (CL) research funding from the John Templeton Foundation (61508) and Establishment Grant.

Disclaimer The work undertaken in this research and all the content and conclusions therein are that of the authors and not the funders.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Christina Lamb <http://orcid.org/0000-0003-4475-9548>

REFERENCES

- 1 Universal Declaration of Human Rights and Freedoms (1948). United nations. Available: <https://www.un.org/en/about-us/universal-declaration-of-human-rights> [Accessed 5 May, 2021].
- 2 International Council of Nurses. Position statement: nurses and human rights, 2011. Available: https://www.icn.ch/sites/default/files/inline-files/E10_Nurses_Human_Rights%281%29.pdf [Accessed 11 May, 2021].
- 3 World Medical Association. Declaration of Geneva, 2017. Available: <https://www.wma.net/policies-post/wma-declaration-of-geneva/> [Accessed 5 May 2021].
- 4 Aquinas T. *Selected writings*. London, UK: Penguin Books, 1998: 217–41.
- 5 Sgreccia E, Di Camillo JA, Miller MJ. *Personalist bioethics: foundations and applications*. Philadelphia, PA: The National Catholic Bioethics Center, 2012.
- 6 Giubilini A. Objection to conscience: an argument against conscience exemptions in healthcare. *Bioethics* 2017;31:400–8.
- 7 Neal M, Fovargue S, Smith S. Guest editorial. The new bioethics [Accessed 9 September 2019].
- 8 Savulescu J, Schuklenk U. Doctors have no right to refuse medical assistance in dying, abortion or contraception. *Bioethics* 2017;31:162–70.
- 9 Bouthillier M-E, Opatry L. A qualitative study of physicians' conscientious objections to medical aid in dying. *Palliat Med* 2019;33:1212–20.
- 10 Lamb C, Evans M, Babenko-Mould Y, et al. Nurses' use of conscientious objection and the implications for conscience. *J Adv Nurs* 2019;75:594–602.



- 11 Fleming V, Frith L, Luyben A, Ramsayer B, *et al.* Conscientious objection to participation in abortion by midwives and nurses: a systematic review of reasons. *BMC Med Ethics* 2018;19:1–13.
- 12 International Confederation of Midwives. International Code of ethics for midwives, 2014. Available: <https://www.internationalmidwives.org/assets/files/general-files/2019/10/eng-international-code-of-ethics-for-midwives.pdf> [Accessed 11 May 2021].
- 13 Lamb C, Pesut B. Conscience and conscientious objection in nursing: what a personalist approach adds to nursing ethics. *Nursing ethics* [Accessed 8 April 2021].
- 14 Lamb C. Conscientious objection: understanding the right of conscience in health and healthcare practice. *New Bioeth* 2016;22:33–44.
- 15 Finite SE, Being E, Reinhardt KD. *Finite and eternal being*. Washington, DC: Institute of Carmelites Studies Publications, 2006.
- 16 Wojtyla KPotocki A, ed. *The acting person. A contribution to phenomenological anthropology*. Dordrecht: D. Reidel, 1979.
- 17 Haidt J. The new synthesis in moral psychology. *Science* 2007;316:998–1002.
- 18 Haidt J. *The righteous mind*. New York: Random House, 2012.
- 19 Haidt J. Moral psychology for the twenty-first century. *J Moral Educ* 2013;42:281–97.
- 20 Maritain J. *On the use of philosophy: three essays*. Princeton University Press: Princeton, 1961.
- 21 Savulescu J. Bioethics: why philosophy is essential for progress. *J Med Ethics* 2015;41:28–33.
- 22 Page MP, McKenzie JE, Bossuyt PM, *et al.* The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:1–9.
- 23 Rethlefsen ML, Kirtley S, Waffenschmidt S, *et al.* PRISMA-S: an extension to the PRISMA statement for reporting literature searches in systematic reviews. *Syst Rev* 2021;10:1–19.
- 24 Moher D, Shamseer L, Clarke M, *et al.* Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev* 2015;4:1–9.
- 25 Glasberg A-L, Eriksson S, Dahlqvist V, *et al.* Development and initial validation of the stress of conscience questionnaire. *Nurs Ethics* 2006;13:633–48.
- 26 Dahlqvist V, Eriksson S, Glasberg A-L, *et al.* Development of the perceptions of conscience questionnaire. *Nurs Ethics* 2007;14:181–93.
- 27 Higgins JPT, Thomas J, Chandler J, *et al.* *Cochrane Handbook for systematic reviews of interventions version 6.2*. Cochrane, 2021. www.training.cochrane.org/handbook
- 28 McGowan J, Sampson M, Salzwedel DM, *et al.* PRESS Peer Review of Electronic Search Strategies: 2015 Guideline Statement. *J Clin Epidemiol* 2016;75:40–6.
- 29 Covidence. A Cochrane technology program. Available: https://app.covidence.org/sign_in [Accessed 11 May 2021].
- 30 Hong QN, Fàbregues S, Bartlett G, *et al.* The mixed methods appraisal tool (MMAT) version 2018 for information professionals and researchers. *Educ Inf* 2018;34:285–91.
- 31 Critical Appraisal Skills Programme. Casp (checklist for systematic reviews) checklist, 2019. Available: <https://casp-uk.net/referencing/> [Accessed 11 May 2021].
- 32 Schünemann HJ, Higgins JPT, Vist GE, *et al.* Chapter 14: Completing 'Summary of findings' tables and grading the certainty of the evidence. In: Higgins JPT, Thomas J, Chandler J, eds. *Cochrane Handbook for systematic reviews of interventions version 6.2*. Cochrane, 2021. www.training.cochrane.org/handbook

PRESS Guideline — Search Submission & Peer Review Assessment**SEARCH SUBMISSION: THIS SECTION TO BE FILLED IN BY THE SEARCHER**

Searcher: MK

Email: Will be provided after peer review for the purpose of anonymous peer-review of the protocol manuscript.

Date submitted: April 20, 2021

Date requested by: TBD.

[Maximum = 5 working days]

Systematic Review Title:

Effectiveness of interventions on healthcare professionals' understanding and use of conscience: A systematic review protocol.

This search strategy is ...

X	My PRIMARY (core) database strategy — First time submitting a strategy for search question and database
	My PRIMARY (core) strategy — Follow-up review NOT the first time submitting a strategy for search question and database. If this is a response to peer review, itemize the changes made to the review suggestions
	SECONDARY search strategy— First time submitting a strategy for search question and database
	SECONDARY search strategy — NOT the first time submitting a strategy for search question and database. If this is a response to peer review, itemize the changes made to the review suggestions

Database

(i.e., MEDLINE,CINAHL...): [mandatory]

MEDLINE

Interface

(i.e., Ovid, EBSCO...): [mandatory]
OVID

Research Question

(Describe the purpose of the search) [mandatory]

What do healthcare professionals know about conscience?

How do healthcare professionals make meaning of conscience?

What interventions have been done to support healthcare professionals to understand what conscience is and to use it in healthcare education and practice?

How are healthcare professionals supported to use their conscience in medicine, nursing and midwifery?

PICO Format

(Outline the PICOs for your question — i.e., Patient, Intervention, Comparison, Outcome, and Study Design — as applicable)

P - Healthcare professionals, specifically physicians, nurses, and midwives

I - Interventions (general), education, training, mentoring, quality improvement, tools, screening

C - NA

O - Conscience, empirical ethics

S - NA

Inclusion Criteria

(List criteria such as age groups, study designs, etc., to be included) [optional]

English, scholarly, peer-reviewed, full text articles from 2000 onward pertaining to interventions on conscience for healthcare professionals (population). Interventions include experimental, quasi-experimental and non-experimental studies consisting of clinical trials, qualitative, quantitative and mixed-method studies. Unpublished articles will not be included.

Exclusion Criteria

(List criteria such as study designs, date limits, etc., to be excluded) [optional]

Articles that solely focus on arguing against conscience and issues of conscience for healthcare professionals. Review articles.

Was a search filter applied?

Yes No

If YES, which one(s) (e.g., Cochrane RCT filter, PubMed Clinical Queries filter)? Provide the source if this is a published filter. [mandatory if YES to previous question — textbox]

Medline Expert Search Filter for Systematic Reviews

Other notes or comments you feel would be useful for the peer reviewer? [optional]
 The PI specifically requested to remove from the search language for ethics and morals following an initial preliminary search in Medline.

Please copy and paste your search strategy here, exactly as run, including the number of hits per line. [mandatory]

Ovid MEDLINE(R) ALL <1946 to April 19, 2021>

```

1      conscience/      1573
2      (conscience? or "conscientious* object*").mp.      3695
3      "empirical ethics".mp.150
4      1 or 2 or 3      3844
5      health personnel/ or exp nurses/ or exp nurse practitioners/ or exp nurse specialists/ or
exp nurses, pediatric/ or exp physicians/      277280
6      (doctor* or physician* or "general practitioner*" or surgeon* or clinician* or nurse* or
midwife* or midwives or ((healthcare or "health care" or medical or nursing) adj3 (professional*
or personnel))).mp.      1498351
7      5 or 6      1536357
8      (intervention* or train* or educat* or workshop* or seminar* or curricul* or coach* or
mentor* or experiment* or tool* or interview* or "focus group" or review* or screening or
questionnaire* or survey* or perception* or implication* or barrier* or facilitat* or obstacle* or
encourag* or trial* or test* or "quality improvement*").mp.13896377
9      education/ or curriculum/ or education, distance/ or exp education, professional/ or exp
education, continuing/ or exp education, graduate/ or exp education, medical/ or exp education,
nursing/ or exp inservice training/ or mentoring/      367641
10     focus groups/ or interviews as topic/ or "surveys and questionnaires"/ or health care
surveys/ or self report/      614592
11     Quality Improvement/27190
12     8 or 9 or 10 or 11      13910462
13     4 and 7 and 12681
14     meta-analysis.pt.      129734
15     (meta-anal$ or metaanal$).mp.      232007
16     ((quantitativ$ adj3 review$1) or (quantitativ$ adj3 overview$)).mp.      3403
17     ((systematic$ adj3 review$) or (systematic adj3 overview$)).mp.      239417
18     ((methodologic adj3 review$1) or (methodologic adj3 overview$)).mp.      232
19     (integrat$ adj5 research).mp.      10739
20     (quantitativ$ adj3 synthes$).mp.      3146

```

21 or/14-20 370682
 22 review.pt. or (review\$ or overview\$).mp. 3928917
 23 (medline or medlars or pubmed or index medicus or embase or cochrane).mp. 251818
 24 (scisearch or web of science or psycinfo or psychinfo or cinahl or cinhal).mp. 94621
 25 (excerpta medica or psychlit or psyclit or current contents or science citation index or sciences citation index or scopus).mp. 35970
 26 (hand search\$ or manual search\$).mp. 12189
 27 ((electronic adj3 database\$) or (bibliographic adj3 database\$) or periodical index\$).mp. 43482
 28 (pooling or pooled or mantel haenszel).mp. 116964
 29 (peto or der simonian or dersimonian or fixed effect\$).mp. 19646
 30 ((combine\$ or combining) adj5 (data or trial or trials or studies or study or result or results)).mp. 133034
 31 or/23-30 509089
 32 22 and 31 276394
 33 21 or 32 468309
 34 (hta\$ or health technology assessment\$ or biomedical technology assessment\$).mp. 8409
 35 technology assessment, biomedical/ or biomedical technology assessment/ 10225
 36 34 or 35 16492
 37 33 or 36 482109
 38 13 not 37 661
 39 limit 38 to (english language and yr="2000 -Current") 431

PEER REVIEW ASSESSMENT: THIS SECTION TO BE FILLED IN BY THE REVIEWER

Reviewer:Liz Dennett

Email:eal@ualbert

Date completed: April 27, 2021

1. TRANSLATION

A ---No revisions

B --- Revision(s) suggested

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

Comment: I think it is appropriate to use a narrow take on the conscience concept here. Of course all exact synonyms should be included and unfortunately I don’t have a good enough understanding of the topic to know what is an exact synonym for conscience and what is only related, but I can see the benefit of not being too broad here. If the authors don’t use the term conscience in the abstract, the article is unlikely to be relevant.

2. BOOLEAN AND PROXIMITY OPERATORS

A ---No revisions

x

B --- Revision(s) suggested

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

3. SUBJECT HEADINGS

A ---No revisions

x

B --- Revision(s) suggested

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

4. TEXT WORD SEARCHING

A ---No revisions

B --- Revision(s)suggested

X

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

Line 6: I would add health to the first set of brackets and provider* or practitioner* to the second. Terms such as health practitioner* or healthcare provider* can pick up physician / nurse focused articles.

Also curious why all the physician specialties were removed from the preliminary search although I assume there was a good reason for this.

The intervention concept is tough. You have done a good job coming up with terms that will help you find the publication types and study designs that the protocol indicates you are looking for. I just worry that there might be additional types of studies that are not well described that may be relevant.

Here are just some suggestions of terms that might be relevant that you COULD consider (but by no means have to) What about practice guidelines as an intervention? Would that make sense here? Or Dagmara has this list of KT terms. Would any of them be relevant?:

[https://docs.google.com/document/d/1v5Hyfpc-](https://docs.google.com/document/d/1v5Hyfpc-BICRmfNOaqp06H5xYLVvW0Ns5RDM2MwbsiA/edit?usp=sharing)

BICRmfNOaqp06H5xYLVvW0Ns5RDM2MwbsiA/edit?usp=sharing . Additional QI suggestions: (QI adj6 (intervention* or initiative* or strateg* or program* or campaign* or implement*)),mp. (Practice or behavior* or organizational) adj3 chang*).mp. patient safety.mp. Quality assurance.mp.

Additional barrier / experiential terms: Impediment* or impede* or challenges or obstruct* or hurdle* OR Experience* or perceive* or perspective* or self-report*

5. SPELLING, SYNTAX, AND LINE NUMBERS

A ---No revisions

X

B --- Revision(s)suggested

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

6. LIMITS AND FILTERS

A ---No revisions

B --- Revision(s) suggested

x

C --- Revision(s) required

If “B” or “C,” please provide an explanation or example:

Highly sensitive filters are good for finding those study types but to exclude a publication type, it is safer to use a highly precise filter – such as (systematic* review or meta-anal* or metanal* or hta or health technology assessment).ti. or systematic review/ or meta-analysis.pt. or technology assessment, biomedical/ or biomedical technology assessment/ or review.pt. This may not make a big difference to your numbers but I still think it is better to take this approach

OVERALL EVALUATION (NOTE: If one or more "revision required" is noted above, the response below must be "revisions required")

A ---No revisions

B --- Revision(s) suggested

x

C --- Revision(s) required

Additional comments: none.