

BMJ Open Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals: a targeted literature review

Sara C Buttery,^{1,2} Keir E J Philip ,^{1,2} Saeed M Alghamdi,^{1,2} Parris J Williams ,^{1,2} Jennifer K Quint ,^{1,2} Nicholas S Hopkinson^{1,2}

To cite: Buttery SC, Philip KEJ, Alghamdi SM, *et al.* Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals: a targeted literature review. *BMJ Open* 2022;**12**:e064276. doi:10.1136/bmjopen-2022-064276

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-064276>).

SCB and KEJP are joint first authors.
JKQ and NSH are joint senior authors.

Received 28 April 2022
Accepted 18 July 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹National Heart and Lung Institute, Imperial College London, London, UK

²NIHR Imperial Biomedical Research Centre, Imperial College London, London, UK

Correspondence to

Keir E J Philip;
k.philip@imperial.ac.uk

ABSTRACT

Objectives To assess the frequency of reporting of ethnicity (or ‘race’) and socioeconomic status (SES) indicators in high-impact journals.

Design Targeted literature review.

Data sources The 10 highest ranked general medical journals using Google scholar h5 index.

Eligibility criteria Inclusion criteria were, human research, reporting participant level data. Exclusion criteria were non-research article, animal/other non-human participant/subject or no participant characteristics reported.

Data extraction and synthesis Working backwards from 19 April 2021 in each journal, two independent reviewers selected the 10 most recent articles meeting inclusion/exclusion criteria, to create a sample of 100 articles. Data on the frequency of reporting of ethnicity (or ‘race’) and SES indicators were extracted and presented using descriptive statistics.

Results Of 100 research articles included, 35 reported ethnicity and 13 SES. By contrast, 99 reported age, and 97 reported sex or gender. Among the articles not reporting ethnicity, only 3 (5%) highlighted this as a limitation, and only 6 (7%) where SES data were missing. Median number of articles reporting ethnicity per journal was 2.5/10 (range 0 to 9). Only two journals explicitly requested reporting of ethnicity (or race), and one requested SES.

Conclusions The majority of research published in high-impact medical journals does not include data on the ethnicity and SES of participants, and this omission is rarely acknowledged as a limitation. This situation persists despite the well-established importance of this issue and International Committee of Medical Journal Editors recommendations to include relevant demographic variables to ensure representative samples. Standardised explicit minimum standards are required.

INTRODUCTION

Information about the ethnicity and socioeconomic status (SES) of participants in clinical research is needed for the interpretation, generalisability and pooling of data as well as to inform discussion around health inequalities. The relevance of ethnicity and SES to health and biomedical research is

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ This study included recent studies from a range of the highest impact general medical journals.
- ⇒ Different inclusion/exclusion criteria for articles could be justifiably used, which may have produced different results.
- ⇒ We identified high-impact journals using the google scholar h5 index, however various other equally valid impact metrics exist, which could change the journals considered.
- ⇒ Our analysis focused on *if* ethnicity and/or race was reported, but not *how* they are reported which is an important and related area for discussion and research to that covered in this study.

well established but has been emphasised by the COVID-19 pandemic, during which specific ethnic groups and poorer individuals have been disproportionately affected.¹ The causal pathways driving health disparities are complex and multifactorial, however under-reporting of participant characteristics has been identified as a potential contributory factor.^{2–4}

The International Committee of Medical Journal Editors recommendations,⁵ and some journal instructions to authors promote inclusion of these data.^{6 7} Previous studies have identified that reporting is frequently incomplete with limited progress made over the last three decades.^{8–13} Recent years have seen an increased focus on ethnicity and SES in medicine, however there is a lack of research as to whether this has resulted in better reporting.

To evaluate the current situation in this area, we assessed the frequency of reporting of ethnicity (or ‘race’) and SES indicators in a sample of research articles published in high impact general medical journals in Spring 2021.

METHODS

We identified the 10 highest ranked journals as per Google scholar ‘Health and Medical (general)’ category up to April 2021. At the time of data collection, these were *The New England Journal of Medicine (NEJM)*, *The Lancet*, *the Journal of the American Medical Association*,⁷ *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, *Nature Medicine*, *Public Library of Science One (PLOS One)*, *The British Medical Journal (BMJ)*, *Cochrane*, *Cell Metabolism and Science Translational Medicine*. *PNAS* and *PLOS One* include a wide range of subject areas therefore the subsections ‘Biological Sciences, Medical Science’ and ‘Clinical Medicine’ were used respectively. From each of these 10 journals, using the journals own websites, we worked backwards from 19 April 2021, selecting the 10 most recent journal articles that met inclusion/exclusion criteria. Inclusion criteria were as follows: research articles, reporting participant level data. Articles were excluded if they were not research (eg, editorial, news, images, etc.), animal/other non-human participant/subject or no participant characteristics reported. Laboratory studies using human-derived tissues or cells were included if donor information was provided. Journal reporting guidance and requirements were also assessed by evaluating author guidelines, websites and contacting the respective editorial/publishing teams. Data were collected on which participant level characteristics were reported and how. Data were also collected on if the absence of reporting these variables was noted as a limitation. The journals’ accessible policies and guidance on reporting these variables was also reviewed. Data collection and analysis was conducted by SCB, KEJP, SMA and PJW. All journals were reviewed and articles selected by at least two researchers independently, who then came together to discuss any inconsistencies with a third researcher.

Ethnicity and race are related yet different constructs and arguably the latter term should be abandoned.¹⁴ However, given the frequent lack of standardisation in the literature and that the terms are in practice often used interchangeably we accepted the use of either term. For the purpose of this study, ethnicity (or race) was defined as variables explicitly stated by the authors as ‘ethnicity’, ‘ethnic group’ or ‘race’, ‘racial group’. Similarly, regarding reporting of SES indicators, various often inconsistent methods are used, therefore we opted to assess both direct measures such as the Index of Multiple Deprivation, but also measures from which SES could be inferred such as educational attainment and job role. The focus being if, rather than how, such measures are reported. Variables were considered to be indicators of SES if they were explicitly stated as being included for this purpose in the studies reporting them, or if not explicitly stated in the study itself, variables that might be considered SES indicators were discussed between researchers and included or excluded based on consensus opinion. Given the potential degree of subjectivity related to this approach, we have provided the specific terms used by included studies in the results section below. The agreed




Figure 1 Flow diagram of study inclusion/exclusion.

approach was to take a more inclusive approach, so that if these variables were found to be infrequently reported, such findings would not be dismissed as relating to overly stringent inclusion criteria.

Patient and public involvement

None.

RESULTS

650 publications were assessed to identify 100 meeting inclusion criteria (see [figure 1](#) and online supplemental tables 1–3). Of 100 research articles included, 35 reported ethnicity (or race) and 13 reported SES. By contrast, 99 reported age, and 97 reported sex or gender ([table 1](#)).

Among the articles not reporting ethnicity, only 3 (5%) highlighted this as a limitation, and only 6 (7%) highlighted where SES data were missing. Median number of articles reporting ethnicity per journal was 2.5/10 (range 0/10 (*PLOS One*) to 9/10.⁷ Only two journals explicitly requested reporting of participant ethnicity (or race), and one requested SES. Types of research included—interventional studies (n=30), cohort studies (n=35), case–control studies (n=3), systematic reviews and meta-analyses (n=16), epidemiological and surveys (n=3) and other (n=13). Twenty of the 100 were laboratory studies (either observational or involving interventional manipulation of samples) using human samples, of which four reported ethnicities of sample donors (of others, none mentioned as a limitation), and none reported SES.

Among the 24 papers describing clinical trials, 50% reported ethnicity, with none highlighting the absence of these data as a limitation; 12.5% of trials reported an

Table 1 Reporting of ethnicity and/or race, and socioeconomic status indicators in research articles

Report participant level characteristics	N	Additional notes
	100	
Report ethnicity and/or race	35/100 report 65 not report	Range per journal: JAMA 9/10, with clear guidance that this information is expected.
Noted in limitations	62 of the 65 do not state this as a limitation 3 do highlight this as a limitation.	Some studies identify race and ethnicity as being relevant to the research focus, yet did not provide relevant data on their study participants or highlight this a limitation of their study, for example, <ul style="list-style-type: none"> ▶ <i>in the case of DNA-based mutation testing, poor sensitivity in detecting mutations in infants from ethnic and racial minority groups (DOI: 10.1126/scitranslmed.abd8109)</i> ▶ <i>peripheral oxygen saturation can substantially differ from the SaO₂ under certain conditions and may be less accurate in Black patients than in White patients (DOI: 10.1056/NEJMoa2032510)</i>
Report socioeconomic status indicator	13/100 report at a measure of SES (six direct measure, for example, Index of Multiple Deprivation, Poverty income ratio; seven measures from which SES can be inferred, for example, educational attainment, job role) 87/100 did not report any indication of SES	
Noted in limitations	6/87 identified this as a limitation	
Age reported	99/100	
Sex or gender reported	97/100	
Percentages not given as most results have 100 as the denominator. SES, socioeconomic study.		

indicator of SES, with one of the 21 not reporting SES highlighting this absence as a limitation.

Of note, two of the research articles included in our sample identified ethnicity as being relevant to their research topic, yet did not provide relevant data on their study participants or highlight the lack of this data as a limitation of their study *in the case of DNA-based mutation testing, poor sensitivity in detecting mutations in infants from ethnic and racial minority groups*, and *peripheral oxygen saturation can substantially differ from the SaO₂ under certain conditions and may be less accurate in Black patients than in White patients*.¹⁵

DISCUSSION

The majority of research published in high-impact medical journals does not include data on the ethnicity and SES of participants, and this omission is rarely acknowledged as a limitation. This finding echoes related historical research,^{8–13} but its persistence is of concern and is surprising given current awareness of such issues.^{16 17}

These findings have important implications for the interpretation and application of research findings, both within academia and beyond, with the ongoing omission no longer justifiable as simple oversight. As highlighted by Baker *et al*,¹⁸ in relation to data relating to LGBTQI+

communities, but equally relevant here, *Data are fundamentally political: decisions about which data are collected and which are overlooked both reflect and shape policy and programme priorities*.

Our results could have multiple contributory factors. For some research including secondary data analyses, ethnicity and SES data may not have been available to the researchers, but given the lack of explanation, it remains unclear if these data were unavailable, or available but not included in publications. The low level of reporting in controlled clinical trials suggests issues beyond unavailability of data, as in these studies, such data would be simple to collect. Additionally, given research successfully reporting these data, the justification for these omissions remains unexplained. Non-reporting of ethnicity (or race) and SES data may also result from explicit or implicit racism, or other forms of discrimination such as that based on SES, which could include failing to appreciate the relevance of these factors to the generalisability of findings.

The increased frequency of reporting ethnicity, compared with SES, may indicate differences between the perceived relevance of these variables. This would be in keeping with journal author guidelines and ICMJE recommendations that encourage the inclusion of relevant



demographic variables to ensure representative samples,⁵ more often explicitly stating race and/or ethnicity, than SES. The relevance of these factors may not have been apparent to authors and editorial teams, however ICMJE Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly work in Medical Journals⁵ states *Because the relevance of such variables as age, sex or ethnicity is not always known at the time of study design, researchers should aim for inclusion of representative populations into all study types and at a minimum provide descriptive data for these and other relevant demographic variables.* Of note, not all of the journals in our sample state that they follow the ICMJE recommendations.¹⁹ However, whether or not the journal states they follow guidance or not, this has no impact on the relevance of these data and the importance of reporting them. Additionally, Maduka *et al*²⁰ found no difference between journals stating they follow ICMJE recommendations, and those that do not, in the frequency of reporting race and ethnicity in a sample of surgical research publications in 2019.

Certain considerations and limitations require highlighting. First, different approaches to selecting research papers may alter findings. Second, we identified high-impact journals using the google scholar h5 index but acknowledge various other equally valid methods exist. Third, our analysis focused on if ethnicity and/or race was reported, but we acknowledge that these are not synonymous terms. In addition to *if* these variables are reported, *how* they are reported is also an important area for discussion and research. The choice to analyse 100 papers was somewhat arbitrary. We wanted to include an adequate number of articles from the selected journals to provide a representative sample of their original research papers. Furthermore, given the substantial differences in the number of original research papers published between journals, keeping to 10 per journal ensured all included papers were published within a 4-month window. If we had included 100 papers per journal, the sample from some journals might be 2 months, while others nearer 2 years, which could complicate interpretation given the potential for changing levels of reporting over time. The widespread omissions identified by this research suggests a structural problem. Indeed, we the authors have published research which would have met the inclusion criteria and failed to report these specific characteristics. Our intention is to highlight an issue and suggest approaches to address it.

Given that inadequate reporting persists despite research highlighting the issue, author and ICMJE recommendations, and the current sociopolitical climate, there is a clear need for more explicit requirements that are adhered to in practice. This is likely best achieved if steps are integrated into each stage of the research process, from protocol to publication. For example, Fain *et al*²¹ compared reporting of race and ethnicity on ClinicalTrials.gov before and after the requirement to report these data (if collected), was introduced, finding that this was associated with

an increase from 42% to 92%. Similar explicit requirements could be taken in Enhancing the Quality and Transparency Of health Research (EQUATOR) guidelines,²² and research ethic applications. From our sample, the journal *JAMA* had the most explicit guidance for reporting race and ethnicity, and this variable was reported in 9/10 of the articles we reviewed. Of note, from 2022, the *New England Journal of Medicine* will be requiring authors of research articles to provide data on the representativeness of the sample including race or ethnic group,²³ though it is unclear if SES indicators will also be required. Much of the recent literature appears to focus on ethnicity reporting, likely due to the COVID-19 pandemic exposing its disproportionate effects on some ethnic groups.²⁴ One recent publication in *Nature medicine*²⁴ suggested that it would require changes at policy level as well as engaging with professionals, patients and the public to communicate the importance of this issue in understanding inequalities. Barriers suggested include problems collecting ethnicity data, whether this be reported by a healthcare professional or self-reported, and in defining ethnic groups where categorisation is inconsistent.^{24 25} This is reflected in the diverse terms used to report ethnicity in the papers we reviewed (online supplemental table 3). Future research would be useful investigating changing in reporting overtime, especially in relation to specific actions taken to improve this issue, which could inform research reporting guidelines.

CONCLUSION

The reporting of ethnicity and socioeconomic status in high-impact medical research remains poor, despite a consensus on its importance. Omission of these participant characteristics limits the interpretation, generalisability and pooling of data that are required to facilitated informed discussion around health inequalities. Guidance and encouragement have so far proven insufficient to change practice in this area. Standardised, explicit, minimum standards are required.

Twitter Keir E J Philip @keirphilip, Parris J Williams @ParrisWilliams1 and Nicholas S Hopkinson @COPDdoc

Contributors SCB had the original idea for the study. SCB, KEJP, SMA and PJW collected the data. All authors (SCB, KEJP, SMA, PJW, JKQ and NSH) contributed to the design of the study. KEJP analysed the data initially, which was verified by SCB, SMA and PJW. KEJP wrote the first draft of the manuscript. All authors (SCB, KEJP, SMA, PJW, JKQ and NSH) critically appraised the manuscript and approved it for submission and had full access to the data and can take responsibility for the integrity of the data and the accuracy of the data analysis. The corresponding author attests that all listed authors (SCB, KEJP, SMA, PJW, JKQ and NSH) meet authorship criteria and that no others meeting the criteria have been omitted. All authors had access to all information and data included in this study. KEJP is the guarantor.

Funding KEJP was supported by the Imperial College Clinician Investigator Scholarship (internal award with no specific grant number/code).

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting or dissemination plans of this research.

Patient consent for publication Not required.

Ethics approval Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as supplementary information. All data used in this study are publicly available.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Keir E J Philip <http://orcid.org/0000-0001-9614-3580>

Parris J Williams <http://orcid.org/0000-0001-8027-1879>

Jennifer K Quint <http://orcid.org/0000-0003-0149-4869>

REFERENCES

- Williamson EJ, Walker AJ, Bhaskaran K, *et al*. Factors associated with COVID-19-related death using OpenSAFELY. *Nature* 2020;584:430–6. [10.1038/s41586-020-2521-4](https://doi.org/10.1038/s41586-020-2521-4)
- Chastain DB, Osae SP, Henao-Martínez AF, *et al*. Racial Disproportionality in Covid clinical trials. *N Engl J Med Overseas Ed* 2020;383:e59.
- Krieger N, Waterman PD, Chen JT, *et al*. Missing again: US racial and ethnic data for COVID-19 vaccination. *The Lancet* 2021;397:1259–60.
- Webb Hooper M, Nápoles AM, Pérez-Stable EJ. COVID-19 and racial/ethnic disparities. *JAMA* 2020;323:2466–7.
- ICMJE. Recommendations for the conduct, reporting, editing, and publication of scholarly work in medical journals 2019.
- The Lancet. Information for authors, 2021. Available: <https://marlin-prod.literatumonline.com/pb-assets/Lancet/authors/tl-info-for-authors.pdf> [Accessed 02 Sep 2021].
- JAMA. Instructions for authors, 2021. Available: <https://jamanetwork.com/journals/jama/pages/instructions-for-authors> [Accessed 02 Sep 2021].
- Geller SE, Koch A, Pellettieri B, *et al*. Inclusion, analysis, and reporting of sex and race/ethnicity in clinical trials: have we made progress? *J Womens Health* 2011;20:315–20.
- Brahan D, Bauchner H. Changes in reporting of race/ethnicity, socioeconomic status, gender, and age over 10 years. *Pediatrics* 2005;115:e163–6.
- Kanakamedala P, Haga SB. Characterization of clinical study populations by race and ethnicity in biomedical literature. *Ethn Dis* 2012;22:96–101.
- Bokor-Billmann T, Langan EA, Billmann F. The reporting of race and/or ethnicity in the medical literature: a retrospective bibliometric analysis confirmed room for improvement. *J Clin Epidemiol* 2020;119:1–6.
- Lee SJ, Kavanaugh A. A need for greater reporting of socioeconomic status and race in clinical trials. *Ann Rheum Dis* 2004;63:1700–1.
- Ma IWY, Khan NA, Kang A, *et al*. Systematic review identified suboptimal reporting and use of race/ethnicity in general medical journals. *J Clin Epidemiol* 2007;60:572–8.
- Ioannidis JPA, Powe NR, Yancy C. Recalibrating the use of race in medical research. *JAMA* 2021;325:623–4.
- Schjørring OL, Klitgaard TL, Perner A, *et al*. Lower or higher oxygenation targets for acute hypoxemic respiratory failure. *N Engl J Med* 2021;384:1301–11.
- Flanagin A, Frey T, Christiansen SL, *et al*. The reporting of race and ethnicity in medical and science journals. *JAMA* 2021;325:1049–52.
- The New England Journal of Medicine. Race and medicine 2021.
- Baker KE, Streed CG, Durso LE. Ensuring that LGBTQI+ people count — collecting data on sexual orientation, gender identity, and intersex status. *N Engl J Med* 2021;384:1184–6.
- International Committee of Medical Journal Editors. Journals stating that they follow the ICMJE recommendations, 2021. Available: <http://www.icmje.org/journals-following-the-icmje-recommendations/> [Accessed 09 Sep 2021].
- Maduka RC, Broderick M, White EM, *et al*. The reporting of race and ethnicity in surgery literature. *JAMA Surg* 2021;156:1036.
- Fain KM, Nelson JT, Tse T, *et al*. Race and ethnicity reporting for clinical trials in ClinicalTrials.gov and publications. *Contemp Clin Trials* 2021;101:106237.
- EQUATOR network. reporting guidelines 2021, 2021. Available: <https://www.equator-network.org/reporting-guidelines/> [Accessed 04/10/2021].
- Rubin E, Editors. Striving for diversity in research studies. *N Engl J Med* 2021;385:1429–30.
- Routen A, Akbari A, Banerjee A, *et al*. Strategies to record and use ethnicity information in routine health data. *Nat Med* 2022;28:1338–42.
- Khunti K, Routen A, Banerjee A, *et al*. The need for improved collection and coding of ethnicity in health research. *J Public Health* 2021;43:e270–2.

Reporting of data on participant ethnicity and socioeconomic status in high-impact medical journals: A targeted literature review: Supplementary Tables

Table 1: Research papers included in the sample

Journal	Date of pub	Title	DOI	Country of journal	Country of study/Corresponding author	Manuscript type	Study design	Report baseline/participants characteristics (which & how)
NEJM	15/04/2021	Hypothermic Machine Perfusion in Liver Transplantation — A Randomized Trial	10.1056/NEJMoa2031532	USA	Multicentre Europe	Original research (full paper)	RCT	Yes: Age, male sex, BMI, preservation of liver measures,
NEJM	15/04/2021	Trial of Psilocybin versus Escitalopram for Depression	10.1056/NEJMoa2032994	USA	UK	Original research (full paper)	RCT	Yes: Age, female sex, white race, employment status, university level education, disease specific variables.
NEJM	15/04/2021	BNT162b2 mRNA Covid-19 Vaccine in a Nationwide Mass Vaccination Setting	10.1056/NEJMoa2101765	USA	Israel	Original research (full paper)	Case Control	Yes: Age, female/male (sex), population sector (general Jewish, Arab, Ultra-orthodox Jewish), comorbidities,
NEJM	15/04/2021	Dexmedetomidine or Propofol for Sedation in Mechanically Ventilated Adults with Sepsis	10.1056/NEJMoa2024922	USA	USA	Original research (full paper)	RCT	Yes: Age, Female sex %, BMI, 'Race or Ethnic Group' White, Black, Latinx, multiple or other; cognitive decline score; clinical illness
NEJM	08/04/2021	Lenvatinib plus Pembrolizumab or Everolimus for Advanced Renal Cell Carcinoma	10.1056/NEJMoa2035716	USA	Global	Original research (full paper)	RCT	Yes: Age, sex (male/female), geographic region,
NEJM	08/04/2021	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure	10.1056/NEJMoa2032510	USA	Denmark	Original research (full paper)	RCT	Yes: Age, sex %male, comorbidities, illness/admission metrics
NEJM	08/04/2021	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality	10.1056/NEJMoa2007123	USA	Global	Original research (full paper)	Cohort study	Yes: Age, sex %male, urban residence, health risk factors, results by continents
NEJM	08/04/2021	Sutimlimab in Cold Agglutinin Disease	10.1056/NEJMoa2027760	USA	Germany	Original research (full paper)	Intervention trial (other than RCT)	Yes: Age, sex %female, geographic location (Europe, Japan, USA, Australia), disease characteristics,

NEJM	08/04/2021	Antibody Responses in Seropositive Persons after a Single Dose of SARS-CoV-2 mRNA Vaccine	10.1056/NEJMc2101667	USA	USA	Original research (letter)	Cohort study	Yes: Age, gender (male, female, prefer not to say,
NEJM	01/04/2021	Adjuvant Nivolumab in Resected Esophageal or Gastroesophageal Junction Cancer	10.1056/NEJMoa2032125	USA	Global	Original research (full paper)	RCT	Yes: Age, male sex %, race (white, Asian, black, other, not reported), Geographic region (Europe, US, Canada, Asia)
The Lancet	17/04/2021	Thromboembolism and the Oxford–AstraZeneca COVID-19 vaccine: side-effect or coincidence?	10.1016/S0140-6736(21)00762-5	UK	Denmark	Original research (letter)	Cohort study	Yes: age group, female + male numbers
The Lancet	17/04/2021	Effect of infusion set replacement intervals on catheter-related bloodstream infections (RSVP): a randomised, controlled, equivalence (central venous access device)–non-inferiority (peripheral arterial catheter) trial	10.1016/S0140-6736(21)00351-2	UK	Australia	Original research (full paper)	RCT	Yes: Age, male/female, disease/hospital stay characteristics
The Lancet	17/04/2021	SARS-CoV-2 infection rates of antibody-positive compared with antibody-negative health-care workers in England: a large, multicentre, prospective cohort study (SIREN)	10.1016/S0140-6736(21)00675-9	UK	England	Original research (full paper)	Cohort study	Yes: Gender (female, male, other); Age; Ethnicity (white, mixed race, Asian, black, Chinese, other, prefer not to say), medical conditions, index of multiple deprivation, region of England.
The Lancet	10/04/2021	Efficacy of ChAdOx1 nCoV-19 (AZD1222) vaccine against SARS-CoV-2 variant of concern 202012/01 (B.1.1.7): an exploratory analysis of a randomised controlled trial	10.1016/S0140-6736(21)00628-0	UK	UK	Original research (full paper)	RCT (Secondary data analysis)	Yes: age, % female, ethnicity white, black, Asian, mixed, other, missing,
The Lancet	10/04/2021	The SANAD II study of the effectiveness and cost-effectiveness of levetiracetam, zonisamide, or lamotrigine for newly diagnosed focal epilepsy: an open-label, non-inferiority, multicentre, phase 4, randomised controlled trial	10.1016/S0140-6736(21)00247-6	UK	UK	Original research (full paper)	RCT	Yes: Age, gender (male/female),
The Lancet	10/04/2021	The SANAD II study of the effectiveness and cost-effectiveness of valproate versus levetiracetam for newly diagnosed generalised and unclassifiable epilepsy: an open-label, non-	10.1016/S0140-6736(21)00246-4	UK	UK	Original research (full paper)	RCT	Yes: Age, gender (male/female),

		inferiority, multicentre, phase 4, randomised controlled trial						
The Lancet	03/04/2021	Efficacy and safety of dolutegravir with emtricitabine and tenofovir alafenamide fumarate or tenofovir disoproxil fumarate, and efavirenz, emtricitabine, and tenofovir disoproxil fumarate HIV antiretroviral therapy regimens started in pregnancy (IMPAACT 2010/VESTED): a multicentre, open-label, randomised, controlled, phase 3 trial	10.1016/S0140-6736(21)00314-7	UK	Global	Original research (full paper)	RCT	Yes: Age, all female (in pregnancy), Country, race (Black, Asian, White, Other, unknown),
The Lancet	03/04/2021	Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial	10.1016/S0140-6736(21)00350-0	UK	France	Original research (full paper)	RCT	Yes: Age, sex (female/male), comorbidities
The Lancet	27/03/2021	Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials	10.1016/S0140-6736(21)00217-8	UK	Not provided	Original research (full paper)	Systematic review and meta-analysis	Yes: age, all female (in pregnancy) ethnicity (Black, Asian, Hispanic, middle eastern, other, white, unknown), disease variables
The Lancet	27/03/2021	Discontinuing β -lactam treatment after 3 days for patients with community-acquired pneumonia in non-critical care wards (PTC): a double-blind, randomised, placebo-controlled, non-inferiority trial	10.1016/S0140-6736(21)00313-5	UK	France	Original research (full paper)	RCT	Yes: Age, sex (female/male),
JAMA	13/04/2021	Effect of Subcutaneous Semaglutide vs Placebo as an Adjunct to Intensive Behavioural Therapy on Body Weight in Adults With Overweight or Obesity The STEP 3 Randomized Clinical Trial	10.1001/jama.2021.1831	USA	USA/UK	Original research (full paper)	RCT	Yes: age, sex (women, men), race (white, black or African American, other, Asian, Native Hawaiian or other pacific island, American Indian or Alaska native, Hispanic or Latino ethnic group, body weight, BMI, comorbidities, clinical measurements,
JAMA	13/04/2021	Effect of Continued Weekly Subcutaneous Semaglutide vs Placebo on Weight Loss Maintenance in Adults With	10.1001/jama.2021.3224	USA	Global	Original research (full paper)	RCT	Yes: age, sex (women, men), race (white, black or African American, other, Asian, Hispanic or Latino ethnic group), body weight, BMI,

		Overweight or Obesity The STEP 4 Randomized Clinical Trial						comorbidities, clinical measurements,
JAMA	13/04/2021	Effect of Ivermectin on Time to Resolution of Symptoms Among Adults with Mild COVID-19A Randomized Clinical Trial	10.1001/jama.2021.3071	USA	Colombia	Original research (full paper)	RCT	Yes: age, sex (male, female), race or ethnic group (mixed race, Black or African American, Colombian native), Health Insurance (private/semiprivate, government subsidised, uninsured), number of people in the household, current smoker, BMI, Comorbidities etc
JAMA	13/04/2021	Binding and Neutralization Antibody Titers After a Single Vaccine Dose in Health Care Workers Previously Infected With SARS-CoV-2	10.1001/jama.2021.3341	USA	USA	Original research (Letter)	Cohort study	Yes: age, sex (male, female), race/ethnicity (Black or Black American, White, Asian) vaccine received
JAMA	13/04/2021	Discriminant Accuracy of the SOFA Score for Determining the Probable Mortality of Patients With COVID-19 Pneumonia Requiring Mechanical Ventilation	10.1001/jama.2021.1545	USA	USA	Original research (Letter)	Cohort study	Yes: age, sex (male, female), race/ethnicity (Non-Hispanic white, Hispanic, Native American, Black), BMI, comorbidities, lab results
JAMA	06/04/2021	Effect of Low-Intensity vs High-Intensity Home-Based Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease The LITE Randomized Clinical Trial	10.1001/jama.2021.2536	USA	USA	Original research (full paper)	RCT	Yes: Age, Sex (Male/Female), Race White, Black, Asian, Other), Hispanic ethnicity.
JAMA	06/04/2021	Effect of Celecoxib vs Placebo Added to Standard Adjuvant Therapy on Disease-Free Survival Among Patients With Stage III Colon Cancer The CALGB/SWOG 80702 (Alliance) Randomized Clinical Trial	10.1001/jama.2021.2454	USA	USA	Original research (full paper)	RCT	Yes: Age, Sex (Men/Women), Race (White, Black or African American, Asian, All others or not reported), Hispanic or Latino %) Disease characteristics
JAMA	06/04/2021	Antimicrobial Use in a Cohort of US Nursing Homes, 2017	10.1001/jama.2021.2900	USA	USA	Original research (full paper)	Cohort study	Yes: Age, sex (men/women), race/ethnicity (Other, Hispanic or Latino, Black non-Hispanic, white non-Hispanic,)
JAMA	06/04/2021	Trends in Age at Natural Menopause and Reproductive Life Span Among US Women, 1959-2018	10.1001/jama.2021.0278	USA	USA	Original research (Letter)	Epidemiologic assessment survey	Yes: Age, (all female), Race/ethnicity (White, Black, Hispanic, non-US born), Educational attainment,

								poverty (Poverty income ratio), other health indicators
JAMA	30/03/2021	Intubation Practices and Adverse Peri-intubation Events in Critically Ill Patients From 29 Countries	10.1001/jama.2021.1727	USA	Global	Original research (full paper)	Other observational study	Yes: Age, Women%, comorbidities
PNAS	30/03/2021	Estrogen receptor β and treatment with a phytoestrogen are associated with inhibition of nuclear translocation of EGFR in the prostate	10.1073/pnas.2011269118	USA	Sweden	Original research (full paper)	Cohort study (lab)	Yes, Sex (all Males), age ethnicity
PNAS	30/03/2021	Health and economic impact of the pneumococcal conjugate vaccine in hindering antimicrobial resistance in China	10.1073/pnas.2004933118	USA	China	Original research (full paper)	Other (Mathematical Modelling)	Yes age
PNAS	16/03/2021	Loss of expression of both miR-15/16 loci in CML transition to blast crisis	10.1073/pnas.2101566118	USA	USA	Original research (full paper)	Cohort study (lab)	Yes, sex
PNAS	09/03/2021	Influence of a COVID-19 vaccine's effectiveness and safety profile on vaccination acceptance	10.1073/pnas.2021726118	USA	USA	Original research (full paper)	Survey	Yes, sex, age, race
PNAS	09/03/2021	Elevated cerebrospinal fluid cytokine levels in tuberculous meningitis predict survival in response to dexamethasone	10.1073/pnas.2024852118	USA	USA	Original research (full paper)	Cohort study (lab/modelling)	Yes age, (sex/gender not reported)
PNAS	02/03/2021	Glucagon blockade restores functional β -cell mass in type 1 diabetic mice and enhances function of human islets	10.1073/pnas.2022142118	USA	USA	Original research (full paper)	Interventional (lab)	Yes Sex, Age
PNAS	23/03/2021	Modelling SARS-CoV-2 viral kinetics and association with mortality in hospitalized patients from the French COVID cohort	10.1073/pnas.2017962118	USA	France	Original research (full paper)	Cohort study	Yes, Gender, Age
PNAS	09/02/2021	Arsenic trioxide replacing or reducing chemotherapy in consolidation therapy for acute promyelocytic leukemia (APL2012 trial)	10.1073/pnas.2020382118	USA	China	Original research (full paper)	RCT	Yes, age, sex
PNAS	02/02/2021	Efficient detection and post-surgical monitoring of colon cancer with a multi-marker DNA methylation liquid biopsy	10.1073/pnas.2017421118	USA	China	Original research (full paper)	Cohort study	Yes, Sex, age
PNAS	05/01/2021	A data-driven approach to identify risk profiles and protective drugs in COVID-19	10.1073/pnas.2016877118	USA	Switzerland	Original research (full paper)	Cohort study	Yes, age, sex

Nature Medicine	15/04/2021	Integrative microbiomics in bronchiectasis exacerbations	10.1016/S0140-6736(21)00313-5	US	Asia/Scotland	Original research (full paper)	Cohort study	yes; age, gender, geographic origin, aetiology, smoking status, BSI (status/score), BMI, MRC, FEV1)
Nature Medicine	15/04/2021	Assessment of medication self-administration using artificial intelligence	10.1038/s41591-021-01273-1	US	US/ Kosovo	Original research (full paper)	Cohort study	yes; gender, and Age
Nature Medicine	15/04/2021	Malaria is a cause of iron deficiency in African children	10.1038/s41591-021-01238-4	US	Africa	Original research (brief communication/letter)	Cohort study	yes; age, gender (female), inflammation, underweight
Nature Medicine	15/04/2021	Attributes and predictors of long COVID	10.1038/s41591-021-01292-y	US	UK, US, Sweden	Original research (brief communication/letter)	Cohort study	yes: country, sex, age (years), age group, obese (%), BMI, comorbidities, IMD, hospital visits, symptoms
Nature Medicine	15/04/2021	Development of a human skin commensal microbe for bacteriotherapy of atopic dermatitis and use in a phase 1 randomized clinical trial	10.1038/s41591-021-01256-2	US	US	Original research (full paper)	RCT	yes; age, sex, ethnicity and race
Nature Medicine	15/04/2021	Fetal cranial growth trajectories are associated with growth and neurodevelopment at 2 years of age: INTERBIO-21st Fetal Study	10.1038/s41591-021-01280-2	US	Global	Original research (brief communication/letter)	Cohort study	yes; age. Sex, SES (university education, married/living as married, work outside of home), health status outcomes
Nature Medicine	15/04/2021	altered perivascular fibroblast activity predicts ALS disease onset	10.1038/s41591-021-01295-9	US	Europe	Original research (brief communication/letter)	Interventional other (lab)	yes; age, gender
Nature Medicine	15/04/2021	Homozygous BCMA gene deletion in response to anti-BCMA CAR T cells in a patient with multiple myeloma	10.1038/s41591-021-01245-5	US	Germany	Original research (brief communication/letter)	Other Observational (lab)	yes; age, sex
Nature Medicine	15/03/2021	Impaired meningeal lymphatic drainage in patients with idiopathic Parkinson's disease	10.1038/s41591-020-01198-1	US	China/USA	Original research (brief communication/letter)	Case control study	yes; n (%) female, age,
Nature Medicine	15/03/2021	TCR-engineered T cells targeting E7 for patients with metastatic HPV-associated epithelial cancers	10.1038/s41591-020-01225-1	US	US	Original research (brief communication/letter)	Interventional trial (not RCT)	yes; age, sex male/female,
PLOS One	19/04/2021	Effect of dietary treatment and fluid intake on the prevention of recurrent calcium stones and changes in urine composition: A meta-analysis and systematic review	10.1371/journal.pone.0250257	USA/UK	China	Original research (full paper)	Systematic review and meta-analysis	Yes: Age, male (n)
PLOS One	19/04/2021	Prognostic value of the postoperative neutrophil-	10.1371/journal.pone.0250091	USA/UK	China	Original research (full paper)	Meta-analysis	Yes: age group, male vs female, disease characteristics

		lymphocyte ratio in solid tumors: A meta-analysis						
PLOS One	19/04/2021	Predicting poor outcomes in children aged 1–12 with respiratory tract infections: A systematic review	10.1371/journal.pone.0249533	USA/UK	UK	Original research (full paper)	systematic review (no meta-analysis)	Yes: age only
PLOS One	16/04/2021	Effect of smoking status and programmed death-ligand 1 expression on the microenvironment and malignant transformation of oral leukoplakia: A retrospective cohort study	10.1371/journal.pone.0250359	USA/UK	Japan	Original research (full paper)	Cohort study	Yes: sex (Male, Female), Age, alcohol drinking, lesion site, disease specific features
PLOS One	16/04/2021	A dose-dependent beneficial effect of methotrexate on the risk of interstitial lung disease in rheumatoid arthritis patients	10.1371/journal.pone.0250339	USA/UK	Poland	Original research (full paper)	Cohort study	Yes: Age, male sex, disease specific factors
PLOS One	16/04/2021	CT-based determination of excessive visceral adipose tissue is associated with an impaired survival in critically ill patients	10.1371/journal.pone.0250321	USA/UK	Germany	Original research (full paper)	Cohort study	Yes: Gender (male, female), Age, BMI, disease specific features and comorbidities
PLOS One	16/04/2021	Parental educational level and childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study (plos.org)	10.1371/journal.pone.0250255	USA/UK	Japan	Original research (full paper)	Cohort study	Yes: Sex (boy/Girl), Child age, mothers educational level, fathers educational level
PLOS One	16/04/2021	The processing of intimately familiar and unfamiliar voices: Specific neural responses of speaker recognition and identification	10.1371/journal.pone.0250214	USA/UK	Canada	Original research (full paper)	Cohort study	Yes: '8 females', age
PLOS One	16/04/2021	Pathological complete response of adding targeted therapy to neoadjuvant chemotherapy for inflammatory breast cancer: A systematic review	10.1371/journal.pone.0250057	USA/UK	Global	Original research (full paper)	systematic review (no meta-analysis)	Yes: Age, (all females)
PLOS One	16/04/2021	Dose-response relationships of intestinal organs and excessive mucus discharge after gynaecological radiotherapy	10.1371/journal.pone.0250004	USA/UK	Sweden	Original research (full paper)	Cohort study	Yes: Age, (all females)
BMJ	14/04/2021	Associations of healthy lifestyle and socioeconomic status with mortality and incident cardiovascular disease: two prospective cohort studies	10.1136/bmj.n604	UK	USA/UK	Original research (full paper)	Cohort study	yes; mean age, men, white ethnicity or race, married, household income, occupation, education, health insurance, socio-economic index,

								smoking, alcohol, diet, BMI, comorbidities
BMJ	14/04/2021	Continued versus discontinued oxytocin stimulation in the active phase of labour (CONDISOX): double blind randomised controlled trial	10.1136/bmj.n716	UK	Denmark/Netherlands	Original research (full paper)	RCT	yes; age, (all women), white European, BMI, smoking, married or living with partner, parity, comorbidities
BMJ	07/04/2021	Linked electronic health records for research on a nationwide cohort of more than 54 million people in England: data resource	10.1136/bmj.n826	UK	UK	Original research (full paper)	Cohort study	yes; sex, age, ethnicity, comorbidities,
BMJ	06/04/2021	E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial	10.1136/bmj.n740	UK	Australia	Original research (full paper)	RCT	yes; age, gender, BMI, education, living alone, owns a computer,
BMJ	31/03/2021	Adherence to the test, trace, and isolate system in the UK: results from 37 nationally representative surveys	10.1136/bmj.n608	UK	UK	Original research (full paper)	Survey	yes; gender, age, dependant child in household, clinical vulnerability, household member with chronic illness, employment status, socioeconomic grade, index of multiple deprivation, highest educational or professional qualification, ethnicity (white British, white other, mixed, Asian or Asian British, black or black British, Arab or other (don't know or prefer not to say), living alone, marital status, employment, hardship
BMJ	31/03/2021	Post-covid syndrome in individuals admitted to hospital with covid-19: retrospective cohort study	10.1136/bmj.n693	UK	UK	Original research (full paper)	Cohort study	yes; age, sex (men/women), ethnicity (white, Asian, mixed/other, unknown) index of multiple deprivation category
BMJ	24/03/2021	Comparative efficacy of interventions for reducing symptoms of depression in people with dementia: systematic review and network meta-analysis	10.1136/bmj.n532	UK	Canada	Original research (full paper)	systematic review and meta-analysis	yes; age, % women enrolled
BMJ	24/03/2022	Association of spontaneous abortion with all cause and cause specific premature mortality: prospective cohort study	10.1136/bmj.n530	UK	US	Original research (full paper)	Cohort study	yes; age, (all women) race/ethnicity (n %) non-Hispanic white, non-Hispanic black, Hispanic and other

BMJ	23/02/2022	Age dependent associations of risk factors with heart failure: pooled population based cohort study	10.1136/bmj.n461	UK	Global	Original research (full paper)	cohort study	Yes: age, male sex, white ethnicity,
BMJ	18/03/2021	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England	10.1136/bmj.n628	UK	UK	Original research (full paper)	Cohort study	Yes: age (groups), female sex, ethnicity (white, mixed, south Asian, black, other), Index of multiple deprivation, over 3 adults in a household,
Cochrane	15/04/2021	Abdominal ultrasound and alpha-foetoprotein for the diagnosis of hepatocellular carcinoma in adults with chronic liver disease	10.1002/14651858.CD013346.pub2	UK	Italy	Original research (full paper)	systematic review and meta-analysis	yes: age, gender individually
Cochrane	15/04/2021	Thrombolytic therapy for pulmonary embolism	10.1002/14651858.CD004437.pub6	UK	China	Original research (full paper)	systematic review and meta-analysis	Yes: Age, 'sex' as men and women, when reporting characteristics of studies included
Cochrane	14/04/2021	Dopamine agonists for preventing ovarian hyperstimulation syndrome	10.1002/14651858.CD008605.pub4	UK	China Australia	Original research (full paper)	systematic review and meta-analysis	Yes: Age if reported in primary study, all women,
Cochrane	14/04/2021	Regular treatment with formoterol and an inhaled corticosteroid versus regular treatment with salmeterol and an inhaled corticosteroid for chronic asthma: serious adverse events	10.1002/14651858.CD007694.pub3	UK	Ireland	Original research (full paper)	systematic review and meta-analysis	Yes: Age, (no sex or gender reported)
Cochrane	14/04/2021	Botulinum toxin type A versus anticholinergics for cervical dystonia	10.1002/14651858.CD004312.pub3	UK	Portugal	Original research (full paper)	systematic review and meta-analysis	Yes: age, % female
Cochrane	13/04/2021	Non-steroidal anti-inflammatory drugs (NSAIDs) for trigger finger	10.1002/14651858.CD012789.pub2	UK	Singapore	Original research (full paper)	systematic review and meta-analysis	Yes: age, gender (male/female)
Cochrane	12/04/2021	Monitoring of stimulated cycles in assisted reproduction (IVF and ICSI)	10.1002/14651858.CD005289.pub4	UK	UK	Original research (full paper)	systematic review and meta-analysis	Yes: age, all female,
Cochrane	10/04/2021	Treatment for bleeding oesophageal varices in people with decompensated liver cirrhosis: a network meta-analysis	10.1002/14651858.CD013155.pub2	UK	UK	Original research (full paper)	systematic review and meta-analysis	Yes: age , 'females n and %'
Cochrane	07/04/2021	Anti-seizure medications for Lennox-Gastaut syndrome	10.1002/14651858.CD003277.pub4	UK	Italy	Original research (full paper)	systematic review and meta-analysis	Yes: Age, sex (as per study), race/ethnicity
Cochrane	06/04/2021	Primary prevention of variceal bleeding in people with oesophageal varices due to liver cirrhosis: a network meta-analysis	10.1002/14651858.CD013121.pub2	UK	UK	Original research (full paper)	systematic review and meta-analysis	Yes: mean age, females n and %

Cell Metabolism	06/04/2021	Hyochoic acid species improve glucose homeostasis through a distinct TGR5 and FXR signaling mechanism	10.1016/j.cmet.2020.11.017	UK	China	Original research (full paper)	Cohort study	Yes, Age, sex
Cell Metabolism	02/03/2021	The pyruvate-lactate axis modulates cardiac hypertrophy and heart failure	10.1016/j.cmet.2020.12.003	UK	USA	Original research (full paper)	Other Observational (lab)	Yes, Age, sex
Cell Metabolism	02/02/2021	Neutrophils Fuel Effective Immune Responses through Gluconeogenesis and Glycogenesis	10.1016/j.cmet.2020.11.016	UK	Scotland	Original research (full paper)	Other Observational (lab)	Yes, Age, sex
Cell Metabolism	05/01/2021	Acetyl-CoA Synthetase 2: A Critical Linkage in Obesity-Induced Tumorigenesis in Myeloma	10.1016/j.cmet.2020.12.011	UK	USA	Original research (full paper)	Other Observational (lab)	Yes, age, sex
Cell Metabolism	01/12/2020	Succinyl-CoA Ligase Deficiency in Pro-inflammatory and Tissue-Invasive T Cells	10.1016/j.cmet.2020.10.025	UK	USA	Original research (full paper)	Other Observational (lab)	Yes, age, sex
Cell Metabolism	01/12/2020	SARS-CoV-2 Cell Entry Factors ACE2 and TMPRSS2 Are Expressed in the Microvasculature and Ducts of Human Pancreas but Are Not Enriched in β Cells	10.1016/j.cmet.2020.11.006	UK	USA	Original research (full paper)	Other Observational (lab)	Yes, age, sex, ethnicity, BMI
Cell Metabolism	01/12/2020	Expression of SARS-CoV-2 Entry Factors in the Pancreas of Normal Organ Donors and Individuals with COVID-19	10.1016/j.cmet.2020.11.005	UK	USA	Original research (full paper)	Case control	Yes, age, sex, ethnicity, BMI
Cell Metabolism	01/12/2020	Elevation of JAML Promotes Diabetic Kidney Disease by Modulating Podocyte Lipid Metabolism	10.1016/j.cmet.2020.10.019	UK	China	Original research (full paper)	Other Observational (lab)	Yes, age, sex
Cell Metabolism	03/11/2020	Pyruvate Kinase Controls Signal Strength in the Insulin Secretory Pathway	10.1016/j.cmet.2020.10.007	UK	USA	Original research (full paper)	Other Observational (lab)	Yes, age, sex
Cell Metabolism	03/11/2020	Bone Marrow Mesenchymal Stem Cells Support Acute Myeloid Leukemia Bioenergetics and Enhance Antioxidant Defense and Escape from Chemotherapy	10.1016/j.cmet.2020.09.001	UK	Switzerland	Original research (full paper)	Other Observational (lab)	Yes, age, sex
Science translational medicine	14/04/2021	Imaging Enterobacteriales infections in patients using pathogen-specific positron emission tomography	10.1126/scitranslmed.abe9805	USA	USA	Original research (full paper)	Other Observational (lab)	Yes: Age, Sex (M/F), weight, medical conditions
Science translational medicine	14/04/2021	Rituximab-resistant splenic memory B cells and newly engaged naive B cells fuel relapses in patients with immune thrombocytopenia	10.1126/scitranslmed.abc3961	USA	France	Original research (full paper)	Other Observational (lab)	Yes: Age, gender (M/F)

Science translational medicine	07/04/2021	SerpinB13 antibodies promote β cell development and resistance to type 1 diabetes	10.1126/scitranslmed.abf1587	USA	USA	Original research (full paper)	cohort study	Yes male to female ratio, age, diagnosis
Science translational medicine	07/04/2021	A selective HDAC8 inhibitor potentiates antitumor immunity and efficacy of immune checkpoint blockade in hepatocellular carcinoma	10.1126/scitranslmed.aaz6804	USA	Hong Kong	Original research (full paper)	Interventional other (Lab)	Yes : sex male/female; Age; disease characteristics (in suppl table s1)
Science translational medicine	07/04/2021	Urolithin A improves muscle function by inducing mitophagy in muscular dystrophy	10.1126/scitranslmed.abb0319	USA	Switzerland	Original research (full paper)	Interventional other (Lab)	Yes (under 'Human Cells' heading) age, sex male (sex linked disorder),
Science translational medicine	31/03/2021	Soft, skin-interfaced sweat stickers for cystic fibrosis diagnosis and management	10.1126/scitranslmed.abd8109	USA	USA	Original research (full paper)	Interventional other (Lab)	Yes Age, gender Female/male
Science translational medicine	31/03/2021	Clearance of pegylated interferon by Kupffer cells limits NK cell activation and therapy response of patients with HBV infection	10.1126/scitranslmed.aba6322	USA	USA	Original research (full paper)	cohort study	Yes (supp tab s1): sex %Male, % female, race 'Asian, Black, Caucasian', BMI, disease characteristics,
Science translational medicine	31/03/2021	Increasing breast milk betaine modulates Akkermansia abundance in mammalian neonates and improves long-term metabolic health	10.1126/scitranslmed.abb0322	USA	Spain	Original research (full paper)	cohort study	Yes: Age, gender (M/F)
Science translational medicine	31/03/2021	Transcriptional networks in at-risk individuals identify signatures of type 1 diabetes progression	10.1126/scitranslmed.abd5666	USA	UK	Original research (full paper)	cohort study	Yes: Age, race, race-ethnicity
Science translational medicine	17/03/2021	GDE2-RECK controls ADAM10 α -secretase-mediated cleavage of amyloid precursor protein	10.1126/scitranslmed.abe6178	USA	USA	Original research (full paper)	Interventional other (Lab)	Yes: age, gender male/female, Race (White, Black)

Table 2: Excluded articles from each journal

NEJM	Non-research articles (n= 24); Animal studies/Other non-human (n=0); human research with no participant level data reported (n=2)
Lancet	Non-research articles (n= 82); Lancet Animal studies/Other non-human (n=0); human research with no participant level data reported (n=2)
JAMA	Non-research articles (n=51); Animal studies/Other non-human (n=0); No participant level data reported (n=2)
PNAS	Non-research articles (n=69); Animal studies/Other non-human (n=30); No participant level data reported (n=4)
Nature Medicine	Non-research articles (total n=18); Animal studies/Other non-human (n=1); No participant level data reported (n=7)
PLOSOne	Non-research articles (n=0); Animal studies/Other non-human (n=4); No participant level data reported (n=0)
BMJ	Non-research articles (n=141); Animal studies/Other non-human (n=1); No participant level data reported (n=2)
Cochrane	Non-research papers (n=0); Animal studies/Other non-human (n=0); No participant level data reported (n=1, but only because no studies included)
Cell metabolism	Non-research articles (n=54); Animal studies/Other non-human (n=33); No participant level data reported (n=0)
Science Translational Medicine	Non-research articles (n=3); Animal studies/Other non-human (n=14); No participant level data reported (n=5)

Table 3: Terms accepted within papers for reporting gender, ethnicity or SES

Accepted gender reporting terms	Accepted ethnicity reporting terms	Accepted Socio-economic status reporting terms
Male (number and/or %) Female (number and/or %) Gender: Male/Female (number and/or %) Sex: Male/Female (number and/or %) Male/ female /prefer not to say Male/ Female/ other Male: Female ratio All female sex All Male sex Boy/Girl Gender Sex M/F	Race Ethnicity Race or ethnic group Race/ethnicity Population sector Geographic region Results by continent Geographic location Geographic region Race or ethnic group Ethnicity Non-US born Native to America Native American White race Geographic origin	Employment status University level education Urban residence Index of multiple deprivation Region of England Education Health Insurance (private/semiprivate, government subsidised, uninsured) Number of people in household Educational attainment Poverty Index ratio Mothers educational level/ Fathers educational level Over 3 adults in household Employment status Hardship SES (university education, married/living as married, work outside of home), Household income Socioeconomic grade Highest educational or professional qualification Socioeconomic Index