

Supplementary

Table 1. Mean survival time by comorbidity group and no comorbidity group and the Log Rank test for comparison.

Mean ^a				
Status	Estimate	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
comorbidity	19.691	.572	18.570	20.813
No comorbidity	27.073	.495	26.104	28.043
Overall	22.976	.470	22.055	23.896

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	38.367	1	.000

Table 2. Mean survival time by patients with ≥2 comorbidities and patients with one comorbidity and the Log Rank test for comparison.

Mean ^a				
status	Estimate	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
≥2 comorbidities	17.313	.843	15.660	18.965
One comorbidity	22.482	.700	21.109	23.855
Overall	19.691	.572	18.570	20.813

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	21.297	1	.000

Table 3. Mean survival time by patients with hypertension and patients with other types of comorbidity and the Log Rank test for comparison.

Status	Mean ^a			
	Estimate	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Hypertension	17.638	.777	16.115	19.160
Other comorbidities	21.549	.768	20.045	23.054
Overall	19.691	.572	18.570	20.813

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	8.339	1	.004

Table 4. Mean survival time by patients with Diabetes mellitus and patients with other types of comorbidity and the Log Rank test for comparison.

Status	Mean ^a			
	Estimate	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Diabetes Mellitus	18.498	.924	16.686	20.309
Other comorbidities	20.548	.723	19.131	21.965
Overall	19.691	.572	18.570	20.813

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	3.267	1	.071

Table 5. Mean survival time by patients with COPD and patients with other types of comorbidity and the Log Rank test for comparison.

Status	Mean ^a		95% Confidence Interval	
	Estimate	Std. Error	Lower Bound	Upper Bound
COPD	10.975	1.347	8.335	13.614
Other comorbidities	20.350	.586	19.201	21.965
Overall	19.691	.572	18.570	20.813

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	16.849	1	.000

Table 6. Mean survival time by patients with Malignancy and patients with other types of comorbidity and the Log Rank test for comparison.

Status	Mean ^a		95% Confidence Interval	
	Estimate	Std. Error	Lower Bound	Upper Bound
Malignancy	14.503	1.908	10.764	18.242
Other comorbidities	20.255	.591	19.097	21.414
Overall	19.691	.572	18.570	20.813

Overall Comparisons

	Chi-Square	df	Sig.
Log Rank (Mantel-Cox)	11.331	1	.001

Table 7. Mean survival time by patients with Obesity and patients with other types of comorbidity and the Log Rank test for comparison.

Mean ^a				
Status	Estimate	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Obesity	13.623	1.583	10.521	16.725
Other comorbidities	20.413	.593	19.251	21.575
Overall	19.691	.572	18.570	20.813
Overall Comparisons				
		Chi-Square	df	Sig.
Log Rank (Mantel-Cox)		12.760	1	.000