Table 1. Data collection schedule

	Registration (within 4 weeks prior to registration)	Day 1	4 weeks	8 weeks	12 weeks	24 weeks	36 weeks	48 weeks	Every 12 weeks from 48 to 132 weeks	End of protocol treatment	Cancel protocol treatment	LPI from 3 years after last case registration
Assessment of eligibility criteria	●											
Obtain consent	●											
Registration	●											
Patient characteristics[#]	●											
Laboratory test	●		●	●	●	●	●	●	●	●	●	
PSA	●			●	●	●	●	●	●	●	●	
Medication		●										
Adverse events[$]		●								●	●	
Electrocardiogram	●				●	●		●	●	●	●	
CT bone scintigraphy[‡]	●				●	●		●	●	●	●	

Confirmation of disease progression					●	●	●	●	●	●	●	
Simultaneous survival check												●
Prohibited concomitant medications and therapies		●									●	

[#]Sex, date of birth, age, medical history, comorbidity, primary disease, TNM classification, number of days after surgery, details of adjuvant therapy.

[$]Grade 3 or 4 (according to Common Terminology Criteria for Adverse Events version 4.0).

[‡]Magnetic resonance imaging may be used instead of CT, with or without contrast media, but each patient should be assessed and judged using one method only.

CT, computed tomography; LPI, last patient in; PSA, prostate-specific antigen