

Supplemental table 2. Distribution of severity of complications for ectopic and molar pregnancies by region, facility infrastructure, health facilities' capability to provide PAC, clinical and sociodemographic characteristics.

	Ectopic pregnancies (N=1904)				Molar Pregnancies (N=511)			
	Mild/moderate complication	PLTC	SMO	Total	Mild/moderate complication	PLTC	SMO	Total
	n(%)	n(%)	n(%)	n	n(%)	n(%)	n(%)	n
Total	1410 (74.1)	379 (19.9)	115 (6.0)	1904	449 (87.9)	48 (9.4)	14 (2.7)	511
Region^s								
Africa	985 (69.8)	326 (23.1)	100 (7.1)	1411	316 (85.2)	43 (11.6)	12 (3.2)	371
Latin America	425 (86.2)	53 (10.8)	15 (3.0)	493	133 (95.0)	5 (3.6)	2 (1.4)	140
Facility infrastructure score								
Low	11 (73.3)	4 (26.7)	0 (0.00)	15	8 (80)	2 (20)	0 (0.00)	10
Intermediate	182 (68.2)	57 (21.3)	28 (10.5)	267	82 (89.1)	6 (6.5)	4 (4.4)	92
High	1201 (74.8)	318 (19.8)	87 (5.4)	1606	357 (87.9)	40 (9.9)	9 (2.2)	406
Standard comprehensive capability for PAC score								
Low	62 (86.1)	9 (12.5)	1 (1.4)	72	12 (70.6)	3 (17.6)	2 (11.8)	17
Intermediate	670 (77.3)	150 (17.3)	47 (5.4)	867	95 (85.6)	11 (9.9)	5 (4.5)	111
High	678 (70.3)	220 (22.8)	67 (6.9)	965	342 (89.3)	34 (8.9)	7 (1.8)	383
Extended comprehensive capability for PAC score								
Low	32 (91.4)	3 (8.6)	0 (0.00)	35	7 (63.6)	3 (27.3)	1 (9.1)	11
Intermediate	970 (72.5)	279 (20.9)	88 (6.6)	1337	282 (87.6)	31 (9.6)	9 (2.8)	322
High	408 (76.7)	97 (18.2)	27 (5.1)	532	160 (89.9)	14 (7.9)	4 (2.2)	178
Age								
<20	71 (71)	22 (22)	7 (7)	100	59 (84.3)	9 (12.9)	2 (2.9)	70
20-24	308 (72.5)	88 (20.7)	29 (6.8)	425	113 (86.9)	13 (10)	4 (3.1)	130
25-29	423 (74.5)	115 (20.2)	30 (5.3)	568	86 (88.7)	9 (9.3)	2 (2.1)	97

30-34	359 (77)	82 (17.6)	25 (5.4)	466	64 (91.4)	5 (7.2)	1 (1.4)	70
≥35	234 (71.8)	69 (21.2)	23 (7)	326	118 (87.4)	12 (8.9)	5 (3.7)	135
Cohabitation status								
With partner	964 (74.4)	252 (19.4)	80 (6.2)	1296	343 (86)	43 (10.8)	13 (3.2)	399
Without partner	345 (73.2)	101 (21.4)	25 (5.3)	471	84 (93.3)	5 (5.6)	1 (1.1)	90
Number of previous births								
0	125 (77.1)	27 (16.7)	10 (6.2)	162	18 (85.7)	2 (9.5)	1 (4.8)	21
1-2	718 (76.2)	171 (18.2)	53 (5.6)	942	163 (91.1)	15 (8.4)	1 (0.5)	179
>2	247 (66.9)	91 (24.7)	31 (8.4)	369	165 (88.2)	16 (8.6)	6 (3.2)	187
Gestational age								
< 12	953 (76.3)	235 (18.8)	61 (4.9)	1249	107 (92.2)	8 (6.9)	1 (0.9)	116
≥ 12	105 (71.4)	29 (19.7)	13 (8.9)	147	196 (84.5)	27 (11.6)	9 (3.9)	232
Education								
No education	95 (58.3)	45 (27.6)	23 (14.1)	163	96 (90.6)	10 (9.4)	0 (0)	106
Primary/Secondary	741 (75.5)	180 (18.4)	60 (6.1)	981	230 (87.1)	26 (9.9)	8 (3)	264
Tertiary	254 (76.5)	65 (19.6)	13 (3.9)	332	38 (95)	2 (5)	0 (0)	40

SMO= Severe Maternal Outcomes; PLTC= Potentially Life-Threatening Complications; PAC= post-abortion care

Chi-square test for comparison between ectopic pregnancy and molar pregnancy. Bold values: $p < 0.05$

[§]Participating countries for Africa: Benin, Burkina Faso, Chad, Democratic Republic of the Congo, Ghana, Kenya, Malawi, Mozambique, Niger, Nigeria, Uganda; participating countries for LAC: Argentina, Bolivia, Brazil, Dominican Republic, El Salvador and Peru