

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Age group	n	%	Total	% of aneurysm	Average age	Mean (SD)
10-20	2	1	3	0.98	17.00	33.83
21-30	3	2	7	2.96	28.57	28.57
31-40	2	1	5	1.96	35.00	75.00
41-50	3	2	27	8.89	45.00	88.89
51-60	16	10	76	23.68	55.00	55.36
61-70	15	10	51	16.45	65.00	70.59
71-80	10	7	27	8.89	75.00	40.74
81-90	12	8	14	4.64	82.50	14.29
Total	71	100	173	58.96	60.00	

Valid	n	100.00	100.00	100.00	100.00
BE Scale					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	n	100.00	99.02	99.02	99.02
	n	1.00	0.98	0.98	100.00
Total		100.00	100.00	100.00	
Age range - patients with (n=922) and without amblyopia (n=71) included in the study					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	n	1.00	1.00	1.00	1.00
	n	7.00	4.00	4.00	5.00
	n	8.00	4.00	4.00	13.00
	n	7.00	4.00	4.00	21.00
	n	10.00	5.00	5.00	26.00
	n	11.00	5.00	5.00	32.00
	n	7.00	4.00	4.00	36.00
	n	14.00	7.00	7.00	43.00
Total		57.00	100	100	
Sex					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	n	48	100	100	100
	n	48	100	100	
Total		96	100	100	