BMJ Open Facilitation roles and characteristics associated with research use by healthcare professionals: a scoping review

Lisa A Cranley,¹ Greta G Cummings,² Joanne Profetto-McGrath,² Ferenc Toth,² Carole A Estabrooks²

To cite: Cranley LA, Cummings GG, Profetto-McGrath J, *et al.* Facilitation roles and characteristics associated with research use by healthcare professionals: a scoping review. *BMJ Open* 2017;7:e014384. doi:10.1136/bmjopen-2016-014384

► Prepublication history and additional material for this paper are available online. To view these files please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2016-014384>).

Received 21 September 2016
Revised 30 December 2016
Accepted 21 February 2017

CrossMark

¹Lawrence S. Bloomberg Faculty of Nursing, University of Toronto, Toronto, Canada

²Faculty of Nursing, University of Alberta, Edmonton, Canada

Correspondence to

Dr Lisa A Cranley;
lisa.cranley@utoronto.ca

ABSTRACT

Background Implementing research findings into practice is a complex process that is not well understood. Facilitation has been described as a key component of getting research findings into practice. The literature on facilitation as a practice innovation is growing. This review aimed to identify facilitator roles and to describe characteristics of facilitation that may be associated with successful research use by healthcare professionals.

Methods We searched 10 electronic databases up to December 2016 and used predefined criteria to select articles. We included conceptual papers and empirical studies that described facilitator roles, facilitation processes or interventions, and that focused on healthcare professionals and research use. We used content and thematic analysis to summarise data. Rogers' five main attributes of an innovation guided our synthesis of facilitation characteristics.

Results Of the 38 488 articles identified from our online and manual search, we included 195 predominantly research studies. We identified nine facilitator roles: opinion leaders, coaches, champions, research facilitators, clinical/practice facilitators, outreach facilitators, linking agents, knowledge brokers and external-internal facilitators. Fifteen facilitation characteristics were associated with research use, which we grouped into five categories using Rogers' innovation attributes: relative advantage, compatibility, complexity, trialability and observability.

Conclusions We found a diverse and broad literature on the concept of facilitation that can expand our current thinking about facilitation as an innovation and its potential to support an integrated, collaborative approach to improving healthcare delivery.

INTRODUCTION

Scholars describe the potential for evidence-based decision making to have a positive impact on patient outcomes.¹ Implementing evidence (ie, research findings) into practice is a complex, multifaceted process that requires a proactive effort to encourage use at the point of decision making.^{2–4} Multilevel factors influence this implementation⁵; some

Strengths and limitations of this study

- This study provides a comprehensive scoping review of a diverse literature of facilitator roles and characteristics of facilitation from various disciplines.
- Arksey and O'Malley's (2005) framework was used to guide the scoping review process.
- Grey literature was not included, nor did we conduct a quality appraisal of included studies as this is not part of a scoping review undertaking, and this may introduce the potential for publication bias. However, the scoping review enabled us to synthesise the breadth of literature that characterises the quantity, nature and extent of research evidence on facilitation and the roles undertaken to facilitate the uptake of evidence.

of these include individual (eg, education, attitude),^{6–8} organisational/contextual,^{9–14} system¹⁴ and innovation-specific factors.¹⁵ Several knowledge translation (KT) theories exist that can be used to guide the process of getting research evidence into practice.¹⁶ In their Promoting Action on Research Implementation in Health Services (PARIHS) framework, Kitson and colleagues¹⁷ highlighted the importance of facilitation that, along with strong evidence and a context supportive of change, can lead to successful research implementation. Facilitation is a technique where an individual makes things easier for others, by providing support to help them change their ways of thinking and working.¹⁷ In their refined integrated framework i-PARIHS, facilitation is an active element that integrates the other core constructs: innovation, recipients and context.¹⁸

In the healthcare literature, a small body of conceptual work on facilitation has considered it a promising approach to implementing evidence into practice.^{17–21} Facilitation has

evolved from a concept in the education and counselling literature²² to an implementation intervention in the healthcare and KT literature^{3 4 20} and has recently been situated in the organisational learning theory literature.²³ The literature on facilitation roles and characteristics is growing.¹⁹ Thompson and colleagues delineated the similarities and differences between five roles that aim to influence a practice or behaviour change: opinion leader, facilitator, champion, linking agent and change agent, noting much ambiguity remains among these roles.²⁴ Harvey and colleagues explored the purpose, roles, skills and attributes of facilitators, suggesting that the concept of facilitation is only partially developed.²⁰ Dogherty *et al* updated Harvey *et al*'s²⁰ literature review and reported that, in addition to facilitation as role and process, project management and leadership were important components of facilitation.¹⁹

Two reviews have been conducted specifically on practice facilitation, also described as outreach facilitation, where facilitators assist primary care physicians with research implementation and quality improvement projects.^{25 26} These studies found that practice facilitators were effective in improving practice processes and patient care outcomes,²⁵ and primary care physicians were almost three times more likely to adopt evidence-based guidelines with practice facilitation.²⁶ Although some preliminary evidence supports practice facilitation as an effective intervention to implement evidence into practice, facilitation as a construct requires further development and testing for its effectiveness in improving outcomes.

Implementation methods—such as facilitation—can be viewed as practice innovations. Rogers defined an innovation as an idea or practice that is perceived as new by an individual.¹⁵ He described five main attributes of an innovation: (1) relative advantage—the perception that an innovation is better or more beneficial than existing practice; (2) high compatibility—the perception that the innovation is consistent with existing values, beliefs and needs; (3) low complexity—the perception that the innovation is easy to understand and use; (4) trialability—the opportunity to try the innovation before making a decision about its adoption; and (5) observability—the extent to which the effects of the innovation are observed and communicated to others.¹⁵ Innovations with all of these qualities tend to be adopted more rapidly than other innovations.¹⁵

By treating facilitation as an innovation and healthcare providers as potential adopters, we can better understand how the roles and characteristics of facilitation may contribute to successfully implementing research into practice. Our review complements and extends the review by Dogherty *et al*²⁷ which explored elements of facilitation based on an existing systematic review of the effectiveness of interventions to increase the use of practice guidelines in nursing. Our study adds to the evidence base on facilitation by describing the various roles and the characteristics of facilitation from the healthcare

and management literature in the context of healthcare professionals that includes practice guidelines and other forms of research use, and the roles undertaken to facilitate the uptake of evidence. The research questions guiding this scoping review were:

1. What are the key facilitator roles identified in the literature?
2. What characteristics of facilitation contribute to research use by healthcare professionals?

METHODS

We conducted a scoping review of the literature using Arksey and O'Malley's framework to guide our review.²⁸ Their scoping review framework has five stages: (1) identifying the research question; (2) identifying relevant studies; (3) study selection; (4) charting the data; (5) collating, summarising and reporting the results; and an optional stage of a consultation exercise with stakeholders.²⁸ We searched the following 10 electronic databases from the healthcare and management literature: ABI Inform (1970–2016), Business Source Complete (1886–2016), CINAHL (1982–2016), Cochrane Library (2003–2016), EBM (1991–2016), Embase (1980–2016), Medline (in process and other non-indexed citations) (1950–2016), PsycINFO (1806–2016), Scopus (1960–2016) and Web of Science (1900–2016). We developed our search strategy with a research librarian who constructed expert searches tailored to each of the databases searched (box 1). Key terms and final search strategies were refined based on initial search results. For example, because our initial search revealed a large number of articles we decided not to search grey (unindexed) literature such as conference proceedings, dissertations, editorials and government reports. We manually searched reference lists of included papers to identify additional studies.

Selection criteria

We included conceptual papers and empirical studies both quantitative and qualitative that met the following criteria: (1) facilitator roles, characteristics, facilitation processes and/or interventions were described; (2) facilitation focused on healthcare providers; and (3) facilitation focused on research use in practice. We excluded: non-English literature;ⁱ study protocols; articles that focused solely on facilitation directed towards patients; articles focused solely on computerised/automated reminder systems or decision support systems.

Selection process

Three team members independently screened one-third of the references for inclusion. Because of the volume of search results, we first excluded references based on

ⁱNon-English papers with English abstracts were kept if they met the abstract level inclusion criteria during the abstract screening. This was to determine the extent of the literature published in other languages. However, as we did not have the capacity to translate articles, these were not included in data extraction or analysis.

Box 1 Example of search strategy: Medline**Search terms**

1. (facilitator* or facilitative or facilitation).tw.
2. facilitat*.ti. or reminder systems/
3. (academic detail* or educational outreach worker* or opinion leader* or change agent* or champion* or linking agent* or promotor* or knowledge broker* or enabler* or enabling or boundary spanner* or coach*).tw.
4. or/1–3
5. evidence-based practice/ or evidence-based dentistry/ or evidence-based medicine/ or evidence-based emergency medicine/ or evidence-based nursing/
6. (ebp or ebm or ebn or cpg* or best practice*).tw.
7. (evidence adj2 practice*).tw.
8. (guideline* adj2 (implement* or adher*).tw.
9. guideline adherence/ or quality assurance, health care/ or benchmarking/ or guidelines as topic/ or practice guidelines as topic/
10. (quality adj1 (improv* or manag*).tw.
11. 'diffusion of innovation'/ or technology transfer/
12. (research adj2 ('use' or utili?* or adopt* or implement* or disseminat* or uptake or transfer* or translat* or support)).tw.
13. (knowledge adj2 ('use' or utili?* or adopt* or implement* or disseminat* or uptake or transfer* or translat* or support)).tw.
14. (evidence adj2 ('use' or utili?* or adopt* or implement* or disseminat* or uptake or transfer* or translat* or support)).tw.
15. (innovation adj2 adopt*).tw.
16. or/5–15
17. 4 and 16
18. facilitat*.mp.
19. 18 not 17
20. 'outcome and process assessment (health care)'/ or 'outcome assessment (health care)'/ or treatment outcome/ or 'process assessment (health care)'/
21. quality assurance, health care/ or benchmarking/
22. Quality Control/
23. 'Delivery of Health Care'/og [Organization & Administration]
24. og.fs.
25. or/20–24
26. 19 and 16 and 25
27. 17 or 26
28. (comment or editorial or letter or news or newspaper article).pt.
29. 27 not 28

irrelevant titles and abstracts. Approximately 10% of articles were screened together for training and reliability. The team met periodically prior to and during screening to ensure consistency between reviewers.

Data charting

We developed a data dictionary detailing information to collect, for consistency between reviewers throughout charting. Each reviewer was assigned one-third of the included articles and extracted the following data elements: citation, purpose, theoretical framework, study design/method, sample and setting, description of facilitation role, characteristics, process and/or intervention. We did not appraise the quality of data

Table 1 Search results

Database	Search results
ABI Inform	1710
Business Source Complete	2100
CINAHL	2539
Cochrane Library	2
EBMR Central	161
Embase	10453
Medline including Medline in process	7777
PsycINFO	3278
Scopus	5661
Web of Science	4807
Total	38488

extracted as the aim of the scoping review was to identify facilitator roles and characteristics of facilitation from the literature.

Data analysis and synthesis

We conducted a content analysis of extracted data to identify facilitator roles and characteristics of facilitation. Next, we conducted a thematic analysis using extracted data to further identify characteristics of facilitation. Because we conceptualised facilitation as an innovation, in the final analytical step, we used Rogers' attributes of an innovation as a framework to first sort and then to synthesise within each category our identified characteristics of facilitation.¹⁵ We did not report literature review papers that included studies cited in our scoping review in our roles or attributes results tables to avoid duplication.

Stakeholder consultation

We consulted with stakeholders early in analysis to inform and validate findings.²⁸ Our decision-maker partner (CC) arranged for two study team members to meet with seven regional managers from a large healthcare organisation for feedback on the identified facilitator roles. These managers provided feedback on understandability, meaningfulness, and usefulness and relevance to practice of the facilitator roles.

RESULTS

Our searches found a combined total of 38 488 references (table 1). After removing duplicates and adding 18 articles from our manual search, we screened 26 593 articles and identified 791 as potentially relevant. Of these, 195 met our selection criteria and were included in our review (figure 1). We report characteristics of included studies (see online supplementary file 1), followed by facilitator roles (table 2) and characteristics (attributes) of facilitation (table 3).

Figure 1 Screening process.

Characteristics of included studies

Our sample included 130 primary research articles: quantitative (n=63), qualitative (n=39) and mixed methods (n=28) (used both qualitative and quantitative data collection methods). The remainder were descriptive papers (n=34), literature reviews (n=20) and theoretical/conceptual papers (n=11).

Over half of the research studies (n=85/130) included a mix of healthcare providers in their samples (eg, nurses and physicians); the remainder included a single healthcare provider group. Study setting was reported in 120 studies; the most frequent were hospitals (34%), primary care (23%) and other community-based facilities (18%). Less frequently cited were studies with more than one setting (13%), long-term care (8%), home care (2%) and symposiums (2%). For studies that also reported the country (n=120), most were conducted in the USA (29%), Canada (23%), UK (18%), Europe (10%) and Australia (9%). Some studies included more than one country (6%). A few studies were conducted in Africa (3%) and one in Singapore (1%) and Nicaragua (1%).

Nine definitions of facilitation were used (table 4). The definitions of facilitation from the PARiHS framework were the most frequently cited (n=19). A common thread in seven of the nine definitions is that facilitation is viewed as a process of providing support to enable change to occur.^{4 17 18 20 29–31} The other two definitions were notably different as they did not include process in their definitions. One article focused on relationships,³² the personal contact and support required, while the other article highlighted facilitation as a strategy for learning.³³

In 77/195 articles, a theory or conceptual framework(s) guided research or contextualised findings. Most frequently cited were the PARiHS framework¹⁷ (n=16), change theories (eg, Lewin's theory of change)³⁴ (n=10) and Rogers' diffusion of innovation theory¹⁵ (n=10). Sixteen papers used more than one theory or framework.^{4 35–49} For example, papers citing the PARiHS framework had used it to: inform the decision to involve both external and internal facilitators⁴¹; conceptualise a nurse pain champion role⁴⁰; guide design of a KT intervention for continuous improvement of patient care and evidence-based practice (EBP)³⁸; and assist with the description of processes and outcomes of an EBP training programme.⁵⁰ Examples of other frameworks used are Donabedian's structure, process, outcome model^{37 51–54}; Graham *et al*'s⁵⁵ Knowledge to Action Framework^{41 48 56 57}; and May *et al*'s⁵⁸ Normalization Process Theory.⁵⁹

Facilitator roles

We identified nine facilitator roles: *opinion leaders, coaches, champions, research facilitators, clinical/practice facilitators, outreach facilitators, linking agents, knowledge brokers* and *external-internal facilitators*. Of note, overlap exists in the terms used to describe a clinical facilitator and a practice facilitator, and a practice facilitator and outreach facilitator. We describe conditions under which each role is considered most appropriate based on locality (facilitators located internal to the organisation, external, or combined external and internal) and formality (formal appointed role vs informal role). These nine facilitator roles expand (both in number and scope) those

Table 2 Results: facilitator roles, n=150 articles

Facilitation			External			External-internal		
Internal	Formal		Facilitator			Boundary spanner		
Informal			Research facilitator	Clinical/practice facilitator [†]	Outreach facilitator	Linking agent	Knowledge broker	External-internal facilitators
Opinion leader	Coach	Champion						
Definition	A peer-nominated individual who informally influences individuals' attitudes, professional behaviour, decision making, research use, clinically and educationally using their professional status to drive change	A local visionary who uses expert knowledge to persuade others to adopt an innovation, idea or project	An individual who provides support to staff to strengthen their research skills and knowledge, and participation in research in a clinical setting	An individual who provides continuous (primarily) local assistance to others through a formal implementation process using peer support (eg, formal/informal education, shared learning and being a resource person)	Individuals external to the target organisation and/or practice (typically primary care) trained to assist others to improve performance (eg, uptake guidelines) through a formal implementation process using educational visits/AD/CQI	Individuals acting as intermediaries to span the boundary between research and practice to bring closer collaboration between the two systems	Intermediaries who build relationships between two communities, typically policymakers/decision makers and researchers, by sharing their expert knowledge and establishing communication channels	External facilitators (those external to the setting/off site) provided ongoing support to local facilitators to implement a practice change (eg, guidelines)
Key roles	<ul style="list-style-type: none">▶ Provide feedback about research use^{6, 138, 182}▶ Provide encouragement/motivation, positive reinforcement to use EBP^{3, 76}▶ Planning and goal setting^{3, 193}▶ Assist others with learning process^{73-75, 192}▶ Role model⁷⁶▶ Build relationships^{73, 76, 138}	<ul style="list-style-type: none">▶ Persuade others to adopt an innovation, idea or project^{37, 40, 44, 46, 48, 77-79, 133, 136, 143, 150}▶ Advocate change^{44, 77, 133, 135, 147, 150, 151, 153, 170, 184, 195, 196}▶ Motivate others^{52, 153, 159, 163, 194, 197, 198}▶ Personal commitment to the project^{37, 46, 59, 147, 150, 164, 195, 199}	<ul style="list-style-type: none">▶ Facilitate research in a clinical setting^{39, 85-86, 138, 160, 161, 177, 182, 200, 201}▶ Provide educational sessions about the research process^{39, 80, 81, 101, 162}▶ Strengthen research skills of clinical staff^{29, 80-82}▶ Provide peer support for participation in research activities^{39, 80-83, 158, 160, 161, 182, 200, 201}▶ Establish local research programmes, committees/workshops/steering group^{80, 160, 182}	<ul style="list-style-type: none">▶ Practice based^{30, 32, 45, 51, 84-86, 98, 99, 101, 134, 137, 140, 141, 152, 168, 173, 202, 203}▶ Assess local needs for research use^{34, 137, 140}▶ Identify modifiable barriers to change^{37, 141}▶ Identify resources for change^{30, 137, 140, 141, 152}▶ Provide education, peer support, shared learning^{30, 32, 45, 51, 84-101}▶ Monitor and evaluate practice change^{30, 87, 97, 137, 202}▶ Serve as an ongoing resource person^{45, 89, 91, 95, 97, 140, 152, 202}▶ Some practice facilitators were external^{30, 32, 88, 89, 91, 92, 96, 97, 101, 134, 173}	<ul style="list-style-type: none">▶ Guideline implementation/care delivery via educational outreach/AD visits (typically face-to-face)^{25, 26, 69, 102-120, 145, 175}or CQI^{47, 69, 102, 103, 105, 157, 165, 204}▶ Provide feedback and support^{47, 103, 105, 108, 109, 111, 112, 118, 120, 204}▶ Provide audit and (performance) feedback^{102-106, 115, 117, 145, 175}▶ Provide information/resources to promote uptake of best practice^{47, 103, 108, 109, 111, 112, 114, 117, 119, 120}▶ Build good working relationship between staff and facilitator^{112, 145}	<ul style="list-style-type: none">▶ Link research to practice^{29, 123}▶ Help bring together two systems^{24, 29}▶ Intermediary^{29, 121, 123}▶ Help maintain links across professional, team, organisational boundaries^{22, 123}▶ Communicate¹²²▶ Information¹²²▶ Help build relationships and networks for research-based change^{122, 123}	<ul style="list-style-type: none">▶ Intermediary between researchers and policymakers,^{124, 125, 128} decision makers/other stakeholders▶ Catalyst for system change¹²⁵▶ Promote research use in decision making^{43, 125, 126, 128, 171, 205}▶ Build networks, relationships of trust¹²⁵▶ Facilitate learning and exchange of knowledge^{124-128, 205}▶ Establish communication channels^{124, 125, 128}▶ Conduct environmental scan/needs assessment^{43, 125}▶ Knowledge management, capacity building, linkage and exchange activities^{128, 171}	<ul style="list-style-type: none">▶ External facilitators provided ongoing support (eg, guidance, assistance, being available) to internal facilitators^{41, 49, 56, 57, 129, 130}▶ Information sharing^{49, 56, 57, 129}▶ Build relationships⁵⁷▶ Build capacity for improvement/change^{49, 130}
Training	<ul style="list-style-type: none">▶ Not trained for role^{42, 60-67, 142, 180}	<ul style="list-style-type: none">▶ May be trained for role^{75, 138} or may not be trained for role^{52, 59, 182, 193, 183, 164, 194, 195, 199}	<ul style="list-style-type: none">▶ Trained for role⁸²	<ul style="list-style-type: none">▶ Trained for role^{30, 32, 93, 94, 98, 100, 134, 137, 140, 178, 202}	<ul style="list-style-type: none">▶ Typically trained for role^{47, 69, 102-107, 111, 112, 114, 117-120}	<ul style="list-style-type: none">▶ Trained for role²⁴	<ul style="list-style-type: none">▶ Not trained for role,^{43, 123} however, optimal training remains unknown⁴³ and training needs may vary by setting^{7, 71}	<ul style="list-style-type: none">▶ External facilitators trained internal facilitators²⁹

Continued

Table 2 Continued

Facilitation			Facilitator			Boundary spanner			External		External-internal	
Internal	Formal		Facilitator			Boundary spanner			External			
Informal												
Key attributes and skills	Opinion leader		Coach		Champion	Research facilitator	Clinical/practice facilitator [†]	Outreach facilitator	Linking agent	Knowledge broker		External-internal facilitators
► Peer nominated ^{42 60-68}	► Negotiation skills ^{73 193}	► Expert knowledge of innovation ^{179 199}	► Expert research knowledge/experience ^{39 81-83 158 160 177 182 200 201}	► Expert knowledge in work area/clinical work experience ^{30 45 84 86 87 90 91 93 94 98-101 140 141 152}	► Experienced/skilled practitioners (eg, physicians, nurses) ^{26 69 102-105 112 119 175 204}	► Strong critical thinking skills ²⁹	► Expertise in both communities/cultures (research and policy) ^{43 125}	► Organisational skills ^{56 57}				
► Influential ^{35 42 60 62 68 207}	► Problem-solving skills ^{73 76}	► Persuasive ^{27 40 136 143 158}	► Leadership skills ^{80 135}	► Communication skills ^{33 35 137}	► Experience in management/business or health administration ^{103 104 112 204}	► Strong interpersonal and communication skills ²⁹	► Skilled in interpretation/tailoring and application of knowledge ^{43 124 125}	► Relationship skills ^{56 57}				
► Clinical knowledge/experience ^{42 63 68-71}	► Active listening and communication skills ^{76 133}	► Mentorship skills ^{77 135 143 153 179}		► Credible ¹⁴¹	► Encourage others/provide positive reinforcement ^{104 109 112}			► Communication skills ^{56 57}				
► Role model ⁶⁰	► Leadership skills ^{76 192}	► Visionary ^{27 63 135 143 153 179}		► Empowering leadership style ¹⁴¹				► Leadership skills ^{56 57}				
► Communication skills ^{68 156 180}		► Enthusiasm ^{151 158 199}		► Reciprocal relationships between leaders (eg, managers) and facilitators ⁶³								
		► Creativity ²⁷										
		► Driven ¹⁵¹ and passionate about their work ²⁰⁶										
		► Communication skills ^{40 50 153 205}										

AD, academic detailing; CQI, continuous quality improvement; EBP, evidence-based practice.

Table 3 Results: characteristics (attributes) of facilitation, n=133 articles

Rogers' attribute of an innovation	Characteristics of facilitation	Illustrative examples from the literature
Relative advantage	Facilitation could be considered advantageous because it is described in the literature as a process for making change easier for others by: (1) encouraging assessment of current practice, (2) presenting ideas to others, (3) creating useful communication networks, and (4) providing support and resources to achieve goals	<p>Encourages assessment of current practice</p> <p>► Encourages the assessment of current practice/performance gaps^{4 32 101 140–142}</p> <p>► Helps others understand gaps between the knowledge and practice of the target audience^{36 171}</p> <p>► Helps individuals and teams to understand what they need to change and how they need to change it in order to apply evidence into practice^{17 101 145 146}</p> <p>► Facilitation occurs in the context of a recognised need for improvement (eg, supports best practice)^{4 56 77 143–145}</p> <p>Presents ideas to others</p> <p>► Introduces the existence of desirable new ideas and enhances the knowledge base about new ideas^{48 67 78 79 148}</p> <p>Creates useful communication networks</p> <p>► Facilitates effective communication^{56 57 159 205}</p> <p>► Establishes/navigates communication channels^{4 60 128 152}</p> <p>► Networks with other health professionals about best practices^{143 180 205}</p> <p>Provides support and resources to achieve goals</p> <p>► Facilitator as ongoing support or resource^{4 30 41 48 49 56 57 78 86 92 94 95 133 141 142 147–156}</p> <p>► Offers or identifies resources to assist with the process of change^{32 33 44 78 142 151 156 190 198}</p> <p>► Monitors progress.^{56 57 111 147}</p> <p>► Builds organisational support for new practices^{151 157}</p> <p>► Provides structure for learning³³</p> <p>► Supports a goal-oriented process^{4 118}</p>

Continued

Table 3 Continued

Rogers' attribute of an innovation	Characteristics of facilitation	Illustrative examples from the literature
Compatibility	A key purpose of facilitation is to make change more compatible with existing practice. There are several characteristics of facilitation that promote compatibility with existing practice including: (5) mobilising existing knowledge and skills, (6) enhancing staff readiness for change and empowering staff, (7) supporting/promoting a culture for change, and (8) tailoring facilitation activities to local context, needs and circumstances	<p>Mobilising existing knowledge and skills³⁴</p> <p>Enhances staff readiness for change; empowers staff</p> <p>► Increases perceptions of professional acceptability and subjective norms³⁵</p> <p>► Enables individuals and teams to analyse, reflect and change their own attitudes, behaviours and ways of working³⁶</p> <p>► Facilitator belief that the change is needed^{59 76}</p> <p>► Facilitator framed knowledge so that it was relevant to staff practice¹⁵⁸</p> <p>► Empowers staff to be equal participants^{95 121 141 159}</p> <p>Supports and promotes a culture for change; creates a supportive climate; creates a vision for research use/evidence-based practice</p> <p>► Creates a local climate in which research activities are encouraged^{128 130 160}</p> <p>► Creates a culture to sustain the implemented change^{40 44 45 75 128 130 144 145 161 165}</p> <p>► Addresses and develops organisational systems²⁰ and infrastructure to facilitate success of the innovation^{148 153}</p> <p>► Facilitator must understand the practical realities of healthcare and clinical settings^{99 164}</p> <p>► Helps others make choices based on their own context¹³⁴</p> <p>► Addresses individual concerns and helps others to change behaviour through the provision of information or evidence⁶⁶</p> <p>► Creates and supports an organisational vision for evidence-based practice^{62 163}</p> <p>Tailors facilitation activities to local context, needs and circumstances</p> <p>► Facilitator helps the group to consider and address the local issues that might negatively affect the use of the recommendations¹⁶⁶</p> <p>► Facilitation activities tailored to local context, needs and circumstances^{49 50 56 61 75 103 142 150 165–171}</p>

Continued

Table 3 Continued

Rogers' attribute of an innovation

Characteristics of facilitation

Illustrative examples from the literature

Complexity	Facilitation can assist others with the implementation process. Facilitation capitalises on existing skills and (9) supports the development of new knowledge and skills, (10) requires facilitators to be trained or have experience with this role, (11) may comprise several strategies, and (12) is described as a bidirectional process that fosters relationship building	<p>Supports the development of new knowledge and skills</p> <ul style="list-style-type: none"> Supports the development of new knowledge and/or skills^{45 68 78 94 99 108 114 126 128 150 156 165 170 171 181 191 196 208} Helps staff to learn to access and/or appraise evidence to answer clinical questions and apply it to their practice^{21 52 83 122 161 200} Assesses and meets staff learning needs^{70 201} Guides the learners³³ <p>Facilitator training</p> <ul style="list-style-type: none"> Ongoing support for the facilitator role^{18 48 56 57 82 94 129 209} Facilitators require training^{32 37 46–48 68 69 102–107 118–120 129 133–139} Facilitators are experienced mentors,^{75 90 140 153} and must have a basic knowledge of the problems experienced by staff^{101 119 141 175 194 206 210} More than one facilitator (champion) was needed when an improvement required people to change behaviours¹⁵¹ <p>Multiple components</p> <ul style="list-style-type: none"> Use of multiple strategies (eg, reminders and a nurse facilitator)^{47 48 84 142 185} (eg, opinion leader education and audit and feedback)⁶³ <p>Bidirectional process</p> <ul style="list-style-type: none"> Facilitation is proactive and dynamic²¹¹ Facilitation drives a process of change^{19 30 56 130 141}; a two-way process of communication, building relationships/reciprocal relationships,²⁰³ and mutual goals and opportunities⁴ An iterative process in which the next step is informed by the conditions preceding it⁷⁴ Flexible and purposeful⁴ A process of interactive problem solving^{4 56 73} Internal/external facilitation or a combination thereof^{3 17 18 20 21 49 146 176†} Enabling approach^{3 4 20 21 146 176}
Triability	The literature provided some examples of facilitation interventions that were pilot tested on a small scale prior to full implementation	<p>Pilot test; feasibility studies^{46 90 99 103 105 118 138 149 150 163 174 177–179}</p>

Continued

Table 3 Continued

Rogers' attribute of an innovation	Characteristics of facilitation	Illustrative examples from the literature
Observability	Observability reflects whether one can see the results of facilitation, that is, observing an individual using research as a result of facilitation. Observable characteristics of facilitation identified in the literature were: (13) facilitators encouraging others to role model the change (use of research evidence) and (14) maintaining momentum by reinforcing change	Role models the change ^{33 45 56 68 78 86 99 126 180-182} Maintains the momentum and encourages/motivates staff in the process ^{33 86 139 152 153 181 194 198 203} by reinforcing the change/ ^{75 108 109 184} and supporting sustainability ^{18 27}

*Intervention studies.

†Theoretical literature — PARIHS framework/i-PARIHS.

identified in previous reviews.^{19 20 24} For each role, we provide a definition, key features, training requirements, and key personal attributes and skills (table 2). As each facilitator role included change agent activities,²⁴ we did not include change agent as a separate role.

Stakeholder feedback on the identified facilitator roles was positive and validated our findings. Stakeholders indicated that roles and characteristics were understandable and meaningful. They commented that understanding the key role and skills of each type of facilitator, and whether training was required, was useful in hiring processes.

A key goal and responsibility in all nine facilitator roles is to drive and motivate a practice change and to act as a resource for making the change. Overall, facilitator roles included attributes and skills such as credibility, trustworthiness, expertise, enthusiasm and good problem-solving and networking skills. Opinion leaders, coaches, champions, research facilitators and clinical/practice facilitators all work internally (locally) within the organisation. Two main features of opinion leaders as facilitators are: they are peer nominated^{42 60-68} and they are informal leaders who are influential because they are knowledgeable and experienced.^{42 63 69-71}

Opinion leadership stems from medical literature⁷¹ and is based on diffusion of innovation¹⁵ and social influence theory.^{24 72} Opinion leaders have wide interpersonal communication networks^{60 61} and therefore have a key role in assisting others to recognise the need for improvement and communicating information about innovation within professional networks.⁴² Coaching has been used in the business/management literature as an approach to training,⁷³ and more recently has been theoretically positioned in the context of EBP as a relational approach.⁷⁴ A coach assists others with making a change particularly in guiding their learning during implementation using motivation, encouragement and positive reinforcement.^{75 76} A champion, whose role is also based on diffusion of innovation⁴⁰ and social influence theory,²⁴ is a local visionary who uses expert knowledge and vision to persuade others to adopt an innovation^{24 37 48 77-79}; and help others to see the advantages of making a practice change and mentor them through the process.

Research facilitators, clinical/practice facilitators, outreach facilitators, linking agents, knowledge brokers and external-internal facilitators were considered more formally appointed roles, and the majority of these facilitators were typically trained for their role. Research facilitators, described in the context of EBP, have expertise (research, clinical background) to support staff to strengthen their research skills, knowledge and participation in research in a clinical setting.^{39 80-83} A clinical/practice facilitator, also described in the context of EBP (eg, guideline implementation), provides ongoing education and support through the implementation process^{30 32 45 51 84-101} (though some were external). Facilitator roles considered external to the organisation included outreach facilitators, linking agents and

Table 4 Results: Definitions of facilitation

First author/year	Definition of facilitation	Number of citations
PARIHS framework Kitson (2008, 1998) ^{3 17}	Facilitation is 'a technique by which one person makes things easier for others' (p 152). 'The term describes the type of support required to help people change their attitudes, habits, skills, ways of thinking, and working.' (p 152)	n=19
Harvey (2002) ²⁰	Facilitation refers to 'the process of enabling (making easier) the implementation of evidence into practice' (p 579). 'Facilitation is achieved by an individual carrying out a specific role (a facilitator), which aims to help others.' (p 579)	
Bashir (2000) ³²	'Facilitation uses personal contact between the facilitator and the professional to encourage good practice and better service organisation.' (p 626)	n=0
Schwartz (2002) ²¹²	'A process of enabling individuals, groups, or teams to work effectively together to achieve a common goal.' (cited in ref 18, p 296)	n=1
Ferguson (2004) ²⁹	'Facilitation involves helping others to identify questions of practice; providing support to enable others to meet specific goals, including research use; attending to the process of achieving those goals; and knowing the system in which change is proposed and implemented.' (p 325)	n=0
Lekalakala-Mokgele (2005) ³³	'Facilitation is both a method and a strategy for learning. Facilitation promotes critical thinking in the learners and both become reflective learners.' (p 25)	n=0
Stetler (2006) ⁴	'Facilitation is a deliberate and valued process of interactive problem solving and support that occurs in the context of a recognized need for improvement and a supportive interpersonal relationship. Facilitation is primarily a distinct role with a number of potentially crucial behaviors and activities.' (Abstract paragraph 4)	n=4
Petrova (2010) ³⁰	'Facilitation is the process of providing support to individuals or groups to achieve beneficial change' (p 38). It has been described as 'the provision of opportunity, resources, encouragement and support for the group to succeed in achieving its own objectives and to do this through enabling the group to take control and responsibility for the way they proceed.' (p 38)	n=1
Dogherty (2010) ¹⁹	'Facilitation is viewed as both an individual role as well as a process involving individuals and groups.' (p 86)	n=3

knowledge brokers (the latter two being boundary spanner roles). An outreach facilitator assists healthcare providers (eg, those in primary care practices) through a formal implementation process (eg, using educational outreach visits/academic detailing/quality improvement).^{69 102–120} A clinical/practice facilitator or outreach facilitator role may be useful when staff are required to learn new skills for research implementation. The linking agent role is based on the concept of spanning the boundary between research and practice to bring about change.^{24 29 121–123} The knowledge broker role is based on the concepts of linkage and exchange (eg, establishing communication channels),^{43 116 124–126} knowledge management and capacity building (eg, builds relationships between two communities, typically policymakers and researchers).^{127 128} Recent studies focus on using external-internal facilitators based on the PARIHS framework—described as external facilitators (eg, research team members) supporting internal (local) facilitators to assist healthcare providers with implementing a practice change.^{49 56 57 129 130}

Training requirements were a key distinguishing feature of the facilitator roles. External facilitators tended to be formally trained for their role but internal facilitators may or may not have received training.

Only the opinion leader role was described as informal (with no training required).^{42 60–67 131 132} Of the 63 intervention studies, 24 identified training facilitators.^{32 37 46–48 68 69 102–107 118–120 129 133–139} Seventeen of these 24 studies described training components, with nine studies including length of training, ranging from 4 hours,¹⁰⁷ 40 hours,¹¹⁸ 1–3 days^{68 102 137–139} to 6–7.5 months.^{32 106} Training components typically included course work (theoretical knowledge),^{37 47 102 119 120} or both course work and practical experience (skills training).^{32 48 106 107 118 137–139}

In a recent article describing the i-PARIHS framework, Kitson and Harvey¹⁸ outline facilitator activities, and further identify three distinct facilitator roles: novice, experienced and expert facilitator. For example, the novice facilitator is skilled at clarifying tasks, and identifying key stakeholders; experienced facilitators support novices, assess system-wide activities and contextual issues, and develop skills in sustaining change; expert facilitators are positioned at a strategic level to provide project coordination and leadership for the initiative, and includes engaging stakeholders and political negotiation skills.¹⁸

Characteristics of facilitation

Within our sample of 195 articles, there were 133 articles from which we identified 15 characteristics of facilitation

associated with research use by healthcare providers, and mapped these onto Rogers' five attributes of innovation: (1) relative advantage (four characteristics), (2) compatibility (four characteristics), (3) complexity (four characteristics), (4) trialability (one characteristic) and (5) observability (two characteristics).¹⁵ Each of these attributes is described next and shown in [table 3](#).

Relative advantage

Relative advantage is one of the strongest predictors of successful implementation and an innovation's adoption rate, and was the most frequently cited attribute of facilitation in our review.¹⁵ The relative advantage or benefit of facilitation is that it involves a process for making change easier for others. We found four characteristics of facilitation considered advantageous to those involved in implementing research into practice: (1) encourages assessment of current practice; (2) presents ideas to others; (3) creates useful communication networks; and (4) provides support and resources to achieve goals. A facilitator can help healthcare professionals to identify gaps between knowledge and practice,^{4 32 36 101 127 140–142} and to acknowledge the need for improvement.^{456 77 143–145} Facilitators can assist others to understand the relative advantage of making a change,^{17 101 145 146} as well as the benefit of facilitation as an implementation innovation itself. A facilitator provides continuing support and identifies resources to help with the process, and monitors the change.^{4 30 41 48 49 56 57 78 86 92 94 95 111 133 141 142 147–156} For example, a facilitator builds organisational support for new practices^{151 157} and provides structure for learning.³³

Compatibility

A key purpose of facilitation is to make change more compatible with existing practices. Several characteristics of facilitation promote compatibility of the change with existing practice including: mobilising existing knowledge and skills⁹⁴; enhancing staff readiness to change and empowering staff^{3 35 66 76 95 121 141 158 159}; supporting a culture for change^{20 27 40 44 45 62 66 75 99 128 134 144 145 148 153 160–165}; and tailoring facilitation activities to local context (eg, social, cultural).^{49 50 56 61 75 103 142 150 166–171} For example, a facilitator understands the climate and practical realities of the organisation,^{27 99 128 160 164} and frames knowledge so that it is relevant to staff practice.¹⁵⁸

Complexity

Facilitation supports the development of new knowledge and skills, requires facilitators to be trained or have experience with this role, may have multiple components, and is described as a bidirectional process that fosters relationship building. A complex intervention typically contains several interacting components.¹⁷² Most intervention studies in this review described a single intervention but interventions tended to be multifaceted, with several components or strategies typically delivered by a facilitator (eg, audit and feedback, consensus building).¹⁰³ Eleven studies used multiple interventions (ie, more

than one intervention arm),^{47 63 68 69 84 125 129 142 173–175} for example, reminders and a nurse facilitator,⁸⁴ and opinion leader education and audit and feedback.⁶³ However, facilitation as an innovation need not be complex. Facilitation is an enabling approach^{3 4 20 21 146 176} that can help reduce the (perceived or actual) complexity of a multifaceted intervention. Facilitation involves building trust and fostering mutual opportunities.^{4 30 74} Facilitators are experienced or are trained for their role to support others with implementation. The frequency and duration (dose) of facilitation varies; for example, some studies included daily facilitation for 3 months,⁹⁰ monthly for 12 months,¹⁰⁴ and on average 25 visits per site lasting 1 hour for 18 months.¹⁰⁵

Trialability

The ability for potential adopters to test an intervention can enhance its adoption.¹⁵ We located examples of researchers who pilot tested a facilitation intervention (or its components) prior to full-scale evaluations.^{46 90 103 105 118 138 149 150 163 174 177–179} For example, in one study six nurses were trained for their facilitator role and gained experience conducting outreach visits in pilot general practices.¹⁰⁵

Observability

Observability is seeing the results of an innovation, in our case being able to ascertain that individuals use research as a result of facilitation.¹⁵ Two characteristics of facilitation that reflected observability were facilitators encouraging others to role model the change^{33 45 86 99 126 180–182} and reinforcing the change (research use)^{75 108 109 183 184} and supporting sustainability.^{18 27} Some examples of role modelling included sharing examples of good practice⁶⁸ and providing opportunities for formal shadowing.¹²⁶ An example of reinforcing the change was a follow-up visit by a nurse facilitator to reinforce guideline implementation.¹⁰⁹

Facilitation process

Although facilitation is identified in the literature as a process of enabling implementation of evidence into practice,^{19 20} few studies identified the actual process. Dogherty and colleagues outlined four stages of facilitation that include activities to facilitate research use in nursing: (1) planning for change, (2) leading and managing change, (3) monitoring progress and ongoing implementation, and (4) evaluating change.^{19 27 56} Elnitsky and colleagues¹⁴¹ described an internal facilitation process (within the organisation): learning the role of facilitator, assessing the culture, facilitating external programmes, negotiating and getting buy-in. They mapped this process to Dogherty and colleagues' facilitation taxonomy (above) and subdomains of the PARIHS framework.¹⁵⁵ Others have described facilitation as an interactive problem-solving process requiring supportive interpersonal relationships.⁴ Dogherty and colleagues¹⁸⁵ described key factors to successful facilitation of EBP such

as development of strategic partnerships, use of multiple strategies to effect change, and facilitator characteristics and approach (eg, leadership and team building skills). Barriers influencing the facilitation process were largely contextual constraints such as lack of engagement and resources and team functioning.

DISCUSSION

Our review suggests that facilitation has become an important aspect of implementing research into practice, and has potential to be an effective innovation. Our literature synthesis advances previous reviews on facilitation by broadening our understanding of the roles of facilitators and the characteristics of facilitation.^{19 20 24} Our first research question addressed the key facilitator roles identified in the literature. We identified nine types of facilitator roles, the majority of which are formal appointed roles. Facilitators share a common goal of implementing an EBP change, and some roles share theoretical underpinnings—opinion leaders and champion roles are based on diffusion of innovation and social influence theory, and a linking agent and knowledge broker act as intermediaries/boundary spanners to bridge gaps. However, we have also highlighted some notable differences in these roles. Clearly, many facilitator roles are being used in healthcare systems. Our findings shed light on the variety, complexity and need for these roles. Policymakers can use these findings to design role statements and processes to impact outcomes for care providers and patients. Knowing the various types of facilitator roles can assist administrators and managers to implement a facilitator role that best supports change activities in their setting. For example, an outreach facilitator could be potentially useful in settings such as outpost nursing and home care. Boundary spanner facilitator roles may be most useful to bridge practitioners with internal and external stakeholders involved in planned change. The importance of external facilitators supporting internal facilitators in creating organisational facilitation capacity is highlighted in the literature.^{27 41 49 56 57 129} Building internal facilitation capacity may create sustainable infrastructures to support implementation activities designed for improving patient safety and quality of care delivery. Further research should be undertaken on external-internal facilitator roles as they may foster a more integrated approach to facilitating the use of research into practice.

Our second research question addressed the characteristics of facilitation that contribute to research use by healthcare professionals. Characteristics of facilitation are important because they identify those features that may potentially lead to greater success in implementing change. In the KT literature, the knowledge itself is typically considered the innovation. Studies have shown that facilitation itself should be operationalised as an innovation or tool used to influence implementation of other innovations (eg, guideline implementation via facilitation).^{32 46 51 63 69 75 103 105 107 109 136} Using Rogers' framework

enabled us to highlight characteristics of facilitation that may influence its adoption as an innovation.¹⁵ Relative advantage was the most frequently cited attribute of facilitation in our review. Rogers' attributes of an innovation¹⁵ covered all of the results that we found and therefore it is confirmed to be a comprehensive model to describe characteristics of an innovation.

Further research could examine whether facilitation strategies with Rogers' innovation attributes lead to successful implementation. For example, facilitation that is tailored to local context and offers ongoing support may be better received than a complex intervention. According to Greenhalgh *et al*, Rogers' concept of reinvention (innovation adaptability) can be considered another innovation attribute that could lead to innovations being adopted more readily.^{15 186} Though we did not include the concept reinvention in our data analysis, three articles from our review described reinvention of the innovation as an important quality to enhance adoption.^{41 148 183} For example, Miller *et al* suggested designing a KT intervention with reinvention in mind, which involves knowing the attributes of the intervention that must be maintained for effectiveness¹⁸³; this is important for adoption and sustainability of an innovation.⁴¹ Facilitators can assist with reinvention during implementation to individualise the innovation to better meet adopters' needs.¹⁴⁸ Reinvention as an attribute of an innovation could be explored in future reviews. Understanding these innovation attributes can lay the groundwork for well-designed and well-evaluated facilitation interventions to improve practice in healthcare delivery. However, we noted key gaps in the literature on the characteristics of facilitation. First, the process of facilitation remains unclear and largely implicit, which challenges descriptions of facilitation interventions for future study. Second, few studies were conducted in home care and long-term care settings, which is important to address as Canada and other countries are experiencing a shift in population demographics towards an ageing generation.

Two main limitations of our review, which may introduce the potential for publication bias, are that we did not include grey literature, nor did we conduct a quality appraisal of included studies as this is not part of a scoping study undertaking^{28 187} nor the purpose of our review. The scoping review enabled us to synthesise a breadth of literature that characterises the quantity, nature and extent of research evidence on facilitation¹⁸⁷ and the roles undertaken to facilitate the uptake of evidence. Our search was further restricted to the English language. However, we tracked non-English language studies and could have included four of them. Our review was focused on research use specifically among healthcare professionals, which has a considerable body of literature that theorises, conceptualises and operationalises facilitation. While this diversity creates some inconsistencies in naming facilitator roles, it has a notable strength; the diversity of the disciplines that describe facilitator roles and characteristics of facilitation from various theoretical perspectives helps us to better understand facilitation.

High-quality rigorous studies are needed on facilitation to distinguish those characteristics or components that have greatest impact and effectiveness. While we did not assess rigour in this scoping review, others have noted a lack of rigorous studies evaluating facilitation.²⁷ Our team is currently completing a systematic review to examine the effectiveness of facilitation as an implementation innovation in healthcare. Such work could also help to shed light on the process of facilitation, what facilitator role is best used and when, and what types of training are most effective for facilitators.

CONCLUSION

This scoping review highlights a diverse and broad literature on the concept of facilitation that can expand our current thinking about facilitation as an innovation and its potential to support an integrated, collaborative approach to improving healthcare delivery. Implementing research into practice to improve patient care is complex and requires dedicated facilitators to support the change process. This scoping review advances the field of KT science by contributing to the evidence base needed to develop measures of facilitation and to design and test facilitation interventions for successful research use.

Acknowledgements We gratefully acknowledge stakeholders who reviewed the summary table of facilitator roles. We thank Ms Tara MacGregor (research assistant) for her contribution in data screening and extraction and Ms Thane Chambers (Research Librarian, Faculty of Nursing, University of Alberta) for designing and conducting the search strategy. CAE holds a CIHR Canada Research Chair in Knowledge Translation (Tier 1) (2005–2018). GGC holds a University of Alberta Centennial Professorship (2013–2020).

Collaborators Caroline Clark: Associate Executive Director, Brain Care Centre, Edmonton, AB.

Contributors CAE and LAC conceived of the study and secured funding for the study. LAC and FT screened search results for inclusion and extracted data from included articles. CAE conceived of the data analysis framework. LAC, GGC, FT and JPM participated in data analysis and synthesis. LAC and FT drafted the manuscript. All authors provided critical comments on the manuscript. CC (contributor) assisted with the stakeholder consultation.

Funding This work was supported by the Canadian Institutes of Health Research (CIHR) Knowledge Translation Synthesis Program, grant number: KRS 102076.

Competing interests None declared.

Provenance and peer review Not commissioned; externally peer reviewed.

Data sharing statement No additional data is available.

Open Access This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

© Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2017. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

REFERENCES

- Grol R, Grimshaw J. From best evidence to best practice: effective implementation of change in patients' care. *The Lancet* 2003;362:1225–30.
- Harrison MB, Legare F, Graham ID, et al. Adapting clinical practice guidelines to local context and assessing barriers to their use. *Can Med Assoc J* 2010;182:E78–E84.
- Kitson AL, Rycroft-Malone J, Harvey G, et al. Evaluating the successful implementation of evidence into practice using the PARIHS framework: theoretical and practical challenges. *Implement Sci* 2008;3:1.
- Stetler CB, Legro MW, Rycroft-Malone J, et al. Role of "external facilitation" in implementation of research findings: a qualitative evaluation of facilitation experiences in the Veterans Health Administration. *Implement Sci* 2006;1:23.
- Urquhart R, Porter GA, Sargeant J, et al. Multi-level factors influence the implementation and use of complex innovations in Cancer care: a multiple case study of synoptic reporting. *Implement Sci* 2014;9.
- Estabrooks CA, Floyd JA, Scott-Findlay S, et al. Individual determinants of research utilization: a systematic review. *J Adv Nurs* 2003;43:506–20.
- Squires JE, Estabrooks C, Gustavsson P, et al. Individual determinants of research use by nurses: a systematic review update. *Implement Sci* 2011;5.
- Boström A-M, Wallin L, Nordström G. Evidence-based practice and determinants of research use in elderly care in Sweden. *J Eval Clin Pract* 2007;13:665–73.
- Squires JE, Estabrooks CA, Scott SD, et al. The influence of organizational context on the use of research by nurses in Canadian pediatric hospitals. *BMC Health Serv Res* 2013;13:351.
- Cummings GG, Estabrooks CA, Midodzi WK, et al. Influence of organizational characteristics and context on Research utilization. *Nurs Res* 2007;56:S24–S39.
- Estabrooks C, Midodzi W, Cummings G, et al. Predicting research use in nursing organizations: a multi-level analysis. *Nurs Res* 2007;56:S7–23.
- Estabrooks CA, Scott S, Squires JE, et al. Patterns of research utilization on patient care units. *Implement Sci* 2008;3:31.
- Cammer A, Morgan D, Stewart N, et al. The Hidden Complexity of Long-Term Care: how Context mediates Knowledge translation and use of best Practices. *Gerontologist* 2014;54:1013–23.
- Urquhart R, Porter GA, Grunfeld E, et al. Exploring the interpersonal-, organization-, and system-level factors that influence the implementation and use of an innovation-synoptic reporting-in Cancer care. *Implement Sci* 2012;7:12.
- Rogers EM. *Diffusion of innovations*. 5th ed. New York: Free Press, 2003.
- Estabrooks CA, Thompson DS, Lovely JJE, et al. A guide to knowledge translation theory. *J Contin Educ Health Prof* 2006;26:25–36.
- Kitson A, Harvey G, McCormack B. Enabling the implementation of evidence based practice: a conceptual framework. *Quality and Safety in Health Care* 1998;7:149–58.
- Kitson AL, Harvey G. Methods to succeed in effective knowledge translation in clinical practice. *Journal of Nursing Scholarship* 2016;48:294–302.
- Dogherty E, Harrison M, Graham I. Facilitation as a role and process in achieving evidence based practice in nursing: a focused review of concept and meaning. *Worldviews Evid Based Nurs* 2010;7:76–89.
- Harvey G, Loftus-Hills A, Rycroft-Malone J, et al. Getting evidence into practice: the role and function of facilitation. *J Adv Nurs* 2002;37:577–88.
- Rycroft-Malone J, Harvey G, Kitson A, et al. Getting evidence into practice: ingredients for change. *Nurs Stand* 2002;16:38–43.
- Burrows DE. Facilitation: a concept analysis. *J Adv Nurs* 1997;25:396–404.
- Berta W, Cranley L, Dearing JW, et al. Why (we think) facilitation works: insights from organizational learning theory. *Implement Sci* 2015;10:141.
- Thompson GN, Estabrooks CA, Degner LF. Clarifying the concepts in knowledge transfer: a literature review. *J Adv Nurs* 2006;53:691–701.
- Nagykaldi Z, Mold JW, Aspy CB. Practice facilitators: a review of the literature. *Fam Med* 2005;37:581–8.
- Baskerville NB, Liddy C, Hogg W. Systematic review and Meta-Analysis of Practice Facilitation within primary care settings. *The Annals of Family Medicine* 2012;10:63–74.
- Dogherty EJ, Harrison M, Graham I, et al. Examining the use of facilitation within guideline dissemination and implementation studies in nursing. *Int J Evid Based Healthc* 2014;12:105–27.
- Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.

29. Ferguson L, Milner M, Snelgrove-Clark E. The role of intermediaries: getting evidence into practice. *J Wound Ostomy Continence Nurs* 2004;31:325–7.
30. Petrova M, Dale J, Munday D, *et al*. The role and impact of facilitators in primary care: findings from the implementation of the Gold Standards Framework for palliative care. *Fam Pract* 2010;27:38–47.
31. Dogherty EJ, Harrison MB, Graham ID. Facilitation as a role and process in achieving evidence-based practice in nursing: a focused review of concept and meaning. *Worldviews Evid Based Nurs* 2010;7:76–89.
32. Bashir K, Blizzard B, Bosanquet A, *et al*. The evaluation of a mental health facilitator in general practice: effects on recognition, management, and outcome of mental illness. *Br J Gen Pract* 2000;50:626–9.
33. Lekalakala-Mokgele E, Du Rand PP. A model for facilitation in nursing education. *Curationis* 2005;28:22–9.
34. Lewin K. *Field theory in social science*. New York: Harper & Row, 1951.
35. Bloomfield HE, *et al*. A trial of education, prompts, and opinion leaders to improve prescription of lipid modifying therapy by primary care physicians for patients with ischemic heart disease. *Quality and Safety in Health Care* 2005;14:258–63.
36. Borbas C, Morris N, McLaughlin B, *et al*. The role of clinical opinion leaders in guideline implementation and quality improvement. *Chest* 2000;118:24S–32.
37. Campbell J. The effect of nurse Champions on Compliance with keystone Intensive Care Unit Sepsis-Screening Protocol. *Crit Care Nurs Q* 2008;31:251–69.
38. Doran DM, Sidani S. Outcomes-Focused knowledge translation: a framework for Knowledge translation and patient outcomes improvement. *Worldviews Evid Based Nurs* 2007;4:3–13.
39. Fineout-Overholt E, Melnyk BM, Schultz A. Transforming health care from the inside out: advancing evidence-based practice in the 21st century. *J Prof Nurs* 2005;21:335–44.
40. Kavanagh T, Watt-Watson J, Stevens B. An examination of the factors enabling the successful implementation of Evidence-Based acute pain Practices into Pediatric Nursing. *Children's Health Care* 2007;36:303–21.
41. McWilliam CL, Kothari A, Ward-Griffin C, *et al*. Evolving the theory and praxis of knowledge translation through social interaction: a social phenomenological study. *Implement Sci* 2009;4:26.
42. Young JM, *et al*. Role for Opinion Leaders in Promoting Evidence-Based Surgery. *Arch Surg* 2003;138:785–91.
43. Dobbins M, Robeson P, Ciliska D, *et al*. A description of a knowledge broker role implemented as part of a randomized controlled trial evaluating three knowledge translation strategies. *Implement Sci* 2009;4:23.
44. Aitken LM, Hackwood B, Crouch S, *et al*. Creating an environment to implement and sustain evidence based practice: a developmental process. *Aust Crit Care* 2011;24:244–54.
45. English M, Nzinga J, Mbindyo P, *et al*. Explaining the effects of a multifaceted intervention to improve inpatient care in rural Kenyan hospitals-interpretation based on retrospective examination of data from participant observation, quantitative and qualitative studies. *Implement Sci* 2011;6:124.
46. Foley KL, Pockey JR, Helme DW, *et al*. Integrating evidence-based tobacco cessation interventions in free medical clinics: opportunities and challenges. *Health Promot Pract* 2012;13:687–95.
47. Dickinson WP, Dickinson LM, Nutting PA, *et al*. Practice Facilitation to improve Diabetes Care in primary care: a Report from the EPIC Randomized clinical trial. *The Annals of Family Medicine* 2014;12:8–16.
48. Gerrish K, Laker S, Taylor C, *et al*. Enhancing the quality of oral nutrition support for hospitalized patients: a mixed methods knowledge translation study (The EQONS study). *J Adv Nurs* 2016;72:3182–94.
49. Harvey G, Oliver K, Humphreys J, *et al*. Improving the identification and management of chronic kidney disease in primary care: lessons from a staged improvement collaborative. *Int J Qual Health Care* 2015;27:10–16.
50. Ellis I, Howard P, Larson A, *et al*. From Workshop to work Practice: an exploration of Context and Facilitation in the development of Evidence-Based practice. *Worldviews Evid Based Nurs* 2005;2:84–93.
51. Ayieko P, Ntoburi S, Wagai J, *et al*. A multifaceted intervention to implement guidelines and improve admission Paediatric Care in kenyan District Hospitals: a cluster randomised trial. *PLoS Med* 2011;8:e1001018.
52. DeBourgh GA. Champions for Evidence-based practice: a critical role for Advanced Practice Nurses. *AACN Clin Issues* 2001;12:491–508.
53. Donabedian A. *Explorations in Quality Assessment and Monitoring Vol. 1. the definition of Quality and Approaches to its Assessment*. Ann Arbor, MI: Health Administration Press, 1980.
54. Donabedian A. The quality of care. how can it be assessed? *JAMA* 1988;260:1743–8.
55. Graham ID, Logan J, Harrison MB, *et al*. Lost in knowledge translation: time for a map? *J Contin Educ Health Prof* 2006;26:13–24.
56. Dogherty EJ, Harrison MB, Baker C, *et al*. Following a natural experiment of guideline adaptation and early implementation: a mixed-methods study of facilitation. *Implement Sci* 2012;7:9.
57. Harrison MB, Graham ID, van den Hoek J, *et al*. Guideline adaptation and implementation planning: a prospective observational study. *Implement Sci* 2013;8:49.
58. May CR, Mair F, Finch T, *et al*. Development of a theory of implementation and integration: normalization process Theory. *Implement Sci* 2009;4:29.
59. Gotlib Conn L, McKenzie M, Pearsall EA, *et al*. Successful implementation of an enhanced recovery after surgery programme for elective colorectal surgery: a process evaluation of champions' experiences. *Implement Sci* 2015;10:99.
60. Grimshaw JM, Eccles MP, Greener J, *et al*. Is the involvement of opinion leaders in the implementation of research findings a feasible strategy? *Implement Sci* 2006;1:3.
61. Grimshaw JM, Eccles MP, Lavis JN, *et al*. Knowledge translation of research findings. *Implement Sci* 2012;7:50.
62. Locock L, Dopson S, Chambers D, *et al*. Understanding the role of opinion leaders in improving clinical effectiveness. *Soc Sci Med* 2001;53:745–57.
63. Lomas J, Enkin M, Anderson GM, *et al*. Opinion leaders vs audit and feedback to implement practice guidelines. delivery after previous cesarean section. *JAMA* 1991;265:2202–7.
64. Majumdar SR, Tsuyuki RT, McAlister FA. Impact of opinion leader-endorsed evidence summaries on the quality of prescribing for patients with cardiovascular disease: a randomized controlled trial. *Am Heart J* 2007;153:22.e1–8.
65. Siddiqi K, Newell J, Robinson M. Getting evidence into practice: what works in developing countries? *Int J Qual Health Care* 2005;17:447–54.
66. Simpson F, Doig GS. The relative effectiveness of practice change interventions in overcoming common barriers to change: a survey of 14 hospitals with experience implementing evidence-based guidelines. *J Eval Clin Pract* 2007;13:709–15.
67. Waters D, Rychetnik L, Crisp J, *et al*. Views on evidence from nursing and midwifery opinion leaders. *Nurse Educ Today* 2009;29:829–34.
68. Rycroft-Malone J, Seers K, Crichton N, *et al*. A pragmatic cluster randomised trial evaluating three implementation interventions. *Implement Sci* 2012;7:80.
69. Goldberg HI, Wagner EH, Fihn SD, *et al*. A Randomized Controlled Trial of CQI Teams and Academic Detailing: can they alter compliance with guidelines? *Jt Comm J Qual Improv* 1998;24:130–42.
70. Pereles L, Lockyer J, Ryan D, *et al*. The use of the opinion leader in continuing medical education. *Med Teach* 2003;25:438–41.
71. Wadhwa A, Ford-Jones EL, Lingard L. A qualitative study of interphysician telephone consultations: extending the opinion leader theory. *J Contin Educ Health Prof* 2005;25:98–104.
72. Zimbardo PG MRL. *The psychology of attitude, change and social influence*. Philadelphia, PA: Temple University Press, 1991.
73. Fielden SL, Davidson MJ, Sutherland VJ. Innovations in coaching and mentoring: implications for nurse leadership development. *Health Serv Manage Res* 2009;22:92–9.
74. Drake DB. Evidence is a verb: a relational approach to knowledge and mastery in coaching. *IJECM* 2009;7:1–12.
75. Bender BG, Dickinson P, Rankin A, *et al*. The Colorado Asthma Toolkit Program: a practice coaching intervention from the High Plains Research Network. *J Am Board Fam Med* 2011;24:240–8.
76. Ervin NE. Clinical coaching: a strategy for enhancing evidence-based nursing practice. *Clin Nurse Spec* 2005;19:296–301.
77. Ploeg J, Skelly J, Rowan M, *et al*. The role of Nursing best practice Champions in Diffusing Practice guidelines: a mixed methods study. *Worldviews Evid Based Nurs* 2010;7:238–51.
78. Hohlfelder B, Kubiak DW, Degrado JR, *et al*. Implementation of a Prolonged Infusion Guideline for Time-Dependent Antimicrobial Agents at a Tertiary Academic Medical Center. *Am J Ther* 2016;23:e1768–e1773.

79. Kaasalainen S, Ploeg J, Donald F, *et al.* Positioning clinical nurse specialists and nurse practitioners as Change Champions to implement a pain Protocol in Long-Term Care. *Pain Management Nursing* 2015;16:78–88.
80. Chummun H, Tiran D. Increasing research evidence in practice: a possible role for the consultant nurse. *J Nurs Manag* 2008;16:327–33.
81. Eaton E, Henderson A, Winch S. Enhancing nurses' capacity to facilitate learning in nursing students: effective dissemination and uptake of best practice guidelines. *Int J Nurs Pract* 2007;13:316–20.
82. Logan J, Davies B. The staff nurse as research facilitator. *Can J Nurs Adm* 1995;8:92–110.
83. Plamondon K, Ronquillo C, Axen L, *et al.* Bridging Research and Practice through the Nursing Research Facilitator Program in British Columbia. *Nurs Leadersh* 2013;26:32–43.
84. Ansari M, *et al.* Improving Guideline adherence: a Randomized Trial evaluating strategies to increase β -Blocker Use in Heart Failure. *Circulation* 2003;107:2799–804.
85. Belizan M, Meier A, Althabe F, *et al.* Facilitators and barriers to adoption of evidence-based perinatal care in latin american hospitals: a qualitative study. *Health Educ Res* 2007;22:839–53.
86. Byron S, Moriarty D, O'Hara A, O'Hara A. Macmillan nurse facilitators: establishing a palliative resource nurse network in primary care. *Int J Palliat Nurs* 2007;13:438–44.
87. de Cordova PB, Collins S, Peppard L, *et al.* Implementing evidence-based nursing with student nurses and clinicians: uniting the strengths. *Applied Nursing Research* 2008;21:242–5.
88. Elwyn G, Hocking P, Burtonwood A, *et al.* Learning to plan? A critical fiction about the facilitation of professional and practice development plans in primary care. *J Interprof Care* 2002;16:349–58.
89. Gibson M, Woodbury MG, Hay K. Changing pain assessment and management practices in residential care settings using the "readiness for change" model. *Can Geriatr J* 2008;11:94–8.
90. Jarman HJ. Sharing expertise—using clinical nursing rounds to improve UK emergency nursing practice. *Australas Emerg Nurs J* 2009;12:73–7.
91. Locca JF, Ruggli M, Buchmann M, *et al.* Development of pharmaceutical care services in nursing homes: practice and research in a Swiss Canton. *Pharm World Sci* 2009;31:165–73.
92. Lombarts MJ, Klazinga NS, Redekop KK. Measuring the perceived impact of facilitation on implementing recommendations from external assessment: lessons from the Dutch visitatie programme for medical specialists. *J Eval Clin Pract* 2005;11:587–97.
93. Mellor F, Foley T, Connolly M, *et al.* Role of a clinical facilitator in introducing an integrated care pathway for the care of the dying. *Int J Palliat Nurs* 2004;10:497–501.
94. Moriarty D, O'Hara A, Byron S. Macmillan nurse facilitators for palliative care: evaluation of. *Int J Palliat Nurs* 2007;13:334–43.
95. Robinson J. Improving practice through a system of clinical supervision. *Nurs Times* 2005;101:30–2.
96. Ruetz JP. Enabling frontline participation to create a quality improvement culture. *Health Manage Forum* 2007;20:53–5.
97. Wallin L, Rudberg A, Gunningberg L. Staff experiences in implementing guidelines for Kangaroo Mother Care—a qualitative study. *Int J Nurs Stud* 2005;42:61–73.
98. Sipilä R, Ketola E, Tala T, *et al.* Facilitating as a guidelines implementation tool to target resources for high risk patients – The Helsinki Prevention Programme (HPP). *J Interprof Care* 2008;22:31–44.
99. Gerrish K, Nolan M, McDonnell A, *et al.* Factors influencing Advanced Practice nurses' Ability to Promote Evidence-Based Practice among Frontline Nurses. *Worldviews Evid Based Nurs* 2012;9:30–9.
100. De Luca A, Caprara A, Barbolini M, *et al.* Continuing medical education and evidence-based clinical pathways. Training emergency health workers in Latium, Italy. *Educ Health* 2008;21.
101. Purvis T, Moss K, Denisenko S, *et al.* Implementation of evidence-based stroke care: enablers, barriers, and the role of facilitators. *J Multidiscip Healthc* 2014;7:389–400.
102. Engels Y, van den Hombergh P, Mekkink H, *et al.* The effects of a team-based continuous quality improvement intervention on the management of primary care: a randomised controlled trial. *Br J Gen Pract* 2006;56:781–7.
103. Hogg W, Lemelin J, Graham I, *et al.* Improving prevention in primary care: evaluating the effectiveness of outreach facilitation. *Fam Pract* 2008;25:40–8.
104. Hogg W, Lemelin J, Moroz I, *et al.* Improving prevention in primary care: evaluating the sustainability of outreach facilitation. *Can Fam Physician* 2008;54:712–20.
105. Hulscher ME, van Drenth BB, van der Wouden JC, *et al.* Changing preventive practice: a controlled trial on the effects of outreach visits to organise prevention of cardiovascular disease. *Qual Health Care* 1997;6:19–24.
106. Lemelin J, Hogg W, Baskerville N. Evidence to action: a tailored multifaceted approach to changing family physician practice patterns and improving preventive care. *CMAJ* 2001;164:757–63.
107. Siegel D, Lopez J, Meier J, *et al.* Academic detailing to improve antihypertensive prescribing patterns. *Am J Hypertens* 2003;16:508–11.
108. Linnebur SA, Fish DN, Ruscini JM, *et al.* Impact of a multidisciplinary intervention on antibiotic use for nursing home-acquired pneumonia. *Am J Geriatr Pharmacother* 2011;9:442–50.
109. Chan D, Patel P, Booth L, *et al.* A novel approach for implementing evidence-based guidelines in the community: the appropriate choices in dyspepsia project. *J Clin Excellence* 2001;2:219–23.
110. Davis DA, Taylor-Vaisey A. Translating guidelines into practice. A systematic review of theoretic concepts, practical experience and research evidence in the adoption of clinical practice guidelines. *CMAJ* 1997;157:408–16.
111. Hak E, Hermens RP, Hoes AW, *et al.* Effectiveness of a co-ordinated nation-wide programme to improve influenza immunisation rates in the Netherlands. *Scand J Prim Health Care* 2000;18:237–41.
112. Hogg W, Baskerville N, Nykiforuk C, *et al.* Improved preventive care in family practices with outreach facilitation: understanding success and failure. *J Health Serv Res Policy* 2002;7:195–201.
113. Markey P, Schattner P. Promoting evidence-based medicine in general practice—the impact of academic detailing. *Fam Pract* 2001;18:364–6.
114. Rugh JD, Sever N, Glass BJ, *et al.* Transferring evidence-based information from dental school to practitioners: a pilot "academic detailing" program involving dental students. *J Dent Educ* 2011;75:1316–22.
115. Shipman C, Addington-Hall J, Thompson M, *et al.* Building bridges in palliative care: evaluating a GP facilitator programme. *Palliat Med* 2003;17:621–7.
116. Soumerai SB. Principles and uses of academic detailing to improve the management of psychiatric disorders. *Int J Psychiatry Med* 1998;28:81–96.
117. O'Brien M, Rogers S, Jamtvedt G, *et al.* Educational outreach visits: effects on professional practice and health care outcomes (Review). *Cochrane Database Syst Rev* 2008;4.
118. Due TD, Thorsen T, Kousgaard MB, *et al.* The effectiveness of a semi-tailored facilitator-based intervention to optimise chronic care management in general practice: a stepped-wedge randomised controlled trial. *BMC Fam Pract* 2014;15:65.
119. Mader EM, Fox CH, Epling JW, *et al.* A practice facilitation and academic detailing intervention can improve Cancer screening rates in primary care safety net clinics. *J Am Board Fam Med* 2016;29:533–42.
120. Parchman ML, Noel PH, Culler SD, *et al.* A randomized trial of practice facilitation to improve the delivery of chronic illness care in primary care: initial and sustained effects. *Implement Sci* 2013;8:93.
121. Wilkinson JE, Nutley SM, Davies HT. An exploration of the roles of nurse managers in evidence-based practice implementation. *Worldviews Evid Based Nurs* 2011;8:236–46.
122. MacIntosh-Murray A, Choo CW. Information behavior in the context of improving patient safety. *J Assoc Inf Sci Technol* 2005;56:1332–45.
123. French B. Contextual factors influencing research use in nursing. *Worldviews Evid Based Nurs* 2005;2:172–83.
124. Armstrong R, Waters E, Crockett B, *et al.* The nature of evidence resources and knowledge translation for health promotion practitioners. *Health Promot Int* 2007;22:254–60.
125. Dobbins M, Hanna SE, Ciliska D, *et al.* A randomized controlled trial evaluating the impact of knowledge translation and exchange strategies. *Implement Sci* 2009;4:61.
126. Gerrish K, McDonnell A, Nolan M, *et al.* The role of advanced practice nurses in knowledge brokering as a means of promoting evidence-based practice among clinical nurses. *J Adv Nurs* 2011;67:2004–14.
127. Bornbaum CC, Kornas K, Peirson L, *et al.* Exploring the function and effectiveness of knowledge brokers as facilitators of knowledge translation in health-related settings: a systematic review and thematic analysis. *Implement Sci* 2015;10:162.
128. Catallo C. Should nurses be knowledge brokers? competencies and organizational Resources to support the role. *Nurs Leadersh* 2015;28:24–37.
129. Harvey G, Kitson A, Munn Z. Promoting continence in nursing homes in four european countries: the use of PACES as a

- mechanism for improving the uptake of evidence-based recommendations. *Int J Evid Based Healthc* 2012;10:388–96.
130. Dogherty EJ, Harrison M, Graham I, *et al.* Examining the use of facilitation within guideline dissemination and implementation studies in nursing. *Int J Evid Based Healthc* 2014;12:105–27.
 131. Boaz A, Baeza J, Fraser A, *et al.* Effective implementation of research into practice: an overview of systematic reviews of the health literature. *BMC Res Notes* 2011;4:212.
 132. Flodgren G, Parmelli E, Doumit G, *et al.* Local opinion leaders: effects on professional practice and health care outcomes. *Cochrane Database Syst Rev* 2011;8:CD000125.
 133. Acolet D, Allen E, Houston R, *et al.* Improvement in neonatal intensive care unit care: a cluster randomised controlled trial of active dissemination of information. *Arch Dis Child Fetal Neonatal Ed* 2011;96:F434–F439.
 134. Byng R, Jones R, Leese M, *et al.* Exploratory cluster randomised controlled trial of shared care development for long-term mental illness. *Br J Gen Pract* 2004;54:259–66.
 135. Ellis JA, McCleary L, Blouin R, *et al.* Implementing best practice pain management in a pediatric hospital. *J Spec Pediatr Nurs* 2007;12:264–77.
 136. Friedman L, Engelking C, Wickham R, *et al.* The EDUCATE Study: a continuing education exemplar for Clinical Practice Guideline Implementation. *Clin J Oncol Nurs* 2009;13:219–30.
 137. Holtrop JS, Baumann J, Arnold AK, *et al.* Nurses as practice change facilitators for healthy behaviors. *J Nurs Care Qual* 2008;23:123–31.
 138. Minnick A, Catrambone CD, Halstead L, *et al.* A nurse coach quality improvement intervention: feasibility and treatment fidelity. *West J Nurs Res* 2008;30:690–703.
 139. Vaughan C, Reddy P, Dunbar J. From rural beginnings to statewide roll-out: evaluation of facilitator training for a group-based diabetes prevention program. *Aust J Rural Health* 2010;18:59–65.
 140. Bayley MT, Hurdowar A, Richards CL, *et al.* Barriers to implementation of stroke rehabilitation evidence: findings from a multi-site pilot project. *Disabil Rehabil* 2012;34:1633–8.
 141. Elnitsky CA, Powell-Cope G, Besterman-Dahan KL, *et al.* Implementation of Safe Patient Handling in the U.S. Veterans Health System: A Qualitative Study of Internal Facilitators' Perceptions. *Worldviews Evid Based Nurs* 2015;12:208–16.
 142. Eskicioglu C, Pearsall E, Victor JC, *et al.* A multifaceted knowledge translation strategy can increase compliance with guideline recommendations for mechanical bowel preparation. *J Gastrointest Surg* 2015;19:39–45.
 143. Frantsve-Hawley J, Meyer DM. The evidence-based dentistry champions: a grassroots approach to the implementation of EBD. *J Evid Based Dent Pract* 2008;8:64–9.
 144. Harvey G, Fitzgerald L, Fielden S, *et al.* The NIHR Collaborations for Leadership in Applied Health Research and Care (CLAHRC) for Greater Manchester: combining empirical, theoretical and experiential evidence to design and evaluate a large-scale implementation strategy. *Implement Sci* 2011;6:96.
 145. Liddy C, Laferriere D, Baskerville B, *et al.* An overview of Practice Facilitation Programs in Canada: current perspectives and future directions. *Healthcare Policy | Politiques de Santé* 2013;8:58–68.
 146. Rycroft-Malone J, Kitson A, Harvey G, *et al.* Ingredients for change: revisiting a conceptual framework. *Qual Saf Health Care* 2002;11:174–80.
 147. Olson CA, Tooman TR, Alvarado CJ. Knowledge systems, health care teams, and clinical practice: a study of successful change. *Adv Health Sci Educ Theory Pract* 2010;15:491–516.
 148. Shirey MR. Evidence-based practice: how nurse leaders can facilitate innovation. *Nurs Adm Q* 2006;30:252–65.
 149. Wiechula R, Kitson A, Marconi D, *et al.* Improving the fundamentals of care for older people in the acute hospital setting: facilitating practice improvement using a knowledge translation toolkit. *Int J Evid Based Healthc* 2009;7:283–95.
 150. Pannucci CJ, Jaber RM, Zumsteg JM, *et al.* Changing practice: implementation of a venous thromboembolism prophylaxis protocol at an academic medical center. *Plast Reconstr Surg* 2011;128:1085–92.
 151. Damschroder LJ, Banaszak-Holl J, Kowalski CP, *et al.* The role of the champion in infection prevention: results from a multisite qualitative study. *Qual Saf Health Care* 2009;18:434–40.
 152. Kelly D, Simpson S, Brown P. An action research project to evaluate the clinical practice facilitator role for junior nurses in an acute hospital setting. *J Clin Nurs* 2002;11:90–8.
 153. Muller A, McCauley K, Harrington P, *et al.* Evidence-based practice implementation strategy: the central role of the clinical nurse specialist. *Nurs Adm Q* 2011;35:140–51.
 154. Penz KL, Bassendowski SL. Evidence-based nursing in clinical practice: implications for nurse educators. *J Contin Educ Nurs* 2006;37:250–4.
 155. Stetler CB, Damschroder LJ, Helfrich CD, *et al.* A Guide for applying a revised version of the PARIHS framework for implementation. *Implement Sci* 2011;6:99.
 156. Garcia-Elorrio E, Aleman A, Cafferata ML, *et al.* A multifaceted intervention to increase prophylactic oxytocin use during the third stage of labor and to reduce routine episiotomies in Nicaragua. *Int J Gynaecol Obstet* 2014;127:31–4.
 157. Nagykaldi Z, Mold JW, Robinson A, *et al.* Practice facilitators and practice-based research networks. *J Am Board Fam Med* 2006;19:506–10.
 158. Janes N, Fox M, Lowe M, *et al.* Facilitating best practice in aged care: exploring influential factors through critical incident technique. *Int J Older People Nurs* 2009;4:166–76.
 159. Gurzick M, Kesten KS. The impact of clinical nurse specialists on clinical pathways in the application of evidence-based practice. *J Prof Nurs* 2010;26:42–8.
 160. Harrison LL, Kitchens EK. Implementing the research facilitator role. *Nurse Educ* 1989;14:21–6.
 161. Jamerson PA, Vermeersch P. The role of the nurse research facilitator in building research capacity in the clinical setting. *J Nurs Adm* 2012;42:21–7.
 162. King CC, Craig BJ. The role of the dental hygienist as change agent. *Probe* 1997;31:81–3.
 163. Ploeg J, Davies B, Edwards N, *et al.* Factors influencing best-practice guideline implementation: lessons learned from administrators, nursing staff, and project leaders. *Worldviews Evid Based Nurs* 2007;4:210–9.
 164. Clarkson JE, Bonetti D. Why be an evidence-based dentistry champion? *J Evid Based Dent Pract* 2009;9:145–50.
 165. Taylor EF, Machta RM, Meyers DS, *et al.* Enhancing the primary care team to provide redesigned care: the roles of practice facilitators and care managers. *Ann Fam Med* 2013;11:80–3.
 166. Graham ID, Harrison MB, Brouwers M, *et al.* Facilitating the use of evidence in Practice: evaluating and adapting Clinical Practice guidelines for Local use by Health Care Organizations. *Journal of Obstetric, Gynecologic & Neonatal Nursing* 2002;31:599–611.
 167. Aberg AC, Lundin-Olsson L, Rosendahl E. Implementation of evidence-based prevention of falls in rehabilitation units: a staff's interactive approach. *J Rehabil Med* 2009;41:1034–40.
 168. Groi R, Grimshaw J. Evidence-based implementation of evidence-based medicine. *Jt Comm J Qual Improv* 1999;25:503–13.
 169. Matthew-Maich N, Ploeg J, Jack S, *et al.* Leading on the frontlines with passion and persistence: a necessary condition for Breastfeeding best practice guideline uptake. *J Clin Nurs* 2013;22:1759–70.
 170. Ragazzi H, Keller A, Ehrensberger R, *et al.* Evaluation of a practice-based intervention to improve the management of pediatric asthma. *J Urban Health* 2011;88(Suppl 1):38–48.
 171. Schleifer Taylor J, Verrier MC, Landry MD. What do we know about Knowledge brokers in Paediatric Rehabilitation? A systematic search and Narrative Summary. *Physiother Can* 2014;66:143–52.
 172. Craig P, Dieppe P, Macintyre S, *et al.* Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ* 2008;337:a1655–83.
 173. Mold JW, Aspy CA, Nagykaldi Z. Implementation of evidence-based preventive services delivery processes in primary care: an Oklahoma Physicians Resource/Research Network (OKPRN) study. *J Am Board Fam Med* 2008;21:334–44.
 174. Pattinson RC, Arsalo I, Bergh AM, *et al.* Implementation of kangaroo mother care: a randomized trial of two outreach strategies. *Acta Paediatr* 2005;94:924–7.
 175. Tjia J, Field T, Mazor K, *et al.* Dissemination of Evidence-Based Antipsychotic Prescribing guidelines to Nursing Homes: a Cluster Randomized Trial. *J Am Geriatr Soc* 2015;63:1289–98.
 176. Rycroft-Malone J. The PARIHS framework--a framework for guiding the implementation of evidence-based practice. *J Nurs Care Qual* 2004;19:297–304.
 177. Sullivan G, Duan N, Mukherjee S, *et al.* The role of services researchers in facilitating intervention research. *Psychiatr Serv* 2005;56:537–42.
 178. Edwards A, Rhydderch M, Engels Y, *et al.* Assessing organisational development in european primary care using a group-based method. *Int J Health Care Qual Assur* 2010;23:8–21.
 179. Fineout-Overholt E, Levin RF, Melnyk BM. Strategies for advancing evidence-based practice in clinical settings. *J N Y State Nurses Assoc* 2004;35:28–32.
 180. Russell-Babin KA. Calling all opinion leaders! Keys to the diffusion of evidence. *Nurs Manage* 2010;41:8–11.

181. Buonocore D. Leadership in action: creating a change in practice. *AACN Clin Issues* 2004;15:170–81.
182. Michael R. Facilitating nursing research: a professional mandate for perioperative nurses. *Can Oper Room Nurs J* 2007;25:18–22.
183. Miller WR, Sorensen JL, Selzer JA, et al. Disseminating evidence-based practices in substance abuse treatment: a review with suggestions. *J Subst Abuse Treat* 2006;31:25–39.
184. Ang E, Chow YL. General pain assessment among patients with Cancer in an acute care setting: a best practice implementation project. *Int J Evid Based Healthc* 2010;8:90–6.
185. Dogherty EJ, Harrison MB, Graham ID, et al. Turning knowledge into action at the point-of-care: the collective experience of nurses facilitating the implementation of evidence-based practice. *Worldviews Evid Based Nurs* 2013;10:129–39.
186. Greenhalgh T, Robert G, Macfarlane F, et al. Diffusion of innovations in service organizations: systematic review and recommendations. *Milbank Q* 2004;82:581–629.
187. Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Info Libr J* 2009;26:91–108.
188. Cronje RJ, Moch SD. Part III. reenvisioning undergraduate nursing students as opinion leaders to diffuse evidence-based practice in clinical settings. *J Prof Nurs* 2010;26:23–8.
189. Guihan M, Bosshart HT, Nelson A. Lessons learned in implementing SCI clinical practice guidelines. *SCI Nurs* 2004;21:136–42.
190. Reynolds SS, Murray LL, McLennon SM, et al. Implementation of a Stroke Competency Program to improve nurses' Knowledge of and adherence to Stroke guidelines. *J Neurosci Nurs* 2016;48:328–35.
191. Rycroft-Malone J, Seers K, Chandler J, et al. The role of evidence, context, and facilitation in an implementation trial: implications for the development of the PARIHS framework. *Implement Sci* 2013;8:28.
192. Alleyne J, Jumaa MO. Building the capacity for evidence-based clinical nursing leadership: the role of executive co-coaching and group clinical supervision for quality patient services. *J Nurs Manag* 2007;15:230–43.
193. Hayes E, McCahon C, Panahi MR, et al. Alliance not compliance: coaching strategies to improve type 2 diabetes outcomes. *J Am Acad Nurse Pract* 2008;20:155–62.
194. Dilworth K, Tao M, Shapiro S, et al. Making health promotion evidenced-informed: an organizational priority. *Health Promot Pract* 2013;14:139–45.
195. Varnell G, Haas B, Duke G, et al. Effect of an educational intervention on attitudes toward and implementation of evidence-based practice. *Worldviews Evid Based Nurs* 2008;5:172–81.
196. Sacco TL, LaRiccia B. Interprofessional Implementation of a Pain/Sedation Guideline on a Trauma Intensive Care Unit. *J Trauma Nurs* 2016;23:156–64.
197. Hung DY, Glasgow RE, Dickinson LM, et al. The chronic care model and relationships to patient health status and health-related quality of life. *Am J Prev Med* 2008;35(5 Suppl):S398–S406.
198. Shortell SM, Marsteller JA, Lin M, et al. The role of perceived team effectiveness in improving chronic illness care. *Med Care* 2004;42:1040–8.
199. Aagaard EM, Gonzales R, Camargo CA, et al. Physician champions are key to improving antibiotic prescribing quality. *Jt Comm J Qual Patient Saf* 2010;36:109–16.
200. Jeffers BR, Robinson S, Luxner K, et al. Nursing faculty mentors as facilitators for evidence-based nursing practice. *J Nurses Staff Dev* 2008;24:E8–E12.
201. Pepler CJ, Edgar L, Frisch S, et al. Strategies to increase research-based practice: interplay with unit culture. *Clin Nurse Spec* 2006;20:23–31.
202. McCleary L, Ellis JA, Rowley B. Evaluation of the pain resource nurse role: a resource for improving pediatric pain management. *Pain Manag Nurs* 2004;5:29–36.
203. van der Zijpp TJ, Niessen T, Eldh AC, et al. A Bridge over Turbulent Waters: illustrating the interaction between Managerial leaders and facilitators when Implementing Research evidence. *Worldviews Evid Based Nurs* 2016;13:25–31.
204. Kousgaard MB, Thorsen T. Positive experiences with a specialist as facilitator in general practice. *Dan Med J* 2012;59:A4443.
205. Wright N. First-time knowledge brokers in health care: the experiences of nurses and allied health professionals of bridging the research-practice gap. *Evidence & Policy: A Journal of Research, Debate and Practice* 2013;9:557–70.
206. Shifaza F, Evans D, Bradley H, et al. Developing evidence-based practice champions in the Maldives. *Int J Nurs Pract* 2013;19:596–602.
207. Stenger K, Schooley K, Moss L. Moving to evidence-based practice for pain management in the critical care setting. *Crit Care Nurs Clin North Am* 2001;13:319–27.
208. Hadjistavropoulos T, Williams J, Kaasalainen S, et al. Increasing the frequency and timeliness of Pain Assessment and Management in Long-Term Care: knowledge transfer and sustained implementation. *Pain Res Manag* 2016;2016:1–13.
209. Begley CM. Developing inter-professional learning: tactics, teamwork and talk. *Nurse Educ Today* 2009;29:276–83.
210. Branowicki PA, Shermont H, Rogers J, et al. Improving systems related to clinical practice: an interdisciplinary team approach. *Semin Nurse Manag* 2001;9:110–4.
211. Routhieaux RL, Higgins SE. Best-practice guidelines for utilizing facilitators. *Health Care Superv* 1999;17:1–10.
212. Schwartz R. *The skilled facilitator*. San Francisco, CA: Jossey-Bass, 2002.