

Vaccine preventable	ICD 10 Code	Notes	ICD-10 Code	Notes	ICD10-AM Code	Notes	ICD-10	Notes
Influenza & pneumonia	-	-	J09, J10, J11, J13, J14, J15.3, J15.4, J15.7, J15.9, J16.8, J18.1, J18.8, J18.9	In any diagnosis field, excludes cases with secondary diagnosis of D57	J09, J10, J11, J13, J14, J15.3, J15.4, J15.7, J15.9, J16.8, J18.1, J18.8, J18.9	In any diagnosis field, excludes cases with secondary diagnosis of D57	J09, J10, J11, J13, J14, J15.3, J15.4, J15.7, J15.9, J16.8, J18.1, J18.8, J18.9	In any diagnosis field, excludes cases with secondary diagnosis of D57
Other vaccine preventable	-	-	A35, A36, A37, A80, B05, B06, B16.1, B16.9, B18.0, B18.1, B26, G00.0, M01.4	In any diagnosis field	A35, A36, A37, A80, B05, B06, B16.1, B16.9, B18.0, B18.1, B26, G00.0, M01.4	In any diagnosis field	A35, A36, A37, A80, B05, B06, B16.1, B16.9, B18.0, B18.1, B26, G00.0, M01.4	Principal diagnosis
Acute	ICD 10 Code	Notes	ICD-10 Code	Notes	ICD10-AM Code	Notes	ICD-10	Notes
Dehydration & Gastroenteritis	-	-	E86, K52.2, K52.8, K52.9	Principal diagnosis only	E86, K52.2, K52.8, K52.9	Principal diagnosis only	E86, K52.2, K52.8, K52.9	Principal diagnosis only
Convulsions & epilepsy	-	-	O15, G40, G41, R56	Principal diagnosis only	O15, G40, G41, R56	Principal diagnosis only	O15, G40, G41, R56	Principal diagnosis only
ENT infections	-	-	H66, H67, J02, J03, J06, J31.2	Principal diagnosis only	H66, H67, J02, J03, J06, J31.2	Principal diagnosis only	H66, H67, J02, J03, J06, J31.2	Principal diagnosis only
Dental conditions	-	-	K02-K06, K08, K09.8, K09.9, K12, K13	Principal diagnosis only	A69.0, K02-K06, K08, K09.8, K09.9, K12, K13	Principal diagnosis only	K02-K06, K08, K09.8, K09.9, K12, K13	Principal diagnosis only
Perforated/bleeding ulcer	-	-	K25.0, K25.1, K25.2, K25.4, K25.5, K25.6, K26.0, K26.1, K26.2, K26.4, K26.5, K26.6, K27.0, K27.1, K27.2, K27.4, K27.5, K27.6, K28.0, K28.1, K28.2, K28.4, K28.5, K28.6	Principal diagnosis only	K25.0-K25.2, K25.4-K25.6, K26.0-K26.2, K26.4-K26.6, K27.0-K27.2, K27.4-K27.6, K28.0-28.2, K28.4-K28.6	Principal diagnosis only	K25.0, K25.1, K25.2, K25.4, K25.5, K25.6, K26.0, K26.1, K26.2, K26.4, K26.5, K26.6, K27.0, K27.1, K27.2, K27.4, K27.5, K27.6, K28.0, K28.1, K28.2, K28.4, K28.5, K28.6	Principal diagnosis only

	ICD 10 Code	Notes	ICD-10 Code	Notes	ICD10-AM Code	Notes	ICD-10	Notes
Ruptured appendix	-	-	-	-	K35.0	In any diagnosis field	-	-
Pyelonephritis	-	-	N10, N11, N12, N13.6, N39.0	Principal diagnosis only	N10, N11, N12, N13.6,	Principal diagnosis only	N10, N11, N12, N13.6, N39.0	Principal diagnosis only
PID	-	-	N70, N73, N74	Principal diagnosis only	N70, N73, N74	Principal diagnosis only	N70, N73, N74	Principal diagnosis only
Cellulitis	-	-	L03, L04, L08, L88, L98.0, L98.3	Principal diagnosis only, exclude cases with any procedure block except those in blocks 1820-2016 or procedure 30216-03, 30676-00, 30223-02, 30064-00, 34527-01, 34527-00 or 90661-00	L03, L04, L08.0, L08.8, L08.9, L88, L98.0, L98.3	Principal diagnosis AND no procedures OR procedures listed were only in blocks 1604-1606, 1608, 1820-2016 or procedures 90660-00, 30207-00, 30676-00, 30679-00, 34530-01 and 47912-00 Additionally, check that the procedure is the only procedure when in the list: blocks 1604-1606, 1608, or the procedures are: 90660-00, 30207-00, 30676-00, 30679-00, 34530-01 and 47912-00]	L03, L04, L08, L88, L98.0, L98.3	Principal diagnosis only
gangrene	-	-	R02	In any diagnosis field	R02	In any diagnosis field	R02	In any diagnosis field
Chronic	ICD 10 Code	Notes	ICD-10 Code	Notes	ICD10-AM Code	Notes	ICD-10	Notes

Asthma	J45, J46	Primary diagnosis	J45, J46	Principal diagnosis only	J45, J46	Principal diagnosis only	J45, J46	Principal diagnosis only
COPD	J40-J44, J47 (J20)	Primary diagnosis (only with secondary diagnosis of J41-44, J47)	J40-J44, J47 (J20)	Primary diagnosis (only with secondary diagnosis of J41-44, J47)	J40-J44, J47 (J20)	Primary diagnosis (only with secondary diagnosis of J41-44, J47)	J40-J44, J47	Principal diagnosis only
CHF	I50, I11.0, J81	Primary diagnosis	I50, I11.0, J81	Principal diagnosis only			I50, I11.0, J81	Principal diagnosis only
Diabetic complications	-	-	E10.1-E10.8, E11.0-E11.8, E13.0-E13.8, E14.0-E14.8	In any diagnosis field	E10.1-E10.8, E11.0-E11.8, E13.0-E13.8, E14.0-E14.8	In any diagnosis field	E10.1-E10.8, E11.0-E11.8, E13.0-E13.8, E14.0-E14.8	Principal diagnosis only
Nutritional deficiencies	-	-	E40-E43, E55.0, E64.3	Principal diagnosis only	E40-E43, E55.0, E64.3	Principal diagnosis only	E40-E43, E55.0, E64.3	Principal diagnosis only
Iron deficiency anaemia	-	-	D50.1, D50.8, D50.9	Principal diagnosis only	D50.1, D50.8, D50.9	Principal diagnosis only	D50.1, D50.8, D50.9	Principal diagnosis only
Hypertension	-	-	I10, I11.9	Principal diagnosis only	I10, I11.9	Principal diagnosis only	I10, I11.9	Principal diagnosis only
Angina	-	-	I20, I24.0, I24.8, I24.9	Principal diagnosis only cases, excluding cases with procedure codes in blocks 1820-2140	I20, I24.0, I24.8, I24.9	Principal diagnosis only cases, excluding cases with procedure codes in blocks 1-1779	I20, I24.0, I24.8, I24.9	Principal diagnosis only cases, excluding cases with procedure codes in blocks 1820-2140