

Supplementary Table 1: Examination of missing data, non-weighted data

Independent variable	Included (AHTO questions answered)		Excluded (AHTO questions not answered)		p value
	N	%	N	%	
<i>Sex (N = 5,068)</i>					
Female	2,397	96.9	76	3.1	0.023
Male	2,484	95.7	111	4.3	
<i>Age band (N = 5,608)</i>					
16-24	789	97.4	21	2.6	0.111
25-44	1,460	96.3	56	3.7	
45-64	1,435	95.5	68	4.5	
65+	1,197	96.6	42	3.4	
<i>Broad ethnic group (N = 5,040)</i>					
White British	3,603	96.2	142	3.8	0.125
Other White groups	393	98.3	7	1.8	
Black groups	262	95.6	12	4.4	
Asian groups	539	97.3	15	2.7	
Other groups	63	94.0	4	6.0	
<i>Life stage (N = 5,067)</i>					
Single	716	97.4	19	2.6	0.150
Pre-family	260	95.9	11	4.1	
Family	1,473	96.7	50	3.3	
Post family	2,431	95.8	107	4.2	
<i>Education (5,039)</i>					
No qualifications	866	97.2	25	2.8	0.075
GCSE/O-level/CSE	952	95.9	41	4.1	
A-level/vocational	1,334	97.2	39	2.8	
Degree/higher degree	1,335	95.4	64	4.6	
Other/still studying	368	96.1	15	3.9	
<i>Social grade[†] (N = 5,068)</i>					
AB	1,081	96.2	43	3.8	0.134
C1	1,554	95.8	68	4.2	
C2	947	96.7	32	3.3	
D	757	97.7	18	2.3	
E	542	95.4	26	4.6	
<i>Tenure (N = 5,027)</i>					
Owned outright	1,729	97.5	45	2.5	<0.001
Bought on a mortgage	1,124	95.4	54	4.6	
Rented from local authority	568	95.5	27	4.5	
Rented from private landlord	1,029	97.0	32	3.0	
Other	392	93.6	27	6.4	
<i>Disability (N = 4,956)</i>					
Considers self disabled	571	94.4	34	5.6	0.002
Not disabled	4,213	96.8	138	3.2	
<i>Employment status (N = 5,066)</i>					
Employed	2,306	95.9	98	4.1	0.121
Unemployed	237	98.8	3	1.3	
Economically inactive	1,009	96.1	41	3.9	
Retired	1,327	96.7	45	3.3	
<i>AUDIT(N = 5,044)</i>					
Not hazardous/harmful drinking	4,215	96.7	142	3.3	0.003
Hazardous/harmful drinking	649	94.5	38	5.5	

N = 5,068 (totals for independent variables will not equal 5,068 where the person did not provide responses to the AHTO questions and the independent variable.

[†]AB is higher managerial, administrative and professional and Intermediate managerial, administrative and professional; C1 is supervisory, clerical and junior managerial, administrative and professional; C2 is skilled manual workers; D is semi-skilled and unskilled manual workers; and E is state pensioners, casual and lowest grade workers, unemployed with state benefits only.

Supplementary Table 2: Prevalence of harm in the previous 12 months by sex, weighted data

Harm type	Number of respondents who experienced harm		Percentage of respondents who experienced harm	
	Men	Women	Men (95% CI)	Women (95% CI)
Been kept awake due to noise or disruption	177	213	7.5 (6.3-8.8)	8.5 (7.4-9.8)
Felt uncomfortable or anxious at a social occasion (e.g. a party)	160	171	6.8 (5.7-8.0)	6.8 (5.8-8.0)
Had a serious argument that did NOT include physical violence	129	147	5.4 (4.6-6.6)	5.8 (4.9-6.9)
Been let down by someone due to them failing to do something that I was counting on them to do because of their drinking	82	92	3.5 (2.7-4.4)	3.7 (3.0-4.6)
Been emotionally hurt or neglected	50	120	2.1 (1.6-2.9)	4.8 (3.9-5.8)
Felt physically threatened	95	69	4.0 (3.2-5.1)	2.7 (2.1-3.6)
Had to stop seeing or being in contact with someone because of their drinking	47	73	2.0 (1.4-2.7)	2.9 (2.3-3.7)
Had to contact the police	56	62	2.4 (1.8-3.2)	2.5 (1.9-3.2)
Had someone break or damage something that mattered to me	52	43	2.2 (1.6-3.0)	1.7 (1.2-2.4)
Been physically hurt due to them assaulting me or acting violently	50	42	2.1 (1.5-2.9)	1.7 (1.2-2.3)
Been put at risk in a car when someone was driving after drinking	37	38	1.6 (1.1-2.3)	1.5 (1.1-2.1)
Felt genuinely concerned that they may cause harm to my children or someone else's children	18	43	0.7 (0.4-1.3)	1.7 (1.3-2.4)
Had to spend my personal time caring for a person with a long term health condition or disability that resulted from their current or previous drinking	24	33	1.0 (0.7-1.6)	1.3 (0.9-1.9)
Been physically hurt due to them accidentally injuring me (e.g. by falling on me)	16	37	0.7 (0.4-1.2)	1.5 (1.0-2.1)
Had money that would have improved the quality of my life spent on their alcohol-related purchases	18	32	0.8 (0.5-1.2)	1.3 (0.9-1.9)
Drank alcohol myself in order to cope with the problems caused by their drinking	19	14	0.8 (0.5-1.3)	0.5 (0.3-1.0)
Felt forced or pressured into sex or something sexual	12	20	0.5 (0.3-0.9)	0.8 (0.5-1.3)
Had to move out of my usual place of residence and stay somewhere else	9	16	0.4 (0.2-0.8)	0.6 (0.4-1.1)

Weighted N = 4,874.

Supplementary Table 3: Perpetrator of harm by harm type (continued on the next page), weighted data

Harm type		A friend			A stranger			Someone you were in a relationship with (e.g. wife/husband, partner) who you lived with			A family member you did not live with		
		n	%	95% CI	n	%	95% CI	n	%	95% CI	n	%	95% CI
Been kept awake due to noise or disruption	No	314	84.8	80.3-88.4	187	50.5	44.7-56.2	346	93.3	89.8-95.7	359	97.0	94.5-98.4
	Yes	56	15.2	11.6-19.7	183	49.5	43.8-55.3	25	6.7	4.3-10.2	11	3.0	1.6-5.5
Felt uncomfortable or anxious at a social occasion (e.g. a party)	No	205	67.2	61.0-72.8	200	65.6	59.3-71.5	280	91.7	87.4-94.6	271	88.9	84.3-92.3
	Yes	100	32.8	27.2-39.0	105	34.4	28.5-40.7	25	8.3	5.4-12.6	34	11.1	7.7-15.7
Had a serious argument that did NOT include physical violence	No	167	64.3	57.5-70.5	225	86.8	81.4-90.8	199	76.9	70.4-82.4	216	83.5	77.7-88.0
	Yes	93	35.7	29.5-42.6	34	13.2	9.2-18.6	60	23.1	17.6-29.6	43	16.5	12.0-22.3
Been let down by someone due to them failing to do something that I was counting on them to do because of their drinking	No	95	56.6	48.1-64.7	162	96.4	91.9-98.5	136	81.1	73.5-86.9	137	81.4	74.1-87.0
	Yes	73	43.5	35.4-51.9	6	3.6	1.5-8.1	32	18.9	13.1-26.5	31	18.6	13.0-25.9
Been emotionally hurt or neglected	No	115	72.5	64.0-79.6	150	94.3	88.7-97.2	121	76.1	67.7-82.9	116	72.7	64.2-79.8
	Yes	44	27.6	20.5-36.0	9	5.7	2.8-11.3	38	23.9	17.1-32.3	43	27.3	20.2-35.8
Felt physically threatened	No	130	84.6	77.0-90.0	61	39.5	30.9-48.8	136	88.5	82.2-92.8	145	94.5	89.6-97.2
	Yes	24	15.4	1.0-23.0	93	60.5	51.2-69.1	18	11.5	7.2-17.8	8	5.5	2.8-10.5
Had to stop seeing or being in contact with someone because of their drinking	No	71	62.4	52.3-71.6	109	95.6	88.8-98.4	92	80.6	71.2-87.4	86	75.9	66.1-83.6
	Yes	43	37.6	28.4-47.7	5	4.4	1.6-11.2	22	19.4	12.6-28.8	27	24.1	16.4-33.9
Had to contact the police	No	96	89.5	81.3-94.3	59	55.3	44.3-65.8	93	87.0	79.0-92.2	95	88.8	79.1-94.3
	Yes	11	10.5	5.7-18.7	48	44.7	34.2-55.7	14	13.0	7.8-21.0	12	11.2	5.7-20.9
Had someone break or damage something that mattered to me	No	50	55.8	43.0-67.9	82	90.9	82.1-95.6	75	82.8	72.5-89.8	82	90.8	82.1-95.5
	Yes	40	44.2	32.1-57.0	8	9.1	4.4-17.9	16	17.2	10.2-27.5	8	9.2	4.5-17.9
Been physically hurt due to them assaulting me or acting violently	No	71	85.4	74.7-92.0	57	68.5	56.4-78.5	66	79.8	69.2-87.4	73	88.1	76.8-94.3
	Yes	12	14.7	8.0-25.3	26	31.5	21.5-43.6	17	20.2	12.6-30.8	10	11.9	5.7-23.2
Been put at risk in a car when someone was driving after drinking	No	46	66.7	54.0-77.4	52	75.5	61.6-85.6	62	89.5	78.5-95.2	66	96.1	87.9-98.8
	Yes	23	33.3	22.6-46.0	17	24.5	14.4-38.4	7	10.5	4.8-21.5	3	4.0	1.2-12.1
Felt genuinely concerned that they may cause harm to my children or someone else's children	No	47	91.1	77.3-96.9	39	77.1	62.5-87.2	45	87.4	75.3-94.0	41	80.9	65.9-90.2
	Yes	5	8.9	3.1-22.7	12	22.9	12.8-37.5	6	12.6	6.0-24.7	10	19.2	9.8-34.1
Had to spend my personal time caring for a person with a long term health condition or disability that resulted from their current or previous drinking	No	41	75.7	60.0-86.6	51	94.6	85.4-98.1	47	87.5	73.5-94.6	34	62.4	47.2-75.5
	Yes	13	24.3	13.4-40.0	3	5.4	1.9-14.6	7	12.5	5.4-26.5	20	37.6	24.5-52.8
Been physically hurt due to them accidentally injuring me (e.g. by falling on me)	No	30	59.5	43.6-73.5	32	62.5	46.3-76.2	44	87.2	74.1-94.2	44	86.6	72.0-94.2
	Yes	21	40.5	26.5-56.4	19	37.6	23.8-53.7	7	12.8	5.8-25.9	7	13.4	5.8-28.0
Had money that would have improved the quality of my life spent on their alcohol-related purchases	No	29	63.0	46.6-76.8	44	97.1	80.6-99.6	30	66.5	49.1-80.4	40	89.1	72.6-96.2
	Yes	17	37.0	23.2-53.4	1	3.0	0.4-19.4	15	33.5	19.6-50.9	5	10.9	3.8-27.4
Drank alcohol myself in order to cope with the problems caused by their drinking	No	22	75.7	54.3-89.1	27	93.4	70.9-98.8	22	76.9	53.4-90.6	25	86.0	62.0-95.9
	Yes	7	24.3	10.9-45.7	2	6.6	1.2-29.1	7	23.1	9.4-46.6	4	14.0	4.1-38.0
Felt forced or pressured into sex or something sexual	No	22	80.3	58.5-92.2	22	81.0	55.8-93.5	21	76.7	54.0-90.2	26	95.8	72.8-99.5
	Yes	5	19.7	7.8-41.5	5	19.0	6.5-44.2	6	23.3	9.8-46.0	1	4.2	0.5-27.2
Had to move out of my usual place of residence and stay somewhere else	No	18	82.9	62.3-93.4	20	94.1	74.7-98.8	12	55.3	31.0-77.3	20	95.4	80.5-99.0
	Yes	4	17.1	6.6-37.7	1	5.9	1.2-25.3	10	44.7	22.7-69.0	1	4.6	1.0-19.5

Supplementary Table 3: Perpetrator of harm by harm type (continued from the previous page), weighted data

Harm type		Someone else you know			Another family member you lived with			Someone else you lived with			Someone you were in a relationship with (e.g. wife/husband, partner) who you did not live with			A work colleague		
		n	%	95% CI	n	%	95% CI	n	%	95% CI	n	%	95% CI	n	%	95% CI
Been kept awake due to noise or disruption	No	296	80.1	75.0-84.3	348	94.1	90.8-96.3	325	87.7	83.7-90.9	362	97.7	95.2-98.9	365	98.5	96.3-99.4
	Yes	74	20.0	15.7-25.1	22	5.9	3.7-9.2	45	12.3	9.1-16.3	8	2.3	1.1-4.8	6	1.5	0.6-3.8
Felt uncomfortable or anxious at a social occasion (e.g. a party)	No	264	86.7	81.8-90.4	299	97.8	95.2-99.0	294	96.5	93.0-98.3	297	97.3	94.5-98.7	276	90.6	86.0-93.8
	Yes	41	13.4	9.6-18.3	7	2.2	1.0-4.9	11	3.5	1.8-7.0	8	2.7	1.3-5.5	29	9.4	6.2-14.1
Had a serious argument that did NOT include physical violence	No	233	90.0	85.0-93.4	240	92.7	88.6-95.3	244	94.1	90.2-96.5	240	92.7	89.0-95.2	249	96.2	92.5-98.1
	Yes	26	10.0	6.6-15.0	19	7.3	4.7-11.4	15	5.9	3.5-9.9	19	7.3	4.8-11.0	10	3.8	1.9-7.5
Been let down by someone due to them failing to do something that I was counting on them to do because of their drinking	No	156	93.0	86.7-96.5	156	92.8	87.8-95.8	157	93.7	87.6-96.9	160	95.2	90.7-97.6	150	89.4	82.1-94.0
	Yes	12	7.0	3.5-13.3	12	7.2	4.2-12.2	11	6.4	3.1-12.4	8	4.8	2.4-9.4	18	10.6	6.1-17.9
Been emotionally hurt or neglected	No	152	95.7	91.1-97.9	146	92.0	86.4-95.4	147	92.5	85.9-96.1	137	85.9	78.7-91.0	154	97.0	91.9-98.9
	Yes	7	4.3	2.1-8.9	13	8.0	4.6-13.6	12	7.6	3.9-14.1	22	14.1	9.1-21.3	5	3.0	1.1-8.1
Felt physically threatened	No	132	85.7	78.0-91.1	148	96.7	92.0-98.6	153	99.6	97.4-100.0	149	97.0	92.4-98.8	151	98.2	93.0-99.6
	Yes	22	14.3	8.9-22.0	5	3.3	1.4-8.0	1	0.4	0.1-2.6	5	3.0	1.2-7.6	3	1.8	0.4-7.0
Had to stop seeing or being in contact with someone because of their drinking	No	102	89.5	82.3-94.0	106	92.7	85.9-96.3	109	95.8	86.4-98.8	107	93.9	87.2-97.2	108	95.0	87.1-98.1
	Yes	12	10.5	6.0-17.7	8	7.3	3.7-14.1	5	4.2	1.2-13.6	7	6.1	2.8-12.8	6	5.0	1.9-12.9
Had to contact the police	No	87	81.5	71.2-88.7	101	94.8	88.4-97.8	105	98.4	93.2-99.6	105	97.8	93.1-99.3	106	98.7	91.3-99.8
	Yes	20	18.5	11.3-28.8	6	5.2	2.2-11.6	2	1.6	0.4-6.8	2	2.2	0.7-6.9	1	1.3	0.2-8.7
Had someone break or damage something that mattered to me	No	81	89.9	80.6-95.0	80	88.2	78.4-93.9	87	95.7	88.5-98.5	87	96.0	88.6-98.6	89	97.8	90.6-99.5
	Yes	9	10.1	5.0-19.4	11	11.8	6.1-21.6	4	4.3	1.5-11.5	4	4.0	1.4-11.4	2	2.2	0.5-9.4
Been physically hurt due to them assaulting me or acting violently	No	74	89.3	79.5-94.7	76	90.8	80.5-95.9	82	97.9	93.2-99.4	79	95.0	86.3-98.3	79	94.4	79.9-98.6
	Yes	9	10.7	5.3-20.5	8	9.2	4.1-19.6	2	2.1	0.6-6.8	4	5.0	1.7-13.7	5	5.6	1.4-20.1
Been put at risk in a car when someone was driving after drinking	No	59	85.3	74.7-91.9	63	90.4	79.6-95.8	69	99.1	93.7-99.9	65	93.6	83.4-97.7	66	95.0	84.4-98.5
	Yes	10	14.7	8.1-25.3	7	9.6	4.2-20.4	1	0.9	0.1-6.3	4	6.4	2.3-16.6	3	5.0	1.5-15.6
Felt genuinely concerned that they may cause harm to my children or someone else's children	No	36	70.7	54.6-82.9	48	94.1	82.4-98.2	50	98.6	90.0-99.8	49	96.9	87.6-99.3	49	95.8	74.8-99.4
	Yes	15	29.3	17.1-45.4	3	5.9	1.8-17.6	1	1.4	0.2-10.0	2	3.1	0.7-12.4	2	4.2	0.6-25.2
Had to spend my personal time caring for a person with a long term health condition or disability that resulted from their current or previous drinking	No	49	91.2	78.1-96.8	49	91.0	79.4-96.4	53	97.9	91.0-99.5	52	96.4	86.2-99.2	53	97.8	84.9-99.7
	Yes	5	8.8	3.2-21.9	5	9.0	3.6-20.6	1	2.2	0.5-9.0	2	3.6	0.8-13.8	1	2.2	0.3-15.1
Been physically hurt due to them accidentally injuring me (e.g. by falling on me)	No	49	96.8	90.0-99.0	51	99.2	94.4-99.9	46	89.5	73.4-96.3	47	91.5	79.3-96.8	49	97.0	86.4-99.4
	Yes	2	3.2	1.0-10.0	0	0.8	0.1-5.6	5	10.6	3.7-26.6	4	8.5	3.2-20.7	2	3.0	0.6-13.6
Had money that would have improved the quality of my life spent on their alcohol-related purchases	No	43	95.6	86.2-98.7	40	87.5	73.4-94.6	40	88.9	72.6-96.0	44	95.9	83.2-99.1	45	98.1	87.0-99.8
	Yes	2	4.4	1.3-13.8	6	12.5	5.4-26.6	5	11.1	4.0-27.4	2	4.1	0.9-16.8	1	1.9	0.2-13.0
Drank alcohol myself in order to cope with the problems caused by their drinking	No	26	90.3	75.9-96.5	27	93.8	76.5-98.6	27	92.2	73.8-98.0	25	87.3	66.8-95.9	28	95.7	81.5-99.1
	Yes	3	9.7	3.5-24.1	2	6.2	1.4-23.5	2	7.9	2.0-26.2	4	12.7	4.1-33.2	1	4.3	0.9-18.5
Felt forced or pressured into sex or something sexual	No	23	85.5	65.7-94.8	26	95.4	70.5-99.4	24	86.3	62.9-95.9	23	83.4	61.0-94.2	27	100.0	-
	Yes	4	14.5	5.2-34.3	1	4.7	0.6-29.5	4	13.7	4.1-37.1	5	16.6	5.8-39.0	0	0.0	-
Had to move out of my usual place of residence and stay somewhere else	No	20	94.0	63.8-99.3	13	59.9	34.8-80.7	21	100.0	-	21	97.4	81.0-99.7	21	100.0	-
	Yes	1	6.0	0.7-36.2	9	40.1	19.3-65.2	0	0.0	-	1	2.6	0.3-19.0	0	0.0	-

Supplementary Table 4: Frequency of harm by harm type (as a percentage of those who experienced each harm), weighted data

	Frequency	Percentage	95% CI
Been kept awake due to noise or disruption	Daily or almost daily (i.e. 4-7 days per week)	2.4	1.3- 4.3
	Weekly (i.e. 1-3 times per week)	12.1	9.0-16.1
	Monthly (i.e. 2-3 times per month)	18.4	14.5-23.2
	Less than once a month	67.1	61.7- 72.2
Felt uncomfortable or anxious at a social occasion (e.g. a party)	Daily or almost daily (i.e. 4-7 days per week)	1.5	0.6-3.9
	Weekly (i.e. 1-3 times per week)	1.0	0.4-2.6
	Monthly (i.e. 2-3 times per month)	8.0	5.3-12.0
	Less than once a month	89.5	85.2-92.6
Had a serious argument that did NOT include physical violence	Daily or almost daily (i.e. 4-7 days per week)	1.4	0.4-4.4
	Weekly (i.e. 1-3 times per week)	4.8	2.7-8.6
	Monthly (i.e. 2-3 times per month)	7.0	4.3-11.3
	Less than once a month	86.7	81.5-90.6
Been let down by someone due to them failing to do something that I was counting on them to do because of their drinking	Daily or almost daily (i.e. 4-7 days per week)	3.9	1.7-8.6
	Weekly (i.e. 1-3 times per week)	9.6	5.5-16.4
	Monthly (i.e. 2-3 times per month)	13.6	8.9-20.3
	Less than once a month	72.9	64.6-79.8
Been emotionally hurt or neglected	Daily or almost daily (i.e. 4-7 days per week)	9.0	5.0-15.5
	Weekly (i.e. 1-3 times per week)	7.6	4.1-13.4
	Monthly (i.e. 2-3 times per month)	15.1	10.0-22.3
	Less than once a month	68.3	59.6-75.9
Felt physically threatened	Daily or almost daily (i.e. 4-7 days per week)	4.6	2.1-9.9
	Weekly (i.e. 1-3 times per week)	4.4	2.0-9.7
	Monthly (i.e. 2-3 times per month)	7.6	3.8-14.8
	Less than once a month	83.3	75.2-89.2
Had to stop seeing or being in contact with someone because of their drinking	Daily or almost daily (i.e. 4-7 days per week)	19.3	11.9-29.6
	Weekly (i.e. 1-3 times per week)	10.4	5.5-18.7
	Monthly (i.e. 2-3 times per month)	9.4	5.2-16.5
	Less than once a month	61.0	50.1-70.8
Had to contact the police	Daily or almost daily (i.e. 4-7 days per week)	7.8	3.6-16.2
	Weekly (i.e. 1-3 times per week)	6.5	2.6-15.5
	Monthly (i.e. 2-3 times per month)	7.5	3.8-14.1
	Less than once a month	78.2	67.9-85.9
Had someone break or damage something that mattered to me	Daily or almost daily (i.e. 4-7 days per week)	3.2	0.9-10.7
	Weekly (i.e. 1-3 times per week)	5.0	1.9-12.5
	Monthly (i.e. 2-3 times per month)	7.4	3.6-14.5
	Less than once a month	84.4	74.9-90.8
Been physically hurt due to them assaulting me or acting violently	Daily or almost daily (i.e. 4-7 days per week)	7.1	2.6-18.2
	Weekly (i.e. 1-3 times per week)	6.3	2.0-17.7
	Monthly (i.e. 2-3 times per month)	11.0	5.5-20.8
	Less than once a month	75.6	62.8-85.0
Been put at risk in a car when someone was driving after drinking	Daily or almost daily (i.e. 4-7 days per week)	8.6	3.4-19.9
	Weekly (i.e. 1-3 times per week)	3.2	0.7-13.0
	Monthly (i.e. 2-3 times per month)	8.5	3.3-20.1
	Less than once a month	79.7	66.6-88.6
Felt genuinely concerned that they may cause harm to my children or someone else's children	Daily or almost daily (i.e. 4-7 days per week)	6.1	1.8-18.1
	Weekly (i.e. 1-3 times per week)	7.1	2.4-19.2
	Monthly (i.e. 2-3 times per month)	24.5	12.9-41.4
	Less than once a month	62.3	45.7-76.5
Had to spend my personal time caring for a person with a long term health condition or disability that resulted from their current or previous drinking	Daily or almost daily (i.e. 4-7 days per week)	19.4	10.2-33.8
	Weekly (i.e. 1-3 times per week)	15.6	7.5-29.7
	Monthly (i.e. 2-3 times per month)	28.0	16.5-43.6
	Less than once a month	37.0	23.8-52.4
Been physically hurt due to them accidentally injuring me (e.g. by falling on me)	Daily or almost daily (i.e. 4-7 days per week)	3.9	0.9-15.7
	Weekly (i.e. 1-3 times per week)	8.1	2.8-21.3
	Monthly (i.e. 2-3 times per month)	11.7	5.0-24.7
	Less than once a month	76.3	61.2-86.8
Had money that would have improved the quality of my life spent on their alcohol-related purchases	Daily or almost daily (i.e. 4-7 days per week)	6.3	1.9-19.1
	Weekly (i.e. 1-3 times per week)	7.6	2.1-24.0
	Monthly (i.e. 2-3 times per month)	35.8	21.3-53.4
	Less than once a month	50.3	33.7-66.7
Drank alcohol myself in order to cope with the problems caused by	Daily or almost daily (i.e. 4-7 days per week)	5.2	1.0-22.4

	Frequency	Percentage	95% CI
their drinking	Weekly (i.e. 1-3 times per week)	20.7	8.1-43.5
	Monthly (i.e. 2-3 times per month)	42.5	23.0-64.8
	Less than once a month	31.6	14.9-54.9
Felt forced or pressured into sex or something sexual	Daily or almost daily (i.e. 4-7 days per week)	2.4	0.3-17.6
	Weekly (i.e. 1-3 times per week)	4.5	0.5-28.7
	Monthly (i.e. 2-3 times per month)	2.1	0.3-15.5
	Less than once a month	91.0	72.0-97.5
Had to move out of my usual place of residence and stay somewhere else	Daily or almost daily (i.e. 4-7 days per week)	8.1	1.6-31.8
	Weekly (i.e. 1-3 times per week)	12.0	2.5-42.1
	Monthly (i.e. 2-3 times per month)	6.1	1.3-24.8
	Less than once a month	73.8	47.4-89.8