

Data Extraction Form

General Study Information

Author/s:

Year:

Title of the article:

Funding source:

Geographic location (country):

Intervention Characteristics

Classified as “early intervention” based on:

Name of intervention:

Brief description of intervention:

Type of intervention:

*(Psychosocial, cognitive-behavioural, counseling,
case management, respite, support, multi-component)*

Type of intervention specified in article or during extraction:

Theoretical basis of intervention:

Length of intervention:

Intervention setting for delivery:

Study Characteristics:

Objectives:

Design:

Design specified in article or during extraction:

Recruitment procedures:

Inclusion criteria:

Exclusion criteria:

Comparator group/s:

Sample size of main intervention group:
(*actually measured*)

Sample size of comparator group/s:
(*actually measured*)

Participant Characteristics (for total sample; repeat for intervention and comparator groups if possible)

Caregivers:

Definition of “caregiver”:

Geographic location:
(*rural/urban; frequencies*)

Caregiver sex:
(*frequencies*)

Relationship of caregiver to care recipient:
(*frequencies*)

Time spent caregiving (record both time in months/years and time per week/day)
(*mean*)

Primary caregiver status reported? (Yes/no)
(*frequencies if available*)

Lives in same dwelling as care recipient
(*frequencies*)

Care recipients:

Geographic location:
(*rural/urban; frequencies*)

Care recipient sex:
(*frequencies*)

Type of dementia:
(*frequencies*)

Co-morbidities:
(frequencies or mean)

Type of cognitive testing scores and reported mean or category:

Outcome Information:

For EACH relevant measurement of intervention effect:

Construct measured:

Length of time after intervention before first follow-up:

Additional follow up measurements:
(time)

Measurement tool:

Statistical techniques used for analysis:

Raw mean and standard deviation at each measurement point, intervention group:
(frequencies if applicable)

Raw mean and standard deviation at each measurement point, comparator:
(frequencies if applicable)

Change scores (if applicable), intervention group:

Change scores (if applicable), comparator group:

Statistical outcome/s:
(include p-value)

Confidence intervals:

Effect size:
(reported or calculated standardized mean difference)

Comparison between the effect of early and later intervention:

Timing of intervention, “early” group:

Timing of intervention, “later” group:

Outcome measured:

Measurement tool:

Statistical techniques used for analysis:

Raw mean and standard deviation at each measurement point, early group:
(frequencies if applicable)

Raw mean and standard deviation at each measurement point, later group/s:
(frequencies if applicable)

Change scores, early group (if applicable):

Change scores, later group:

Statistical outcome/s of comparisons:
(include p-value)

Confidence intervals:

Effect size:
(reported or calculated standardized mean difference)

For EACH comparison of intervention effect between subgroups of caregivers

Care recipient or caregiver characteristic examined:

Construct measured:

Measurement tool:

Statistical techniques used for analysis:

Raw mean and standard deviation at each measurement point,
group 1 (repeat for each group being compared):
(frequencies if applicable)

Change scores, group 1 (repeat for each group being compared):

Statistical outcome/s of comparisons:
(include p-value)

Confidence intervals:

Effect size:

(reported or calculated standardized mean difference)

Additional outcomes assessed (*i.e.*, not measures of wellbeing or ability to provide care. List/describe):

Other information of interest to this review: