

**Use of a home-based urinary pregnanediol 3-glucuronide (PDG) test to confirm ovulation**  
**Dr. Rene Leiva, Bruyère Research Institute**

**Home-Test User Evaluation**

The purpose of this questionnaire is to collect feedback from you on the ease of use and acceptability of the Urine Pregnanediol (PDG) kit and the study procedures. Your information will help us to design a larger future study. The questionnaire takes approximately 5 to 10 minutes to complete. You may skip any question you are not comfortable answering.

Thank you for taking the time to provide us with your valuable feedback.

**PACKAGE INSERT**

Please **circle** the answer that best fits your opinion.

1. Did you use the PDG urinary strip package insert during the study?    Yes        No

**IF YES, PROCEED TO QUESTION 2**

**IF NO, PROCEED TO QUESTION 6**

2. The package insert clearly explained the purpose of the PDG urinary strips.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

3. The package insert was easy to understand.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

4. The **diagram** in the package insert on how to use the urinary strips was helpful.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

5. The **written instructions** provided in the package insert on how to use the strips were clear and easy to follow.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

**PDG STRIPS**

Please **circle** the answer that best fits your opinion.

6. The PDG urinary strips were easy to use.

Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer

If you disagree or strongly disagree, please explain:

---

---

7. The PDG urinary strip results were easy to determine.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

8. You would purchase this product if you needed a home monitoring kit to determine whether you have ovulated or not.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

**STUDY PROCEDURES**

Please **circle** the answer that best fits your opinion.

10. The stipend provided was enough to cover your costs for coming to the study site and to the lab for blood.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

11. The study team provided clear and sufficient information for you to accurately complete the study diary.

*Strongly Agree    Agree    Neutral    Disagree    Strongly Disagree    Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

12. The study materials provided were easy to understand and follow on your own.

Strongly Agree   Agree   Neutral   Disagree   Strongly Disagree   Prefer not to answer

If you disagree or strongly disagree, please explain:

---

---

13. The telephone/email reminders from the study team were frequent enough and helpful.

*Strongly Agree   Agree   Neutral   Disagree   Strongly Disagree   Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

14. The blood draw service provided by LifeLabs was very good.

*Strongly Agree   Agree   Neutral   Disagree   Strongly Disagree   Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

15. You would be interested in possibly participating in a future study that compares the PDG urine test to a transvaginal ultrasound to confirm ovulation. This study would involve more study visits and procedures.

*Strongly Agree   Agree   Neutral   Disagree   Strongly Disagree   Prefer not to answer*

If you disagree or strongly disagree, please explain:

---

---

Please provide any other comments or information that might help us improve the study or the Urine Pregnanediol (PDG) kit.

*Prefer not to answer*

---

---

---

Thank you for completing this survey.