Correction: *what interventions are effective in improving uptake and retention of HIV-positive pregnant and breastfeeding women and their infants in prevention of mother to child transmission care programmes in low-income and middle-income countries? A systematic review and meta-analysis*

Puchalski Ritchie LM, van Lettow M, Pham B on behalf of the the PURE consortium, *et al.* What interventions are effective in improving uptake and retention of HIV-positive pregnant and breastfeeding women and their infants in prevention of mother to child transmission care programmes in low-income and middle-income countries? A systematic review and meta-analysis. *BMJ Open* 2019;9:e024907. doi: 10.1136/bmjopen-2018-024907

This article was previously published with an error in data in Table 2.

Table 2: Phiri 2017, column: outcomes for intervention group, item #1 reads, ART uptake: FBPS: 366/428 (52%), CBPS:355/394 (90%).

It should read FBPS:366/428 (86%). CBPS: 355/394 (90%).

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

BMJ Open 2019;9:e024907corr1. doi:10.1136/bmjopen-2018-024907corr1