

Supplementary Table 6. Dose of the index NOAC prescription among patients with and without a NOAC prescription at 6 months.

Index NOAC	Patients with at least 6 months of follow-up and still prescribed a NOAC at 6 months		Patients not prescribed a NOAC at 6 months (i.e. remaining patients)		TOTAL	
Apixaban	N=6667		N=4167		N=10,834	
	n	%	n	%	n	%
5 mg	2258	33.9	1515	36.4	3773	34.8
10 mg	4409	66.1	2652	63.6	7061	65.2
Dabigatran	N=2827		N=1554		N=4381	
	n	%	n	%	n	%
110 mg	63	2.2	38	2.4	101	2.3
150 mg	131	4.6	65	4.2	196	4.5
220 mg	1290	45.6	776	49.9	2066	47.2
300 mg	1343	47.5	675	43.4	2018	46.1
Rivaroxaban	N=9750		N=5502		N=15,252	
	n	%	n	%	n	%
10 mg	246	2.5	144	2.6	390	2.6
15 mg	1648	16.9	1043	19.0	2691	17.6
20 mg	7819	80.2	4272	77.6	12,091	79.3
≥30 mg	37	0.3	43	0.8	80	0.5

NOAC, non-vitamin K antagonist oral anticoagulant