

Supplementary Table 1. Quality of Life Dimension Results (EQ5D) by Cancer Sub group

EQ5D dimension		Breast (n=854)		Colorectal (n=802)		Non Hodgkin's Lymphoma (n=778)		Prostate (n=866)		Total (n=3300)	
		n	%	n	%	n	%	n	%	n	%
Mobility $\chi^2=51.3$, $p<0.001$	No Problems	567	66.4	442	55.1	427	54.9	535	61.8	1971	59.7
	Slight Problems	105	12.3	159	19.8	140	18.0	131	15.1	535	16.2
	Moderate Problems	107	12.5	120	15.0	120	15.4	97	11.2	444	13.5
	Severe Problems	46	5.4	57	7.1	71	9.1	69	8.0	243	7.4
	Cannot walk	8	0.9	13	1.6	6	0.8	4	0.4	31	0.9
	Missing	21	2.5	11	1.4	14	1.8	30	3.5	76	2.3
Self Care $\chi^2=30.4$, $p=0.002$	No Problems	716	83.8	651	81.2	611	78.5	704	81.3	2682	81.3
	Slight Problems	47	5.5	67	8.4	66	8.5	78	9.0	258	7.8
	Moderate Problems	45	5.3	46	5.7	71	9.1	44	5.1	206	6.2
	Severe Problems	12	1.4	18	2.2	12	1.5	9	1.0	51	1.5
	Cannot wash/dress	6	0.7	9	1.1	4	0.5	4	0.5	23	0.7
	Missing	28	3.3	11	1.4	14	1.8	27	3.1	80	2.4
Usual Activities $\chi^2=34.5$, $p<0.001$	No Problems	513	60.1	429	53.5	411	52.8	533	61.5	1886	57.2
	Slight Problems	162	19.0	173	21.6	156	20.1	145	16.7	636	19.3
	Moderate Problems	111	13.0	113	14.1	127	16.3	104	12.1	455	13.7
	Severe Problems	31	3.6	48	6.0	49	6.3	43	5.0	171	5.2
	Cannot do usual activities	14	1.6	24	3.0	26	3.3	15	1.7	79	2.4
	Missing	23	2.7	15	1.8	9	1.2	26	3.0	73	2.2
Pain $\chi^2=134.3$, $p<0.001$	No Pain	329	38.5	429	53.5	408	52.4	526	60.7	1692	51.3
	Slight Pain	341	39.9	220	27.4	180	23.1	169	19.5	910	27.6
	Moderate Pain	113	13.2	92	11.5	120	15.4	101	11.7	426	12.9
	Severe Pain	39	4.6	35	4.4	51	6.6	38	4.4	163	4.9
	Extreme Pain	5	0.6	9	1.1	10	1.3	3	0.3	27	0.8
	Missing	27	3.2	17	2.1	9	1.2	29	3.3	82	2.5
Anxiety/ depression $\chi^2=37.1$, $p<0.001$	No anxiety/depression	475	55.6	504	62.8	464	59.6	566	65.4	2009	60.9
	Slight anxiety/depression	241	28.2	196	24.4	186	23.9	183	21.1	806	24.4
	Moderate anxiety/depression	78	9.1	78	9.7	83	10.7	76	8.8	315	9.5
	Severe anxiety/depression	21	2.5	6	0.8	21	2.7	8	0.9	56	1.7
	Extreme anxiety/depression	10	1.2	4	0.5	8	1.0	4	0.5	26	0.8
	Missing	29	3.4	14	1.8	16	2.1	29	3.3	88	2.7

Supplementary Table 2 Quality of Life Dimension Results (EQ5D) by time since diagnosis of cancer

		1 year (n=848)		2 years (n=834)		3 years (n=806)		5 years (n=812)		Total (n=3300)		
		N	%	N	%	N	%	N	%	N	%	
Mobility	No Problems	521	61.4	501	60.1	486	60.3	463	57.0	1971	59.7	
	$\chi^2=21.1, p=0.05$	Slight Problems	150	17.7	123	14.7	127	15.8	135	16.6	535	16.2
	Moderate Problems	93	11.0	116	13.9	104	12.9	131	13.1	444	13.5	
	Severe Problems	62	7.3	62	7.4	56	6.9	63	7.8	243	7.4	
	Cannot walk	2	0.2	8	9.6	13	1.6	8	1.0	31	0.9	
	Missing	20	2.4	24	2.9	20	2.5	12	1.5	76	2.3	
Self Care	No Problems	696	82.1	674	80.8	659	81.8	653	80.4	2682	81.3	
	$\chi^2=10.2, p=0.59$	Slight Problems	59	6.9	65	7.8	61	7.6	73	9.0	258	7.8
	Moderate Problems	57	6.7	56	6.7	42	5.2	51	6.3	206	6.2	
	Severe Problems	12	1.4	12	1.4	14	1.7	13	1.6	51	1.5	
	Cannot wash/dress	3	0.4	4	0.5	10	1.2	6	0.7	23	0.7	
	Missing	21	2.5	23	2.8	20	2.5	16	2.0	80	2.4	
Usual Activities	No Problems	465	54.8	474	56.8	465	57.7	482	59.4	1886	57.2	
	$\chi^2=13.9, p=0.31$	Slight Problems	181	21.3	157	18.8	161	20.0	137	16.9	636	19.3
	Moderate Problems	131	15.4	112	13.4	95	11.8	117	14.4	455	13.7	
	Severe Problems	35	4.1	45	5.4	44	5.5	47	5.8	171	5.2	
	Cannot do usual activities	18	2.1	19	2.3	23	2.8	19	2.3	79	2.4	
	Missing	18	2.1	27	3.2	18	2.2	10	1.2	73	2.2	
Pain	No Pain	421	49.6	412	49.4	435	54.0	424	52.2	1692	51.3	
	$\chi^2=18.0, p=0.12$	Slight Pain	262	30.9	237	28.4	198	24.6	213	26.2	910	27.6
	Moderate Pain	101	11.9	112	13.4	105	13.0	108	13.3	426	12.9	
	Severe Pain	34	4.0	44	5.3	38	4.7	47	5.8	163	4.9	
	Extreme Pain	7	0.8	6	0.7	11	1.4	3	0.4	27	0.8	
	Missing	23	2.7	23	2.8	19	2.4	17	2.1	82	2.5	
Anxiety/depression	No anxiety/depression	466	55.0	505	60.6	499	61.9	539	66.4	2009	60.9	
	$\chi^2=25.8, p=0.01$	Slight anxiety/depression	244	28.8	195	23.4	196	24.3	171	21.1	806	24.4
	Moderate anxiety/depression	88	10.4	86	10.3	68	8.4	73	9.0	315	9.5	
	Severe anxiety/depression	20	2.4	13	1.5	13	1.6	10	1.2	56	1.7	
	Extreme anxiety/depression	6	0.7	8	1.0	6	0.7	6	0.7	26	0.8	
	Missing	24	2.8	27	3.2	24	3.0	13	1.6	88	2.7	

Supplementary Table 3. EQ5D outcome category by the number of Long Term Conditions (LTC) in patients in remission

EQ5D Categories	High QoL (Scores=1)		Medium QoL (0.5≤Scores<1)		Low QoL (Scores<0.5)		Missing		Total
	n	%	n	%	n	%	n	%	
No LTC	436	51.4	376	44.3	18	2.1	18	2.1	848
1 LTC	250	36.2	378	54.7	40	5.8	23	3.3	691
≥2 LTC	129	18.8	419	60.9	119	17.3	21	3.1	688
Total	815	36.6	1,173	52.7	177	7.9	62	2.8	2,227

Supplementary Table 4. EQ5D outcome category by the number of Long Term Conditions (LTC) in patients not in remission

EQ5D Categories	High QoL (Scores=1)		Medium QoL (0.5≤Scores<1)		Low QoL (Scores<0.5)		Missing		Total
	n	%	n	%	n	%	n	%	
No LTC	79	33.9	130	55.8	15	6.4	9	3.9	233
1 LTC	64	23.1	175	63.2	25	9.0	13	4.7	277
≥2 LTC	37	11.9	166	53.2	94	30.1	15	4.8	312
Total	180	21.9	471	57.3	134	16.3	37	4.5	822

Supplementary Table 5. Fear of Dying and Recurrence of Disease by Time since Diagnosis

Fear of Dying	Yes%		No		Missing		Total
	n	%	n	%	n	%	
1 year ago	256	30.2	542	63.9	50	5.9	848
2 years ago	233	27.9	543	65.1	58	7.0	834
3 years ago	214	26.6	531	65.9	61	7.6	806
5 years ago	180	22.2	583	71.8	49	6.0	812
Total	883	26.8	2,199	66.6	218	6.6	3,300
Fear of Recurrence	n	%	n	%	n	%	
1 year ago	437	51.5	369	43.5	42	5.0	848
2 years ago	403	48.3	398	47.7	33	4.0	834
3 years ago	376	46.7	384	47.6	46	5.7	806
5 years ago	345	42.5	427	52.6	40	4.9	812
Total	1,561	47.3	1,578	47.8	161	4.9	3,300