

Supplementary table

Modeling the Impact on Chronic Disease of Incorporating the Societal Cost of
Greenhouse Gases into the Price of Food

Adam DM Briggs

Ariane Kehlbacher

Richard Tiffin

Tara Garnett

Mike Rayner

Peter Scarborough

Contents

Supplemental Table, S1.....	2
Reference.....	3

Supplementary Table, S1. Number of people in the UK consuming less than the recommended daily intake of micronutrients following tax scenarios (a) and (b) (000s).

	Recommended daily intake ¹	Baseline	Scenario (a) (95% CIs)	Scenario (b) (95% CIs)
Iron (mg/day)	Female: 14.8; Male: 8.7	37,119	38,027 (37,920 to 38,135)	36,711 (36,543 to 36,977)
Calcium (mg/day)	700	16,507	16,741 (16,668 to 16,851)	15,000 (14,814 to 15,182)
Zinc (mg/day)	Female: 4-7; Male: 5.5-9.5	18,361	19,766 (19,539 to 20,004)	18,675 (18,443 to 18,911)
Vitamin A (µg /day)	Female: 600; Male: 700	23,982	25,035 (24,926 to 25,152)	24,391 (24,270 to 24,518)
Vitamin B12 (µg/day)	1.5	624	710 (699 to 722)	617 (603 to 632)

Assumes 2010 UK population of 62,262,000. CI, credible intervals

Reference

- 1 Department of Health. NHS Choices. Healthy eating. 2012.<http://www.nhs.uk/livewell/healthy-eating/Pages/Healthyeating.aspx> (accessed 6 Jun2013).