

## **Appendix 1: Reference list of the 185 studies meeting the eligibility criteria for the systematic review on the range of physical health risks associated with FGM/C**

- Abdalla RHD. *Sisters in affliction. Circumcision and infibulation of women in Africa*. London: Zed Press; 1982.
- Abor PA. Female genital mutilation: Psychological and reproductive health consequences. The case of Kayoro traditional area in Ghana. *Gender Behav* 2006; 4(1): 659–684.
- Aboyeji AP, Ijaiya MA. Childhood benign surgical gynecological disorders in Ilorin, Nigeria. *Trop J Obstet Gynaecol* 2003; 20: 37–39.
- Adekunle AO, Fakokunde FA, Odukogbe AA, Fawole AO. Female genital mutilation - postcircumcision vulval complications in Nigerians. *J Obstet Gynaecol* 1999; 19(6): 632–635.
- Adelusi A, Akande EO, Onifade A. Acquired gynaetresia in Ibadan. *Niger Med J* 1976; 6(2): 198–200.
- Adetoro OO, Ebomoyi E. Health implications of traditional female circumcision in pregnancy. *Asia Oceania J Obstet Gynaecol* 1986; 12(4): 489–492.
- Adinma JI. Current status of female circumcision among Nigerian Igbos. *West Afr J Med* 1997; 16(4): 227–231.
- Agugua NE, Egwuatu VE. Female circumcision: Management of urinary complications. *J Trop Pediatr* 1982; 28(5): 248–252.
- Akotionga M, Traore O, Lakoande J, Kone B. External genital excision sequelae at the Yalgado Ouedraogo national central hospital: epidemiology and surgical treatment. *Gynecol Obstet Fertil* 2001; 29(4): 295–300.
- Akpuaka FC. Vulval adhesions following female circumcision in Nigeria. *Postgraduate Doc Afr* 1998; 13(4): 98–99.
- Ali ME, Merghani OA, Alla MA. Female genital mutilation as a cause of female infertility. *Fertil Steril* 1998; S451.
- Almroth L, Elmusharaf S, El Hadi N, et al. Primary infertility after genital mutilation in girlhood in Sudan: a case-control study. *Lancet* 2005; 366(9483): 385–391.
- Almroth L, Bedri H, El Musharaf S, et al. Urogenital complications among girls with genital mutilation: a hospital based study in Khartoum. *Afr J Reprod Health* 2005; 9(2): 118–124.
- Alsibiani S, Rouzi AA. Sexual functioning in women with female genital mutilation. *Fertil Steril* 2010; 93(3): 722–724.
- Al Hussaini TK. Female genital cutting: Types, motives and perineal damage in laboring Egyptian women. *Med Princ Pract* 2003; 12(2): 123-8.
- Al Maghrabi J, Kanaan H, Bondagji N. Postcircumcision epidermoid inclusion cyst of the vulva containing multiple stones. *Int J Gynaecol Obstet* 2005; 90(2): 155–156.
- Arbesman M, Kahler L, Buck GM. Assessment of the impact of female circumcision on the gynecological, genitourinary and obstetrical health problems of women from Somalia: literature review and case series. *Wom Health* 1993; 20(3): 27–42.
- Asante A, Omurtag K, Roberts C. Epidermal inclusion cyst of the clitoris 30 years after female genital mutilation. *Fertil Steril* 2010; 94(3): 1097 e1–e3.
- Assaad MB. Female circumcision in Egypt: social implications, current research, and prospects for change. *Stud Fam Plann* 1980; 11(1): 3-16.
- Asuen MI. Maternal septicaemia and death after circumcision. *Trop Doc* 1977; 7(4): 177–178.

- Awang NA, Viegas C, Viegas OAC. Incomplete bladder emptying due to labial fusion in a pubertal girl: a delayed consequence of female circumcision. *Aust N Z J Obstet Gynaecol* 2004; 44(4): 372–373.
- Awuah JB. Female genital mutilation: a study in Aboabo, a suburb of Kumasi, Ghana. *W Afr J Nursing* 2008; 19(1): 26–32.
- Aziz FA. Gynecologic and obstetric complications of female circumcision. *Int J Gynaecol Obstet* 1980; 17(6): 560–563.
- Baaij M, Kagie MJ. Female circumcision; histories of 3 patients. *Ned Tijdschr Geneesk* 1999; 143(34): 1721–1724.
- Badejo OA. Complications of circumcision: The Ife experience. *Nigerian Med Pract* 1983; 5(3): 103–109.
- Balk D. To marry and bear children? The demographic consequences of infibulation in Sudan. In: Bettina Shell-Duncan, Ylva Hernlund (Eds). *Female 'circumcision' in Africa. Culture, controversy and change*. London: Lynne Rienner Publishers; 2000. p. 55–71.
- Bankole Sanni R, Coulibali B, Nandiolo R, Denoulet C, Vodi T. Les séquelles de la circoncision et de l'excision traditionnelles. *Médecine d'Afrique Noire* 1997; 44(4): 239–242.
- Bayouhd F, Barrak S, Ben Fredj N, Allani R, Hamdi M. Study of a common practice in Somalia: Female circumcision. *Med Trop* 1995; 55(3): 238–242.
- Berardi JC, Teillet JF, Godard J, Laloux V, Allane P, Franjou MH. Conséquences obstétricales de l'excision féminine. Etude chez 71 femmes africaines excisées. *J Gynecol Obstet Biol Reprod* 1985; 14(6): 743–746.
- Bitho MS, Sylla S, Toure K, Akpo C, Boukary I, Mensah A, et al. Accidents of circumcision and excision in the African environment. *Bull Soc Med Afr Noire* 1975; 20(3): 249–255.
- Bohoussou KM, Anongba S, Djanhan Y, Boni S, Ble B, Sangaret MA. Complications gynécologiques médicales et obstétricales de l'excision rituelle. *Afr Med* 1986; 25, 160–162.
- Bonessio L, Bartucca B, Bertelli S, Morini F, Aleandri V, Spina V. Female genital mutilation: FGM patients treated at the "Umberto I" polyclinic of Rome: 1985-1996. *Clin Ter* 2001; 152(3): 171–177.
- Brewer DD, Potterat JJ, Roberts JM Jr, Brody S. Male and female circumcision associated with prevalent HIV infection in virgins and adolescents in Kenya, Lesotho, and Tanzania. *Ann Epidemiol* 2007; 17(3): 217–226.
- Briggs LA. Female circumcision in Nigeria: Is it not time for government intervention? *Health Care Analysis* 1998; 6(1): 14–23.
- Brisson P, Patel H, Feins N. Female circumcision. *J Pediatr Surg* 2001; 36(7): 1068–1069.
- Brown Y, Calder B, Rae D. Female circumcision. *Can Nurse* 1989; 85(4): 19.
- Browning A, Allsworth JE, Wall LL. The relationship between female genital cutting and obstetric fistulae. *Obstet Gynecol* 2010; 115(3): 578–583.
- Cellule de Planification et de Statistique du Ministère de la Santé (CPS/MS), Direction Nationale de la Statistique et de l'Informatique (DNSI), ORC Macro. Enquête démographique et de santé au Mali 2001. Calverton, Maryland, USA: CPS/MS, DNSI, ORC Macro; 2002.
- Cellule de Planification et de Statistique du Ministère de la Santé (CPS/MS), Direction Nationale de la Statistique et de l'Informatique du Ministère de l'Économie, de l'Industrie et du Commerce (DNSI/MEIC), Macro International Inc. Enquête démographique et de santé du Mali 2006. Calverton, Maryland, USA: CPS/DNSI, Macro International Inc.; 2007.
- Central Statistical Organization (CSO), Macro International Inc. Yemen demographic and maternal and child health survey 1997. Calverton, Maryland: SCO, MI; 1998.

- Chalmers B, Kowser OH. 432 Somali women's birth experiences in Canada after earlier female genital mutilation. *Birth* 2000; 27(4): 227–234.
- Chen G, Dharia SP, Steinkampf MP, Callison S. Infertility from female circumcision. *Fertil Steril* 2004; 81(6): 1692–1694.
- Chibber R, El-Saleh E, El Harmi J. Female circumcision: Obstetrical and psychological sequelae continues unabated in the 21st century. *J Matern Fetal Neonatal Med* 2011; 24(6): 833–836.
- Dandash KF, Refaat AH, Eyada M. Female genital mutilation: A prospective view. *J Sex Marital Ther* 2001; 27(5): 459–464.
- Dandash KF, Refaat AH, Eyada M. Female genital mutilation: A descriptive study. *J Sex Marital Ther* 2001; 27(5): 453–458.
- Dare FO, Oboro VO, Fadiora SO, Orji EO, Sule-Odu AO, Olabode TO. Female genital mutilation: an analysis of 522 cases in South-Western Nigeria. *J Obstet Gynaecol* 2004; 24(3): 281–283.
- Dewhurst CJ, Michelson A. Infibulation complicating pregnancy. *Br Med J* 1964; 2(5422): 1442.
- De Silva S. Obstetric sequelae of female circumcision. *Eur J Obstet Gynecol Reprod Biol* 1989; 32(3): 233–240.
- Diejomaoh FM, Faal MK. Adhesion of the labia minora complicating circumcision in the neonatal period in a Nigerian community. *Trop Geogr Med* 1981; 33(2): 135–138.
- Direction Nationale de la Statistique (DNS), Ministère du Plan Conakry, ORC Macro. Enquête démographique et de santé, Guinée 2005. Calverton, Maryland: DNS, ORC Macro; 2006.
- Direction Nationale de la Statistique (DNS), Ministère du Plan et de la Coopération, Macro International Inc. Enquête démographique et de santé, Guinée 1999. Calverton, Maryland: DNS, Macro International Inc.; 2000.
- Dirie MA, Lindmark G. A hospital study of the complications of female circumcision. *Trop Doct* 1991; 21(4): 146–148.
- Dirie MA, Lindmark G. The risk of medical complications after female circumcision. *East Afr Med J* 1992; 69(9): 479–482.
- Diop N, Sangaré M, Tandia F, Touré K. Etude de l'efficacité de la formation du personnel socio-sanitaire dans l'éducation des client(e)s sur l'excision et dans le traitement de ses complications au Mali. Bamako, Mali: Population Council; 1998.
- Dorflinger A, Kuhn P, Dreher E. Female circumcision - (Not) A purely African problem. *Geburtshilfe Fr* 2000; 60(11): 531–535.
- Duvie SOA. Implantation dermoid of the clitoris. *J R Coll Surg Edinb* 1980; 25(4): 276–278.
- Egwuatu VE, Agugua NE. Complications of female circumcision in Nigerian Igbos. *Br J Obstet Gynaecol* 1981; 88(11): 1090–1093.
- Ekenze SO, Ezegwui HU, Adiri CO. Genital lesions complicating female genital cutting in infancy: a hospital-based study in south-east Nigeria. *Ann Trop Paediatr* 2007; 27(4): 285–290.
- Ekenze SO, Mbadiwe OM, Ezegwui HU. Lower genital tract lesions requiring surgical intervention in girls: Perspective from a developing country. *J Paediatr Child Health* 2009; 45(10): 610–613.
- Elgaali M, Strevens H, Mardh PA. Female genital mutilation – an exported medical hazard. *Eur J Contracept Reprod Health Care* 2005; 10(2): 93–97.
- El Dareer A. Complications of female circumcision in the Sudan. *Trop Doct* 1983; 13(3): 131–133.

- el Defrawi MH, Lotfy G, Dandash KF, Refaat AH, Eyada M. Female genital mutilation and its psychosexual impact. *J Sex Marital Ther* 2001; 27(5): 465–473.
- Elmusharaf S, Elkhidir I, Hoffmann S, Almroth L. A case-control study on the association between female genital mutilation and sexually transmitted infections in Sudan. *BJOG* 2006; 113(4): 469–474.
- Elnashar A, Abdelhady R. The impact of female genital cutting on health of newly married women. *Int J Gynaecol Obstet* 2007; 97(3): 238–244.
- El-Zanaty F, Way A, ORC Macro. Egypt demographic and health survey 2005. Cairo, Egypt: Ministry of Health and Population, National Population Council, El-Zanaty and Associates, ORC Macro; 2006.
- Epstein D, Graham P, Rimsza M. Medical complications of female genital mutilation. *J Am Coll Health* 2001; 49(6): 275–280.
- Erian MM, Goh JT. Female circumcision. *Aust N Z J Obstet Gynaecol* 1995; 35(1): 83–85.
- Etokidem AJ. HIV/AIDS transmission through female genital cutting: a case report. The XV International AIDS Conference; 2007.
- Essen B, Sjöberg NO, Gudmundsson S, Östergren PO, Lindqvist PG. No association between female circumcision and prolonged labour: a case control study of immigrant women giving birth in Sweden. *Eur J Obstet Gynecol Reprod Biol* 2005; 121(2): 182–185.
- Ezem BU. Delayed presentation of clitoridal cyst: a case report. *Niger J Med* 2007; 16(3): 272–273.
- Fahal AH, Sharfy AR. Vulval mycetoma: a rare cause of bladder outlet obstruction. *Trans R Soc Trop Med Hyg* 1998; 92(6): 652–653.
- Fernandez-Aguilar S, Noel J-C. Neuroma of the clitoris after female genital cutting. *Obstet Gynecol* 2003; 101(5 Suppl.): 1053–1054.
- Fillo GF, Leone T. Female genital cutting, reproductive tract infections and perinatal outcome in Burkina Faso. Paper presented 2007-3-29 at the Annual Meeting of the Population Association of America, New York.
- Fox E, de Ruiter A, Bingham JS. Female genital mutilation in a genitourinary medicine clinic: a case note review. *Int J STD AIDS* 1997; 8(10): 659–660.
- Franco G, Toma L, Nosotti L, Muscardin LM, Morrone A. Vulvar lymphangiectases on female genital mutilation mimicking genital warts. *J Eur Acad Dermatol Venereol* 2006; 20(8): 1017–1018.
- Frith K. Vaginal atresia of Arabia. Four cases. *BJOG* 1960; 67(1): 82–85.
- Gadallah A, Zarzour AH, El-Gibaly OM, Abdel Aty MA, Monazea IM. Knowledge, attitude and practice of women teachers on female circumcision in Assiut governorate. Final report. Assiut; 1996.
- German LJ. Some obstetrical aspects of salt-induced vaginal stenosis in Bahrain. *J Obstet Gynaecol Br Commonw* 1968; 75: 674–677.
- Giama AM, Ozoeze OD. Infibulation complication and reparatory operations. *Clin Exp Obstet Gyn* 1979; 6(3): 229–234.
- Hakim LY. Impact of female genital mutilation on maternal and neonatal outcomes during parturition. *East Afr Med J* 2001; 78(5): 255–258.
- Hall L. Arthritis after female circumcision. *East Afr Med J* 1963; 40: 55–57.
- Hamoudi A, Shier M. Late complications of childhood female genital mutilation. *J Obstet Gynecol Can* 2010; 32(6): 587–589.

- Hanly MG, Ojeda VJ. Epidermal inclusion cysts of the clitoris as a complication of female circumcision and pharaonic infibulation. *Cent Afr J Med* 1995; 41(1): 22–24.
- Hathout HM. Some aspects of female circumcision with case report of a rare complication. *J Obstet Gynaecol Br Emp* 1963; 70: 505–507.
- Holmgren B, da Silva Z, Larsen O, Vastrup P, Andersson S, Aaby P. Dual infections with HIV-1, HIV-2 and HTLV-I are more common in older women than in men in Guinea-Bissau. *AIDS* 2003; 17: 241–253.
- Ibrahim A, Rasch V, Pukkala E, Aro AR. Cervical cancer risk factors and feasibility of visual inspection with acetic acid screening in Sudan. *Int J Womens Health* 2011; 3: 117–122.
- Ibekwe PC. Physical and psychological sequelae of female genital mutilation: a case report. *Niger J Med* 2004; 13(3): 293–294.
- Inhorn MC, Buss KA. Infertility, infection, and iatrogenesis in Egypt: The anthropological epidemiology of blocked tubes. *Med Anthropol* 1993; 15(3): 217–244.
- Iregbulem LM. Post-circumcision vulval adhesions in Nigerians. *Br J Plast Surg* 1980; 33(1): 83–86.
- Ismail A. Female circumcision - Physical and mental complications. In *Traditional Practices affecting the health of women and children*. Alexandria, Egypt: World Health Organization; 1982. Report No.: 2.
- Institut National de la Statistique, de Études Économiques et Démographiques (INSEED), Ministère de l'Économie, du Plan et de la Coopération, ORC Macro. Enquête démographique et de santé Tchad 2004. Calverton, Maryland: INSEED, ORC Macro; 2005.
- Institut National de la Statistique et de l'Analyse Economique (INSAE), ORC Macro. Enquête démographique et de santé au Bénin 2001. Calverton, Maryland: INSAE, ORC Macro; 2002.
- Institut National de la Statistique et de la Demographie (INSD), Ministère de l'économie et du Développement, ORC Macro. Enquête démographique et de santé du Burkina Faso 2003. Calverton, Maryland: INSD, ORC Macro; 2004.
- Institut National de la Statistique et de l'Analyse Économique (INSAE), Macro International Inc. Enquête démographique et de Santé (EDSB-III) - Bénin 2006. Calverton, Maryland: INSAE, Macro International Inc.; 2007
- Jackson EF, Adongo PB, Bawah AA, Feinglass E, Phillips JF. The relationship between female genital cutting and fertility in Kassena-Nankana District of Northern Ghana. Paper presented 2005-3-31 at the Annual Meeting of the Population Association of America; Philadelphia.
- Jaleel H, Huengsberg M, Luesley D. Female genital mutilation – Case report and discussion. *Int J STD AIDS* 2002; 13(12): 850–851.
- Johnson EB, Reed SD, Hitti J, Batra M. Increased risk of adverse pregnancy outcome among Somali immigrants in Washington state. *Am J Obstet Gynecol* 2005; 193: 475–482.
- Jones H, Diop N, Askew I, Kabore I. Female genital cutting practices in Burkina Faso and Mali and their negative health outcomes. *Stud Fam Plann* 1999; 30(3): 219–230.
- Kanki P, M'Boup S, Marlink R, et al. Prevalence and risk determinants of Human Immunodeficiency Virus type 2 (HIV-2) and Human Immunodeficiency Virus type 1 (HIV-1) in West African female prostitutes. *Am J Epidemiol* 1992; 136: 895–907.
- Kaplan A, Hechavarria S, Martin M, Bonhoure I. Health consequences of female genital mutilation/cutting in the Gambia, evidence into action. *Reprod Health* 2011; 8(26).
- Klouman E, Manongi R, Klepp K-I. Self-reported and observed female genital cutting in rural Tanzania: Associated demographic factors, HIV and sexually transmitted infections. *Trop Med Int Health* 2005; 10(1): 105–115.

- Knight R, Hotchin A, Bayly C, Grover S. Female genital mutilation – experience of The Royal Women's Hospital, Melbourne. *Aust N Z J Obstet Gynaecol* 1999; 39(1): 50–54.
- Kothe W, Bellmann H, Joseph SK, Deckert F. Chronic recurrent cystopyelonephritis after female circumcision. *Z Urol Nephrol* 1973; 66(4): 279–284.
- Kristensen IB. Epithelial inclusion cyst of the clitoris as a late complication of childhood female circumcision. *Ugeskr Laeger* 2008; 170(1): 59.
- Kroll GL, Miller L. Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery. *Am J Obstet Gynecol* 2000; 183(2): 509–510.
- Larsen U. A comparative study of the levels and differentials of sterility in Cameroon, Kenya and Sudan. In: Ron J Lesthaeghe (Ed), *Reproduction and social organization in Sub-Saharan Africa*. London: University of California Press; 1989. p. 167–211.
- Larsen U. The effects of type of female circumcision on infertility and fertility in Sudan. *J Biosoc Sci* 2002; 34(3): 363–377.
- Larsen U, Okonofua FE. Female circumcision and obstetric complications. *Int J Gynaecol Obstet* 2002; 77(3): 255–265.
- Larsen U, Yan S. Does female circumcision affect infertility and fertility? A study of the Central African Republic, Cote d'Ivoire, and Tanzania. *Demography* 2000; 37(3): 313–321.
- Lashley LE, Feitsma HA. Diagnostic image. A woman with a vulvar swelling. *Ned Tijdschr Genesk* 2009; 153: A115.
- Laycock HT. Surgical aspects of female circumcision in Somaliland. *East Afr Med J* 1950; 27(11): 445–50.
- Leonard L. Female circumcision in Southern Chad: Origins, meaning, and current practice. *Soc Sci Med* 1996; 43(2): 255–263.
- Lenzi E. Damage caused by infibulation and infertility. *Acta Eur Fertil* 1970; 2(1): 47–58.
- Lenzi E, Santuari E. Infibulation and its consequences. *Riv Ital Ginecol* 1969; 53(6): 461–470.
- Litorp H, Franck M, Almroth L. Female genital mutilation among antenatal care and contraceptive advice attendees in Sweden. *Acta Obstet Gynecol Scand* 2008; 87(7): 716–722.
- Livermore L, Monteiro R, Rymer J. Attitudes and awareness of female genital mutilation: a questionnaire-based study in a Kenyan hospital. *J Obstet Gynaecol* 2007; 27(8): 816–8.
- Lupo VR, Marcotte KL. Obstetric complications of Somali female circumcision. *Obstet Gynecol* 1999; 93(4): 19S.
- MacLeod TL. Female genital mutilation. *J COGC* 1995; 17: 333–342.
- Mandara MU. Female genital mutilation in Nigeria. *Int J Gynaecol Obstet* 2004; 84(3): 291–298.
- Maslovskaya O, Brown JJ, Padmadas SS. Disentangling the complex association between female genital cutting and HIV among Kenyan women. *J Biosoc Sci* 2009; 41(6): 815–830.
- Mawad NM, Hassanein OM. Female circumcision: Three years' experience of common complications in patients treated in Khartoum teaching hospitals. *J Obstet Gynaecol* 1994; 14(1): 40–43.
- McCaffrey M. Female genital mutilation: consequences for reproductive and sexual health. *Sex Marital Ther* 1995; 10(2): 189–200.

- McCleary PH. Female genital mutilation and childbirth: a case report... including commentary by Omer-Hashi KH. *Birth Issues Perinat Care* 1994; 21(4): 221–226.
- McSwiney MM, Saunders PR. Female circumcision: a risk factor in postpartum haemorrhage. *J Postgrad Med* 1992; 38(3): 136–137.
- Millogo-Traore F, Akotionga M, Lankoande J. Infibulation complications: Three vaginal plastic surgeries at Kossodo (Burkina Faso). *Bull Soc Pathol Exot* 2002; 95(4): 250–252.
- Millogo-Traore F, Kaba ST, Thieba B, Akotionga M, Lankoande J. Pronostic maternel et foetal au cours de l'accouchement chez la femme excisee. *J Gynecol Obstet Biol Reprod* 2007; 36(4): 393–398.
- Ministère de l'Économie, du Plan et de la Coopération Internationale, Macro International Inc. Enquête démographique et de santé, République Centrafricaine 1994-95. Calverton, Maryland: Direction des Statistiques Démographiques et Sociales, Macro International Inc.; 1995.
- Ministere de la Sante. Evaluation of the prevalence, typology and complications of excision in women attending health clinics in Bazega. Burkina Faso; 1998. Report No.: 21.
- Modawi S. The impact of social and economic changes in female circumcision. Khartoum, Sudan, Sudan Medical Association. Sudan Medical Association Congress Series, 1974. p. 242–254.
- Mohammed AA, Mohammed AA. Necrotizing fasciitis complicating female genital mutilation: Case report. *East Mediterr Health J* 2010; 16(5): 578–579.
- Moller BR, Hansen UD. Foreign bodies as a complication of female genital mutilation. *J Obstet Gynaecol* 2003; 23(4): 449–450.
- Momoh C, Ladhani S, Lochrie DP, Rymer J. Female genital mutilation: Analysis of the first twelve months of a southeast London specialist clinic. *BJOG* 2001; 108(2): 186–191.
- Moreira PM, Moreira IV, Faye EHO, Cisse L, Mendes V, Diadhiou F. 3 cases of vulvar epidermal cysts after female genital mutilation. *Gynecol Obstet Fertil* 2002; 30(12): 958–960.
- Morison L, Scherf C, Ekpo G, et al. The long-term reproductive health consequences of female genital cutting in rural Gambia: a community-based survey. *Trop Med Int Health* 2001; 6(8): 643–653.
- Morris SN, Nour NM. Benign vaginal villi noted at time of defibulation of female genital cutting. *Obstet Gynecol* 2005; 105(5 Part 2): 1206–1209.
- Msuya SE, Mbizvo E, Hussain A, Sundby J, Sam NE, Stray-Pedersen B. Female genital cutting in Kilimanjaro, Tanzania: Changing attitudes? *Trop Med Int Health* 2002; 7(2): 159–165.
- Muhlbach F, Loser B, Bellee H. A case of female circumcision. *Zentralbl Gynakol* 1985; 107(6): 387–389.
- Mukoro UJ. A survey of the psychosexual implications of female genital mutilation on Urhobo women of the Niger Delta communities of Nigeria. *J Human Ecol* 2004; 16(2): 147–150.
- Myers RA, Omorodion FI, Isenalumhe AE, Akenzua GI. Circumcision: Its nature and practice among some ethnic groups in Southern Nigeria. *Soc Sci Med* 1985; 21(5): 581–8.
- National Statistics and Evaluation Office (NSEO), ORC Macro. Eritrea demographic and health survey 2002. Calverton, Maryland: NSEO, ORC Macro; 2003.
- National Statistics Office, Macro International. Eritrea demographic and health survey 1995. Calverton, Maryland: National Statistics Office, Macro International; 1997.
- Ndiaye S, Ayad M. Enquête démographique et de santé au Sénégal 2005. Calverton, Maryland, USA: Centre de Recherche pour le Développement Humain, ORC Macro; 2006.

Ndiaye P, Diongue M, Faye A, Ouedraogo D, Tal DA. Mutilation genitale feminine et complications de l'accouchement dans la province de Gourma (Burkina Faso). *Sante Publique* 2010; 22(5): 563–570.

Nour NM. Urinary calculus associated with female genital cutting. *Obstet Gynecol* 2006; 107(2 Part 2): 521–523.

Nwajei SD, Otiono AI. Female genital mutilation: Implications for female sexuality. *Women Stud Int Forum* 2003; 26(6): 575–580.

Odoi A, Brody SP, Elkins TE. Female genital mutilation in rural Ghana, West Africa. *Int J Gynaecol Obstet* 1997; 56(2): 179–180.

Oduro A, Ansah P, Hodgson A, et al. Trends in the prevalence of female genital mutilation and its effect on delivery outcomes in the Kassena-Aankana district of northern Ghana. *Ghana Med J* 2006; 40(3): 87–92.

Office National de la Statistique (ONS), ORC Macro. 2001. Enquête démographique et de santé Mauritanie 2000-2001. Calverton, Maryland: ONS, ORC Macro; 2001.

Ofodile FA, Oluwasanmi JO. Post-circumcision epidermoid inclusion cysts of the clitoris. *Plast Reconstr Surg* 1979; 63(4): 485–486.

Okonofu FE, Larsen U, Oronsaye F, Snow RC, Slinger TE. The association between female genital cutting and correlates of sexual and gynaecological morbidity in Edo State, Nigeria. *BJOG* 2002; 109(10): 1089–1096.

Onuigbo WI, Twomey D. Primary vaginal stone associated with circumcision. *Obstet Gynecol* 1974; 44(5): 769–770.

Orji EO, Babalola A. Correlates of female genital mutilation and its impact on safe motherhood. *JTGGA* 2006; 7(4): 319–324.

Osifo OD. Post genital mutilation giant clitoral epidermoid inclusion cyst in Benin City, Nigeria. *J Pediatr Adolesc Gynecol* 2010; 23(6): 336–340.

Osifo DO, Evbuomwan I. Female genital mutilation among Edo people: The complications and patterns of presentation at a pediatric surgery unit, Benin City. *Afr J Reprod Health* 2009; 13(1): 17–25.

Oye S. Patient with acquired vulval atresia after clitoridectomy. *Niger Nurse* 1976; 8(3): 10–12.

Ozumba BC. Acquired gynetresia in eastern Nigeria. *Int J Gynecol Obstet* 1992; 37(2): 105–109.

Pepin J, Dunn D, Gaye I, et al. HIV-2 infection among prostitutes working in The Gambia: Association with serological evidence of genital ulcer diseases and with generalized lymphadenopathy. *AIDS* 1991; 5: 69–75.

Pepin J, Plamondon M, Alves AC, Beaudet M, Labbe AC. Parenteral transmission during excision and treatment of tuberculosis and trypanosomiasis may be responsible for the HIV-2 epidemic in Guinea-Bissau. *AIDS* 2006; 20(9): 1303–1311.

Philp HRA. Vesical fistula complicating labour. *Kenya East Afr Med J* 1927; 4(1): 126–128.

Pieters G. Gynaecology in the country of the sewn women. *Acta Chirurgica Belgica* 1972; 71(3): 173–193.

Preston PG. A case of birth per rectum. *East Afr Med J* 1937; 14: 290–294.

Pritchard BJ. Soft tissue dystocia in circumcised women. *Nurs Mirror Midwives J* 1969; 128(17): 31.

Rizk DEE, Mohammed KH, Joshi SU, Al Shabani AY, Bossmar TR. A large clitoral epidermoid inclusion cyst first presenting in adulthood following childhood circumcision. *J Obstet Gynaecol* 2007; 27(4): 445–448.

Rouzi AA. Epidermal clitoral inclusion cysts: Not a rare complication of female genital mutilation. *Hum Reprod* 2010; 25(7): 1972–1674.



- Rouzi AA, Sindi O, Radhan B, Ba'aqueel H. Epidermal clitoral inclusion cyst after type I female genital mutilation. *Am J Obstet Gynecol* 2001; 185(3): 569–571.
- Rushwan H, Slot CJM, El Dareer A, Bushra N. Female circumcision in the Sudan. Prevalence, complications, attitudes and change. A report of a study conducted by the faculty of medicine, University of Khartoum, Sudan (1977-1982). Khartoum: University of Khartoum; 1983.
- Saad EF. Gynaecological complications of female genital mutilation. *Br J Obstet Gynecol* 1998; 105(Suppl 17): 93.
- Saber A. Post-circumcision inclusion dermoid cysts in three sisters. *Am J Case Report* 2009; 10:224–226.
- Sayed GH, Abd el-Aty MA, Fadel KA. The practice of female genital mutilation in upper Egypt. *Int J Gynaecol Obstet* 1996; 55(3): 285–291.
- Shandall AA. Circumcision and infibulation of females: a general consideration of the problem and a clinical study of the complications in Sudanese women. *Sudan Med J* 1967; 5(4): 178–212.
- Shell-Duncan B, Obieru WO, Muruli LA. Women without choices: The debate over medicalization of female genital cutting and its impact on a northern Kenyan community. In: Shell-Duncan B, Hernlund Y, (Eds). *Female 'circumcision' in Africa: Culture, controversy and change*. Boulder: Lynne Rienne Publishers; 2000. p. 109–128.
- Slanger TE, Snow RC, Okonofua FE. The impact of female genital cutting on first delivery in southwest Nigeria. *Stud Fam Plann* 2002; 33(2): 173–184.
- Small R, Gagnon A, Gissler M, et al. Somali women and their pregnancy outcomes postmigration: Data from six receiving countries. *BJOG* 2008; 115: 1630–1640.
- Tag-Eldin MA, Gadallah MA, Al-Tayeb MN, Abdel-Aty M, Mansour E, Sallem M. Prevalence of female genital cutting among Egyptian girls. *Bull World Health Organ* 2008; 86(4): 269–274.
- Tahzib F. Epidemiological determinants of vesico-vaginal fistulas. *Br J Obstet Gynecol* 1983; 90(5): 387–391.
- Vangen S, Stoltenberg C, Johansen RE, Sundby J, Stray-Pedersen B. Perinatal complications among ethnic Somalis in Norway. *Acta Obstet Gynecol Scand* 2002; 81(4): 317–322.
- Walker LR, Morgan MC. Female circumcision: a report of four adolescents. *J Adolesc Health* 1995; 17(2): 128–132.
- WHO study group on female genital mutilation and obstetric outcome, Banks E, Meirik O, et al. Female genital mutilation and obstetric outcome: WHO collaborative prospective study in six African countries. *Lancet* 2006; 367(9525): 1835–1841.
- Wuest S, Raio L, Wyssmueller D, et al. Effects of female genital mutilation on birth outcomes in Switzerland. *BJOG* 2009; 116(9): 1204–1209.
- Yoong WC, Shakya R, Sanders BT, Lind J. Clitoral inclusion cyst: a complication of type I female genital mutilation. *J Obstet Gynaecol* 2004; 24(1): 98–99.
- Yount KM, Abraham BK. Female genital cutting and HIV/AIDS among Kenyan women. *Stud Fam Plann* 2007; 38(2): 73–88.
- Yount KM, Carrera JS. Female genital cutting and reproductive experience in Minya, Egypt. *Med Anthropol Q* 2006; 20(2): 182–211.