

Supplementary Table to health conditions in New Zealand Vietnam veterans: hospital admissions between 1988 and 2009.

Standardised rates of first hospitalization by time period.

All causes

Year	Observed	Expected	SHR	99%CI
1988-90	581	675.5	0.86	0.77-0.96
1991-95	1356	1458.3	0.93	0.87-1.00
1996-00	2093	2034.9	1.03	0.97-1.09
2001-05	3144	2803.4	1.12	1.07-1.17
2006-09	3186	1811.2	1.76	1.68-1.84
1988-2009	10348	8775.5	1.18	1.15-1.21

Cardiovascular

Acute myocardial infarction

Year	Observed	Expected	SHR	99% CI
1988-90	27	20.4	1.33	0.76-2.14
1991-95	48	46.0	1.04	0.70-1.50
1996-00	69	60.8	1.14	0.81-1.54
2001-05	109	99.4	1.10	0.84-1.40
2006-09	81	59.4	1.36	1.00-1.81
1988-2009	331	285.2	1.16	1.00-1.34

Coronary atherosclerosis

1988-90	47	42.3	1.11	0.74-1.60
1991-95	138	106.6	1.29	1.03-1.61
1996-00	190	159.6	1.19	0.98-1.43
2001-05	179	146.1	1.23	1.00-1.48
2006-09	108	66.7	1.62	1.25-2.07
1988-2009	659	520.4	1.27	1.14-1.40

Chest pain

1988-90	17	17.8	0.96	0.46-1.73
1991-95	43	40.6	1.06	0.69-1.55
1996-00	71	55.1	1.29	0.93-1.74
2001-05	106	86.6	1.22	0.94-1.57
2006-09	113	59.7	1.89	1.47-2.40
1988-2009	350	259.8	1.35	1.17-1.54

Cardiac arrest

1988-90	0	0.3	0.00	0.00-15.7
1991-95	0	1.1	0.00	0.00-4.78
1996-00	1	1.4	0.72	0.00-5.42
2001-05	4	1.7	2.41	0.38-7.62
2006-09	4	1.3	2.99	0.48-9.44
1988-2009	9	5.8	1.54	0.53-3.43

Dysrhythmia

1988-90	4	8.7	0.46	0.07-1.45
1991-95	30	25.9	1.16	0.69-1.83
1996-00	66	50.3	1.31	0.93-1.79
2001-05	88	72.4	1.22	0.91-1.59
2006-09	73	48.0	1.52	1.10-2.05
1988-2009	261	205.0	1.27	1.08-1.49

Congestive Heart failure

1988-90	3	5.9	0.51	0.05-1.87
1991-95	12	16.2	0.74	0.30-1.50
1996-00	29	31.2	0.93	0.54-1.47
2001-05	30	39.0	0.77	0.45-1.21
2006-09	48	26.5	1.81	1.21-2.60
1988-2009	121	118.8	1.02	0.80-1.28

Acute cerebrovascular disease

Year	Observed	Expected	SHR	99% CI
1988-90	9	8.2	1.10	0.38-2.45
1991-95	25	21.7	1.15	0.64-1.89
1996-00	34	31.2	1.09	0.67-1.67
2001-05	54	41.3	1.31	0.89-1.84
2006-09	48	27.8	1.73	1.15-2.48
1988-2009	170	130.2	1.31	1.06-1.59

Peripheral atherosclerosis

1988-90	5	4.0	1.26	0.26-3.58
1991-95	7	8.7	0.81	0.23-1.98
1996-00	13	15.8	0.82	0.35-1.62
2001-05	31	20.9	1.48	0.89-2.32
2006-09	14	10.4	1.34	0.59-2.58
1988-2009	70	59.7	1.17	0.84-1.59

Aneurysm

1988-90	1	1.7	0.58	0.00-4.33
1991-95	7	4.4	1.59	0.45-3.90
1996-00	11	7.5	1.47	0.57-3.04
2001-05	14	10.0	1.39	0.62-2.68
2006-09	12	6.9	1.75	0.72-3.53
1988-2009	45	30.5	1.47	0.97-2.14

Phlebitis

1988-90	2	2.2	0.90	0.03-4.22
1991-95	5	5.6	0.90	0.19-2.54
1996-00	11	7.9	1.39	0.54-2.89
2001-05	18	9.0	1.99	0.99-3.56
2006-09	15	5.8	2.60	1.19-4.89
1988-2009	51	30.5	1.67	1.13-2.38

Syncope

1988-90	2	2.8	0.70	0.03-3.28
1991-95	6	7.6	0.79	0.20-2.06
1996-00	25	13.7	1.83	1.02-3.00
2001-05	32	24.6	1.30	0.78-2.02
2006-09	35	18.7	1.87	1.16-2.86
1988-2009	100	67.5	1.48	1.13-1.91

Respiratory

Chronic obstructive pulmonary disease

Year	Observed	Expected	SHR	99% CI
1988-90	5	7.5	0.67	0.14-1.89
1991-95	28	20.6	1.36	0.79-2.17
1996-00	60	38.2	1.57	1.10-2.17
2001-05	107	65.2	1.64	1.26-2.10
2006-09	100	46.9	2.13	1.62-2.75
1988-2009	300	178.3	1.68	1.44-1.95

Asthma

1988-90	4	8.6	0.46	0.07-1.47
1991-95	11	9.8	1.12	0.44-2.32
1996-00	7	10.5	0.67	0.19-1.63
2001-05	7	7.0	1.00	0.29-2.45
2006-09	4	3.4	1.18	0.19-3.73
1988-2009	33	39.4	0.84	0.51-1.29

Pneumonia

1988-90	9	6.1	1.47	0.51-3.27
1991-95	14	15.9	0.88	0.39-1.69
1996-00	40	32.8	1.22	0.78-1.81
2001-05	48	43.0	1.12	0.74-1.60
2006-09	63	30.0	2.10	1.48-2.88
1988-2009	174	127.9	1.36	1.11-1.65

Mental disorders

Alcohol-related mental disorders

Year	Observed	Expected	SHR	99% CI
1988-90	13	11.4	1.14	0.49-2.24
1991-95	27	13.4	2.02	1.15-3.25
1996-00	26	8.9	2.91	1.64-4.73
2001-05	12	8.5	1.41	0.58-2.84
2006-09	11	4.4	2.49	0.97-5.18
1988-2009	89	46.6	1.91	1.43-2.50

Affective disorder

1988-90	4	9.6	0.42	0.07-1.32
1991-95	6	15.8	0.38	0.10-1.00
1996-00	21	15.7	1.33	0.70-2.29
2001-05	18	12.7	1.42	0.70-2.54
2006-09	9	7.0	1.29	0.44-2.87
1988-2009	58	60.5	0.96	0.66-1.33

Schizophrenia or related disorders

1988-90	2	8.6	0.23	0.01-1.08
1991-95	3	13.5	0.22	0.02-0.82
1996-00	4	9.0	0.44	0.07-1.40
2001-05	8	8.1	0.99	0.31-2.30
2006-09	4	3.8	1.05	0.17-3.33
1988-2009	21	43.0	0.49	0.26-0.84

Anxiety disorder

1988-90	5	2.8	1.81	0.38-5.13
1991-95	1	3.5	0.28	0.00-2.11
1996-00	7	2.6	2.70	0.77-6.63
2001-05	6	3.6	1.66	0.42-4.35
2006-09	3	1.7	1.78	0.18-6.53
1988-2009	22	14.2	1.55	0.83-2.62

Headache or migraine

1988-90	3	2.1	1.40	0.14-5.13
1991-95	6	4.5	1.33	0.33-3.48
1996-00	4	5.6	0.71	0.11-2.25
2001-05	11	7.2	1.53	0.60-3.17
2006-09	10	4.4	2.29	0.85-4.92
1988-2009	34	23.8	1.43	0.87-2.19

Senility or organic mental illness

1988-90	1	1.2	0.85	0.00-6.40
1991-95	4	2.7	1.49	0.24-4.70
1996-00	7	6.4	1.10	0.31-2.70
2001-05	3	10.2	0.29	0.03-1.08
2006-09	13	9.0	1.44	0.62-2.83
1988-2009	28	29.4	0.95	0.55-1.52

Epilepsy or convulsions

Year	Observed	Expected	SHR	99% CI
1988-90	2	3.1	0.64	0.02-2.98
1991-95	0	6.1	0.00	0.00-0.88
1996-00	4	7.1	0.56	0.09-1.77
2001-05	12	7.6	1.58	0.65-3.18
2006-09	7	4.4	1.60	0.46-3.92
1988-2009	25	28.3	0.88	0.49-1.45

Other nervous disorders

1988-90	10	7.1	1.41	0.52-3.02
1991-95	12	16.5	0.73	0.30-1.46
1996-00	42	23.9	1.76	1.14-2.59
2001-05	31	33.0	0.94	0.56-1.47
2006-09	40	22.1	1.81	1.16-2.69
1988-2009	135	102.5	1.32	1.04-1.64

Eye and ear

Cataract

Year	Observed	Expected	SHR	99% CI
1988-90	1	3.6	0.28	0.00-2.10
1991-95	15	10.4	1.44	0.66-2.70
1996-00	14	21.8	0.64	0.29-1.24
2001-05	26	28.1	0.93	0.52-1.51
2006-09	43	25.5	1.69	1.10-2.47
1988-2009	99	89.2	1.11	0.84-1.43

Retinal disease

1988-90	0	1.6	0.00	0.00-3.43
1991-95	1	2.8	0.36	0.00-2.67
1996-00	2	4.7	0.42	0.02-1.98
2001-05	1	6.7	0.15	0.00-1.12
2006-09	27	7.2	3.77	2.16-6.07
1988-2009	31	22.9	1.35	0.81-2.12

Ear disease

1988-90	8	6.5	1.23	0.39-2.87
1991-95	6	11.3	0.53	0.13-1.39
1996-00	9	12.9	0.70	0.24-1.55
2001-05	13	16.0	0.81	0.35-1.60
2006-09	8	11.6	0.69	0.22-1.60
1988-2009	44	58.3	0.75	0.49-1.10

Endocrine and metabolic

Thyroid disease

Year	Observed	Expected	SHR	99% CI
1988-90	1	0.4	2.33	0.00-17.4
1991-95	2	0.9	2.11	0.08-9.82
1996-00	2	1.1	1.79	0.07-8.33
2001-05	1	1.5	0.67	0.00-5.02
2006-09	0	1.0	0.00	0.00-5.51
1988-2009	7	5.0	1.41	0.40-3.46

Diabetes

1988-90	7	8.0	0.88	0.25-2.15
1991-95	9	19.5	0.46	0.16-1.03
1996-00	13	20.0	0.65	0.28-1.28
2001-05	46	45.8	1.00	0.66-1.45
2006-09	76	37.3	2.04	1.49-2.72
1988-2009	151	132.3	1.14	0.92-1.40

Gout and other crystal diseases

1988-90	5	1.4	3.60	0.75-10.2
1991-95	2	3.1	0.64	0.02-2.99
1996-00	8	6.0	1.33	0.42-3.09
2001-05	11	9.3	1.18	0.46-2.45
2006-09	14	6.8	2.06	0.91-3.96
1988-2009	40	26.6	1.50	0.96-2.23

Gastrointestinal and Biliary

Oesophageal disorders

Year	Observed	Expected	SHR	99% CI
1988-90	1	4.6	0.22	0.00-1.61
1991-95	14	17.0	0.82	0.36-1.58
1996-00	19	24.9	0.76	0.39-1.34
2001-05	44	26.6	1.65	1.08-2.41
2006-09	24	15.1	1.59	0.87-2.63
1988-2009	102	88.3	1.16	0.88-1.48

Gastroduodenal ulcer

1988-90	4	3.8	1.05	0.17-3.33
1991-95	23	8.1	2.84	1.54-4.76
1996-00	7	5.6	1.25	0.36-3.06
2001-05	4	4.7	0.85	0.14-2.68
2006-09	6	2.2	2.68	0.67-7.01
1988-2009	44	24.5	1.80	1.17-2.62

Gastritis

1988-90	2	23.4	0.09	0.00-0.40
1991-95	6	3.5	1.70	0.43-4.45
1996-00	17	10.1	1.69	0.82-3.06
2001-05	17	17.4	0.98	0.47-1.77
2006-09	6	9.9	0.61	0.15-1.59
1988-2009	48	64.3	0.75	0.50-1.07

Appendicitis

1988-90	2	5.9	0.34	0.01-1.59
1991-95	11	8.3	1.33	0.52-2.76
1996-00	7	7.5	0.93	0.27-2.29
2001-05	7	6.5	1.08	0.31-2.66
2006-09	8	3.3	2.43	0.77-5.66
1988-2009	35	31.4	1.12	0.69-1.70

Abdominal hernia

1988-90	8	13.8	0.58	0.18-1.35
1991-95	23	31.6	0.73	0.40-1.22
1996-00	37	39.3	0.94	0.59-1.42
2001-05	37	53.0	0.70	0.44-1.05
2006-09	51	31.9	1.60	1.08-2.28
1988-2009	156	169.6	0.92	0.74-1.13

Intestinal obstruction

1988-90	3	2.6	1.15	0.12-4.23
1991-95	3	6.3	0.48	0.05-1.76
1996-00	9	10.6	0.85	0.29-1.89
2001-05	29	15.5	1.87	1.10-2.97
2006-09	21	9.7	2.16	1.13-3.70
1988-2009	65	44.7	1.45	1.03-1.99

Diverticulosis

Year	Observed	Expected	SHR	99% CI
1988-90	6	2.4	2.46	0.62-6.44
1991-95	6	6.3	0.95	0.24-2.49
1996-00	14	10.4	1.35	0.60-2.59
2001-05	13	15.5	0.84	0.36-1.65
2006-09	11	9.7	1.13	0.44-2.34
1988-2009	50	44.4	1.13	0.76-1.61

Anal/rectal disorders

1988-90	14	8.1	1.74	0.77-3.34
1991-95	15	12.2	1.23	0.56-2.31
1996-00	16	15.8	1.01	0.48-1.87
2001-05	17	15.9	1.07	0.52-1.94
2006-09	17	8.3	2.05	0.99-3.71
1988-2009	79	60.3	1.31	0.96-1.74

Biliary disorders

1988-90	6	8.4	0.71	0.18-1.87
1991-95	23	18.3	1.26	0.68-2.10
1996-00	20	24.4	0.82	0.42-1.42
2001-05	48	31.8	1.51	1.01-2.17
2006-09	35	21.0	1.66	1.03-2.54
1988-2009	132	104.0	1.27	1.00-1.58

Alcoholic liver disease

1988-90	2	1.1	1.77	0.07-8.25
1991-95	2	1.9	1.03	0.04-4.78
1996-00	3	2.5	1.22	0.12-4.50
2001-05	3	3.2	0.95	0.10-3.49
2006-09	1	1.6	0.63	0.00-4.71
1988-2009	11	10.3	1.07	0.42-2.22

Other liver disease

1988-90	3	1.3	2.33	0.24-8.55
1991-95	5	3.8	1.30	0.27-3.70
1996-00	2	6.2	0.32	0.01-1.50
2001-05	9	8.3	1.08	0.37-2.41
2006-09	29	6.2	4.72	2.76-7.48
1988-2009	48	25.8	1.86	1.24-2.67

Pancreatic disease

1988-90	5	2.5	1.99	0.42-5.66
1991-95	2	5.5	0.36	0.01-1.70
1996-00	6	7.9	0.76	0.19-1.99
2001-05	6	8.4	0.72	0.18-1.87
2006-09	5	5.5	0.91	0.19-2.57
1988-2009	24	29.8	0.81	0.44-1.34

**Gastrointestinal
haemorrhage**

Year	Observed	Expected	SHR	99% CI
1988-90	2	6.7	0.30	0.01-1.39
1991-95	19	12.9	1.47	0.74-2.58
1996-00	19	17.6	1.08	0.55-1.90
2001-05	30	25.6	1.17	0.69-1.84
2006-09	36	17.7	2.03	1.26-3.08
1988-2009	106	80.6	1.31	1.01-1.68

Abdominal pain

1988-90	7	11.2	0.62	0.18-1.53
1991-95	29	22.8	1.27	0.75-2.02
1996-00	24	26.0	0.92	0.51-1.53
2001-05	38	32.0	1.19	0.75-1.78
2006-09	35	20.5	1.71	1.05-2.60
1988-2009	133	112.5	1.18	0.93-1.47

Genitourinary

Chronic renal failure

Year	Observed	Expected	SHR	99% CI
1988-90	1	2.6	0.38	0.00-2.82
1991-95	29	20.7	1.40	0.82-2.23
1996-00	8	66.2	0.12	0.04-0.28
2001-05	153	189.1	0.81	0.65-0.99
2006-09	270	102.2	2.64	2.25-3.09
1988-2009	461	380.8	1.21	1.07-1.36

Urinary tract infection

1988-90	1	2.0	0.51	0.00-3.78
1991-95	2	5.1	0.39	0.01-1.83
1996-00	9	8.5	1.06	0.37-2.37
2001-05	15	15.0	1.00	0.46-1.88
2006-09	20	13.8	1.45	0.75-2.52
1988-2009	47	44.4	1.06	0.70-1.53

Urinary stones

1988-90	12	12.3	0.98	0.40-1.97
1991-95	23	21.8	1.05	0.57-1.76
1996-00	35	28.0	1.25	0.77-1.90
2001-05	26	30.6	0.85	0.48-1.38
2006-09	21	17.6	1.19	0.63-2.04
1988-2009	117	110.3	1.06	0.82-1.34

Benign prostatic hypertrophy

1988-90	4	4.3	0.93	0.15-2.93
1991-95	13	13.2	0.98	0.42-1.93
1996-00	21	18.5	1.14	0.60-1.95
2001-05	20	22.4	0.89	0.46-1.55
2006-09	23	14.8	1.56	0.85-2.61
1988-2009	81	73.2	1.11	0.82-1.47

Dermatological

Skin infection

Year	Observed	Expected	SHR	99% CI
1988-90	6	8.3	0.72	0.18-1.88
1991-95	10	17.3	0.58	0.21-1.24
1996-00	39	29.0	1.34	0.85-2.01
2001-05	37	38.4	0.96	0.60-1.45
2006-09	48	21.8	2.21	1.47-3.17
1988-2009	140	114.9	1.22	0.97-1.51

Other skin diseases

1988-90	4	3.5	1.14	0.18-3.61
1991-95	10	9.4	1.06	0.39-2.28
1996-00	13	11.0	1.18	0.50-2.32
2001-05	16	17.5	0.91	0.43-1.69
2006-09	17	9.9	1.72	0.83-3.12
1988-2009	60	51.3	1.17	0.82-1.62

Bone joint and connective tissue

Infective arthritis

Year	Observed	Expected	SHR	99% CI
1988-90	1	1.7	0.59	0.00-4.43
1991-95	1	2.9	0.34	0.00-2.57
1996-00	7	4.5	1.57	0.45-3.84
2001-05	5	6.2	0.80	0.17-2.28
2006-09	12	3.4	3.58	1.47-7.22
1988-2009	26	18.7	1.39	0.79-2.27

Rheumatoid arthritis

1988-90	1	2.2	0.46	0.00-3.43
1991-95	4	4.1	0.97	0.15-3.06
1996-00	3	3.3	0.92	0.09-3.37
2001-05	11	3.4	3.22	1.25-6.67
2006-09	6	1.7	3.51	0.88-9.19
1988-2009	25	14.7	1.70	0.95-2.79

Osteoarthritis

1988-90	8	7.1	1.12	0.36-2.62
1991-95	12	16.5	0.73	0.30-1.46
1996-00	37	28.8	1.29	0.81-1.94
2001-05	72	45.1	1.60	1.15-2.15
2006-09	50	38.3	1.30	0.88-1.86
1988-2009	179	135.8	1.32	1.08-1.59

Other joint diseases

1988-90	4	3.5	1.16	0.18-3.66
1991-95	10	6.8	1.48	0.54-3.17
1996-00	8	10.1	0.79	0.25-1.85
2001-05	39	22.5	1.73	1.10-2.59
2006-09	16	14.5	1.10	0.52-2.04
1988-2009	77	57.3	1.34	0.98-1.79

Back problem

1988-90	21	20.6	1.02	0.54-1.75
1991-95	35	30.0	1.17	0.72-1.78
1996-00	16	23.5	0.68	0.32-1.26
2001-05	29	29.4	0.99	0.58-1.56
2006-09	29	18.0	1.61	0.94-2.56
1988-2009	130	121.5	1.07	0.84-1.34

Systemic lupus erythematosus

1988-90	0	0.3	0.00	0.00-21.4
1991-95	0	0.5	0.00	0.00-10.5
1996-00	0	0.5	0.00	0.00-11.6
2001-05	2	1.0	2.04	0.08- 9.52
2006-09	3	0.6	5.45	0.55- 20.1
1988-2009	5	2.8	1.82	0.38-5.16

**Other connective tissue
disease**

Year	Observed	Expected	SHR	99% CI
1988-90	8	10.0	0.80	0.25-1.87
1991-95	20	20.4	0.98	0.51-1.70
1996-00	32	30.7	1.04	0.63-1.62
2001-05	57	46.5	1.23	0.85-1.71
2006-09	52	28.9	1.80	1.22-2.55
1988-2009	169	136.5	1.24	1.01-1.51

Injuries

Joint injury

Year	Observed	Expected	SHR	99% CI
1988-90	3	4.7	0.63	0.06-2.33
1991-95	11	8.9	1.24	0.48-2.57
1996-00	16	16.8	0.96	0.45-1.76
2001-05	40	27.5	1.46	0.93-2.16
2006-09	27	11.9	2.27	1.30-3.66
1988-2009	97	69.8	1.39	1.05-1.80

Fracture of hip

1988-90	2	1.6	1.23	0.05-5.72
1991-95	4	3.5	1.16	0.18-3.66
1996-00	4	4.2	0.95	0.15-3.00
2001-05	7	6.7	1.05	0.30-2.58
2006-09	10	5.2	1.94	0.71-4.16
1988-2009	27	21.1	1.28	0.73-2.06

Fracture of arm

1988-90	15	9.1	1.65	0.76-3.11
1991-95	9	16.3	0.55	0.19-1.23
1996-00	7	14.1	0.50	0.14-1.22
2001-05	15	17.1	0.88	0.40-1.65
2006-09	19	10.2	1.86	0.94-3.28
1988-2009	65	66.7	0.97	0.69-1.33

Fracture of leg

1988-90	11	12.8	0.86	0.34-1.79
1991-95	15	21.3	0.71	0.32-1.33
1996-00	16	14.3	1.12	0.53-2.07
2001-05	11	14.9	0.74	0.29-1.54
2006-09	13	8.0	1.62	0.69-3.18
1988-2009	66	71.2	0.93	0.66-1.26

Fracture of skull or facial bones

1988-90	2	5.5	0.37	0.01-1.71
1991-95	8	7.5	1.07	0.34-2.48
1996-00	2	4.2	0.48	0.02-2.24
2001-05	4	4.0	0.99	0.16-3.12
2006-09	2	1.9	1.06	0.04-4.96
1988-2009	18	23.1	0.78	0.39-1.39

Other fracture

1988-90	7	7.2	0.97	0.28-2.39
1991-95	20	12.7	1.58	0.81-2.74
1996-00	21	15.5	1.35	0.71-2.32
2001-05	22	18.2	1.21	0.65-2.05
2006-09	16	11.0	1.45	0.68-2.68
1988-2009	86	64.6	1.33	0.99-1.75

Sprain

Year	Observed	Expected	SHR	99% CI
1988-90	2	4.4	0.45	0.02-2.10
1991-95	9	7.3	1.22	0.42-2.73
1996-00	9	9.0	1.00	0.34-2.22
2001-05	17	12.1	1.40	0.68-2.55
2006-09	16	7.8	2.04	0.96-3.76
1988-2009	53	40.7	1.30	0.89-1.84

Intracranial injury

1988-90	7	8.2	0.86	0.25-2.10
1991-95	15	12.8	1.18	0.54-2.21
1996-00	4	10.1	0.40	0.06-1.26
2001-05	10	9.2	1.09	0.40-2.33
2006-09	13	6.3	2.07	0.88-4.07
1988-2009	49	46.5	1.05	0.71-1.51

Crush injury

1988-90	2	3.9	0.51	0.02-2.37
1991-95	6	6.3	0.95	0.24-2.48
1996-00	4	4.7	0.86	0.14-2.71
2001-05	3	4.5	0.66	0.07-2.43
2006-09	1	2.7	0.37	0.00-2.74
1988-2009	16	22.2	0.72	0.34-1.33

Open wound head

1988-90	1	3.7	0.27	0.00-2.02
1991-95	6	5.7	1.05	0.26-2.75
1996-00	6	4.8	1.25	0.31-3.27
2001-05	11	7.7	1.43	0.56-2.97
2006-09	3	4.9	0.61	0.06-2.25
1988-2009	27	26.8	1.01	0.58-1.62

Open wound other than head

1988-90	15	13.4	1.12	0.51-2.10
1991-95	17	23.2	0.73	0.35-1.33
1996-00	25	18.3	1.37	0.76-2.24
2001-05	26	20.4	1.28	0.72-2.07
2006-09	16	9.8	1.63	0.77-3.02
1988-2009	99	85.1	1.16	0.88-1.50

Complications and aftercare

Complication of a device

Year	Observed	Expected	SHR	99% CI
1988-90	6	5.3	1.12	0.28-2.94
1991-95	10	17.0	0.59	0.22-1.26
1996-00	23	30.6	0.75	0.41-1.26
2001-05	50	38.5	1.30	0.87-1.85
2006-09	39	27.9	1.40	0.89-2.09
1988-2009	128	119.4	1.07	0.84-1.34

Complication of a procedure

1988-90	10	7.1	1.41	0.52-3.02
1991-95	11	19.3	0.57	0.22-1.18
1996-00	28	29.3	0.95	0.55-1.53
2001-05	46	41.4	1.11	0.73-1.61
2006-09	60	29.4	2.04	1.43-2.83
1988-2009	155	126.5	1.23	0.99-1.50

Rehabilitation

1988-90	0	0.2	0.00	0.00-24.3
1991-95	2	2.3	0.87	0.03-4.07
1996-00	26	32.2	0.81	0.46-1.31
2001-05	53	58.1	0.91	0.62-1.29
2006-09	63	38.7	1.63	1.15-2.23
1988-2009	144	131.6	1.09	0.87-1.35

Other aftercare

1988-90	4	3.6	1.10	0.17-3.46
1991-95	15	14.6	1.03	0.47-1.93
1996-00	33	31.1	1.06	0.64-1.64
2001-05	76	45.3	1.68	1.22-2.24
2006-09	53	30.5	1.74	1.18-2.45
1988-2009	181	125.2	1.45	1.18-1.75

Unclassified

1988-90	2	8.4	0.24	0.01-1.12
1991-95	12	17.3	0.69	0.28-1.40
1996-00	12	29.0	0.41	0.17-0.83
2001-05	29	38.6	0.75	0.44-1.19
2006-09	30	21.9	1.37	0.81-2.16
1988-2009	85	115.2	0.74	0.55-0.97