

Supplementary Figures for:

Seasonal influenza vaccination delivery through community pharmacists in England: evaluation of the London pilot

Katherine Atkins, Albert Jan van Hoek, Conall Watson, Marc Baguelin, Mark Jit, Ulla Griffiths

Figure S1: Vaccination uptake across London in both GPs and pharmacies by administrative regions. a) Probability that vaccine dose was administered at a pharmacy, b) Overall uptake in pharmacies for eligible individuals in 2013-4. c) Vaccine uptake in eligible individuals over time in GPs (2010-5) and GP/Pharmacies combined (2013-5 only). Insets show distribution of respective measure	2
Figure S2: Map of administrative area of London (downloaded from Wikimedia with creative commons license).	3
Figure S3: Opinions from pharmacy and GP surveys (I). Opinions from multiple choice answers about the pharmacy flu initiative as reported in the survey administered to pharmacists and GPs (Appendices A and B) which offered a list of beliefs with which they could agree or disagree. a) Reported benefits of (first four groups) and concerns over (final group) the initiative reported by both pharmacists and GPs, b) Pharmacist concerns over the lack of access to patient record data, c) GP concerns about the initiative. Error bars provide 95% confidence interval on results.....	4
Figure S4: Opinions from pharmacy and GP surveys (II). General sentiments regarding vaccination and the pharmacy initiative. Answers as reported in the surveys administered to GPs (yellow) and pharmacists (blue) (Appendices A and B).	5
Figure S5: Time use data for pharmacy vaccine delivery. Time use data for flu vaccine administration in a pharmacy setting, reported in the pharmacy survey (Appendix A).	6
Figure S6: Vaccine brand choice. Proportion of flu vaccine doses by brand as chosen for administration in the 2014/15 season by both pharmacists and GPs.	7




Figure S1: Vaccination uptake across London in both GPs and pharmacies by administrative regions. a) Probability that vaccine dose was administered at a pharmacy, b) Overall uptake in pharmacies for eligible individuals in 2013-4. c) Vaccine uptake in eligible individuals over time in GPs (2010-5) and GP/Pharmacies combined (2013-5 only). Insets show distribution of respective measure



Figure S2: Map of administrative area of London (downloaded from Wikimedia with creative commons license).




Figure S3: Opinions from pharmacy and GP surveys (I). Opinions from multiple choice answers about the pharmacy flu initiative as reported in the survey administered to pharmacists and GPs (Appendices A and B) which offered a list of beliefs with which they could agree or disagree. a) Reported benefits of (first four groups) and concerns over (final group) the initiative reported by both pharmacists and GPs, b) Pharmacist concerns over the lack of access to patient record data, c) GP concerns about the initiative. Error bars provide 95% confidence interval on results.




Figure S4: Opinions from pharmacy and GP surveys (II). General sentiments regarding vaccination and the pharmacy initiative. Answers as reported in the surveys administered to GPs (yellow) and pharmacists (blue) (Appendices A and B).




Figure S5: Time use data for pharmacy vaccine delivery. Time use data for flu vaccine administration in a pharmacy setting, reported in the pharmacy survey (Appendix A).




Figure S6: Vaccine brand choice. Proportion of flu vaccine doses by brand as chosen for administration in the 2014/15 season by both pharmacists and GPs.