

Supplementary material

Table 1-1. Distribution of the top 20 diseases in men's primary care visits by age group, 2016

| Rank | ≤18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≥80 | | |
|------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 158823 | 63.37% | Z75 | 42935 | 14.39% | I10 | 286063 | 26.75% | I10 | 944128 | 24.25% | I10 | 301169 | 18.66% |
| 2 | Z00 | 17254 | 6.88% | J06 | 34371 | 11.52% | Z75 | 123603 | 11.56% | Z75 | 495635 | 12.73% | Z75 | 213649 | 13.24% |
| 3 | Z10 | 14111 | 5.63% | I10 | 21028 | 7.05% | E14 | 79536 | 7.44% | I25 | 333475 | 8.56% | I25 | 199054 | 12.33% |
| 4 | J06 | 8553 | 3.41% | K29 | 11219 | 3.76% | J06 | 63258 | 5.92% | E14 | 327699 | 8.42% | E14 | 95328 | 5.91% |
| 5 | Z76 | 7135 | 2.85% | L08 | 10909 | 3.66% | I25 | 36251 | 3.39% | J06 | 144211 | 3.70% | N40 | 73402 | 4.55% |
| 6 | R50 | 4400 | 1.76% | J02 | 9812 | 3.29% | K29 | 33524 | 3.13% | K29 | 109804 | 2.82% | I69 | 55223 | 3.42% |
| 7 | J40 | 4225 | 1.69% | J40 | 9468 | 3.17% | J40 | 23417 | 2.19% | N40 | 93104 | 2.39% | J06 | 42811 | 2.65% |
| 8 | K00 | 3434 | 1.37% | M54 | 8063 | 2.70% | M54 | 21816 | 2.04% | E78 | 81935 | 2.10% | K29 | 40963 | 2.54% |
| 9 | E55 | 2314 | 0.92% | J20 | 7523 | 2.52% | K05 | 19471 | 1.82% | J40 | 72823 | 1.87% | J40 | 33216 | 2.06% |
| 10 | L08 | 2199 | 0.88% | L30 | 6698 | 2.25% | M13 | 18613 | 1.74% | I69 | 72073 | 1.85% | M13 | 33075 | 2.05% |
| 11 | R05 | 2189 | 0.87% | K05 | 6506 | 2.18% | L08 | 17238 | 1.61% | M13 | 71360 | 1.83% | E78 | 30938 | 1.92% |
| 12 | J03 | 2108 | 0.84% | E14 | 6177 | 2.07% | J20 | 15783 | 1.48% | M54 | 51153 | 1.31% | K59 | 29110 | 1.80% |
| 13 | L30 | 1432 | 0.57% | M13 | 6000 | 2.01% | J02 | 14406 | 1.35% | K05 | 47064 | 1.21% | J42 | 23411 | 1.45% |
| 14 | H10 | 1256 | 0.50% | J03 | 5211 | 1.75% | E78 | 14349 | 1.34% | L30 | 41649 | 1.07% | I67 | 20695 | 1.28% |
| 15 | J02 | 1243 | 0.50% | K04 | 4648 | 1.56% | L30 | 14174 | 1.33% | J20 | 41311 | 1.06% | L30 | 19499 | 1.21% |
| 16 | K02 | 1221 | 0.49% | K59 | 4040 | 1.35% | K04 | 11648 | 1.09% | K59 | 40510 | 1.04% | M54 | 19026 | 1.18% |
| 17 | J20 | 1180 | 0.47% | I25 | 3787 | 1.27% | K59 | 9638 | 0.90% | I67 | 33419 | 0.86% | R42 | 15399 | 0.95% |
| 18 | K04 | 1045 | 0.42% | J31 | 3785 | 1.27% | G47 | 9599 | 0.90% | H10 | 32625 | 0.84% | J20 | 14579 | 0.90% |
| 19 | J45 | 873 | 0.35% | H10 | 3473 | 1.16% | M25 | 9062 | 0.85% | M25 | 32276 | 0.83% | M25 | 14577 | 0.90% |
| 20 | J00 | 857 | 0.34% | J04 | 3468 | 1.16% | H10 | 9001 | 0.84% | J42 | 31201 | 0.80% | H10 | 13929 | 0.86% |

Table 1-2 Distribution of the top 20 diseases in women's primary care visits by age group, 2016

| Rank | ≤ 18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≥ 80 | | |
|------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|---------|--------|-------|--------|--------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 144871 | 64.01% | Z75 | 85725 | 19.46% | I10 | 274635 | 18.74% | I10 | 1129400 | 20.49% | I10 | 429786 | 20.00% |
| 2 | Z00 | 15613 | 6.90% | Z34 | 41178 | 9.35% | Z75 | 199899 | 13.64% | Z75 | 786255 | 14.27% | Z75 | 316798 | 14.74% |
| 3 | Z10 | 12596 | 5.57% | J06 | 32037 | 7.27% | E14 | 86082 | 5.87% | I25 | 512846 | 9.31% | I25 | 289036 | 13.45% |
| 4 | J06 | 7896 | 3.49% | N76 | 20926 | 4.75% | J06 | 83693 | 5.71% | E14 | 431535 | 7.83% | E14 | 137537 | 6.40% |
| 5 | Z76 | 6321 | 2.79% | N92 | 14136 | 3.21% | I25 | 54428 | 3.71% | J06 | 202520 | 3.68% | I69 | 77361 | 3.60% |
| 6 | R50 | 3915 | 1.73% | K29 | 10414 | 2.36% | K29 | 44972 | 3.07% | K29 | 162939 | 2.96% | K29 | 57312 | 2.67% |
| 7 | K00 | 3656 | 1.62% | I10 | 10347 | 2.35% | N76 | 33525 | 2.29% | E78 | 134109 | 2.43% | J06 | 56238 | 2.62% |
| 8 | J40 | 3528 | 1.56% | J40 | 8954 | 2.03% | J40 | 33415 | 2.28% | M13 | 122019 | 2.21% | M13 | 47270 | 2.20% |
| 9 | E55 | 1980 | 0.87% | J02 | 8950 | 2.03% | M54 | 29170 | 1.99% | I69 | 102238 | 1.86% | E78 | 39888 | 1.86% |
| 10 | J03 | 1736 | 0.77% | Z32 | 8312 | 1.89% | M13 | 27342 | 1.87% | J40 | 97540 | 1.77% | J40 | 36823 | 1.71% |
| 11 | R05 | 1504 | 0.66% | J20 | 7399 | 1.68% | J20 | 22298 | 1.52% | M54 | 85195 | 1.55% | I67 | 32834 | 1.53% |
| 12 | K02 | 1365 | 0.60% | L30 | 7327 | 1.66% | J02 | 19932 | 1.36% | I67 | 61640 | 1.12% | K59 | 32578 | 1.52% |
| 13 | L08 | 1290 | 0.57% | M54 | 7057 | 1.60% | K05 | 19598 | 1.34% | H10 | 58138 | 1.06% | M81 | 26701 | 1.24% |
| 14 | J02 | 1168 | 0.52% | K05 | 6441 | 1.46% | L30 | 19387 | 1.32% | R42 | 58058 | 1.05% | M54 | 25903 | 1.21% |
| 15 | L30 | 1070 | 0.47% | L08 | 5954 | 1.35% | E78 | 19136 | 1.31% | K59 | 56841 | 1.03% | R42 | 23681 | 1.10% |
| 16 | H10 | 945 | 0.42% | K04 | 5100 | 1.16% | K04 | 16369 | 1.12% | J20 | 55494 | 1.01% | H10 | 21296 | 0.99% |
| 17 | N39 | 885 | 0.39% | M13 | 4819 | 1.09% | G47 | 15073 | 1.03% | M81 | 54353 | 0.99% | L30 | 20948 | 0.97% |
| 18 | J20 | 878 | 0.39% | J03 | 4358 | 0.99% | H10 | 14781 | 1.01% | M25 | 53881 | 0.98% | M25 | 20649 | 0.96% |
| 19 | K04 | 846 | 0.37% | N91 | 4223 | 0.96% | N39 | 14297 | 0.98% | L30 | 53570 | 0.97% | J42 | 20421 | 0.95% |
| 20 | E56 | 717 | 0.32% | K59 | 4144 | 0.94% | K59 | 14234 | 0.97% | K05 | 51478 | 0.93% | G47 | 18651 | 0.87% |

Table 1-3 Distribution of the top 20 diseases in men's primary care visits by age group, 2017

| Rank | ≤ 18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≥ 80 | | |
|------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 211952 | 66.13% | Z75 | 36839 | 13.22% | I10 | 265318 | 27.86% | I10 | 809801 | 23.81% | I10 | 238879 | 18.18% |
| 2 | Z00 | 24220 | 7.56% | J06 | 34631 | 12.43% | Z75 | 82444 | 8.66% | I25 | 334739 | 9.84% | I25 | 183322 | 13.95% |
| 3 | Z10 | 16362 | 5.10% | I10 | 20404 | 7.32% | E14 | 72869 | 7.65% | E14 | 281094 | 8.26% | Z75 | 82436 | 6.27% |
| 4 | J06 | 9251 | 2.89% | L08 | 11385 | 4.08% | J06 | 53873 | 5.66% | Z75 | 230691 | 6.78% | N40 | 74280 | 5.65% |
| 5 | Z76 | 6788 | 2.12% | K29 | 10328 | 3.71% | I25 | 34167 | 3.59% | J06 | 120079 | 3.53% | E14 | 73767 | 5.61% |
| 6 | J40 | 4754 | 1.48% | J02 | 9492 | 3.41% | K29 | 29430 | 3.09% | N40 | 110371 | 3.24% | I69 | 54506 | 4.15% |
| 7 | R50 | 4224 | 1.32% | J40 | 8503 | 3.05% | J40 | 19710 | 2.07% | E78 | 102232 | 3.01% | J06 | 36175 | 2.75% |
| 8 | K00 | 3424 | 1.07% | J20 | 7061 | 2.53% | K05 | 18483 | 1.94% | K29 | 99935 | 2.94% | K29 | 34830 | 2.65% |
| 9 | E55 | 3409 | 1.06% | M54 | 6443 | 2.31% | E78 | 17228 | 1.81% | I69 | 81219 | 2.39% | E78 | 33215 | 2.53% |
| 10 | J45 | 2719 | 0.85% | L30 | 6433 | 2.31% | L08 | 16890 | 1.77% | J40 | 64436 | 1.89% | K59 | 31168 | 2.37% |
| 11 | L08 | 2600 | 0.81% | K05 | 6236 | 2.24% | M13 | 15661 | 1.64% | M13 | 63484 | 1.87% | M13 | 28563 | 2.17% |
| 12 | E56 | 2192 | 0.68% | E14 | 5634 | 2.02% | M54 | 15180 | 1.59% | K05 | 45879 | 1.35% | J40 | 26941 | 2.05% |
| 13 | J03 | 2138 | 0.67% | J03 | 5329 | 1.91% | J20 | 13376 | 1.40% | K59 | 45582 | 1.34% | J42 | 21449 | 1.63% |
| 14 | R05 | 1725 | 0.54% | M13 | 5292 | 1.90% | L30 | 12774 | 1.34% | L30 | 42482 | 1.25% | I67 | 20846 | 1.59% |
| 15 | K02 | 1505 | 0.47% | K04 | 4421 | 1.59% | J02 | 12351 | 1.30% | I67 | 34304 | 1.01% | L30 | 19062 | 1.45% |
| 16 | L30 | 1444 | 0.45% | K59 | 3966 | 1.42% | K04 | 11437 | 1.20% | H10 | 33586 | 0.99% | H10 | 14290 | 1.09% |
| 17 | J02 | 1329 | 0.41% | H10 | 3524 | 1.26% | K59 | 9227 | 0.97% | J20 | 33140 | 0.97% | M25 | 13400 | 1.02% |
| 18 | Z99 | 1259 | 0.39% | I25 | 3116 | 1.12% | H10 | 8783 | 0.92% | M54 | 32801 | 0.96% | M81 | 12984 | 0.99% |
| 19 | H10 | 1230 | 0.38% | M25 | 3064 | 1.10% | M25 | 8772 | 0.92% | M25 | 30698 | 0.90% | G47 | 11927 | 0.91% |
| 20 | J20 | 995 | 0.31% | K52 | 2735 | 0.98% | G47 | 8363 | 0.88% | J42 | 29538 | 0.87% | M54 | 11293 | 0.86% |

Table 1-4. Distribution of the top 20 diseases in women's primary care visits by age group, 2017

| Rank | ≤ 18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≥ 80 | | |
|------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 197145 | 67.07 | Z75 | 75051 | 18.03 | I10 | 235432 | 18.32 | I10 | 933181 | 19.93 | I10 | 335525 | 19.47 |
| 2 | Z00 | 21979 | 7.48% | Z34 | 41972 | 10.08 | Z75 | 136383 | 10.61 | I25 | 508219 | 10.86 | I25 | 265548 | 15.41 |
| 3 | Z10 | 14768 | 5.02% | J06 | 34302 | 8.24% | J06 | 72873 | 5.67% | Z75 | 349352 | 7.46% | Z75 | 117218 | 6.80% |
| 4 | J06 | 8677 | 2.95% | N76 | 18442 | 4.43% | E14 | 71538 | 5.57% | E14 | 348543 | 7.45% | E14 | 102419 | 5.94% |
| 5 | Z76 | 6128 | 2.08% | N92 | 14033 | 3.37% | I25 | 50812 | 3.95% | J06 | 167564 | 3.58% | I69 | 80931 | 4.70% |
| 6 | R50 | 4136 | 1.41% | K29 | 9886 | 2.37% | K29 | 40823 | 3.18% | E78 | 164975 | 3.52% | K29 | 50668 | 2.94% |
| 7 | J40 | 3906 | 1.33% | J02 | 8954 | 2.15% | N76 | 28900 | 2.25% | K29 | 148839 | 3.18% | E78 | 45769 | 2.66% |
| 8 | K00 | 3529 | 1.20% | I10 | 8946 | 2.15% | J40 | 28814 | 2.24% | I69 | 118475 | 2.53% | J06 | 45575 | 2.64% |
| 9 | E55 | 2884 | 0.98% | J40 | 8496 | 2.04% | E78 | 24150 | 1.88% | M13 | 109225 | 2.33% | M13 | 39539 | 2.29% |
| 10 | E56 | 2150 | 0.73% | Z32 | 7015 | 1.68% | M13 | 23345 | 1.82% | J40 | 85957 | 1.84% | K59 | 35908 | 2.08% |
| 11 | J03 | 1744 | 0.59% | J20 | 6932 | 1.66% | M54 | 21484 | 1.67% | I67 | 69457 | 1.48% | I67 | 34011 | 1.97% |
| 12 | K02 | 1568 | 0.53% | L30 | 6812 | 1.64% | J20 | 19122 | 1.49% | K59 | 65223 | 1.39% | J40 | 32290 | 1.87% |
| 13 | L08 | 1529 | 0.52% | K05 | 6656 | 1.60% | K05 | 18710 | 1.46% | M81 | 61857 | 1.32% | M81 | 28182 | 1.64% |
| 14 | J45 | 1366 | 0.46% | L08 | 6474 | 1.55% | L30 | 17740 | 1.38% | H10 | 60014 | 1.28% | H10 | 21696 | 1.26% |
| 15 | J02 | 1304 | 0.44% | M54 | 5855 | 1.41% | J02 | 17288 | 1.35% | M54 | 53960 | 1.15% | L30 | 21019 | 1.22% |
| 16 | R05 | 1258 | 0.43% | K04 | 5184 | 1.25% | K04 | 17282 | 1.34% | L30 | 53258 | 1.14% | M25 | 18881 | 1.10% |
| 17 | L30 | 1150 | 0.39% | H10 | 4541 | 1.09% | H10 | 15237 | 1.19% | M25 | 52303 | 1.12% | J42 | 18581 | 1.08% |
| 18 | Z99 | 1141 | 0.39% | M13 | 4526 | 1.09% | N39 | 14406 | 1.12% | K05 | 47727 | 1.02% | R42 | 17154 | 1.00% |
| 19 | N39 | 1043 | 0.35% | J03 | 4444 | 1.07% | G47 | 14292 | 1.11% | J20 | 44934 | 0.96% | G47 | 16252 | 0.94% |
| 20 | H10 | 935 | 0.32% | N91 | 4219 | 1.01% | K59 | 14185 | 1.10% | R42 | 43649 | 0.93% | M54 | 15088 | 0.88% |

Table 1-5. Distribution of the top 20 diseases in men's primary care visits by age group, 2018

| Rank | ≤ 18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≥ 80 | | |
|------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 215520 | 68.28% | Z75 | 35743 | 13.17% | I10 | 315704 | 30.30% | I10 | 922625 | 25.24% | I10 | 222791 | 18.80% |
| 2 | Z00 | 27676 | 8.77% | J06 | 35402 | 13.05% | E14 | 82589 | 7.93% | I25 | 331181 | 9.06% | I25 | 150574 | 12.71% |
| 3 | Z10 | 12279 | 3.89% | I10 | 24154 | 8.90% | Z75 | 81351 | 7.81% | E14 | 307866 | 8.42% | N40 | 75439 | 6.37% |
| 4 | J06 | 8598 | 2.72% | L08 | 10063 | 3.71% | J06 | 65015 | 6.24% | Z75 | 203417 | 5.56% | E14 | 68107 | 5.75% |
| 5 | J45 | 4339 | 1.37% | K29 | 9372 | 3.45% | I25 | 36450 | 3.50% | J06 | 149849 | 4.10% | Z75 | 56755 | 4.79% |
| 6 | Z76 | 3764 | 1.19% | J02 | 8832 | 3.25% | K29 | 29057 | 2.79% | N40 | 132412 | 3.62% | I69 | 45742 | 3.86% |
| 7 | K00 | 3729 | 1.18% | J40 | 7984 | 2.94% | E78 | 22723 | 2.18% | E78 | 126611 | 3.46% | J06 | 37959 | 3.20% |
| 8 | E56 | 3102 | 0.98% | J20 | 7577 | 2.79% | J40 | 20444 | 1.96% | K29 | 95108 | 2.60% | E78 | 34886 | 2.94% |
| 9 | E55 | 2905 | 0.92% | E14 | 6543 | 2.41% | K05 | 19156 | 1.84% | I69 | 78652 | 2.15% | K59 | 29225 | 2.47% |
| 10 | J04 | 2615 | 0.83% | K05 | 6054 | 2.23% | L08 | 15445 | 1.48% | J40 | 63789 | 1.74% | K29 | 28719 | 2.42% |
| 11 | L08 | 2543 | 0.81% | L30 | 5516 | 2.03% | M13 | 14872 | 1.43% | M13 | 61816 | 1.69% | M13 | 25012 | 2.11% |
| 12 | J40 | 2192 | 0.69% | J03 | 4682 | 1.73% | J20 | 14833 | 1.42% | G47 | 54948 | 1.50% | J40 | 23143 | 1.95% |
| 13 | J03 | 2088 | 0.66% | M13 | 4404 | 1.62% | G47 | 14493 | 1.39% | K59 | 50293 | 1.38% | J42 | 22154 | 1.87% |
| 14 | J02 | 1482 | 0.47% | M54 | 4270 | 1.57% | J02 | 13204 | 1.27% | K05 | 47485 | 1.30% | I49 | 19402 | 1.64% |
| 15 | L30 | 1380 | 0.44% | K04 | 4145 | 1.53% | L30 | 12189 | 1.17% | L30 | 40978 | 1.12% | G47 | 19092 | 1.61% |
| 16 | H10 | 1366 | 0.43% | G47 | 3530 | 1.30% | M54 | 11783 | 1.13% | H10 | 37701 | 1.03% | I67 | 17500 | 1.48% |
| 17 | K02 | 1298 | 0.41% | K59 | 3518 | 1.30% | K04 | 11410 | 1.10% | I49 | 37225 | 1.02% | L30 | 16235 | 1.37% |
| 18 | J20 | 1012 | 0.32% | H10 | 3442 | 1.27% | K59 | 9957 | 0.96% | J20 | 36198 | 0.99% | H10 | 13889 | 1.17% |
| 19 | J30 | 974 | 0.31% | Z00 | 3117 | 1.15% | H10 | 9839 | 0.94% | J42 | 35616 | 0.97% | M81 | 11405 | 0.96% |
| 20 | J00 | 905 | 0.29% | I25 | 3029 | 1.12% | M25 | 8913 | 0.86% | I67 | 34810 | 0.95% | M25 | 11165 | 0.94% |

Table 1-6. Distribution of the top 20 diseases in women's primary care visits by age group, 2018

| Rank | ≦ 18 | | | 19-39 | | | 40-59 | | | 60-79 | | | ≧ 80 | | |
|------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|---------|--------|-------|--------|--------|
| | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % | ICD10 | Visits | % |
| 1 | Z75 | 202060 | 69.11% | Z75 | 73470 | 18.41% | I10 | 276512 | 20.32% | I10 | 1041803 | 21.57% | I10 | 335211 | 20.81% |
| 2 | Z00 | 26179 | 8.95% | Z33 | 38693 | 9.70% | Z75 | 127231 | 9.35% | I25 | 500244 | 10.36% | I25 | 236711 | 14.69% |
| 3 | Z10 | 10855 | 3.71% | J06 | 36814 | 9.23% | J06 | 90602 | 6.66% | E14 | 371686 | 7.70% | E14 | 99351 | 6.17% |
| 4 | J06 | 8153 | 2.79% | N76 | 15493 | 3.88% | E14 | 77314 | 5.68% | Z75 | 282854 | 5.86% | Z75 | 78998 | 4.90% |
| 5 | K00 | 3794 | 1.30% | N92 | 12557 | 3.15% | I25 | 53960 | 3.97% | J06 | 205930 | 4.26% | I69 | 70175 | 4.36% |
| 6 | Z76 | 3554 | 1.22% | I10 | 10334 | 2.59% | K29 | 39019 | 2.87% | E78 | 195777 | 4.05% | J06 | 52730 | 3.27% |
| 7 | E56 | 2967 | 1.01% | J02 | 9293 | 2.33% | E78 | 31755 | 2.33% | K29 | 138280 | 2.86% | E78 | 47809 | 2.97% |
| 8 | E55 | 2610 | 0.89% | K29 | 8537 | 2.14% | J40 | 29518 | 2.17% | I69 | 114627 | 2.37% | K29 | 43920 | 2.73% |
| 9 | J45 | 2277 | 0.78% | Z34 | 8307 | 2.08% | N76 | 27538 | 2.02% | M13 | 101048 | 2.09% | M13 | 35100 | 2.18% |
| 10 | J04 | 2042 | 0.70% | J40 | 8040 | 2.01% | G47 | 24116 | 1.77% | J40 | 82665 | 1.71% | K59 | 34998 | 2.17% |
| 11 | J40 | 1870 | 0.64% | J20 | 7581 | 1.90% | M13 | 22429 | 1.65% | K59 | 71583 | 1.48% | I67 | 30443 | 1.89% |
| 12 | J03 | 1815 | 0.62% | K05 | 6426 | 1.61% | J20 | 20935 | 1.54% | G47 | 70250 | 1.45% | G47 | 28434 | 1.76% |
| 13 | L08 | 1473 | 0.50% | L30 | 5918 | 1.48% | J02 | 19166 | 1.41% | I67 | 68033 | 1.41% | J40 | 28220 | 1.75% |
| 14 | J02 | 1441 | 0.49% | L08 | 5816 | 1.46% | K05 | 19042 | 1.40% | M81 | 66495 | 1.38% | M81 | 25897 | 1.61% |
| 15 | K02 | 1433 | 0.49% | Z32 | 5011 | 1.26% | N39 | 18510 | 1.36% | H10 | 65405 | 1.35% | I49 | 25329 | 1.57% |
| 16 | N39 | 1233 | 0.42% | H10 | 4782 | 1.20% | K04 | 17638 | 1.30% | I49 | 57662 | 1.19% | H10 | 22480 | 1.40% |
| 17 | L30 | 1097 | 0.38% | K04 | 4777 | 1.20% | H10 | 17009 | 1.25% | N39 | 53438 | 1.11% | J42 | 19303 | 1.20% |
| 18 | H10 | 1057 | 0.36% | G47 | 4136 | 1.04% | L30 | 16589 | 1.22% | M25 | 51829 | 1.07% | L30 | 18671 | 1.16% |
| 19 | J20 | 908 | 0.31% | M54 | 3989 | 1.00% | M54 | 16007 | 1.18% | L30 | 50075 | 1.04% | N39 | 17104 | 1.06% |
| 20 | K04 | 772 | 0.26% | J03 | 3956 | 0.99% | K59 | 15272 | 1.12% | K05 | 48656 | 1.01% | M25 | 16970 | 1.05% |