

Supplementary Table 2: Characteristics of pregnant women (N=515) pre- and post- implementation.

	Pre-implementation n=265	Post-implementation n=256
	n (%)	n (%)
Age		
≤19	5 (1.9)	1 (0.4)
20-25	188 (70.9)	194 (75.8)
26-30	57 (21.5)	56 (21.8)
≥31	10 (3.8)	4 (1.6)
Missing	5 (1.9)	1 (0.4)
Caste*		
Marginalized	57 (21.5)	89 (34.8)
Non-Marginalized	203 (76.6)	166 (64.8)
Missing	5 (1.9)	1 (0.4)
Gestational age		
Preterm <37 weeks	67 (25.3)	86 (33.6)
Term ≥ 37 weeks	125 (47.2)	119(46.5)
Not determined	68 (25.6)	50 (19.5)
Missing	5 (1.9)	1 (0.4)
Parity		
Nulliparous	114 (43.0)	100 (39.1)
Multiparous	146 (55.1)	146 (60.5)
Missing data	5 (1.9)	1 (0.4)
History of Child Loss**		
Yes	19 (7.2)	18 (7.0)
No	132 (49.8)	140 (54.7)
Missing	114 (43.0)	98 (38.3)
Previous medical condition***		
Any registered	15 (5.7)	31 (11.7)
Previous obstetric complications ****		
Any registered	5 (1.9)	3 (1.2)
Total number of antenatal visits		
1-3	160 (60.4)	120 (46.9)
≥4	46 (17.3)	52 (20.3)
Not registered	59 (22.3)	84 (32.8)

* Marginalized: Scheduled Castes (SC/ST), Non-Marginalized: Other Backward class (OBC), General etc.

** Includes abortion, miscarriage and stillbirth,

***Asthma, Hypertension, Jaundice, Anemia, other

**** Hypertensive disorder, Post Partum Hemorrhage, Cesarean Section