

Supplementary tables

Population	Year 1		Year 2		Year 3		Year 4	
	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)
Total	0.00(0.00;0.00)	0.84(0.80;0.88)	0.00(0.00;0.00)	0.91(0.85;0.97)	0.00(0.00;0.00)	0.90(0.84;0.96)	0.00(0.00;0.00)	0.87(0.83;0.92)
Grouped by sex								
Female	0.00(0.00;0.00)	0.83(0.79;0.88)	0.00(0.00;0.00)	0.94(0.88;1.00)	0.00(0.00;0.00)	0.93(0.87;1.00)	0.00(0.00;0.00)	0.84(0.79;0.89)
Male	0.00(0.00;0.00)	0.94(0.85;1.03)	0.00(0.00;0.00)	0.82(0.71;0.92)	0.00(-0.01;0.00)	0.83(0.73;0.94)	0.00(0.00;0.00)	1.11(0.99;1.23)
Grouped by age								
]18 – 30] years	0.01(0.00;0.01)	1.30(1.17;1.42)	0.00(0.00;0.00)	0.98(0.87;1.09)	0.00(0.00;0.01)	1.00(0.90;1.11)	0.00(0.00;0.00)	1.23(1.09;1.38)
]30 – 40] years	-0.01(-0.01;0.00)	0.71(0.65;0.76)	0.00(-0.01;0.00)	0.88(0.81;0.95)	0.00(0.00;0.00)	0.90(0.82;0.98)	-0.01(-0.01;0.00)	0.69(0.62;0.76)
]40 – 50] years	0.00(0.00;0.00)	0.94(0.87;1.00)	0.00(0.00;0.00)	0.99(0.90;1.08)	0.00(0.00;0.00)	1.07(0.97;1.17)	0.01(0.00;0.01)	1.14(1.05;1.23)
]50 – 60] years	-0.01(-0.01;0.00)	0.74(0.62;0.85)	-0.01(-0.01;-0.01)	0.98(0.84;1.11)	0.00(-0.01;0.00)	0.56(0.50;0.63)	-0.01(-0.01;-0.01)	0.78(0.67;0.89)
Grouped by education								
Short education or unskilled	-0.01(-0.01;0.00)	0.91(0.84;0.97)	-0.01(-0.01;0.00)	0.80(0.73;0.88)	0.00(0.00;0.00)	0.82(0.74;0.89)	-0.01(-0.01;0.00)	0.75(0.67;0.82)
Craftsmen or office	0.00(0.00;0.00)	0.75(0.67;0.84)	-0.01(-0.01;-0.01)	1.05(0.96;1.14)	0.00(0.00;0.00)	1.00(0.90;1.09)	0.00(0.00;0.00)	0.93(0.86;0.99)
Bachelor or Master degree	0.00(0.00;0.00)	0.71(0.62;0.80)	0.00(0.00;0.00)	0.70(0.59;0.81)	0.00(0.00;0.00)	0.92(0.81;1.04)	0.00(0.00;0.00)	0.75(0.67;0.84)
Interdisciplinary	0.01(0.00;0.01)	1.04(0.95;1.13)	0.00(0.00;0.00)	1.22(1.11;1.34)	0.01(0.00;0.01)	1.09(0.99;1.20)	0.00(0.00;0.00)	1.25(1.16;1.34)
	Year 5		Year 6		Year 7			
Population	AR(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)		
Total	0.00(0.00;0.00)	0.76(0.72;0.80)	0.00(0.00;0.00)	0.93(0.88;0.99)	0.00(0.00;0.00)	0.90(0.85;0.94)		
Grouped by sex								
Female	0.00(0.00;0.00)	0.78(0.74;0.82)	0.00(0.00;0.00)	0.99(0.93;1.06)	0.00(0.00;0.00)	0.91(0.86;0.96)		
Male	0.00(0.00;0.00)	0.80(0.72;0.89)	0.00(0.00;0.00)	0.74(0.66;0.83)	0.00(0.00;0.00)	0.97(0.86;1.10)		
Grouped by age								
]18 – 30] years	0.00(0.00;0.00)	0.83(0.75;0.92)	0.00(0.00;0.00)	1.21(1.10;1.34)	0.00(0.00;0.00)	0.85(0.78;0.93)		
]30 – 40] years	0.00(-0.01;0.00)	0.70(0.64;0.76)	0.00(0.00;0.00)	0.77(0.71;0.83)	0.00(0.00;0.00)	0.69(0.63;0.75)		
]40 – 50] years	0.00(0.00;0.00)	0.95(0.88;1.01)	0.00(0.00;0.00)	1.07(0.99;1.14)	0.00(0.00;0.00)	1.50(1.35;1.64)		
]50 – 60] years	-0.01(-0.01;-0.01)	0.69(0.59;0.79)	0.00(0.00;0.00)	1.30(1.04;1.56)	-0.01(-0.01;-0.01)	0.96(0.73;1.19)		
Grouped by education								
Short education or unskilled	0.00(0.00;0.00)	0.76(0.71;0.82)	0.00(-0.01;0.00)	0.89(0.82;0.97)	0.00(-0.01;0.00)	0.74(0.67;0.81)		
Craftsmen or office	-0.01(-0.01;0.00)	0.68(0.62;0.74)	0.00(0.00;0.00)	0.99(0.89;1.10)	0.00(0.00;0.00)	1.21(1.07;1.35)		
Bachelor or Master degree	0.00(0.00;0.00)	0.91(0.81;1.02)	0.00(0.00;0.00)	0.88(0.79;0.99)	0.00(0.00;0.01)	0.86(0.77;0.96)		
Interdisciplinary	0.00(0.00;0.00)	0.95(0.87;1.02)	0.00(0.00;0.00)	1.34(1.20;1.49)	0.00(0.00;0.00)	1.13(1.04;1.22)		

Table 1 supplementary: Absolute risk increase (ARI) and relative risk (RR) with 95% confidence intervals (CI) of a case vs. a control subject being **part time employed** from one year to seven years after bariatric surgery.

Population	Year 1		Year 2		Year 3		Year 4	
	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)
Total	-0.01(-0.02;-0.01)	0.89(0.87;0.90)	-0.01(-0.01;0.00)	0.97(0.96;0.99)	-0.01(-0.01;0.00)	0.96(0.94;0.97)	-0.02(-0.02;-0.01)	0.95(0.94;0.96)
Grouped by sex								
Female	-0.01(-0.02;-0.01)	0.90(0.88;0.92)	-0.01(-0.01;-0.01)	0.99(0.98;1.00)	-0.01(-0.01;0.00)	0.96(0.94;0.97)	-0.01(-0.02;-0.01)	0.95(0.94;0.96)
Male	-0.01(-0.02;-0.01)	0.87(0.84;0.89)	0.00(-0.01;0.00)	0.93(0.89;0.97)	-0.01(-0.02;0.00)	0.96(0.93;0.99)	-0.03(-0.04;-0.02)	0.94(0.91;0.97)
Grouped by age								
]18 – 30] years	0.00(-0.01;0.00)	1.01(0.96;1.05)	0.01(0.01;0.02)	1.04(1.03;1.04)	0.02(0.01;0.02)	1.02(1.01;1.03)	0.02(0.01;0.03)	1.01(1.00;1.02)
]30 – 40] years	-0.02(-0.02;-0.01)	0.86(0.84;0.88)	-0.02(-0.03;-0.02)	0.97(0.95;0.98)	-0.02(-0.02;-0.02)	0.95(0.93;0.96)	-0.04(-0.04;-0.03)	0.94(0.92;0.95)
]40 – 50] years	-0.02(-0.03;-0.02)	0.87(0.85;0.90)	-0.01(-0.01;0.00)	0.93(0.90;0.96)	-0.01(-0.01;0.00)	0.90(0.87;0.92)	-0.01(-0.01;0.00)	0.88(0.86;0.90)
]50 – 60] years	0.00(0.00;0.01)	0.90(0.86;0.93)	0.00(0.00;0.01)	0.98(0.96;1.01)	-0.01(-0.02;-0.01)	0.93(0.90;0.97)	-0.04(-0.05;-0.03)	1.00(0.98;1.02)
Grouped by education								
Short education or unskilled	-0.01(-0.02;-0.01)	0.92(0.90;0.93)	0.01(0.00;0.01)	0.94(0.93;0.96)	-0.01(-0.01;0.00)	0.94(0.92;0.96)	-0.01(-0.01;0.00)	0.93(0.91;0.95)
Craftsmen or office	-0.06(-0.06;-0.05)	0.70(0.67;0.73)	-0.06(-0.07;-0.06)	0.80(0.77;0.82)	-0.05(-0.06;-0.05)	0.75(0.73;0.76)	-0.06(-0.06;-0.05)	0.74(0.73;0.76)
Bachelor or Master degree	0.02(0.01;0.02)	0.93(0.91;0.95)	0.01(0.01;0.01)	1.14(1.12;1.16)	0.01(0.01;0.02)	1.15(1.13;1.17)	0.00(0.00;0.01)	1.17(1.15;1.19)
Interdisciplinary	-0.01(-0.02;-0.01)	0.87(0.85;0.90)	0.00(-0.01;0.00)	0.97(0.94;1.00)	0.00(0.00;0.01)	0.94(0.91;0.97)	-0.02(-0.02;-0.01)	0.92(0.89;0.95)
	Year 5		Year 6		Year 7			
Population	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)		
Total	-0.03(-0.03;-0.02)	0.98(0.96;0.99)	0.00(-0.01;0.00)	0.99(0.98;1.01)	-0.01(-0.01;-0.01)	0.97(0.95;0.99)		
Grouped by sex								
Female	-0.03(-0.03;-0.02)	0.98(0.97;0.99)	0.00(0.00;0.00)	1.00(0.99;1.01)	0.00(0.00;0.00)	0.99(0.97;1.01)		
Male	-0.02(-0.03;-0.02)	0.98(0.96;1.01)	-0.01(-0.02;0.00)	0.97(0.93;1.00)	-0.01(-0.02;0.00)	1.05(1.04;1.06)		
Grouped by age								
]18 – 30] years	-0.01(-0.03;0.00)	1.05(1.04;1.06)	0.01(0.01;0.01)	1.08(1.06;1.09)	0.01(0.00;0.01)	1.11(1.09;1.13)		
]30 – 40] years	-0.03(-0.04;-0.03)	0.93(0.92;0.95)	0.00(-0.01;0.00)	0.94(0.93;0.96)	-0.01(-0.02;-0.01)	0.89(0.87;0.91)		
]40 – 50] years	-0.02(-0.03;-0.02)	0.95(0.93;0.98)	-0.01(-0.01;0.00)	0.97(0.95;1.03)	-0.02(-0.02;-0.01)	0.99(0.95;1.02)		
]50 – 60] years	-0.02(-0.02;-0.01)	1.03(1.00;1.06)	0.00(0.00;0.00)	0.93(0.89;0.97)	-0.01(-0.02;0.00)	0.77(0.73;0.80)		
Grouped by education								
Short education or unskilled	-0.01(-0.02;-0.01)	1.02(1.00;1.04)	-0.01(-0.01;-0.01)	0.97(0.95;0.99)	-0.01(-0.02;-0.01)	0.97(0.95;0.99)		
Craftsmen or office	-0.06(-0.07;-0.06)	0.73(0.71;0.74)	-0.04(-0.05;-0.03)	0.78(0.76;0.80)	-0.05(-0.06;-0.05)	0.78(0.76;0.80)		
Bachelor or Master degree	-0.01(-0.02;-0.01)	1.13(1.11;1.15)	0.02(0.02;0.02)	1.18(1.16;1.21)	0.02(0.02;0.02)	1.13(1.11;1.14)		
Interdisciplinary	-0.02(-0.03;-0.02)	0.97(0.94;1.00)	0.00(0.00;0.01)	1.00(0.98;1.03)	-0.01(-0.01;0.00)	0.94(0.91;0.98)		

Table 2 supplementary: Absolute risk increase (ARI) and relative risk (RR) with 95% confidence intervals (CI) of a case vs. a control subject being **unemployed** from one year to seven years after bariatric surgery.

Population	Year 1		Year 2		Year 3		Year 4	
	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)
Total	0.00(0.00;0.00)	0.66(0.65;0.66)	0.00(0.00;0.00)	0.75(0.75;0.76)	0.01(0.01;0.01)	0.90(0.89;0.90)	0.02(0.02;0.02)	0.98(0.97;0.99)
Grouped by sex								
Female	0.00(0.00;0.00)	0.71(0.70;0.70)	0.01(0.01;0.01)	0.82(0.81;0.83)	0.02(0.01;0.02)	1.00(0.99;1.00)	0.02(0.02;0.02)	1.07(1.06;1.08)
Male	-0.02(-0.02;-0.02)	0.48(0.47;0.48)	-0.02(-0.02;-0.02)	0.50(0.49;0.51)	-0.01(-0.01;-0.01)	0.55(0.54;0.56)	-0.01(-0.01;0.00)	0.63(0.62;0.64)
Grouped by age								
]18 – 30] years	-0.01(-0.01;-0.01)	0.78(0.76;0.80)	0.00(0.00;0.00)	0.78(0.86;0.80)	0.00(0.00;0.00)	0.76(0.75;0.78)	0.01(0.00;0.01)	0.80(0.79;0.82)
]30 – 40] years	0.00(0.00;0.00)	0.75(0.74;0.76)	0.00(0.00;0.00)	0.82(0.81;0.83)	0.01(0.01;0.01)	0.94(0.93;0.95)	0.02(0.02;0.02)	1.01(1.00;1.03)
]40 – 50] years	0.01(0.01;0.01)	0.59(0.58;0.61)	0.01(0.01;0.01)	0.75(0.74;0.76)	0.03(0.03;0.03)	1.01(1.00;1.02)	0.03(0.03;0.03)	1.10(1.09;1.11)
]50 – 60] years	-0.03(-0.03;-0.02)	0.54(0.53;0.55)	-0.02(-0.02;-0.02)	0.57(0.57;0.58)	-0.02(-0.02;-0.02)	0.64(0.63;0.65)	-0.02(-0.02;-0.02)	0.69(0.68;0.70)
Grouped by education								
Short education or unskilled	-0.01(-0.01;-0.01)	0.53(0.52;0.54)	-0.01(-0.01;-0.01)	0.60(0.58;0.61)	-0.01(-0.01;-0.01)	0.74(0.73;0.75)	0.00(0.00;0.00)	0.82(0.81;0.83)
Craftsmen or office	0.00(0.00;0.00)	0.64(0.63;0.66)	0.00(0.00;0.00)	0.75(0.74;0.76)	0.01(0.00;0.01)	0.89(0.88;0.90)	0.01(0.01;0.01)	0.96(0.93;0.98)
Bachelor or Master degree	0.01(0.01;0.01)	0.91(0.88;0.94)	0.01(0.01;0.01)	0.95(0.93;0.97)	0.02(0.02;0.02)	1.13(1.11;1.15)	0.02(0.02;0.02)	1.21(1.19;1.24)
Interdisciplinary	0.01(0.01;0.01)	0.95(0.94;0.96)	0.01(0.01;0.01)	0.97(0.96;0.98)	0.02(0.02;0.02)	1.08(1.07;1.10)	0.03(0.03;0.03)	1.17(1.15;1.19)
	Year 5		Year 6		Year 7			
Population	AR(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)		
Total	-0.02(-0.02;-0.02)	0.99(0.99;1.00)	-0.01(-0.02;-0.01)	1.09(1.09;1.10)	-0.01(-0.01;-0.01)	1.15(1.14;1.16)		
Grouped by sex								
Female	-0.02(-0.02;-0.02)	1.08(1.07;1.08)	-0.01(-0.01;-0.01)	1.18(1.18;1.19)	0.00(0.00;0.00)	1.24(1.23;1.25)		
Male	-0.03(-0.03;-0.03)	0.68(0.67;0.69)	-0.03(-0.03;-0.03)	0.76(0.75;0.77)	-0.03(-0.03;-0.03)	0.79(0.78;0.80)		
Grouped by age								
]18 – 30] years	-0.01(-0.01;-0.01)	0.88(0.86;0.91)	-0.01(-0.01;-0.01)	0.98(0.95;1.01)	-0.01(-0.01;-0.01)	1.11(1.08;1.14)		
]30 – 40] years	-0.01(-0.01;-0.01)	1.07(0.99;1.03)	-0.01(-0.01;-0.01)	1.07(1.06;1.08)	0.00(0.00;0.00)	1.16(1.13;1.18)		
]40 – 50] years	-0.03(-0.03;-0.03)	1.10(1.09;1.11)	-0.02(-0.02;-0.02)	1.25(1.24;1.26)	0.00(0.00;0.00)	1.30(1.28;1.31)		
]50 – 60] years	-0.04(-0.04;-0.04)	0.72(0.71;0.74)	-0.03(-0.03;-0.03)	0.83(0.81;0.84)	-0.03(-0.03;-0.03)	0.78(0.77;0.79)		
Grouped by education								
Short education or unskilled	-0.04(-0.04;-0.04)	0.78(0.77;0.79)	-0.03(-0.03;-0.03)	0.84(0.83;0.85)	-0.02(-0.02;-0.02)	0.87(0.85;0.88)		
Craftsmen or office	-0.02(-0.02;-0.02)	1.01(0.99;1.03)	-0.02(-0.02;-0.01)	1.03(1.01;1.06)	-0.01(-0.01;-0.01)	1.03(1.00;1.05)		
Bachelor or Master degree	0.00(-0.01;0.00)	1.30(1.27;1.33)	0.00(0.00;0.00)	1.61(1.58;1.63)	0.00(0.00;0.00)	1.62(1.57;1.67)		
Interdisciplinary	0.00(0.00;0.00)	1.30(1.28;1.32)	0.00(0.00;0.00)	1.52(1.51;1.56)	0.00(0.00;0.00)	1.63(1.61;1.66)		

Table 3 supplementary: Absolute risk increase (ARI) and relative risk (RR) with 95% confidence intervals (CI) of a case vs. a control subject being in the “Flex” state from one year to seven years after bariatric surgery.

Population	Year 1		Year 2		Year 3		Year 4	
	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)
Total	0.00(0.00;0.00)	0.63(0.55;0.70)	0.00(0.00;0.00)	0.71(0.68;0.73)	0.00(0.00;0.00)	0.74(0.73;0.75)	0.00(0.00;0.00)	0.74(0.72;0.76)
Grouped by sex								
Female	0.00(0.00;0.00)	0.73(0.64;0.81)	0.00(0.00;0.00)	0.81(0.78;0.84)	0.00(0.00;0.00)	0.82(0.80;0.83)	0.01(0.00;0.01)	0.81(0.79;0.83)
Male	-0.01(-0.02;-0.01)	0.29(0.26;0.33)	-0.02(-0.02;-0.02)	0.35(0.34;0.36)	-0.01(-0.01;-0.01)	0.43(0.42;0.44)	0.00(-0.01;0.00)	0.44(0.42;0.46)
Grouped by age								
]18 – 30] years	0.00(0.00;0.00)	0.56(0.54;0.60)	0.00(0.00;0.00)	0.49(0.47;0.51)	0.00(0.00;0.00)	0.50(0.48;0.52)	0.00(0.00;0.00)	0.69(0.64;0.74)
]30 – 40] years	0.01(0.01;0.01)	0.57(0.62;0.62)	0.01(0.01;0.01)	0.89(0.86;0.93)	0.02(0.02;0.02)	1.23(1.20;1.25)	0.02(0.02;0.02)	1.21(1.12;1.25)
]40 – 50] years	-0.01(-0.01;-0.01)	0.55(0.49;0.62)	0.00(0.00;0.00)	0.63(0.61;0.66)	0.00(-0.01;0.00)	0.71(0.70;0.71)	0.00(0.00;0.00)	0.75(0.73;0.78)
]50 – 60] years	-0.02(-0.02;-0.01)	0.89(0.72;1.07)	-0.03(-0.03;-0.02)	0.81(0.77;0.85)	-0.02(-0.03;-0.01)	0.71(0.68;0.73)	0.00(-0.01;0.00)	0.68(0.66;0.69)
Grouped by education								
Short education or unskilled	-0.01(-0.02;-0.01)	0.66(0.57;0.75)	-0.01(-0.02;-0.01)	0.75(0.73;0.77)	-0.01(-0.01;-0.01)	0.63(0.61;0.65)	-0.01(-0.01;-0.01)	0.60(0.58;0.61)
Craftsmen or office	0.01(0.01;0.01)	0.94(0.87;1.01)	0.01(0.01;0.01)	1.24(1.20;1.28)	0.01(0.01;0.01)	1.49(1.41;1.56)	0.00(0.00;0.00)	1.49(1.40;1.57)
Bachelor or Master degree	0.00(0.00;0.00)	0.66(0.59;0.73)	0.01(0.01;0.01)	0.91(0.87;0.96)	0.01(0.01;0.01)	0.81(0.78;0.84)	0.02(0.02;0.02)	0.72(0.70;0.75)
Interdisciplinary	-0.01(-0.01;-0.01)	0.35(0.32;0.39)	-0.01(-0.01;-0.01)	0.37(0.35;0.38)	0.00(0.00;0.00)	0.45(0.43;0.46)	0.01(0.01;0.01)	0.47(0.45;0.48)
	Year 5		Year 6		Year 7			
Population	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)	ARI(CI)	RR(CI)		
Total	-0.01(-0.01;-0.01)	0.73(0.72;0.75)	-0.01(-0.01;-0.01)	0.72(0.70;0.74)	-0.01(-0.01;-0.01)	0.74(0.72;0.77)		
Grouped by sex								
Female	-0.01(-0.01;-0.01)	0.80(0.78;0.82)	-0.01(-0.01;-0.01)	0.77(0.76;0.79)	0.00(-0.01;0.00)	0.78(0.76;0.80)		
Male	-0.02(-0.02;-0.01)	0.44(0.42;0.46)	-0.02(-0.02;-0.02)	0.47(0.45;0.49)	-0.01(-0.01;-0.01)	0.52(0.50;0.55)		
Grouped by age								
]18 – 30] years	-0.01(-0.01;0.00)	0.72(0.67;0.78)	-0.01(-0.01;-0.01)	0.77(0.71;0.83)	-0.01(-0.01;-0.01)	0.83(0.77;0.89)		
]30 – 40] years	-0.01(-0.01;-0.01)	1.25(1.19;1.30)	0.00(0.00;0.00)	1.31(1.26;1.37)	0.00(0.00;0.01)	1.42(1.36;1.49)		
]40 – 50] years	-0.02(-0.02;-0.02)	0.80(0.78;0.82)	-0.02(-0.02;-0.02)	0.76(0.73;0.78)	-0.01(-0.01;-0.01)	0.75(0.72;0.77)		
]50 – 60] years	-0.01(-0.02;-0.01)	0.64(0.63;0.65)	-0.01(-0.01;-0.01)	0.65(0.64;0.67)	-0.01(-0.02;-0.01)	0.70(0.68;0.72)		
Grouped by education								
Short education or unskilled	-0.01(-0.01;-0.01)	0.60(0.59;0.62)	-0.01(-0.01;-0.01)	0.63(0.61;0.64)	-0.01(-0.01;-0.01)	0.65(0.63;0.67)		
Craftsmen or office	0.00(0.00;0.00)	1.38(1.28;1.48)	0.00(0.00;0.00)	1.18(1.11;1.25)	0.01(0.01;0.01)	1.12(1.03;1.20)		
Bachelor or Master degree	-0.01(-0.01;-0.01)	0.75(0.73;0.77)	0.00(0.00;0.00)	0.70(0.68;0.72)	0.00(0.00;0.00)	0.70(0.67;0.73)		
Interdisciplinary	-0.02(-0.02;-0.02)	0.47(0.46;0.49)	-0.02(-0.02;-0.02)	0.50(0.48;0.51)	-0.01(-0.01;-0.01)	0.56(0.53;0.58)		

Table 4 supplementary: Absolute risk increase (ARI) and relative risk (RR) with 95% confidence intervals (CI) of a case vs. a control subject being in the “Out” state from one year to seven years after bariatric surgery.