SUPPLEMENTARY MATERIALS

Supplementary Table 1. The ROSA Dementia Cohort Comprehensive Demographic and Clinical Characteristics

- Characteristics	n (%)
	All
	(n=373,695)
Age at cohort entry (mean, SD)	84.1 (6.9)
65-69	11,181 (3.0)
70-79	78,409 (21.0)
80-89	202,519 (54.2)
>89	81,586 (21.8)
Sex	
Female	235,703 (63.1)
Male	137,943 (36.9)
Missing	49 (0.1)
Country of birth	240 200 (66 2)
Australia	348,396 (66.5)
Outside Australia	123,009 (32.9)
Missing	2290 (0.6)
Language	220 100 (00 1)
English	329,108 (88.1)
Other	42,779 (11.5)
Missing	1808 (0.5)
State Name Sanda Walaa	127 920 (24.2)
New South Wales Victoria	127,830 (34.2)
	92,911 (24.9)
Queensland	63,986 (17.1)
Western Australia South Australia	35,689 (9.6)
Tasmania	34,252 (9.2) 9379 (2.5)
Northern Territory	780 (0.2)
Australian Capital Territory	4114 (1.10)
Australian Capital Territory Missing	4754 (1.3)
ARIA Region ^a	7757 (1.5)
Major city	245,083 (65.6)
Inner regional	78,320 (21.0)
Outer regional	37,378 (10.0)
Remote	4074 (1.1)
Very remote	1307 (0.4)
Missing	7533 (2.0)
Socio-economic status (derived from postcode using	
IRSD)	
Most Disadvantaged -1	61,573 (16.5)
2	63,830 (17.1)
3	65,613 (17.6)
4	70,050 (18.8)
Least Disadvantaged- 5	105,029 (18.8)
Missing	7600 (2.0)
Marital status	-
Married	133,647 (35.8)
Separated or divorced	23,727 (6.3)
Widowed	176,949 (47.4)
	17,950 (4.8)
Never married	17,230 (1.0)
Never married Missing	21,412 (5.7)
	21,412 (5.7)
Missing	
Carer availability ^b (n=214,780)	21,412 (5.7)

	n (%)
	All
	(n=373,695)
Carer relationship ^b (n=185,118)	(11 313,073)
Spouse	80,094 (43.3)
Parent	164 (0.9)
Child or child-in-law	88,105 (47.6)
Other relative	10,075 (5.4)
Friend/neighbour	5967 (3.2)
Missing	676 (0.4)
Carer co-residency ^b (n=185,118)	117,617 (63.5)
Dementia identified	
Medicine dispensing only	3694 (1.0)
ACAP or medicine dispensing only	62,417 (16.7)
ACFI or medicine dispensing only	161,135 (43.1)
Both ACAP and ACFI	146,449 (39.2)
Dementia first identified using ^c ACAP	207,346 (55.5)
ACFI	166,349 (44.5)
Number Medical Conditions (median, IQR) f	4 (4-6)
0	11,862 (3.2)
1-4	170,826 (45.7)
5-9	151,358 (40.5)
10+	13,747 (3.7)
Missing	25,875 (6.9)
Activity limitations ^b (<i>n</i> =214,780)	
None	405 (0.2)
Communication	66,745 (31.1)
Domestic assistance	190,642 (88.8)
Health care tasks Home maintenance	199,163 (92.7) 161,220 (75.1)
Home maintenance Meals	186.390 (86.8)
Movement activities	60,528 (28.2)
Moving around places	139,482 (64.9)
Self-care	164,446 (76.6)
Transport	203,395 (94.7)
Social and community participation	198,743 (92.5)
Other	12,478 (5.8)
Most common co-morbidities at cohort entry	
Arthritis (rheumatoid and other)	130,824 (35.0)
Hypertension	130,569 (34.9)
Heart diseases	118,274 (31.7)
Falls Cerebrovascular disease	58,136 (15.6)
Osteoporosis	57,772 (15.5) 54,555 (14.6)
Diabetes – type 2	54,026 (14.5)
Abnormalities of gait and mobility	48,151 (12.9)
Deafness/hearing loss	41,480 (11.1)
Hypercholesterolemia	14,043 (9.1)
Cornell Scale for Depression ^g (<i>n</i> =122,253) (mean,	***************************************
SD)	11.7 (6.7)
Dead at June 30 2016	249.682 (66.8)
Age at death (<i>n</i> =249,682) (mean, SD)	87.5 (6.6)
Years from cohort entry to death (<i>n</i> =249,682) (mean,	2.1 (1.7)
SD)	
Primary cause of death (n=249,682)	97 (04 (25 1)
Circulatory disease Heart disease	87,604 (35.1)
Cerebrovascular disease	54,412 (21.8) 30,246 (21.1)
Cercurovasculai diseasc	20,270 (21.1)

	n (%)
	All
	(n=373,695)
Dementias	66,287 (26.5)
Unspecified dementia	38,019 (15.2)
Alzheimer's disease	21,090 (8.4)
Vascular dementia	7178 (2.9)
Respiratory disease (including pneumonia)	19,675 (7.9)
Other causes	76,116 (30.5)

ACAP=Aged Care Assessment Program; ACFI=Aged Care Funding Instrument;

ARIA=Accessibility/Remoteness Index of Australia; IQR=Interquartile range; IRSD=Index of Relative Socio-Economic Disadvantage; SD=Standard deviation

^a Remoteness categories are from the Accessibility/Remoteness Index of Australia Plus (ARIA+) 2016. These have also been linked to the cohort based on the postcode at the time of the assessment.

^b From ACAP recordings – includes ACAP data for *n*=7,434 individuals who entered the ROSA dementia cohort from an earlier ACFI assessment.

^c Or medicine dispensing closest to one of these

^d From July 2008

e To June 2016

^fFrom RxRisk, medicine-based comorbidity measure

g From ACFI recordings – includes ACFI data (at entry to permanent residential aged care) for some individuals who entered the ROSA dementia cohort from an earlier ACAT assessment