Supplementary material 2: Frequencies and proportions of hospital admissions according to diagnosis by age groups and year, between 2019 and 2021

Table S2.1: Frequencies and proportions of hospital admissions of 15-24 years old according to diagnosis, between 2019 and 2021

| | 2019 | | 2020 | | Evolution | 2021 | | Evolution |
|---|-------|-----|-------|-----|---------------|-------|-----|---------------|
| | Freq. | % | Freq. | % | 2019- 2020 | Freq. | % | 2019- 2021 |
| Mental and behavioural disorders due to psychoactive substance use | 71 | 3% | 70 | 4% | -1% | 85 | 4% | 20% |
| Schizophrenia, schizotypal and delusional disorders | 624 | 26% | 546 | 27% | -13% | 490 | 20% | -21% |
| Mood [affective] disorders | 490 | 21% | 399 | 20% | -19% | 679 | 28% | 39% |
| Neurotic, stress-related and somatoform disorders | 170 | 7% | 147 | 7% | -14% | 161 | 7% | -5% |
| Behavioural syndromes associated with physiological disturbances and physical factors | 69 | 3% | 48 | 2% | -30% | 42 | 2% | -39% |
| Disorders of adult personality and behaviour | 178 | 8% | 169 | 9% | -5% | 194 | 8% | 9% |
| Behavioural and emotional disorders (childhood and adolescence onset) | 145 | 6% | 115 | 6% | -21% | 133 | 6% | -8% |
| Non-psychiatric disorders | 608 | 26% | 493 | 25% | -19% | 625 | 26% | 3% |
| Total patients | 2355 | | 1987 | | | 2409 | | |

Table S2.2: Frequencies and proportions of hospital admissions of 25-44 years old according to diagnosis, between 2019 and 2021

| | 2019 | | 2020 | | Evolution 2019- 2020 | 202 | 21 | Evolution 2019- 2021 |
|---|-------|-----|-------|-----|-------------------------|-------|-----|-------------------------|
| | Freq. | % | Freq. | % | | Freq. | % | |
| Mental and behavioural disorders due to psychoactive substance use | 315 | 6% | 258 | 6% | -18% | 319 | 7% | 1% |
| Schizophrenia, schizotypal and delusional disorders | 1903 | 35% | 1534 | 35% | -19% | 1562 | 35% | -18% |
| Mood [affective] disorders | 958 | 18% | 809 | 19% | -16% | 1005 | 22% | 5% |
| Neurotic, stress-related and somatoform disorders | 210 | 4% | 150 | 3% | -29% | 163 | 4% | -22% |
| Behavioural syndromes associated with physiological disturbances and physical factors | 78 | 1% | 44 | 1% | -44% | 47 | 1% | -40% |
| Disorders of adult personality and behaviour | 228 | 4% | 194 | 4% | -15% | 158 | 4% | -31% |
| Behavioural and emotional disorders (childhood and adolescence onset) | 52 | 1% | 78 | 2% | 50% | 55 | 1% | 6% |
| Non-psychiatric disorders | 1660 | 31% | 1278 | 29% | -23% | 1171 | 26% | -29% |
| Total patients | 5404 | | 4345 | | | 4480 | | |

Table S2.3: Frequencies and proportions of hospital admissions of 45-64 years old according to diagnosis, between 2019 and 2021

| | 2019 | | 2020 | | Evolution | 2021 | | Evolution |
|---|-------|-----|-------|-----|---------------|-------|-----|---------------|
| | Freq. | % | Freq. | % | 2019- 2020 | Freq. | % | 2019- 2021 |
| Mental and behavioural disorders due to psychoactive substance use | 230 | 6% | 210 | 6% | -9% | 185 | 5% | -20% |
| Schizophrenia, schizotypal and delusional disorders | 1408 | 35% | 1124 | 33% | -20% | 1067 | 30% | -24% |
| Mood [affective] disorders | 898 | 22% | 845 | 25% | -6% | 1145 | 32% | 28% |
| Neurotic, stress-related and somatoform disorders | 105 | 3% | 92 | 3% | -12% | 91 | 3% | -13% |
| Behavioural syndromes associated with physiological disturbances and physical factors | 13 | 0% | 14 | 0% | 8% | 7 | 0% | -46% |
| Disorders of adult personality and behaviour | 73 | 2% | 83 | 2% | 14% | 65 | 2% | -11% |
| Behavioural and emotional disorders (childhood and adolescence onset) | 19 | 0% | 12 | 0% | -37% | 11 | 0% | -42% |
| Non-psychiatric disorders | 1322 | 32% | 993 | 29% | -25% | 982 | 28% | -26% |
| Total patients | 4068 | | 3373 | | | 3553 | | |

Table S2.4: Frequencies and proportions of hospital admissions of 65 years old and over according to diagnosis, between 2019 and 2021

| | 2019 | | 2020 | | Evolution | 2021 | | Evolution |
|---|-------|-----|-------|-----|---------------|-------|-----|---------------|
| | Freq. | % | Freq. | % | 2019- 2020 | Freq. | % | 2019- 2020 |
| Mental and behavioural disorders due to psychoactive substance use | 38 | 2% | 24 | 2% | -37% | 22 | 2% | -42% |
| Schizophrenia, schizotypal and delusional disorders | 344 | 22% | 287 | 22% | -17% | 299 | 23% | -13% |
| Mood [affective] disorders | 703 | 44% | 664 | 50% | -6% | 553 | 43% | -21% |
| Neurotic, stress-related and somatoform disorders | 36 | 2% | 31 | 2% | -14% | 45 | 3% | 25% |
| Behavioural syndromes associated with physiological disturbances and physical factors | 3 | 0% | 3 | 0% | 0% | 1 | 0% | -67% |
| Disorders of adult personality and behaviour | 15 | 1% | 12 | 1% | -20% | 15 | 1% | 0% |
| Behavioural and emotional disorders (childhood and adolescence onset) | 6 | 0% | 4 | 0% | -33% | 2 | 0% | -67% |
| Non-psychiatric disorders | 447 | 28% | 296 | 22% | -34% | 359 | 28% | -20% |
| Total patients | 1592 | | 1321 | | | 1296 | | |