

Table 2-web appendix. Advanced stage, resection with curative intent, 30-days post-operative mortality, proportion of patients with information on stage and number of lymph nodes examined : colorectal cancer, Europe and the US, 1996-98

EUROPE	Registry	All cases			Resected with curative intent ²															
		No.	Advanced stage ¹		Deaths within 30 days				Staged				No. of lymph nodes examined							
			No.	%	No.	%	No.	%	Colon		Rectum		Zero		Up to 11		More than 12		Not available	
									No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Estonia	Estonia	560	188	34	314	56	9	3	192	98	118	99	0	0	149	47	5	2	160	51
Finland	Finland	523	134	26	385	74	16	4	192	84	142	90	49	13	187	49	20	5	129	34
France	Côte d'Or	561	141	25	430	77	24	6	302	100	127	99	62	14	255	59	113	26	0	0
Italy	Genova	589	153	26	503	85	37	7	313	95	164	95	1	0	219	44	171	34	112	22
	Varese	500	133	27	395	79	8	2	270	100	120	96	12	3	201	51	156	39	26	7
Netherlands	North East NL	1,936	468	24	1,662	86	n.a	n.a	997	92	519	90	-	-	-	-	-	-	1,662	100
Poland	Cracow	512	187	37	303	59	9	3	146	94	141	96	6	2	210	69	25	8	62	20
	Kielce	271	91	34	211	78	19	9	103	98	97	92	0	0	36	17	3	1	172	82
Slovakia	Slovakia	581	195	34	367	63	19	5	215	100	149	99	7	2	155	42	1	0	204	56
Slovenia	Slovenia	937	283	30	652	70	44	7	322	97	315	98	26	4	243	37	327	50	56	9
Spain	Granada	567	186	33	442	78	30	7	273	96	151	96	4	1	238	54	135	31	65	15
	Navarra	588	172	29	452	77	15	3	259	98	186	98	0	0	201	44	133	29	118	26
	Tarragona	637	204	32	468	73	18	4	311	98	145	96	0	0	174	37	244	52	50	11
European registries³		8,762	2,535	29	6,584	75	248	5	3,895	95	2,374	95	167	3	2,268	34	1,333	20	2,816	43
Northern Europe		523	134	26	385	74	16	4	192	84	142	90	49	13	187	49	20	5	129	34
Western Europe ⁴		2,497	609	24	2,092	84	24	6	1,299	93	646	92	62	3	255	12	113	5	1,662	79
Southern Europe ⁵		3,818	1,131	30	2,912	76	152	5	1,748	97	1,081	97	43	1	1,276	44	1,166	40	427	15
Eastern Europe		1,924	661	34	1,195	62	56	5	656	98	505	97	13	1	550	46	34	3	598	50
US																				
	California	495	112	23	415	84	15	4	294	96	102	93	37	9	215	52	156	38	7	2
	Colorado	548	113	21	468	85	18	4	335	95	109	93	24	5	238	51	199	43	7	1
	Illinois	505	112	22	422	84	21	5	320	97	85	93	49	12	191	45	176	42	6	1
	Louisiana	511	105	21	431	84	26	6	315	100	111	97	62	14	226	52	142	33	1	0
	New York	492	80	16	411	84	22	5	287	95	102	94	34	8	216	53	150	36	11	3
	Rhode Island	418	78	19	369	88	9	2	268	99	93	94	37	10	202	55	130	35	0	0
	South Carolina	368	76	21	316	86	13	4	220	96	75	87	28	9	174	55	107	34	7	2
US registries		3,337	676	20	2,832	85	124	4	2,039	97	677	93	271	10	1,462	52	1,060	37	39	1
Total		12,099																		

¹ All metastatic cases, plus unresected cases for which no stage data were available

² Curative intent: surgery not specified as palliative, or tumour entirely resected

³ Northern Europe: Finland; Western Europe: France (Côte d'Or), the Netherlands (North East Netherlands); Southern Europe: Italy (Genova, Ragusa, Varese), Slovenia, Spain (Granada, Navarra, Tarragona); Eastern Europe: Estonia, Poland (Cracow, Kielce), Slovakia

⁴ Data for North East Netherlands (1,936) are not included in the proportion of deaths within 30 days of surgery for Western Europe because the date of surgery was not available

⁵ Data for Ragusa (424) are not included in the percentages of Dukes' stage for Southern Europe