

Block 1 Scenario 1

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to < 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 52

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 62

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions

Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 66

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 76

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 77

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 85

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions

Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 92

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 103

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 114

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 118

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 121

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 123

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 124

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 128

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions

Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 131

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 139

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 160

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	1 year

Who should have their surgery now?

Person A

Person B

Block 1 Scenario 85R

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 15

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 19

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions

Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 22

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 25

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 27

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 42

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 78

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 81

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 86

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 94

Person A	Person B
----------	----------

Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 102

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 115

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 122

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 132

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 133

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 149

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 150

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 153

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 2 Scenario 78R

Person A	Person B
----------	----------

Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 7

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 8

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 17

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 23

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions

Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 41

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 44

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 45

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 50

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 54

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 65

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 83

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 88

Person A	Person B
----------	----------

Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 99

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 104

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 106

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 111

Person A	Person B
----------	----------

Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 117

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 130

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 3 Scenario 45R

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 20

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 21

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 37

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 49

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery

Time already spent on surgery waiting list	2 years	6 months
--	---------	----------

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 70

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 75

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 82

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 84

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 87

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 90

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 95

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 97

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 98

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss

Time already spent on surgery waiting list	1 year	1 year
--	--------	--------

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 101

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 126

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 129

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 135

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 161

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 4 Scenario 82R

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 5

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 10

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 26

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 35

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 40

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery

Time already spent on surgery waiting list	6 months	2 years
---	----------	---------

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 47

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 53

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 58

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 63

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 73

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 80

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 100

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 116

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 138

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery

Time already spent on surgery waiting list	1 year	1 year
--	--------	--------

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 146

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 148

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 155

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 162

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 5 Scenario 53R

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 11

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 12

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 16

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery

Time already spent on surgery waiting list	6 months	2 years
--	----------	---------

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 24

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 29

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 31

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 32

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 46

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 55

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 69

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 74

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 91

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss

Time already spent on surgery waiting list	6 months	2 years
--	----------	---------

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 136

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 141

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 151

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 152

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 154

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 159

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 6 Scenario 32R

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 9

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 30

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 36

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 39

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 56

Person A	Person B
----------	----------

Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 67

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 68

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 105

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 109

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 113

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 119

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 120

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss

Time already spent on surgery waiting list	1 year	1 year
--	--------	--------

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 125

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 127

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 134

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 142

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 144

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 157

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 7 Scenario 68R

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 2

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	1 year

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 4

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 6

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 33

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 34

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions

Age of person needing surgery	20 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 48

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 59

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 60

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 61

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 64

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 71

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss

Time already spent on surgery waiting list	6 months	2 years
---	----------	---------

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 72

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 96

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 110

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	20 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 137

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss

Time already spent on surgery waiting list	6 months	2 years
--	----------	---------

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 143

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 147

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 156

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 8 Scenario 59R

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 3

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 13

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 14

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions

Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 18

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 28

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 38

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 43

Person A	Person B
----------	----------

Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 51

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years

Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 57

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%

Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 79

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 89

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 93

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 107

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 108

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 112

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 140

Person A	Person B
----------	----------

Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 145

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood

Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 158

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

Block 9 Scenario 43R

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

BLOCK 10 Scenario 1

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

D[1]P[2]V[2]s[1]

BLOCK 10 Scenario 2

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	35 years

Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

D[2]P[2]V[2]s[2]

BLOCK 10 Scenario 3

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	35 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%

Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

D[3]P[2]V[2]s[3]

BLOCK 10 Scenario 4

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

D[4]P[2]V[2]s[4]

BLOCK 10 Scenario 5

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)

Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

D[5]P[2]V[2] s[5]

BLOCK 10 Scenario 6

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity

Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

D[6]P[2]V[2]s[6]

BLOCK 10 Scenario 7

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery

Time already spent on surgery waiting list	6 months	2 years
---	----------	---------

Who should have their surgery now?

Person A

Person B

D[7]P[2]V[2]s[7]

BLOCK 10 Scenario 8

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	35 years	35 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

D[8]P[2]V[2] s[8]

BLOCK 10 Scenario 9

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

D[9]P[2]V[2]s[9]

BLOCK 10 Scenario 10

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	6 months

Who should have their surgery now?

Person A

Person B

D[10]P[2]V[2]s[10]

BLOCK 10 Scenario 11

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

D[11]P[2]V[2]s[11]

BLOCK 10 Scenario 12

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)

Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	35 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	30%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

D[12]P[2]V[2]s[12]

BLOCK 10 Scenario 13

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B

D[13]P[2]V[2]s[13]

BLOCK 10 Scenario 14

	Person A	Person B
Current level of obesity	Obesity (BMI 30 to less than 40 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	1 year

Who should have their surgery now?

Person A

Person B

D[14]P[2]V[2]s[14]

BLOCK 10 Scenario 15

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

D[15]P[2]V[2]s[15]

BLOCK 10 Scenario 16

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	At least one parent or sibling is obese, has had weight issues since childhood	No family history of obesity
Chance of maintaining a substantial reduction in excess weight	50%	50%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	1 year	1 year

Who should have their surgery now?

Person A

Person B

D[16]P[2]V[2]s[16]

BLOCK 10 Scenario 17

	Person A	Person B
Current level of obesity	Very Severe Obesity (BMI greater than 50 kg/m ²)	Severe Obesity (BMI 40 to less than 50 kg/m ²)
Obesity-related conditions	Already has obesity-related conditions	Is at risk of developing obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	70%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has not maintained a healthy lifestyle plan and has had no weight loss	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

D[17]P[2]V[2]s[17]

BLOCK 10 Scenario 18

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Very Severe Obesity (BMI greater than 50 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	50 years	20 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	30%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	6 months	2 years

Who should have their surgery now?

Person A

Person B

D[18]P[2]V[2]s[18]

BLOCK 10 Scenario 19

	Person A	Person B
Current level of obesity	Severe Obesity (BMI 40 to less than 50 kg/m ²)	Obesity (BMI 30 to less than 40 kg/m ²)
Obesity-related conditions	Is at risk of developing obesity-related conditions	Already has obesity-related conditions
Age of person needing surgery	20 years	50 years
Family history	No family history of obesity	At least one parent or sibling is obese, has had weight issues since childhood
Chance of maintaining a substantial reduction in excess weight	50%	70%
Has shown commitment by responding to prescribed lifestyle intervention	Has maintained a healthy lifestyle plan for several months, resulting in some weight loss, however is still in need of surgery	Has not maintained a healthy lifestyle plan and has had no weight loss
Time already spent on surgery waiting list	2 years	6 months

Who should have their surgery now?

Person A

Person B